


11
81
20
MAGNETICAL, METEOROLOGICAL, AND
SEISMOGRAPHIC OBSERVATIONS
MADE AT THE
GOVERNMENT OBSERVATORIES, BOMBAY
AND ALIBAG, 1911 to 1915.

—◆—
WITH AN APPENDIX.




00133503

Presented by Order of the Right Honourable
the Governor General in Council, India.

To

.....

.....



GOVERNMENT OBSERVATORY :

Bombay, 15th 11.11.1921.

Dear Sir,

By order of the Right Honourable the Governor General in Council, India, I beg to forward a copy of the "Bombay Magnetical, Meteorological and Seismographic Observations, 1911 to 1915," for acceptance as a contribution to your Library.

Yours faithfully.

T. K. CHINMAYANANDAM,

Director,

Bombay and Alibag Observatories.

MAGNETICAL, METEOROLOGICAL, AND
SEISMOGRAPHIC OBSERVATIONS


MADE AT THE

GOVERNMENT OBSERVATORIES,
BOMBAY AND ALIBAG.

133563

1911 to 1915.

o



WITH AN APPENDIX.

MAGNETICAL, METEOROLOGICAL AND SEISMOGRAPHIC OBSERVATIONS

MADE AT THE

GOVERNMENT OBSERVATORIES,
BOMBAY AND ALIBAG,

IN THE YEARS

1911 to 1915

11
81
20

UNDER THE DIRECTION OF

N. A. F. MOOS, Esq., D.Sc., F.R.S.E.

WITH AN APPENDIX.

Printed by order of His Majesty's Government,



BOMBAY
PRINTED AT THE GOVERNMENT CENTRAL PRESS
1921.

TABLE OF CONTENTS.

INTRODUCTION TO THE METEOROLOGICAL, MAGNETICAL AND SEISMOGRAPHIC OBSERVATIONS, 1911 to 1915.

	Page.
1. Forty-first number of the series	i
2. Local situation and geographical position of the Colába Observatory	id.
3. Alibág Magnetic Observatory	id.
Local situation and geographical position of the Alibág Magnetic Observatory	ii.
Description of the buildings and the instruments in the Alibág Magnetic Observatory	id.
4. Directorship of the Observatories	iii
5. Personal establishment and arrangements	id.
6. System of observation and reduction and distribution of work	id.
System of observation at Colába	iv.
(a) Daily routine operations	id.
(b) Weekly routine operations	v.
System of observation at Alibág	id.
(a) Daily routine operations	id.
(b) Periodic routine operations	id.
7. General description of the Magnetical, Meteorological, Seismographic Instruments, their adjustments and the process of reduction	vi
(a) Meteorological Instruments at Colába, 1911 to 1915	id.
Standard Barometer, description of	id.
Error in setting the zero position of the scale and change of method of observation.	vii
Corrections for error of verniers	id.
Corrections applied to the observed readings	id.
Comparison with the Kew Standard Barometer	id.
Barograph	viii
Thermometers	id.
Standard Dry-bulb	id.
Standard Wet-bulb	id.
Photographic Dry-bulb and Wet-bulb	id.
Ground Thermometers	id.
Robinson-Beckley Anemograph, description of	ix
Tabulation of Anemograms	x
Method of reduction	id.
Change in the factor from 3 to 2.2 for the conversion of the run of the cups to the movement of the wind	id.
Old Anemograph replaced by a new one in October 1907	xi
Comparison of the records of the old and the new anemographs	id.
Dines's Anemograph, description of	id.
Tabulation of Anemograms and method of reduction	xii
Comparison of the Anemograph with a U tube pressure gauge	xi
Rain-gauges	xiii
Newman's Rain-gauge	id.
Photographic Rain-gauge	id.
New Syphon of modified form	id.
Constants for converting syphon discharges into inches of rainfall	xiii
Measurement and distribution of syphon discharges	id.
Determination of scale of rainfall ordinates	id.
(b) Seismographical Instruments at Colába, 1911 to 1915	id.
Milne's Seismograph	id.
The Colába Seismographs	xiv
Seismograph for recording vertical movements	xv
The Omori Ewing Seismograph	xvi
(c) Magnetical Instruments at Colába, 1911 to 1915	id.
Kew Unifilar Magnetometer	id.
(d) Magnetical Instruments at Alibág	id.
Magnetometers, description of	id.
Magnetometer No. 7, Instrumental Constants	xvii
Magnetometer No. 3, Instrumental Constants	id.
Dip Circle, observations with the instrument	id.
Earth Inductor, description of the instrument and method of observation	xvii
The Magnetographs, description of	id.

	Page.
The Horizontal Force Magnetograph	<i>xviii</i>
The Declination Magnetograph	<i>xix</i>
The Vertical Force Magnetograph	<i>id.</i>
Scale Co-efficients of H. F. Magnetograph	<i>xx</i>
Scale Co-efficients of V. F. Magnetograph	<i>id.</i>
Scale Co-efficient of D. Magnetograph	<i>id.</i>
Temperature Co-efficient of H. F. Magnetograph	<i>xxvi</i>
Temperature Co-efficient of V. F. Magnetograph	<i>id.</i>
Table 1.—Mean monthly observed values of the moment of the vibration magnet of magnetometer No. 7	<i>xxi</i>
Table 2.—Mean monthly differences in the value of Horizontal Force determined from observations with instrument No. 7 at the two deflection distances of 22.5 cms. and 30.0 cms. ..	<i>id.</i>
Table 3.—Mean monthly observed values of the moment of the vibration magnet of magnetometer No. 3	<i>xxii</i>
Table 4.—Mean monthly differences in the values of Horizontal Force determined from observations with magnetometer No. 3 at the two deflection distances of 23 cms. and 30 cms. ..	<i>id.</i>
Table 5.—Mean monthly values (observed and calculated) of the base line of the Horizontal Force magnetograph standardised by observations with magnetometer No. 7	<i>xxiii</i>
Table 6.—Mean monthly values (observed and calculated) of the base line of the Horizontal Force magnetograph standardised by observations with magnetometer No. 3	<i>id.</i>
Table 7.—Differences in the values of Base lines in tables 5 and 6	<i>xxiv</i>
Table 8.—Differences between the observed and calculated values of base lines in table 5 ..	<i>id.</i>
Table 9.—Differences between the observed and calculated values of base lines in table 6 ..	<i>id.</i>
Table 10.—Base line values of the Declination magnetograph standardised by observations with magnetometer No. 7	<i>xxv</i>
Table 11.—Base line values of the Declination magnetograph standardised by observations with magnetometer No. 3	<i>id.</i>
Table 12.—Differences between the base line values (In tables 10 and 11) derived from observations with magnetometers Nos. 7 and 3	<i>id.</i>
8. Processes of reduction and description of the tables of results, 1911 to 1915	<i>xxviii</i>
(a) Meteorological tables	<i>id.</i>
Table I.—Regnaults values of the pressure of vapour at different temperatures ..	<i>id.</i>
(b) Tables of magnetic results	<i>id.</i>
(c) Tables of seismic disturbances	<i>id.</i>
9. Notes on Instrumental changes and on all irregularities or departures from the routine of observation or reduction, during the period, 1911 to 1915	<i>xxix</i>
Robinson-Beckley Anemograph	<i>id.</i>
Dine's Anemometer	<i>id.</i>
Method of interpolation in tabulations	<i>id.</i>
Barograph	<i>id.</i>
Thermograph Dry-bulb	<i>xxx</i>
Thermograph Wet-bulb	<i>id.</i>
Self-registering Rain-gauge	<i>id.</i>
Horizontal Force Magnetograph	<i>xxxi</i>
Declination Magnetograph	<i>id.</i>
Vertical Force Magnetograph	<i>xxxii</i>

TABLES OF RESULTS DERIVED FROM THE CONTINUOUS REGISTRATIONS OF AUTOMATIC
METEOROLOGICAL INSTRUMENTS AND FROM ABSOLUTE METEOROLOGICAL OBSER-
VATIONS, 1911—1915.

	1911.		1912.		1913.		1914.		1915.	
	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.
Barometric Pressure: Daily and monthly means	Ia	1	Ia	16	Ia	31	Ia	46	Ia	61
Barometric Pressure: Mean diurnal inequality for each month of the year and for the whole year	Ib	1	Ib	16	Ib	31	Ib	46	Ib	61
Temperature of the Air: Daily and monthly means	IIa	2	IIa	17	IIa	32	IIa	47	IIa	62
Temperature of the Air: Mean diurnal inequality for each month of the year and for the whole year	IIb	2	IIb	17	IIb	32	IIb	47	IIb	62
Maximum temperature of the Air on each day during the year	IIc	3	IIc	18	IIc	33	IIc	48	IIc	63
Minimum temperature of the Air on each day during the year	IId	3	IId	18	IId	33	IId	48	IId	63

	1911.		1912.		1913.		1914.		1915.	
	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.
Pressure of Vapour: Daily and monthly means	IIIa	4	IIIa	19	IIIa	34	IIIa	49	IIIa	64
Pressure of Vapour: Mean diurnal inequality for each month of the year and for the whole year	IIIb	4	IIIb	19	IIIb	34	IIIb	49	IIIb	64
Additional capacity of the Air: Daily and monthly means	IVa	5	IVa	20	IVa	35	IVa	50	IVa	65
Additional capacity of the Air: Mean diurnal inequality for each month of the year and for the whole year	IVb	5	IVb	20	IVb	35	IVb	50	IVb	65
Daily total fall of rain (in inches) as measured by F. Chamber's self-registering gauge the tunnel of which is 28 feet above ground	Va	6	Va	21	Va	36	Va	51	Va	66
Daily total fall of rain (in inches) as measured by Newman's gauge, placed 4½ feet above the ground	Vb	6	Vb	21	Vb	36	Vb	51	Vb	66
Mean velocity of the wind in miles per hour without regard to the direction from which it blew for each day of Bombay Civil Time; also the mean monthly velocity and its variation from the mean of the year by Robinson-Beckley Anemograph	VIa	7	VIa	22	VIa	37	VIa	52	VIa	67
Mean diurnal inequality of the velocity of the wind in miles per hour for each month of the year and for the whole year by Robinson-Beckley Anemograph	VIb	7	VIb	22	VIb	37	VIb	52	VIb	67
Mean velocities of the north or south and east or west components of the winds which blew on each day of the year	VIc	8	VIc	23	VIc	38	VIc	53	VIc	68
Mean diurnal inequality of the north or south and east or west components of the wind for each month of the year and for the whole year	VI d	9	VI d	24	VI d	39	VI d	54	VI d	69
Sums of the velocities, and mean velocities, in miles per hour, of the winds which blew in each month, from each of the sixteen principal directions and also the number of hourly observations which those sums comprise; the latter numbers indicating the relative frequency of the same wind (as to Direction) in the several months and of different winds during the same month	VIe	10	VIe	25	VIe	40	VIe	55	VIe	70
Mean velocity of the wind in miles per hour, for each day of Bombay Civil time; also the mean monthly velocity and its variation from the mean of the year	VI f	11	VI f	26	VI f	41	VI f	56	VI f	71
Mean diurnal inequality of the velocity of the wind in miles per hour for each month of the year and for the whole year	VI g	11	VI g	26	VI g	41	VI g	56	VI g	71
Mean monthly temperature of the ground in the thermometer shed and its annual variation at the respective depths of 1, 9, 20, 60 and 132 inches below the surface	VIIa	12	VIIa	27	VIIa	42	VIIa	57	VIIa	72
Temperature of the ground exposed to the direct rays of the Sun at the depths of 1 inch and 8 inches below the surface for each of the five observation hours and for the mean of the day	VIIb	12	VIIb	27	VIIb	42	VIIb	57	VIIb	72
Individual observations in each month of the year, indicating the greatest and the least values of the following elements, viz., Height of Barometer (corrected for temperature); Temperature of air; Pressure of vapour, Additional capacity of air and ground temperatures, 1 and 8 inches below the surface (exposed to solar rays)	VIII	13	VIII	28	VIII	43	VIII	58	VIII	73
Relative Humidity of the air: Daily and monthly means of observations taken at 6, 10, 14, 16 and 22 hours daily	IXa	14	IXa	29	IXa	44	IXa	59	IXa	74
Extent of cloudy sky: Means of estimations made at 6, 10, 14, 16 and 22 hours daily, the whole sky being reckoned as 10·0	IXb	14	IXb	29	IXb	44	IXb	59	IXb	74
Five day means of the different Meteorological elements, viz., Barometric Pressure, Temperature of the air, Pressure of Vapour, Additional capacity of the air, Rainfall, north or south component of wind and east or west component of wind	X	15	X	30	X	45	X	60	X	75

TABLES OF SEISMIC DISTURBANCES REGISTERED BY THE MILNE'S SEISMOGRAPH,
THE COLABA SEISMOGRAPHS, THE OMORI-EWING SEISMOGRAPH, AND THE
SEISMOGRAPH FOR RECORDING VERTICAL (TILT) MOVEMENT, 1911 to 1915.

General remarks on the Seismographic work at the Colaba Observatory

Page 79

	1911.		1912.		1913.		1914.		1915.	
	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.
List of principal seismic disturbances registered by the Milne's Seismograph	I	79	I	80	I	82	I	83	I	84
List of principal seismic disturbances registered by the Colaba Seismograph No. 1 (E.—W.) ..	IIa	86	IIa	87	IIa	87	IIa	88	IIa	89
List of principal seismic disturbances registered by the Colaba Seismograph No. 2 (N.—S.) ..	IIb	91	IIb	92	IIb	92	IIb	93	IIb	94
List of principal seismic disturbances registered by the Omori-Ewing Seismograph	III	96	III	97	III	97	III	98	III	99
List of principal seismic disturbances registered by the Seismograph for recording vertical movement	IV	101	IV	101	IV	102	IV	103	IV	105

TABLES OF RESULTS DERIVED FROM ABSOLUTE MAGNETIC OBSERVATIONS
AND FROM THE CONTINUOUS REGISTRATIONS OF THE MAGNETOGRAPHS
AT ALIBAG DURING THE PERIOD 1911 TO 1915.

	1911.		1912.		1913.		1914.		1915.	
	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.
Observations of Vibration and Deflection taken with Magnetometer No. 7 (T. Cooke & Sons) for the determination of absolute Horizontal Force	Ia	(3)	Ia	(20)	Ia	(37)	Ia	(51)	Ia	(66)
Observations of Vibration and Deflection taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.) for the determination of absolute Horizontal Force	Ib	(6)	Ib	(23)	Ib	(40)	Ib	(54)	Ib	(69)
Observations of absolute Declination taken with Magnetometer No. 7	IIa	(9)	IIa	(26)	IIa	(43)	IIa	(57)	IIa	(72)
Observations of absolute Declination taken with Magnetometer No. 3	IIb	(11)	IIb	(28)	IIb	(44)	IIb	(58)	IIb	(73)
Observations of Inclination taken with inductor No. 41 by Schulze and galvanometer No. 200 by Plath	IIIa	(13)	IIIa	(30)	IIIa	(45)	IIIa	(59)	IIIa	(74)
Supplementary observations of Inclination taken with Dip Circle No. 160 and two 3½ inch needles Nos. 1 and 2 (Dover C.) ..	IIIb	(16)	*IIIb	(34)	IIIb	(49)	†IIIb	(63)	IIIb	(77)
Base line values of the Horizontal force magnetograph derived from observations of Horizontal Force by Instrument No. 7 and Instrument No. 3	IVa	(80)	IVb	(82)	IVc	(84)	VI d	(86)	VI e	(88)
Base line values of the Declination magnetograph derived from the observations of absolute Declination by Instrument No. 7 ..	Va	(90)	Vb	(92)	Vc	(94)	Vd	(96)	Ve	(98)
Base line values of the Declination magnetograph derived from the observations of absolute Declination by Instrument No. 3 ..	Vf	(100)	Vf	(100)	Vf	(101)	Vf	(101)	Vf	(101)
Daily means of Horizontal force	VIa	(103)	VIb	(103)	VIc	(103)	VI d	(104)	VI e	(104)
Daily means of Declination (Easterly) ..	VIIa	(105)	VIIb	(106)	VIIc	(106)	VII d	(107)	VII e	(107)
Monthly means of the magnetic elements determined from the absolute observations of Horizontal Force, Declination and Inclination and reduced to the mean monthly tabulations of the magnetograms	VIII	(108)	VIII	(108)	VIII	(108)	VIII	(108)	VIII	(108)
Monthly means of the magnetic elements determined from the absolute observations of Horizontal Force, Declination and Inclination and reduced to the mean monthly tabulations of the magnetograms (derived from supplementary observations with auxiliary instruments)	VIIIa	(108)	VIIIa	(108)	VIIIa	(108)	VIIIa	(108)	VIIIa	(108)
Magnetic character on each day during the year	IXa	(109)	IXb	(110)	IXc	(110)	IXd	(111)	IXe	(111)
Magnetic character of each day during the year and the difference of the daily mean of H. from that of the preceding day (continuation of table 381 in "Colaba Magnetic Data, 1846—1905")	IXf	(112)	IXg	(113)	IXh	(114)	IXi	(115)	IXj	(116)

*From January 1912 to 16th May 1914 the needles used were Nos. 1/05 and 2/05.

†From 21st May 1914 observations of inclinations were taken with inductor No. 108 and galvanometer No. 108A by Otto Toefer and Sons.

	1911.		1912.		1913.		1914.		1915.	
	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.
Diurnal ranges of Horizontal Force ..	Xa	(117)	Xb	(118)	Xc	(118)	Xd	(119)	Xe	(119)
Diurnal ranges of Declination ..	XIa	(120)	XIb	(121)	XIc	(121)	XId	(122)	XIe	(122)
Mean diurnal inequality of Horizontal Force for each month of the year and for the whole year ..	XIIa	(123)	XIIb	(123)	XIIc	(124)	XIIId	(124)	XIIe	(125)
Mean diurnal inequality of Horizontal Force for the summer months (April to September) and the winter months (January to March and October to December) and for the whole year for each of the years, 1911 to 1915 ..	XIIIa	(125)	XIIIb	(125)	XIIIc	(125)	XIIId	(125)	XIIIe	(125)
Mean diurnal inequality of Declination for each month of the year and for the whole year ..	XIIIa	(126)	XIIIb	(126)	XIIIc	(127)	XIIId	(127)	XIIIe	(128)
Mean diurnal inequality of Declination for the summer months (April to September) and the winter months (January to March and October to December) and for the whole year for each of the years, 1911 to 1915 ..	XIIIa	(126)	XIIIb	(126)	XIIIc	(127)	XIIId	(127)	XIIIe	(128)
Mean diurnal inequality of Vertical Force for each month of the year and for the whole year ..	XIIIa	(128)	XIIIb	(128)	XIIIc	(128)	XIIId	(128)	XIIIe	(128)
Mean diurnal inequality of Vertical Force for the summer months (April to September) and the winter months (January to March and October to December) and for the whole year for each of the years, 1911 to 1915 ..	XIIIa	(129)	XIIIb	(129)	XIIIc	(130)	XIIId	(130)	XIIIe	(131)
Mean diurnal inequality of Inclination for each month of the year and for the whole year ..	XIVa	(131)	XIVb	(131)	XIVc	(131)	XIVd	(131)	XIVe	(131)
Mean diurnal inequality of Inclination for the summer months (April to September) and the winter months (January to March and October to December) and for the whole year for each of the years, 1911 to 1915 ..	XIVa	(132)	XIVb	(132)	XIVc	(133)	XIVd	(133)	XIVe	(134)
The mean temperatures in the Horizontal Force enclosure and the excesses over the means for each of the five observation hours during the period 1911 to 1915 ..	XVf	(134)	XVg	(134)	XVh	(134)	XVf	(134)	XVg	(134)
The mean temperatures in the Vertical Force Magnetograph enclosure and the excesses over the means for each of the five observation hours during the period 1911 to 1915 ..	XVI	135	XVI	135	XVI	135	XVI	135	XVI	135
The Progressive change per day of the Horizontal Force Magnetograph as derived by different processes ..	XVII	136	XVII	136	XVII	136	XVII	136	XVII	136
The progressive change per day of the Declination Magnetograph as derived by different processes ..	XVIII	137	XVIII	137	XVIII	137	XVIII	137	XVIII	137
The progressive change per day of the Vertical Force Magnetograph as derived by different processes ..	XIX	138	XIX	138	XIX	138	XIX	138	XIX	138
The progressive change per day of the Declination Magnetograph as derived by different processes ..	XX	139	XX	139	XX	139	XX	139	XX	139

APPENDIX A.

Absolute values and the diurnal inequalities of Horizontal Force, Declination, and Vertical Force derived from quiet days for the years 1911 to 1915.

General remarks on the tables of results given in the Appendix Page [1]

	Table.	Page.
Absolute values of Horizontal Force derived from all days and from quiet days selected by (1) the International Commission of Terrestrial Magnetism and (2) selected locally and the differences between the values derived from all days and from these two sets of quiet days	I	[2]
Absolute values of Declination derived from all days and from quiet days selected by (1) the International Commission of Terrestrial Magnetism and (2) selected locally and the differences between the values derived from all days and from these two sets of quiet days	II	[3]
Absolute values of Vertical Force derived from all days and from quiet days selected by (1) the International Commission of Terrestrial Magnetism and (2) selected locally and the differences between the values derived from all days and from these two sets of quiet days	III	[4]

	1911.		1912.		1913.		1914.		1915.	
	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.	Table.	Page.
Mean diurnal inequality of Horizontal Force for each month of the year, and for the whole year for the quiet days selected by the International Commission of Terrestrial magnetism	IVa	5	IVb	5	IVc	6	IVd	6	IVe	7
Mean diurnal inequality of Horizontal Force for summer months (April to September), winter months (October to March), and whole year for each of the years, 1911-1915, for the quiet days selected by the International Commission of Terrestrial Magnetism	IVf	7	IVf	7	IVf	7	IVf	7	IVf	7
Mean diurnal inequality of Horizontal Force for each month of the year and for the whole year for the quiet days selected locally	Va	8	Vb	8	Vc	9	Vd	9	Ve	10
Mean diurnal inequality of Horizontal Force for the summer months (April to September), winter months (October to March), and the whole year for each of the years, 1911 to 1915, for the quiet days locally selected	Vf	10	Vf	10	Vf	10	Vf	10	Vf	10
Mean diurnal inequality of Declination for each month of the year, and for the whole year for the quiet days selected by the International Commission of Terrestrial Magnetism	VIa	11	VIb	11	VIc	12	VId	12	VIe	13
Mean diurnal inequality of Declination for the summer months (April to September), winter months (October to March) and for the whole year for the quiet days selected by the International Commission of Terrestrial Magnetism for each of the years, 1911 to 1915	VIf	13	VIf	13	VIf	13	VIf	13	VIf	13
Mean diurnal inequality of Declination for each month of the year and for the whole year for the quiet days locally selected	VIIa	14	VIIb	14	VIIc	15	VIIId	15	VIIe	16
Mean diurnal inequality of Declination for the summer months (April to September), winter months (October to March) and for the whole year for the quiet days selected locally for each of the years, 1911 to 1915	VIIf	16	VIIf	16	VIIf	16	VIIf	16	VIIf	16
Mean diurnal inequality of Vertical Force Magnetograph for each month of the year and for the whole year for the quiet days selected by the International Commission of Terrestrial Magnetism	VIIIa	17	VIIIb	17	VIIIc	18	VIIId	18	VIIIe	19
Mean diurnal inequality of Vertical Force for the summer months (April to September), winter months (October to March) and for the whole year for the quiet days selected by the International Commission of Terrestrial Magnetism for each of the five years, 1911 to 1915	VIIIf	19	VIIIf	19	VIIIf	19	VIIIf	19	VIIIf	19
Mean diurnal inequality of Vertical Force Magnetograph for each month of the year and for the whole year for the quiet days selected locally	IXa	20	IXb	20	IXc	21	IXd	21	IXe	22
Mean diurnal inequality of Vertical Force for the summer months (April to September), winter months (October to March) and for the whole year for the quiet days selected locally for each of the years, 1911 to 1915	IXf	22	IXf	22	IXf	22	IXf	22	IXf	22

BOMBAY METEOROLOGICAL, MAGNETICAL AND SEISMOGRAPHIC OBSERVATIONS, 1911 TO 1915.

INTRODUCTION.

The present volume—the forty-first of its kind—extends the record of the Meteorological Observations at the Government Observatory, Bombay, to a period of seventy years, of Seismographic Observations to a period of seventeen years, and of the Magnetic Observations at the Alibág Observatory to a period of twelve years. The Alibág record overlaps the Bombay Magnetic Record for a period of two years and the continuity of the latter record which had run uninterruptedly at Colába for sixty years from 1846 to April 1906 is thus preserved and extended to a period of seventy years.

2. *Local Situation of the Colába Observatory.*—Two unequally developed ridges of trap hills running almost parallel to each other some three miles apart, constitute one of the conspicuous physical features of the Island of Bombay. Unlike Malabár Hill to the west which forms practically one high and almost unbroken ridge from Malabár Point to Maháluxmee, the poorly developed eastern ridge running from Colába point to Sion towards the north east, rises now and again in small hills and mounds, but usually lying low, often as not falls below the level of the sea and is deeply covered with alluvium. The Observatory is situated almost at the extreme south end of this narrow ridge of land extending about three miles to the south west from the Fort of Bombay and separating the Harbour from Back Bay. The level of the Observatory compound is about 32 feet above the mean level of the sea. Traps and greenstones which abound on the whole surrounding coast, crop up at various places through the red sandy soil which covers the greater part of the Observatory compound. The nearest elevated ground is Malabár Hill lying northwards at a distance of about 4 miles on the opposite side of the Bay, the highest point of which stands about 180 feet above the sea level, while that which subtends the largest vertical angle—but less than $1^{\circ} 7'$ —as seen from this Observatory, is the southern hill of the island of Karanja to the east south east at a distance of about 8 miles across the Harbour.

The co-ordinates giving the geographical position of the Observatory are—

Astronomical	{	Latitude $18^{\circ} 53' 36''$ North. Longitude $72^{\circ} 48' 56''$ East.	Geodetic	{	Latitude $18^{\circ} 53' 47''$ North. Longitude $72^{\circ} 48' 47''$ East.
--------------	---	--	----------	---	--

The buildings concerned with the production of the observations recorded herein are, (1) the Astronomical Observatory and the Anemometer Tower, with a western wing, the greater part of which serves as a computing room, whilst the remainder is partitioned off for a photographic operating room; (2) the Magnetical Observatory with the adjoining Electrometer Tower; (3) the underground room for the photographically registering instruments; (4) the Thermograph Shed, enclosing the thermograph room; (5) the old Thermometer Shed; and (6) the three Seismograph Buildings.

3. *Alibág Magnetic Observatory.*—Early in 1900 the City of Bombay finally decided to employ electricity as motive power for its street tram service. Magnetic work, hence, which had run uninterruptedly for over fifty years by then at the Bombay Observatory, was thus threatened by the proposed introduction of the electric traction, and prompt action in the interests of the Observatory seemed essentially urgent. Efforts to find some *modus vivendi* which might allow this work to be continued at the Observatory at Colába without serious vitiation from the disturbing effects of the lines, having proved abortive, no alternative seemed possible but to remove the magnetic work to some suitable site in the neighbourhood. It became imperative under the circumstances to make provision without delay for the establishment of a new Observatory at some protected site elsewhere, which might allow comparative observations for a fairly long period to be made at the new and old sites before the conversion of the ordinary tram-lines into electric traction was completed, and enable, if possible, the continuity of the Bombay record to be preserved.

The necessary sanction and orders were issued by Government, and a suitable site one least open to objection, from several recommended was selected at Alibág some 18 miles away from Bombay. It was far away, enough to be beyond the disturbing effects of the electric lines in Bombay, but sufficiently near, presumably to have similar magnetic conditions. The geographical position of Alibág also was otherwise favourable. There was no reasonable probability, at least in the near future, of a railway service (eventually driven by electric motive power) extending southwards from the Bombay line along the coast through Alibág or passing by it near enough to affect the magnetic work and compel the removal of the Observatory again to another site in a few decades.

The site was secured in 1902, and the construction of the buildings, the description of which has been given in the Observatory Volume 1906—1910, was completed in 1903, and comparative observations commenced in April 1904. After securing an undisturbed duplicate record extending over a period of two years, the magnetic work at Colába was stopped on the 31st March 1906 fortunately before the electric tram service was completed and had commenced its operation. Disturbed records at Colába were subsequently also secured for a few days when the electric tram service commenced working in Bombay. The comparative results of absolute values of the three elements H, D, and I, at the two sites show that at Alibág, Horizontal Force stands lower by $\cdot 00510$ c. g. s., Easterly Declination stands higher by $53' \cdot 5$, and Inclination stands higher by $1^\circ 4' \cdot 7$ than at Colába, which are the finally adopted differences. The variations of H, D, and V, were secured by a set of Watson's magnetographs at Alibág, and by Kew type magnetographs at Colába, and the results show, as anticipated, that the diurnal and annual variation phenomena were precisely the same at the two sites agreeing to within a γ or two in the intensity variations, and $0' \cdot 1$ in the Declination variation (*vide* Appendix C, tables 1—4, Observatory Volume, 1906—1910).

Local Situation of the Alibág Magnetic Observatory.—Alibág is a small town on the mainland, lying across the Harbour about eighteen miles south south east of Bombay. The site of the Observatory is located on the foreshore, facing south west, with a fair extent of sandy beach stretching before it. The ground unlike Colába is flat and low, lying about 15 feet above the mean sea-level. The situation of the Observatory is otherwise fairly similar to that at Colába. The rocks which abound on the surrounding coasts are traps as at Colába. The chain of small hills on the north and north eastwards about four miles away from Alibág which forms the continuation of the main trap barrier ridge running south from Bassein some forty miles to the north of Bombay, rises in small hills, mounds and rocky slopes which gather into a more or less central range of hills running north west to south east of which Kankeshwar, Sakarghad and Ramdharan about 1,200 feet high, form the highest peaks.

The co-ordinates giving the geographical position of the Observatory are—

Astronomical	{	Latitude $18^\circ 38' \cdot 4$ North.	Geodetic	{	Latitude $18^\circ 38' \cdot 6$ North.
		Longitude $72^\circ 52' \cdot 35$ East.			Longitude $72^\circ 52' \cdot 2$ East.

The Observatory grounds, consisting of about seven acres, are self-contained, being bounded on three sides by roads and on the southwest side by the sea. The Observatory consists besides the Director's quarters, Assistants' residence and office and photographic room, of two buildings chiefly concerned with the production of the observations recorded: (1) the Magnetometer Office where absolute observations are made, and a set of eye-reading variometers is located and (2) a Magnetograph Building, in which two sets of variation instruments by Watson and Eschenhagen, have been installed. Both buildings are constructed absolutely of non-magnetic materials. All the fittings are either of copper or brass duly tested before their use in the buildings, and the building materials throughout are non-magnetic, the stone used being a pure sand-stone from Porebunder in Káthiáwár.

The Magnetometer Building—a plan and section of which with pictures are given in plates 1-3 of the Observatory Volume 1906—1910—consists of a basement room and a tower with two floors. In the basement room is mounted the transit instrument for the determination of time locally. For this purpose the flat roof is so constructed as to allow of a portion of it to be opened whenever required for star observations. In the same room are mounted also, on isolated pillars a large declinometer and the two Kew type magnetographs which had been in action at Colába from 1872 to 1906. These are used here however, as simple eye-reading variometers only (observed five times a day). In the tower room on the second floor are mounted the Observatory standard instruments—magnetometer No. 7 by Cooke, Schulze's inductor, and dip circle. On the first floor auxiliary observations of H. and D. are taken with magnetometer No. 3 by the Cambridge Scientific Instrument Company and of I by another inductor by Otto Toepfer. On the ground floor magnetometer No. 137 by Dover Charlton is used for deflection experiments which serve as a check on the deflection experiments on the magnetographs for standardising the curves. The reference mark used for azimuth observations is the Kennery Light-house situated some five miles and a half away from Alibág, which is also visible from Colába and has served the same purpose there for the last fifty years. This mark the azimuth of which is $137^\circ 53' 25''$ W. of S. can be seen from any of the three tower rooms through specially constructed slit windows suitably provided in the corners of the tower rooms as the building is oriented N.-S. and E.-W. The azimuth of Kennery from Colába is $179^\circ 49' 30''$ E. of N.

The recording variation instruments are mounted in an *overground* magnetograph building, the elevation plan and section of which are shown in plates 4 and 5 of the Observatory Volume, 1906-1910. The inner room is 25×30 feet. It is surrounded by walls 3 feet thick of Porebunder stone. Access to the room is obtained by a single entrance centrally placed in the west wall. This is reached by a narrow passage all round the room, entrance to which from the lobby outside is gained from the east side. The passage is formed by the walls of the inner room and a wooden saw-dust

compartment three feet thick. An air space 3 feet wide is left all round the wooden compartment, and the whole is then surrounded by the outer wall of the building, 3 feet thick of Porebunder stone. The saw-dust compartment, it will be seen from the section given, is so designed that it completely surrounds the inner magnetograph chamber, passing over the top of this room below the flag stones of the flat roof above, and underneath the flag stones of the floor of the chamber. Suitably designed ventilators are provided both for the ingress and egress of the air at suitable levels. The thermograph curves given in plate 6 of the Observatory Volume 1906—1910 show that the design has proved successful in keeping the temperature uniform inside the room. The daily changes are practically *nil*, while the seasonal range is from 6° F. to 8° F. The temperature curve in the Alibág magnetograph room which is an *over-ground* building, it will appear from the charts, compares most favourably with that of the Colába magnetograph room which is an *under-ground* building. Isolated pillars are provided in the magnetograph room for the various instruments, which come up through the wooden compartment and flag stones of the floor. As already remarked elsewhere the room contains the Watson's recording magnetographs for H., D. and V., and Eschenhagen's variometers for H. and V. The latter are used as eye-reading instruments only and serve as a control over the Watson's records, simultaneous eye-readings of both sets of instruments being secured at typical hours five times a day.

4. *Directorship of the Observatories.*—The observations of the years 1911 to 1915 both at Colába and at Alibág were taken under the direction of Dr. N. A. F. Moos, D.Sc., F.R.S.E.

5. *Personal Establishment and Arrangements, 1911—1915.*—In the Magnetical, Meteorological and Seismographic Departments there are one First Assistant and eight observers and computers, and in the Astronomical Department there are one First Assistant and three observers. These several offices were filled at the end of the year 1915 in the manner exhibited in the following statement :—

Magnetical, Meteorological and Seismographic Departments, Colába.

					Initials.
First Assistant	..	..	Mukundrai Virshanker Unakar	..	.. Muk.
Second	..	..	Vishnu Balkrishna Achwal	..	.. A.
Third	..	..	Padmakar Waman Sirdeshpandye	..	.. P.
Fourth	..	..	Mahadeo Dinkar Karmarkar	..	.. M. D. K.
Fifth	..	..	Shridhar Vinayak Karmarkar	..	.. S.
Sixth	..	..	Luxman Vishvanath Joshi	..	.. L. V. J.
Seventh	..	..	Mahdusoodan Virshanker Unakar	..	.. M. V. U.

Magnetical Department, Alibág.

First Assistant	..	..	Ganesh Sadashiv Joshi	..	.. G. S. J.
Second	..	..	Ganpat Pandurang Mayekar	..	.. G. P. M.

Astronomical Department, Colába.

First Assistant	..	..	Waman Vinayak Nene	..	.. W. V. N.
First Assistant (Time Ball Service).	..	..	Gopal Pandurang Sabnis	..	.. G. P. S.
Second	..	..	Krishnaji Bhalchandra Fagre	..	.. K. B.
Third	..	..	Mahadeo Ganesh Joshi	..	.. M. G. J.

Mr. Damodar Waman Sathaye, Astronomical Assistant, retired from service from 25th May 1911, and Mr. Narayan Sakham Kelkar also retired from service on pension from 17th April 1913.

Mr. Sakham Balaji Bapat, another Assistant, was allowed to proceed on sick leave and died on the 30th January 1913, Mr. Trimbak Raoji Oak, Third Assistant (Time Ball Service) was allowed to proceed on sick leave and died on the 8th June 1915 and Mr. Balkrishna Pandurang Mayekar, Second Assistant at the Alibág Observatory, suddenly died on the 1st January 1914.

The initials against the names of the Assistants are those which the respective officers attach to the several observations and operations performed by them.

6. *System of Observation and Reduction, and Distribution of Work.*—The Astronomical Observatory is furnished with a transit instrument and three sidereal clocks which are used for the determination of the local time primarily for the Time Ball service for communicating time to the shipping in the Bombay Harbour and for rating the large number of chronometers in stock for the ships of the Royal Navy and the Royal Indian Marine, and secondarily for the communication of time by the comparison of clocks three times a day, to the different departments of the Observatory.

The First Assistants are charged with the determination of values of instrumental constants and the more important observations requiring skill and long experience, and they generally control the whole of the work of their respective departments.

Upon the Third Assistant devolve mostly the photographic operations. He is also responsible for all the photographic instruments which require constant and vigilant attention. The anemographs and the meteorological and seismographic work generally are attended to by the Fourth Assistant. The routine magnetical, meteorological and seismographic observations are in general made by the rest of the observers, and computers, who are made to take up the work by rotation. Amongst the duties of the assistants are included the tabulation of all photograms and seismograms, the calculation and reduction of all meteorological and magnetical elements, the preparation of various meteorological and other returns, the calculation of daily averages and the writing out of the monthly abstracts. The latter consist of tables having the days of the month marked in numerical order in the first column and the hours of the day in order at the head of the columns, and there is one such table for each magnetical or meteorological element observed. In no case are the tabulations and reductions allowed to run into arrears unless very urgent special work is on hand. All observers attend the computing office when not actually engaged on observation duty. The Second Assistant is entrusted with the absolute magnetic observations which at Colába now, are restricted to declination observations only made once about the middle of the month. At Alibág the First Assistant in charge of the Observatory is entrusted with the absolute magnetical observations and generally controls the whole work at the Observatory there. Eye observations and other general routine work including the photographic work are attended to by the Second Assistant. Although every man is delegated with duties which he is most competent to perform, precautions are taken to keep some of the observers fully instructed in the different operations, to provide for occasional absence of any member of the establishment. All computing operations are systematically performed by one computer and checked independently by a repetition of the operation by another. Residential quarters are provided on the observatory premises for all members of the establishment. On Sundays and general holidays all assistants at Colaba are set free except three, one being kept on observing duty, one in charge of the self recording instruments and one in charge of Astronomical duties. At Alibág, also, eye observations are taken and the photographic duties performed by the two assistants on Sundays and general holidays in rotation.

SYSTEM OF OBSERVATION AT COLABA.

(a) *Daily Routine Operations.*

Magnetical, meteorological and seismographic observations are taken every day, including Sundays, at the hours 6, 10, 14, 16 and 22: the day commencing at midnight, Bombay (Colába), is reckoned from 0 to 24. The time of observation of each element is fixed and the observations are registered with strict punctuality as follows:—

From 5 minutes to the hour	{	Extent and description of clouds, state of the weather
to 2 „ after the hour	{	occasional phenomena, and direction of the wind.
At 2 „ „ „ „	{	Thermograph standard thermometer, dry bulb.
	{	Do. do. do. wet bulb.
„ 3 „ „ „ „		Newman's rain gauge (in wet season).
From 5 „ „ „ „	{	Thermometer in ground 1 inch deep.
to 7 „ „ „ „	{	Do. do. do. 9 inches deep.
From 7 „ „ „ „	{	Newman's standard barometer No. 58 and attached thermometer.
to 9 „ „ „ „	{	Do. do. No. 48 and do.
At 10 „ „ „ „		Thermometer attached to barograph.
From 15 „ „ „ „	{	Thermometers in the Milne's seismograph room and
to 18 „ „ „ „	{	Milne's seismograph Zero reading.
At 19 „ „ „ „		Surface thermometers in the sun 1 and 8 inches deep.

The maximum and minimum thermometers in the thermometer shed, as also the solar radiation thermometer, are read twice daily at 8 and 16 hours.

Observations made once daily include readings of (1) the ground thermometers 20, 60 and 132 inches deep, made at 14 hours, and (2) the nocturnal radiation thermometer made at 8 hours. During the monsoon months Newman's rain gauge is read daily at midnight and the discharges of the syphon of the self-registering pluviograph, are also read once or oftener as required. The electric clock controlling the Ball drop and the Harbour clock, is duly regulated by comparison thrice daily with the standard sidereal clock. Government chronometers, belonging to the Royal Indian Marine and Royal Navy stores at the Observatory and those received from merchant ships in the harbour are wound daily or twice a week as required, and comparisons with the standard clock are made with sufficient frequency to render the instruments always ready for issue at call with well-determined rates.

(b) *Weekly Routine Observations.*

Transit observations of stars for the determination of time for securing the errors and the rates of the sidereal clocks are made every Monday, Wednesday and Friday in the dry months of the year. During the monsoon months no opportunity is lost for observing either the sun or the stars whenever visible. The adjustment of the Transit instrument in azimuth is tested frequently by reference to the fixed meridian collimator marks, and level errors are tested and checked once every month. Errors of collimation, level, and azimuth are determined twice a year in May and December or whenever the collimator shows a displacement of the telescope or any considerable discordance appears in the clock errors derived from observations of stars of different north polar distances.

Observations of magnetic Declination are made once every month at Colába about the 15th of each month for the determination of the local declination value for the examination and comparison of compasses of ships in the Harbour.

SYSTEM OF OBSERVATION AT ALIBAG.

(a) *Daily Routine Operations.*

Eye observations of the instruments specified below are taken daily, Sundays included, at 6, 10, 14, 16 and 22 hours at the specified instants of time about the full hour of Greenwich mean time :—

At 19 minutes to the hour :	{ Kew Horizontal Force Magnetometer and attached thermometer.
„ 17 „ „ „ :	{ Kew Vertical Force Magnetometer and attached thermometer.
„ 15 „ „ „ :	{ Declination Magnetometer and thermometer in the Magnetometer room.
„ 11 „ „ „ :	{ Eschenhagen's Vertical Force Variometer and attached thermometers.
„ 10 „ „ „ :	{ Watson's Vertical Force Magnetograph and attached thermometer.
„ 9 „ „ „ :	Watson's Declination Magnetograph.
„ 8 „ „ „ :	{ Watson's Horizontal Force Magnetograph and attached thermometer.
„ 7 „ „ „ :	{ Eschenhagen's Horizontal Force Variometer and attached thermometer.
„ 6 „ „ „ :	{ Thermograph in the Magnetograph room and standard thermometer (read twice daily at 6 and 16 hours only).

(b) *Periodic Routine Operations.*

Deflection experiments, with vibration magnet of magnetometer No. 3, the moment of which is determined every week, as deflector at 100 cms. distance on the horizontal force magnetograph and 75 cms. distance on the vertical force magnetograph, are made once every fortnight. Similar deflection experiments with vibration magnet of magnetometer No. 137 as deflector are made once a month for the purposes of check work and corresponding deflection experiments at the same distances are also made every month by the same deflector upon a magnet appropriately suspended over the pillar on the ground floor of the tower.

Deflection experiments, with vibration magnet of No. 3 as deflector at 100 cms. distance on the horizontal force variometer and 75 cms. distance on the vertical force variometer are made once a fortnight.

Observations of vibration and deflection for the determination of absolute horizontal force are made with the Observatory standard instrument No. 7 on Wednesdays and with the auxiliary instrument No. 3 on Mondays. With the same instruments observations of absolute declination are taken every Thursday. Between May 1911 and May 1914 observations of inclination were made with the Schulze's Inductor, which is the Observatory standard instrument, every day in the year exception Sundays and holidays. Since May 1914, when another inductor by Otto Toepfer was brought into use, observations of inclination have also been made every day in the year but each of the two inductor instruments is observed on alternate days, both the instruments being observed simultaneously for check work on Saturdays. Upto May 1911, observations of inclination with dip circle No. 160, which was up to the end of the year 1910 the standard instrument, were taken twice a week every Tuesday and Friday, two complete sets being obtained with each of the two needles on both days.

After May 1912 however when regular daily observations with the inductor commenced, observations with the dip circle were taken once a week till May 1914 and only occasionally thereafter.

For investigational purposes, for one year between May 1911 and May 1912, absolute observations of horizontal force and declination were made every day in the year except on Sundays and holidays, each of the two unifilar magnetometers being observed on alternate days. Also observations of inclination with both the instruments—the Schulze's Inductor and the dip circle—were made every day during the period.

Installation of the transit telescope was effected in December 1904. Transit observations of stars for the determination of time are made generally on Mondays and Fridays in the dry months; during the monsoon no opportunity is lost of observing the sun or stars whenever visible. The adjustments of the transit instruments are frequently tested by reference to the fixed collimator marks and by level observations; the residual errors of collimation, level and azimuth are determined periodically twice a year, or whenever the collimator shows a displacement of the telescope or any considerable discordances appear in the clock errors derived from observations of stars of different north polar distances.

Before the transit was installed and brought into use, time was communicated to Alibág from Colába, occasionally by heliograph signals, and regularly four times a week by a preconcerted arrangement of timing the flashes of the Kennery Light-house which is visible from both the observatories. This method is now and again advantageously employed as check on the concurrent time determinations by star observations at Bombay and Alibág, specially during the monsoon months when star observations are not possible.

7. GENERAL DESCRIPTION OF THE MAGNETICAL METEOROLOGICAL AND SEISMOGRAPHIC INSTRUMENTS, THEIR ADJUSTMENTS AND THE PROCESS OF REDUCTION.

The following details show the special circumstances in connection with the condition, situation and adjustments of the various instruments, as also the habits of the observers and the routine processes of reduction, to enable the reader to form his own independent judgment as to the degree of precision attained in the results and the weight to be attached to any deduction or conclusion that may be drawn from the observations.

(a) METEOROLOGICAL INSTRUMENTS AT COLÁBA, 1911 TO 1915.

Standard Barometer.—The barometer fixed on the eastern wall of the magnetical observatory a few feet from the north-east corner of the room is by Newman, No. 58, and is the same which has been in uninterrupted use since the establishment of the observatory. Its tube is 0.530 inch in diameter. The cistern, which is of glass, is 37 feet above the mean sea-level at Colába. The brass scale is moveable and terminates at the lower end in a point of ivory which is designed to be set at every observation so as just to meet its reflected image as seen in the mercury. The scale is primarily divided to 0.05 inch and by means of a vernier, 0.002 inch can be read off. To the moving vernier are attached two small brass plates one in front and one behind the tube. The setting of the instrument consists in raising or lowering the vernier until the lower edges of the brass plates appear just to cut tangentially the convex surface of the mercury in the barometer tube, the line of sight being so regulated in height as to coincide with the two edges. A thermometer with a cylindrical bulb, attached to the barometer, dips into the cistern and the readings of temperature derived from this were in use upto 1884. In an investigation described in the "Bombay Magnetical and Meteorological observations, 1871 to 1878," it was discovered, however, that the readings of the thermometer, which was supposed to record the temperature of the mercurial column of the barometer, were considerably in error, and the use of the thermometer hence was discontinued from the beginning of 1885 and a thermometer by Murray and Heath, No. 2, divided to half degrees, with its bulb immersed in a column of mercury held in a short glass tube of nearly the same diameter as that of the barometer tube, was fixed to one side of the barometer. The readings of this thermometer have been used since 1885.0. The error of this attached thermometer varies by about a quarter of a degree within the annual range of the temperature of the barometer, and in adopting a mean error throughout, small pressure corrections of ± 0.0003 have been disregarded.

The barometer was lifted down in 1866 and the mercury carefully run up to the top of the tube when it gave the sharp metallic click indicative of a good vacuum. It was replaced carefully in its position, the tube, etc., being kept in proper adjustment to verticality. The barometer is of that particular class, a description of which occurs at page 56 of the "Report of the Committee of Physics of the Royal Society, 1840," and therefore the scale of the barometer is laid off from the zero point from an authentic standard.

Since 1841 when it was first mounted, there has been a gradual accumulation of scum on the surface of the mercury in the cistern, and the glass cistern became more and more opaque until the setting operation of the ivory zero point of the scale became a matter of difficulty and some uncertainty. For this reason the usual method, as referred to above, was changed on the 22nd May 1866. On that day the zero of the scale was set *once for all* and the setting screw was removed, and suitable corrections for capacity were thenceforward applied to the readings. These were taken from a table derived from the following formula :—

$$\text{Capacity correction} = \cdot 04321 (h_0 - 29\cdot 943)$$

h_0 represents the uncorrected reading

data for the construction of which will be found in the "Bombay Magnetical and Meteorological Observations, 1865 to 1870", Introduction, pp. x, xi.

As at Bombay the fluctuation of the barometer reading from its mean value very rarely reaches $\cdot 4$ inch, requiring a correction of $\cdot 017$ inch, it seems very improbable that an error of so much even as $\cdot 001$ inch occurs from any inaccuracy in the adopted values of the relative capacities of the tube and the cistern. Since the change was effected, the comparability of the observations for showing the finer variations has on this account throughout been much better secured.

The depression of mercury due to capillary action in a tube of $0\cdot 53$ inch diameter being small, no correction is applied on this account.

On 30th July 1875 it was discovered that the vernier scale of the barometer was short by $\cdot 002$ inch. To correct the errors arising from this fault instructions were issued to note the positions of coincidences at $\cdot 000$ and $\cdot 050$ of the vernier scale with the scale of the barometer and also the non-coincidences at the above scales when the barometer reading was in exact half-tenths of an inch. It became then an easy matter to construct a table of corrections and to apply them for all positions of the vernier. These corrections have throughout been applied since.

The barometer is read daily including Sundays at 7^m after the full hours of observation—6, 10, 14, 16 and 22. Each reading is corrected by the application of the temperature correction reducing the temperature of the mercury column to 32° F. and that of the brass scale to 62° F. Another correction is applied to remove the error of discontinuity due to the change of thermometer. The first correction is made by means of Table II of the Report of the Committee of Physics of the Royal Society, the second by a constant reduction of the corrected pressure by $\cdot 002$ inch. The considerations on which the latter correction is based, are as follow :—(1) the tabulations of the barograph are known to exhibit correctly the diurnal variations of barometric pressure, free from any sensible influence of variations of the temperature of that instrument; (2) the mean of twenty-four hourly barograph tabulations on any day is taken to correspond to the mean of the same twenty-four hourly pressures observed with Newman's barometer, No. 58, and corrected for the temperatures indicated by the old attached thermometer; (3) it does not follow that the mean of the tabulations for the five observation hours (6, 10, 14, 16 and 22) will then correspond exactly to the mean of the observed pressures for the same hours, because the old thermometer does not indicate precisely the actual variations of temperature of the mercurial column: in fact the latter mean pressure was, on the average of all the observation days of the year 1872, $\cdot 0008$ inch in excess of the former mean pressure; (4) nevertheless the correspondence for the five observation hours was adopted as near enough to identity with the correspondence for the twenty-four hours, and the recorded mean pressures of the year 1873 to 1884 will thus be $\cdot 0008$ inch in excess of those of the years before 1873; (5) the old attached thermometer and the thermometer No. 2 by Murray and Heath were read of together at the five observation hours throughout the year 1883, and the average excess of the former reading over the latter was found to be $0^\circ 62$; (6) hence to make the pressures reduced for the readings of Murray and Heath, No. 2, correspond to those reduced for the readings of the old thermometer the former pressures must be decreased by $\cdot 0027 \times 0\cdot 62 = \cdot 0017$, or—as the pressures are read and calculated only to thousandths of an inch—by $\cdot 002$ inch. Thus taking the period before 1873 $\cdot 0$ as a standard period, the recorded annual mean pressures of the years 1873 to 1884 will be $\cdot 0008$ inch too high, and those of 1885 and later years $\cdot 0005$ inch [$= -\cdot 0020 + \cdot 0017 + \cdot 0008$] too high.

Indirect comparisons of the barometer have been made with the Kew standard by means of two mountain barometers by Negretti and Zambra, numbered 705 and 711, when they were both found (in July 1876) to read $\cdot 011$ inch higher than the Observatory standard. In England, however, they had been found to read $\cdot 007$ and $\cdot 006$ respectively higher than the Kew standard. Hence the Observatory barometer reads on an average $\cdot 004$ below the Kew standard. It happens that this is exactly the average amount by which the readings of Newman's barometer have been over-reduced for temperature (*vide* Introduction to the Bombay Magnetical and Meteorological Observations, 1871 to 1878, paragraph 72).

Barograph.—The photographic barometer stands separate on two pillars in the magnetograph room. It was supplied through the Kew Committee of the British Association after being tested at the Kew Observatory, and is similar in construction to those adopted by the Meteorological Committee of the Royal Society for the seven observatories established by them in the United Kingdom in the year 1867. The barograph has been treated as an independent instrument in respect of the variation of pressure occurring in the course of a day, but only as an auxiliary to Newman's standard barometer, No. 58, in respect of the mean daily pressures. The excess of the mean of the five observations of the standard barometer made daily, over the mean of the corresponding five barograph tabulations has been used as a correction to the mean of the twenty-four hourly tabulations for the same day, a new correction being calculated for each day. A detailed account of the instrument and its particulars and adjustment is given in the "Bombay Magnetical and Meteorological Observations, 1871 to 1878, pages xvi to xlvii."

Thermometers—Standard Dry Bulb.—The thermometer is by Casella and marked No. 401: it is a mercurial thermometer, with a cylindrical bulb 3·7 inches long and about 0·37 inch in diameter. The stem is graduated and divided into degrees: the range is from 0° to 120°, measuring 12·36 inches; and the bulb is freely exposed to the air. It is placed in the cage of the thermograph shed about 5 inches from the thermometer which records photographically and is similarly exposed.

Standard Wet Bulb.—This is also a mercurial thermometer by Casella No. 402, and has a cylindrical bulb 3·7 inches long and 0·37 inch in diameter. The thermometer is graduated on its stem and is divided into degrees with a range from -10° to $+120^{\circ}$, measuring 13·03 inches. The bulb is covered with muslin, and is kept moist by the capillary action of a bundle of fine cotton threads immersed in a small vessel of water near the thermometer bulb and passing loosely round the thermometer stem just over the bulb. The same vessel of water supplies the evaporating fluid to the photographic wet bulb placed about 3 inches distant.

The errors of the above standard thermometers have been carefully found and corrections duly applied. The errors were determined by a Kew standard (No. 368) thermometer in February and March 1875, at fourteen points ranging between 32° and 102° , and the readings were found to be within $0^{\circ}\cdot1$ of the truth. On 20th December 1877 the errors of the freezing points were also tested, showing no noticeable change (*vide* paragraph 53, Table 10 of the Introduction to the Bombay Magnetical and Meteorological Observations, 1871 to 1878). On the 26th November 1917, the freezing points were again tested and the zero of the dry bulb standard thermometer No. 401 was found to have changed from $32^{\circ}\cdot6$ to $33^{\circ}\cdot0$ F and that of the wet bulb standard thermometer No. 402 from $32^{\circ}\cdot5$ to $33^{\circ}\cdot0$ F. A rise of 0·4 and 0·5 degree was respectively noted thus in the zero points of these thermometers during the period. Properly graded corrections would have to be applied to the series 1878—1915 and these will be indicated in the next volume.

Photographic Dry Bulb and Wet Bulb.—The height of the bulbs of the thermometers of the thermograph above the ground is 10 feet. The cage is placed on one of the most exposed parts of the Observatory grounds and away from any building; it is, however, screened, as is also the thermograph room in which the recording apparatus is placed, by a roomy shed with a planked roof which is everywhere 2 feet above the roofs of the cage and room: the sides of the shed are of the louvre construction, with double sheets of zinc enclosing a thick layer of felt substituted for the wooden laths, and with a vertical distance from lath to lath of one foot: the lowermost two feet of the sides are guarded simply by horizontal iron rods: the roof of the shed is covered with thick felt and then with strong canvas, and the whole of the exterior—sides and roof—is painted or limewashed white.

Ground Thermometers.—Thermometers with their bulbs at the respective depths below the surface of the ground of 1, 9, 20, 60 and 132 inches are regularly observed, the two former five times a day and the three latter once a day at 14 hours. They are all by Newman, of London, and are divided on brass scales, and the value of one division, approximate range of part of scale exposed above ground, and lengths of that part and of one average degree are shown below for each thermometer:—

Depth of Bulb.	Divided to	Approximate Range of exposed part of Scale.	Length of that Range.	Average length of 1° .
Inch.			Inches.	Inch.
1	1°	30° to 145°	8·19	·071
9	$0^{\circ}\cdot2$	70° to 115°	5·20	·116
20	1°	35° to 160°	6·73	·054
60	1°	35° to 160°	6·81	·054
132	1°	50° to 140°	6·44	·072

The 1-inch and 9-inch thermometers are on flat brass scale frames, which lie against wooden posts in the ground, and they have their bulbs in contact with the loose red earth which fills the holes in which they are placed; the 20-inch, 60-inch, and 132-inch thermometers have their lower parts enclosed in brass tubes with ends curving off to a point, and the upper parts are in wooden box frames to which the brass scales are fixed. The reason why only one observation is made daily of the three deeper thermometers is that it had been found by hourly observations in 1849, 1850 and 1851 that no appreciable diurnal variation of temperature reached the depth of 20 inches.

The 9-inch thermometer was found broken in October 1912. Another thermometer had to be ordered out from England and this thermometer No. 203096 by C. F. Cassella was brought into use from March 1914. Its upper stem which includes the range of degrees to which the variations of temperature are subject is fixed to a wooden frame while the lower stem and the bulb are enclosed in a perforated brass case, which is sunk in the ground, the bulb being kept at the depth of 9 inches.

The errors of graduations of the ground thermometers are unknown.

Ground thermometers Nos. 69570 and 69571 by Casella were put in the rain gauge enclosure with their bulbs at the depth of 1 inch and 8 inches below the surface respectively in June 1902. The surface thermometer 1 inch deep was found broken and was provisionally replaced by another thermometer No. 122 by Newman, on the 17th April 1909. The error of this thermometer was not determined. A new thermometer No. 3426 by Munro was ordered out from England and brought into use from January 1915. The error of this thermometer for practically the full range of the observed ground temperatures does not exceed $0^{\circ}.1$ F.

Robinson-Beckley Anemograph.—From the establishment of the Observatory till December 1865 a rough pressure anemometer was in use. This was replaced by a small anemometer by Robinson which remained in use up to June 1867. From the beginning of the month of June 1867 was brought into use an anemograph of the kind designed by Robinson, with improvements by Robert Beckley, and it remained in action till October 1907 when it was replaced by a new instrument of the same pattern and by the same makers. It was made by Mr. R. W. Munro, and was supplied through the Kew Committee of the British Association, after being tested at the Kew Observatory. In this instrument the arrangements for the registration both of movement and direction of the wind are mounted on one shaft, and the registrations are made on a single sheet of paper, which is changed daily. The essential part of the apparatus for measuring the movement is a vertical spindle, to which cross arms are attached at the top, carrying four hemispherical cups of copper. The cups are attached to their several arms, so that, looking from the central axis, their convex sides are seen on the right hand, and the wind, acting with greater effect upon the concave than on the convex sides of the cups, causes the system to rotate in a right-handed direction. It is the number of these rotations, 140 of which are reckoned to a mile of movement of the wind, that tells us how fast the wind has been blowing; and the number is reduced, by means of wheelwork, 7,000 times before reaching a small cylinder carrying a continuous brass spiral projecting edge which serves as a pencil to trace the movement of one complete revolution on the registering paper. The paper is metallic of the kind used for pocket-books, and is wrapped round a brass cylinder, which is kept rotating by clockwork, and as the paper passes under the spiral pencil which presses slightly upon it, a black trace of the movement is received upon it. The wind vane, which consists of a pair of windmill vanes with connecting spindle having an endless screw in the middle and gearing into a fixed horizontal toothed wheel, is attached to a tube that surrounds the lower part of the vertical movement spindle; to the bottom of the tube is fixed a toothed wheel, which, in communication with other such wheels, conveys the motion of the vane *unchanged* to a small cylinder with a spiral pencil, which traces the changes of direction on the register. The whole arrangement is so devised as to have both the velocity and direction traced on parallel strips or bands on one and the same sheet of paper which is changed daily at 10 hours. The heavy parts of the instrument—the direction vane and appendages, and two long brass tubes which connect the instrument proper with the recording apparatus—are supported on friction balls (friction rollers in the case of the new instrument) which run in grooves partially filled with oil, thus reducing the friction to a minimum. The instrument is erected on the old Time Ball Tower, at a height of 53 feet above the ground, and 95 feet above the mean sea level, over a platform 12 feet in diameter, which is designed to give ready access to the instrument, and to protect it from irregular currents of wind, glancing from the convex surface of the dome. It is supported outside by a fixed cast-iron standard, to which is attached, at the top, the toothed wheel into which the endless screw of the spindle connecting the wind mill vanes gears. The centres of each pair of opposite hemispherical cups are four feet apart, and three and a half feet above the platform (four and a half feet in the case of the new instrument), and the diameter of the cups is nine inches. The diameter of the vanes is 15 inches, and the breadth of the fans 4 inches. The register form is printed in red, with lines dividing its length into hour spaces; and its breadth, on the movement side, into five spaces, each representing 10 miles of movement of the wind, and numbered

from 0 to 50 miles ; and on the direction side, into spaces corresponding to $11\frac{1}{2}$ degrees on each side of the 16 principal directions N.N.E., N.E., etc. N.N.W., N., which spaces are numbered consecutively 1, 2, etc. 15, 16.* In case of register forms received for the new instrument since October 1907, the direction side is divided by lines into eight spaces only corresponding to intervals of 45° .

Tabulation of Anemograms.—Numerical tabulations have been made of the movement and direction of the wind during the interval between every two successive hours in the following manner :—the number of miles indicated at the point where the velocity trace cuts a horizontal hour-line being read for two successive hours, the excess of the latter over the former reading (adding 50 if the trace has passed over from left to right of the form) gives the movement for the interval. The estimations of movement are made only to the nearest full mile and of direction to one of the sixteen principal directions corresponding to an interval of $22\frac{1}{2}$ degrees. If the direction trace does not lie all in one space during the full interval of an hour, and if the change of direction exceeds 90° or eight points, the whole observation for that hourly interval is rejected ; but if it lie within that limit, the direction is estimated—by an inspection of the movement and direction traces together—whence the aggregate flow of air was the greatest and this direction is adopted for the full hour. On the average of the years 1871 to 1915, out of 8,754 hours during which the instrument was in action, 2 only had to be rejected because the direction of the wind varied more than eight points within the hour.

Method of reduction.—Hitherto we have had to speak of phenomena liable only to simple increase and decrease of value and not subject to any change of quality. Such phenomena being properly and completely evaluated by simple numbers, we may apply to the numbers any arithmetical operations, such as averaging, and infer from the results of those operations corresponding properties of the phenomena. But we have now come to a phenomenon which requires two numbers to express it, one representing its amount and the other a varying quality ; the first referring to the velocity, and the second to the direction of the wind. Here we may no longer apply arithmetical processes directly and indiscriminately to the observed numbers ; but, the subject being one of motion, we must treat them according to the principles of the science of motion. These principles tell us that the motions may be equally well expressed by means of two varying numbers referring to two invariable qualities, as by a varying number referring to a varying quality ; and they show us how to obtain either form of expression from the other. The invariable qualities chosen in the present case are the directions north and east, the actual wind blowing in each hour being resolved into north and east components, which may be regarded separately as the velocity of the wind in the invariable direction north or south, and the velocity of the wind in the invariable direction east or west. The resolutions are effected by means of the formulæ—

$$\text{North component of velocity of wind} = m \cos (n \times 22\frac{1}{2}^\circ),$$

$$\text{East component of velocity of wind} = m \sin (n \times 22\frac{1}{2}^\circ),$$

where m is the movement observed, and n the number of the direction space under which the wind of the hourly interval is classed. When the sign of either of these calculated quantities is negative, it implies that the wind blows from the opposite direction, *i. e.*, from south or west. The calculations are readily made by means of tables to the nearest tenth of a mile of velocity per hour. Having now substituted the two equivalent winds for the real one, we may with propriety proceed to combine together numbers of observations by algebraical addition and averaging, treating the north and east components of the wind each by themselves. The averages thus found from the observations of any given period will represent the velocity with which the wind must blow from the northward (from the southward if the sign of the average be negative) continuously for the whole period, in order that the total movement of the wind from that direction may be the same as the total movement from the same direction produced by the winds which actually blow, and similarly the velocity with which it must blow continuously from the eastward (westward if the sign of the average be negative).

No corrections have been applied to the anemograph tabulations on account of friction.

The correct formula for deriving velocity in miles per hour from wind pressure in lbs. per square foot is $P = .003V^2$, and in the computations involved, the actual velocity of the wind as derived from the run of the cups, is obtained by the use of factor 3 originally suggested by Robinson. All wind figures therefore published up to the year 1910, have been derived by this factor. As a result however of a prolonged inquiry this factor has been found to be much too large and its correct value has been eventually fixed at 2.2. All velocities in this volume hence have been derived from the new factor, and the whole data of previous years up to 1910 which have thus been overestimated will have to be reduced by .73 in order to secure true velocities comparable with these and future wind data.

* A more detailed account of the Colaba anemograph will be found in the "Bombay Magnetical and Meteorological Observations, 1865 to 1870, Appendix I, page 199.

In October 1907 the old anemograph which had been in action at the observatory from the year 1867, was replaced by a new one by R. W. Munro & Co. The comparison of the record of this old instrument with that of Dines's from 1898 to 1907, showed that on the average the factor stood at 2.11. Similar comparison from 1908 to 1912 between Dines's and the new anemograph records showed the factor to be 1.98 which has continued to remain the same to date. Thus while the comparison showed that the two anemographs were nearly in close agreement, the new instrument seemed to record slightly larger velocity by about 6 per cent. As however the conditions of comparison with the Dines's Anemometer could not be accepted as absolutely identical in the two series, no refinement in the results by way of correction, at present seems advisable. *Vide* also paragraph below and tables in Appendix B of the Observatory Volume, 1906 to 1910.

Dines's Anemometer.—This instrument by R. W. Munro of London was received in January 1897 and fitted up in February on the same tower on which the Robinson-Beckley Anemograph is fixed, and it has been in action since then. The fixture is so arranged that the one instrument does not in any way interfere with the action of the other. The anemograph is fixed about 3 feet high centrally on a flat platform on the top of the old Time Ball Tower and the pressure tube anemometer is located on the edge of this platform to the north east—the distance between the two instruments being the radius of the platform—about 6 feet. The vane of the latter is placed about 6 feet above the platform, so that it is about 3 feet above the level of the cups of the anemograph. The tower is 53 feet high from the ground and 95 feet above mean sea-level and, looking at the exposed position of the tower, the two instruments have been placed in as identically analogous conditions as was possible under the circumstances. The instrument consists of two main parts, the “head” and the “recording apparatus.” The “head,” which is fixed on the top platform, is composed of two parts, the moveable and the fixed. The former consists of a hollow tube (1 inch in diameter) to which is attached at right angles at the top and opening into it, another similar tube open at one end but closed at the other where the vane is attached. The fixed part consists of three concentric tubes forming two annular spaces. The central tube, which stands higher than the middle tube by about .7 inch, is supported a little below the top of the middle tube by two radial pieces and is closed at the top to form a hollow cup which serves as a support for the pivot provided centrally in the horizontal vane tube of the moveable part allowing the latter to move freely round the middle concentric tube as axis. The moveable part thus opens into the inner annular space. The outermost concentric tube, which is considerably shorter in length than the middle one, has some fine perforations bored all round the tube, the annular space between it and the middle tube being closed at the top. As the wind vane attached to the moveable tube keeps the latter always facing the wind, the action of the wind in the inner annular space is compressive as the wind blows directly into it, while in the outer annular space the air as it rushes past the small perforations produces a suction effect resulting in decrease of pressure.

The recording apparatus consists of a large cylindrical vessel almost airtight, filled with water to a certain level. In this is introduced a specially constructed hollow copper float, open from below and weighing about 66.46 ounces, which rises or falls in response to the change of pressure of the air in the cylinder above the float and of the air within the float, caused by the action of the wind which is communicated from the “head” to the recording apparatus by two flexible tubings (40 feet long) led by gentle curves from the former to the latter. The tube which is attached to the suction part of the “head” transmitting decrease of pressure, enters the vessel from the top lid, while the other leading from the pressure part of the “head” transmitting increase of pressure, leads into and opens inside the float. As the action of the wind in the former space is to reduce the pressure the float becomes more buoyant and rises, while the action of the wind inside the float causes increase of pressure, and thus co-operates in raising the float. The float ends in a narrow smooth rod which, passing through an almost airtight vulcanite collar in the top lid, carries a small cup with attachment of pen, etc. On the top of the lid, a little removed from the recording pen, is fixed a small cylinder driven with clock-work, which carries the paper chart. The pen is so attached as just to fall on this paper by its own weight to avoid unnecessary friction between the two. When the float is put down, the height of the pen is so adjusted as to allow it just to reach the zero line on the chart. The float under ordinary circumstances when the communication between it and the head is cut off, rises through a certain distance, carrying the pen with it, which is again brought carefully back just to zero by the addition of small weights in the cup. The instrument is now ready for recording changes of pressure when communication is opened between it and the head. The peculiar construction of the float makes the upward force measured in units of velocity to vary uniformly with the ordinate: thus a velocity of 10 miles gives an ordinate of .6 inch on the chart, that of 20 miles 1.2 inches, and so on.

The comparison of the instrument with a U tube pressure gauge locally improvised, showed on the result of a series of experiments, that the relation between W —the difference in level of the water

in inches in the two arms of the U tube, which is a measure of the pressure of wind—and V the velocity of the wind in miles per hour as indicated in the Colaba Dines's chart, was $W = .00078V^2$ instead of $W = .00073V^2$ which should have been the correct relation if the instrument was in order and in perfect adjustment. The result hence showed that the Colaba Dines's instrument indicates only about 96 per cent. of the true velocity. This defect of 4 per cent. is appreciably large but considering that the magnitude of the probable errors of observations in the experiments, was not negligible and that ordinarily the velocity does not exceed 20 miles per hour, the graduations on the chart of the Dines's recorder may be accepted as indicating correct velocities for all practical purposes, except for high winds for which a small correction seems necessary.

Tabulation of the Anemograms.—Numerical tabulations are made in a table in which the days of the month are marked in numerical order in the first vertical column and the hours of the day at the head of the succeeding 24 columns where the hourly averages are entered. The twenty-sixth column gives the sum and the next column the mean hourly velocity for the day. At the bottom of the table columns are provided for the sums, means and variation. The determination of the hourly average is generally done by inspection, the hour when necessary for accuracy being subdivided into convenient divisions. The average of these divisions is taken as the mean hourly velocity, due weight being given to the time of each sub-division. In very complicated movements and doubtful cases the planimeter is used to check the inspection results.

Four photolithographic copies of the velocity chart shown in Vol. XXXVI of 1897 at page x represent different but typical characters of the wind. The first shows the character of the wind during a thunderstorm day, the second during a somewhat gusty day, the third during a somewhat stormy day, and the fourth during a typical normal day.

Rain gauges.—Newman's rain gauge, which has been in use since 1845, is made of copper and exposes for the collection of rain-drops a circular surface of an average diameter of 12.035 inches forming the top of a funnel, which opens into a cylindrical vessel below, having a diameter of 5.732 inches: a float of slightly less diameter, so as to rise and fall freely, rests upon the water in this vessel and having a wholly convex external surface, it allows the rain as it falls to flow off and raise the level of the water and with it the float. To the middle of the float is fixed a wooden rod, graduated with divisions, each of which represents .05 inch of rain; and the readings of this scale, which are easily estimated to fifths of a division, are made where it is cut by the upper edge of a light brass rod placed horizontally across the mouth of the funnel, but half an inch below the edge of the exposed circular surface; the scale passes through a hole in the middle of the horizontal rod, and is thus kept always in a vertical position. The range of the scale is from 0 to 3.50 inches, and the readings of the scale are entered in the meteorological register and the differences taken for every interval between successive observations; the rain is allowed to accumulate in the vessel generally till the reading is somewhere above 2.00 inches, when the water is let out, by means of a brass cock at the bottom, till the reading comes down to 0.00 inch. This latter reading is always maintained during intervals of dry weather—when, from evaporation, the scale would otherwise fall lower—by pouring small quantities of water into the gauge; the reason of this is obvious, as, if some water were not always retained, the float would sometimes rest on the bottom of the vessel and so cease to perform its function of rising equally for equal increments of rain. The scale of the wooden rod was graduated so as to agree approximately with the data—the diameters of the gauge and measuring vessel—given above. The error of the scale according to which the rod was graduated was less than a thousandth of the whole.

The old wooden scale was accidentally broken on the 2nd August 1916. An exact copy of it was prepared, duly tested and fixed to the float.

Newman's gauge stands on a large rectangular block of stone, in a position intermediate between the Entrance Gate, the Magnetical Observatory, and the Thermograph Shed, where the altitude of the highest neighbouring object, as seen from the gauge, is about 30° . It is supported by three feet, which are embedded with lead in holes cut in the stone block, and its circular mouth is at a height of $4\frac{1}{2}$ feet above the ground and about 35 feet above the mean sea level.

Photographic rain gauge.—A description of this instrument also will be found in the Introduction to the "Bombay Magnetical and Meteorological Observations, 1871 to 1878," page xlvi. In the years 1911 to 1915 the syphon discharges were received in glass bottles and measured by means of graduated glass tube and a marked glass bottle holding exactly half an inch of rain.

It was mentioned in former years that the occurrence of the discharging action of the syphon was occasionally liable to some uncertainty—the water at times trickling over the bend of the tube in considerable quantities before the proper discharge commenced. After trial of many modifications in the form of the syphon one was at last hit upon, which is free from this fault, and by which the tube is, moreover, kept in a satisfactorily clean condition from beginning to end of the monsoon,

simply by the washing that takes place in the ordinary automatic discharges. Since November 1884, when the new syphon was brought into use, the discharges have been regular and have failed on very rare occasions. To prevent birds alighting upon the funnel, and choking it with their droppings, a conical arrangement of pointed iron spikes surrounding the funnel was attached in 1882, and was found to be effective.

Constants for converting syphon discharges into inches of rainfall.—As the surface exposed by the rain gauge funnel is 50·286 square inches, an inch of rain contains 823·955 cubic centimeters. With the aid of a cubic centimeter measure accurate to a thousandth of 100 cubic centimeters which it was designed to measure, 412 cubic centimeters of water were poured into a narrow-necked glass bottle and a file mark was made on the neck at the level up to which the water rose. A glass tube was also graduated by means of the same cubic centimeter measure, so as to read off thousandths of an inch of rain with ease. The bottle is filled as often as there are discharges from the rain gauge syphon, and the final excess or defect is measured with the graduated tube. The use of the bottle began on 31st July 1879 and continued till the 26th July 1884, when it was accidentally broken. An exact copy of it, which had been prepared beforehand, was then substituted, for the original bottle and is still in use.

Measurement and distribution of syphon discharges.—The discharges are measured daily, or oftener during heavy rainfall, and are, of course, always of an integral number. For each measurement the average value of a discharge is attributed to each of the intervals of time, shown on the rain curve, between pairs of successive discharges; and it remains then only to distribute this quantity for each filling of the receiving vessel, by means of tabulations of the ordinates of the rain curve. When, as is often the case, the rate of fall of the rain at the time of a discharge exceeds $1\frac{1}{2}$ inch per hour, it is necessary to allow for the rain that enters the receiving vessel during the known time (16 seconds) of discharge, the allowance depending on the rate of rainfall, which is easily estimated for this purpose by noting, with the aid of an appropriate paper scale, the inclination of the rain curve immediately after the time of discharge. The aggregate of such allowances is deducted from a days (or other) measurement before dividing the quantity equally amongst the several intervals.

Determination of scale of rainfall ordinates.—The factor for converting ordinates of the rainfall curve into inches of rainfall was found by experiments in which a determined weight or volume of distilled water was poured into the receiving vessel, and the change of length of the ordinate produced thereby was carefully measured. In an experiment made on 6th May 1911, the quantity of water poured into the vessel was equivalent to ·480 inch of rain and the change of length in the ordinate ·470 of a true inch; whence the factor is found to be 1·021, which is applicable to all the rainfall registrations of the year 1911. In similar experiments made on the 26th May 1912, 24th April 1913, 29th May 1914, and 22nd May 1915, the factors so determined were 1·036, 1·026, 1·030, and 1·021 respectively which have however not been made applicable to the rainfall registration of the respective periods as if we adopt, as was done, the co-efficient unity (1·000) the greatest error possible in the registration would amount to less than ·02 inch. But this amount increases gradually to its maximum value ·02 as the ordinate increases from zero, to ·50 inch and would be counterbalanced at one stroke when the discharge occurs.

The tabulations are made with the true-inch scale of the thermograph tabulating instrument, using the white line as datum; and the reading of this datum that corresponds to the reading ·000 of the rain curve, when the receiving vessel has just been discharged, is re-determined whenever the adjustment of the recording apparatus is disturbed. For this purpose an average is taken of a number of measurements for all of which the rain is falling very slowly at the time of the syphon's coming into action and for a short time longer. It is necessary to select such occasions because at times of heavy rainfall the curve has risen sensibly before the light has had time to make a distinct impression on the sensitive paper. The mode of tabulating is (1) to set the scale on the constant reading corresponding to the white line, (2) to move the sliding piece until the index is set upon the white line, and (3) to move the sliding bar till the index is set upon the curve, and then read the scale. By setting the paper carefully, so that a considerable length of the white line is practically paralld to the lateral motion of the frame, the repetition of the first two operations of tabulation is avoided until many hourly ordinates have been read; and then a new setting of the paper is made for another stretch of the white line.

(b) SEISMOLOGICAL INSTRUMENTS AT COLABA, 1911 TO 1915.

Milne's Seismograph.—This instrument, No. 12, supplied by R. W. Munro of London, was mounted in September 1898, in the small building formerly used for electrostatic observations which was materially altered to suit the requirements of a seismograph installation. It consists of a single room 10 feet square with a double folding door on the south side and a single large window on the north side. It is 14 feet high up to the eaves with a gable roof, and is well ventilated by adjustable openings made in the walls near the ground and in the gable ends at the top. The pier is placed

in the middle of the room. Its foundations run $5\frac{1}{2}$ feet below the flooring, at which depth a huge basalt boulder was struck, over which was laid a bed of concrete 5 feet square and 2 feet deep. This bed supports a mass of rubble masonry 4 feet square and $1\frac{1}{2}$ feet deep, which finally carries a brick pillar $1\frac{1}{2}$ feet square and $5\frac{1}{2}$ feet high. The pillar is plastered with cement and carries a $\frac{1}{2}$ inch marble slab at the top. The special feature of this horizontal pendulum seismograph is a boom about 37 inches long consisting of a light aluminium rod supported at two places. One end abuts against an adjustable pivot or a needle point projecting from the base of the "vertical," and at a distance of about 4.3 inches, from this end it is held in horizontal position by a platinum wire with a piece of unspun silk attached at the end, which passes over the "vertical" and is held in position there by suitable adjustable screws at the top. This piece of unspun silk is attached to the platinum wire at the top to secure free motion of the boom; and to steady the movement of the boom which is very light, as also to balance the weight of the outer end of the boom and to obtain the "steady" mass a balance weight is suspended on a stirrup fixed on the boom at about 4 inches, from the pivot end. The boom carries at the outer end a rectangular plate with a short slit cut parallel to the boom through which light from a lamp is reflected by a suitable mirror on to the film in the recording box which has a corresponding slit at right angles to the former, thus allowing only a point of light to affect the film. The distance of this slit from the pivot point is 37.3 inches.

The base of the "vertical" is formed by an iron triangular bed plate with three levelling foot-screws. One of the screws is finely divided with a pitch of 0.5 mm. which serves for final adjustment. The bed plate is so placed on the pillar that two screws (including the adjustment foot-screw) are located due E.—W., while the third points to North. The distance between the first two is exactly 150 mm. and therefore a complete turn of the adjusting screw raises or lowers that end by 0.5 mm. or through an angle $= \tan^{-1} \frac{1}{300}$. A lever attached to this screw with a scale enables it to be turned through 1° , 2° , or any other fraction of a complete turn. This, with the usual sensibility of about 5.0 mm. for a 1° turn of the screw, allows of the determination of the tilt up to $0.2''$ of arc measured by a deflection of 0.5 mm. on the seismogram. The 'clock-work drives a roller, which pressing slightly against another friction roller allows of the sensitive film being carried between them at a uniform rate of about 59 mm. per hour. A small watch placed on the recording box, with its long minute hand carrying a small plate which extends to about 11 mm. over one end of the slit of the recording box, produces an eclipse every hour at 30 minutes past the hour cutting off the light at that end of the slit. Since December 1913 time is marked on the seismograms by an electrical contact clock, installed in the Colaba Seismograph room in connection with an electro-magnet and an eclipse fan which cuts off light for about half a minute at the exact full hour of Bombay mean time. By carefully watching the beginning and end of the eclipse by means of a chronometer, the exact time of the centre line of the white mark left on the sensitive film by the eclipse can be easily read off on the seismogram. Air tremors are frequent and troublesome at night especially during the winter months. But the precaution of regulating the temperature and draught in the room by heating the room by means of lamps or stoves initially suggested by this Observatory after a long series of experiments as a successful method of eliminating this form of disturbances, has proved fairly effective, and the traces are nearly always free from this source of vitiation.

*The Colaba Seismographs.**—The Seismographs designed and constructed locally were installed in the building formerly known as the small magnetic room altered to suit the requirements of the installation till April 1912 when the old building was demolished and a new one was constructed on the same site. They are mounted on an isolated pillar 20 by 18 inches and 7 feet high with its foundation on a rock. No. 1 is oriented N.—S. so as to record E. — W. movements, while No. 2 is oriented E.—W. to record N.—S. movements.

The essential parts of the two horizontal pendulums as finally devised consist of a metal boom about 14 inches long, one end of which carries a steel point abutting against a shallow cup of agate fixed to a heavy screw in the pillar at a point about 74 inches below its top. The boom at its other end carries a heavy weight (70 lbs.). The pillar at the top carries a thick iron slab in which are firmly bolted the slow motion adjustment screws, the steel bearings and the finely balanced pivot which receives the tie from the boom. The weight at the other end of the boom carries a moveable polished metal pin with a device to allow for the adjustment of the zero etc., which receives a close but just fitting fork attached to a long thin tapering glass rod about 8 feet long which carries at its outer end an agate bearing to receive a fine lightly balanced pen (crow quill) on a knife edge, which gives the record in glycerine ink. The pen is easily replaced by a style attachment whenever it becomes necessary for experimental purposes to secure a record on smoked paper. The magnification is about 8 times. The recording cylinder (5 inches in diameter) runs on a helical axis in connection with clock-work, and while completing one revolution in one hour, advances $\frac{1}{10}$ inch, which

* NOTE.—The recording arrangements of these instruments have for the purposes of investigation, often and again been altered from pen and ink records to charts on smoked paper with style, suitably modified in each case to suit the requirements of the investigations.

enables a continuous record of twenty-four hours being taken on the chart. With a suitable electromagnet and connection with an electrical clock time marks are recorded on the paper every minute, which with the regular motion of the cylinder and the clock have been found to give sufficiently accurate time for all practical purposes.

The instrument is brought into adjustment by the lower pivot screw which moves in and out, enabling the period to be regulated, while the adjustment screw at the top of the pillar, giving the slow motion to the point of attachment of the tie from the boom, allows the zero to be properly adjusted. The vertical distance between the points of attachment of the horizontal pendulum is 74 inches, and the distance between two consecutive threads of the adjustment screw traversed by a *complete* turn of the screw is $\frac{1}{4}$ inch from which the angle of the corresponding tilt is obtained by calculation. After suitable adjustment of the recording lever, pen, etc., the displacement of the pen corresponding to a tilt due to a complete turn or a fraction of a turn of the screw gives the sensibility of the instruments. For accurate work, with delicate instruments of this type which involve considerable friction, it was found advisable *every* day, at the time of change of paper, to measure the sensibility to tilt and to ascertain that this remained practically constant. As the instrument has been constructed locally, it was thought undesirable to use the upper adjustment screw oftener than was absolutely necessary, its use being restricted only to the correction of zero. The following device, therefore, is adopted. The pillar is provided with a brass bar oriented E.—W., 1.5 and 0.4 inch in section and about 5 feet long, which is embedded in the pillar passing horizontally through it and about a foot below the top. A similar circular bar about 40 inches long is placed at right angles to the former and oriented N.—S. The arms of these two bars which project 21 inches and 10 inches respectively for the No. 1 and the No. 2 seismographs from the face of the pillar are daily used for supporting, for a few seconds, a weight of 7 lbs. This weight placed at a certain distance on the arms produces a definite tilt in the pillar in the direction of the weight. This has been very accurately ascertained periodically from a series of careful experiments and equals 0.57 second in arc in the case of the No. 1 seismograph and 0.31 second in the case of the No. 2 seismograph. The weight of 7 lbs. is therefore used to produce this known tilt from which the displacement of the pen on the paper enables the sensibility of the instrument to be effectually controlled.

Seismograph for recording vertical movements.—This instrument was mounted in a specially constructed small building to keep the variation of temperature as small as possible. It has finally been removed to the underground magnetograph room. The instrument consists of a finely balanced lever with unequal masses at almost proportionate distances from the fulcrum. The lever is made to carry on one of its arms an agate plane supporting the knife edge at one end of a small lever, to the other weighted end of which is attached a fine Ayrton Perry spring fixed at top to a suitable support of the instrument. The spring thus remains under a small tension and a mirror is attached to it at its lower end and the beam of light which falls upon the mirror is properly focussed on the sensitized paper in the recording box. The large balance is adjustable to a period of 15 to 40 seconds, the free motion of which is not interfered with as the Ayrton Perry spring is attached to the auxiliary balance. To improve the record of this instrument several modifications in the details of the seismograph were made one of which adopted eventually was the removal of the auxiliary balance and the attachment of a fine steel wire spring some four inches long directly between the Ayrton Perry spring and the heavier end of the main balance, but without much success, as the friction in the balance pivots and attachment device was found to be much too great and fatal to the registration of minute movements. The instrument hence while efficient enough to record traces of near quakes was not sensitive enough to pick up the small movements of distant earthquakes. It was finally discontinued from 21st October 1915.

The same paper takes another record to register the actual tilt of the ground. A lead tube 3.8 inches in diameter is laid E.-W. in the floor of the magnetograph room. The horizontal length of the tube is 22 feet and the ends are turned up vertically through properly constructed brick pillars 3 feet high at each end. The end of the tube which comes through the pillar at the east end is protected by a loosely fitting cover, while the west end of the tube opens just under the base plate of the recording instrument which is placed on the west pillar. The tube is filled with kerosine oil and thus practically forms a geodynamic level. A float just heavy enough to sink in the oil is properly adjusted and suspended from the support of the instrument by a very delicate Ayrton Perry spring kept under tension by the residual weight of the immersed float sufficient to produce a rotation of about 180° of the mirror. From the area of the tube and its length the tilt can be ascertained experimentally by the addition of a known quantity of oil which causes a certain displacement of the beam of light on the paper and is constant for the existing factors for a float of a particular diameter. The present arrangement of float, etc., provides for a sensibility equivalent to a tilt of 0.4" or a vertical change in 'h' of .0005 inch, for one millimeter, and the instrument is sensitive enough to pick up tilt movements of even distant earthquakes. Time marks are secured on the

traces by a small chronometer watch in electrical connection with an electromagnet which by means of an occulting fan, cuts off light for about a minute and a quarter every hour. In December 1913 the watch was removed and the same electrical clock which marks time on the Milne's seismograms, was connected up with this instrument. The scale as in Milne's seismograms is about 59 millimeters long for one hour and does not admit of greater accuracy in the determination of time than of 0.1 minute. To allow of more accurate determination of time, arrangements were made in August 1915 to secure a more open scale and the record was run about $2\frac{1}{2}$ times faster so that 157 millimeters could be paid out in one hour.

The Omori Ewing Seismograph.—This horizontal pendulum seismograph was received in November 1907 and has been installed, oriented E-W, on an isolated pillar in a small wooden building to the east of the Magnetometer office. The essential parts of the instrument are in the main as described in the Colaba Seismographs. The cast iron base stand which is about 4 feet high, with a heavy ample base, supports a pendulum mass of about 75 lbs. by steel wires from the top. The length of the boom from the pivot to the centre of gravity of the steady mass is 2.0 feet, and the distance of this pivot from the point of attachment of the wires at the top of the stand is 3.42 feet. A fork and lever attachment in connection with the mass allows the movements to be magnified from 20 to 40 times. The lower magnification (20) has been used for the records during the period. The traces are taken on a smoked paper with a style, and a suitable device for time marks every minute is provided by an electro-magnet in electric connection with a standard clock which simultaneously marks time on this and on the Colaba (N-S) Seismograms. In May 1915 the instrument was slightly modified and the iron base stand was lifted up and mounted on a stone pillar so as to increase the vertical height of the pendulum from 41" to 81". This allows the pendulum to be more readily and easily made to swing freely and also to be adjusted to slow periods of 30 seconds and more.

(c) MAGNETICAL INSTRUMENTS AT COLABA, 1911 TO 1915.

Kew Unifilar Magnetometer.—Magnetic work was stopped at Colaba from the 1st April 1906, and since then observations of declination only, taken once a month about the 15th, have been continued. A description of the standard instrument No. 23 by Elliott Brothers, with which the observations of Declination for the period 1911 to 1915 have been taken, will be found on pages xxxiii to liii of the Introduction to the "Bombay Magnetical and Meteorological Observations, 1865—1870"; the description includes also an account of the situation of the instrument, of the nature of the observations taken with it—with examples of observation and computation forms filled up with the figures of actual observations—and of the formulæ of reduction and the constants involved in them.

(d) MAGNETICAL INSTRUMENTS AT ALIBAG, 1911 TO 1915.

Magnetometers.—Two magnetometers have been under observation regularly during the period. Magnetometer No. 7 by Cooke and Sons which is the standard instrument at Alibag, is of the ordinary type of Kew pattern instruments but is modified and improved in several important details. The telescope is about 8" in focal length with two eye pieces of low and high power. It carries a level and is pivoted on a transverse axle as in a transit to allow it to be used to a certain extent for motion in the vertical plane. The diaphragm instead of carrying the usual cross spider lines is filled with an optically pure glass on which are engraved two scales vertically and horizontally. The vibration magnet which is carried in a light aluminium stirrup has a cross engraved on a glass at its south end, the north end carrying the lens. The stirrup with the magnet in it is suspended by a phosphor bronze ribbon instead of the usual silk fibres, by means of clip-chucks. A finely divided plummet is provided, the scale of which is brought into focus and read with the telescope through a suitable lens brought in position for the time in front of the object glass. This arrangement ensures a more or less perfect elimination of the torsion of the suspension ribbon allowing of a more accurate determination of the residual torsional error than is possible in the Kew Pattern instruments. As the telescope diaphragm carries the scale, the usual Kew type mirror attachment to the deflection magnet and the special ivory scale are omitted and instead the stirrup with its magnet is made to carry below the magnet an aluminium collimator tube with a lens at the telescope end and a piece of glass engraved with cross lines at the other. The deflection bar is not divided as in the Kew instruments but a certain number of holes is accurately bored in its upper edge at exact distances 22.5 c.m., 26.25 c.m., 30.0 c.m., 35.0 c.m., and 40.0 c.m., measured from the centre of the instrument. The carrier of the deflector (vibration) magnet which rides on the bar during deflection experiments has a small metal plug protruding centrally from its base. This plug closely fits the holes in the bar and the operation of setting the magnets hence at the various distances on the bar does not require any careful adjustment as in the Kew type instruments.

The other instrument is No. 3 by the Cambridge Scientific Instrument Company and is of the usual Kew pattern.

Instrument No. 7 is observed on the second floor of the tower of the magnetic office, while instrument No. 3 is observed on the first floor, each instrument being permanently allowed to stand on its own pillar on the respective floors. The result of a long series of comparison of the instruments showed that after the application of the full distribution correction No. 7 read 2γ higher than the Colaba Standard Magnetometer by Elliot while No. 3 gave the same value as the Colaba standard. To ascertain how far the difference due to site affected the absolute determinations on each floor, a set of careful comparison observations was taken in 1917 with Magnetometer No. 7 and Inductor No. 41, on the two floors alternately. The results showed that Horizontal Force read lower by 3γ , Easterly Declination higher by $1' \cdot 4$ and Inclination lower by $0' \cdot 4$ on the second floor than on the first floor. The site differences obtained initially in 1904 were $1' \cdot 4$ for D and practically nil for H and I, Magnetometer No. 7 and Dip Circle No. 160 being then used for the purpose. As the differences are very small a much larger series of observations is clearly essential and the values of site differences can only then be determined and adopted finally.

The instrumental constants adopted in the reductions are as follow:—

Magnetometer No. 7.

Induction co-efficient $\mu = 7 \cdot 82$ or $\log \mu = 0 \cdot 89321$.

$\log \pi^2 K = 3 \cdot 39931$ and $3 \cdot 39981$ at 0°C and 50°C respectively.

Auxiliary inertia Cylinder : length = $9 \cdot 288$ cms.;

diameter = $1 \cdot 017$ cm ;

mass = $63 \cdot 822$ grammes.

The temperature correction for decrease in the moment of the collimator magnet is equal to $\cdot 000396 (t-0^\circ) + \cdot 00000088 (t-0^\circ)^2$, t representing the temperature in centigrade scale at which the observation is made.

In the graduations of the deflection bar the true distances at 0°C corrected for bending, corresponding to apparent distances 22·5, 26·25, 30, 35, and 40 cms. are respectively 22·493, 26·242 29·994, 34·991 and 39·983 cms.

The angular value of one scale division in the telescope = $1' \cdot 363$.

The adopted values of the distribution constants are $P = + 9 \cdot 549$ and $Q = - 569 \cdot 0$ and $\log 1 / (1 + \frac{P}{r^2} + \frac{Q}{r^4}) = 9 \cdot 99283$ for 22·5 cms. and = $9 \cdot 99572$ for 30·0 cms.

The attached thermometer of the instrument has no correction from 0°C . to 20°C . and from 30°C . to 45°C . ; the correction at 25°C . is $- 0^\circ \cdot 1 \text{C}$.

Magnetometer No. 3.

Induction co-efficient $\mu = 7 \cdot 95$ or $\log \mu = 0 \cdot 90037$.

$\log \pi^2 K = 3 \cdot 44108$ and $3 \cdot 44160$ at 0°C . and 50°C . respectively.

Auxiliary inertia cylinder : length = $10 \cdot 001$ cms.

diameter = $0 \cdot 989$ „

mass = $65 \cdot 041$ grammes.

The temperature correction for decrease in the moment of the collimator magnet is equal to $\cdot 000381 (t-0^\circ) + \cdot 00000105 (t-0^\circ)^2$, t representing the temperature in centigrade scale at which the observations are made.

In the graduations of the deflection bar the true distances at 0°C . corrected for bending, corresponding to apparent distances 23, 25, 30, 35, 40 and 45 cms., are respectively 22·995, 24·995, 29·994, 34·993, 39·991 and 44·990 cms.

Deflection apparatus, angular value of one scale division = $61'' \cdot 5$.

Collimator magnet, „ „ „ „ = $1' \cdot 91$.

The adopted values of the distribution constants are $P = + 2 \cdot 660$, $Q = - 1033 \cdot 5$ and $\log 1 / (1 + \frac{P}{r^2} + \frac{Q}{r^4}) = 9 \cdot 99942$ for 23 cms., and = $9 \cdot 99927$ for 30 cms.

The corrections for the thermometer attached to the instrument for vibration observations are $- 0^\circ \cdot 2 \text{C}$. from 5°C . to 40°C and $- 0^\circ \cdot 1 \text{C}$. at 45°C . In the case of the thermometer for deflection observations the corrections are $- 0^\circ \cdot 1 \text{C}$. at 5°C . and 45°C . and $- 0^\circ \cdot 2 \text{C}$. from 15°C . to 40°C .

Dip Circle.—Dip Circle No. 160 by the Cambridge Scientific Instrument Company is of the usual Kew pattern circles. Observations with this instrument have been made periodically in the room on the 2nd floor of the observation tower. It is installed on a separate pillar by itself. The reading of the azimuth circle of the instrument adopted for the place was $66^\circ 15'$. The position of the pillar was altered from 17th April 1908 for which the adopted reading is $67^\circ 24'$.

Observations with this instrument were only supplementary and the Dip needles used were No. 1 and 2 by Dover during the year 1911 and No. 1/05 and 2/05 by Dover (Charlton) from January 1912 to May 1914.

Earth Inductor.—This instrument No. 41 by Schulze of Potsdam with Galvanometer No. 200 by Plath was installed on specially constructed pillars in the room on the 2nd floor of the observation tower in May 1908. The galvanometer is mounted on a separate pillar to the south of that which carries the Inductor. A little to the right on the same pillar and in the line of the magnetic meridian passing through the axle of the Inductor coil, is fixed the rotation stand. The arrangement allows the observer to watch the movement of the needle conveniently through the galvanometer telescope while the coil is being rotated from the stand on the right of the observer. The rotation stand is of special construction. It is adjustable in direction and height to allow of the flexible tube from the Inductor to be attached to it at the correct distance and angle from the Inductor, and is specially devised to protect the Inductor when it is clamped to the angle of inclination and rotated, from any undue strain of the flexible tube. The Inductor consists essentially of a delicately balanced coil, the axle of which is adjustable to the necessary degree of accuracy both in azimuth and in altitude. The horizontal circle admits of an adjustment of the axis of the coil in azimuth to one minute of the true declination, while the vertical circle with its micrometer motion screw, allows the inclination to be read up to 1.5 seconds of arc. A gear with a suitable flexible tube is provided to set the axle of the coil in rapid rotation.

This motion induces currents in the coil as it cuts the lines of force of terrestrial magnetic field in which it rotates. The alternate currents so generated are duly righted by means of a delicate commutator and the direct continuous currents are conducted by wires to the sensitive mirror galvanometer by Plath. It is obvious that when so rotating if the axle of the coil adjusted in declination is inclined to the horizon coincident with the exact angle of inclination, no currents can be induced as every point of the coil while rotating, is carried round the same line of force, while at any other angle as the points cut different lines of force, currents would be generated and detected with the aid of the galvanometer. The larger the departure of the inclination of the axle of the coil from the true dip, the stronger would be the induced currents and greater would be the deflection of the needle of the galvanometer. The mirror galvanometer with its four coils and battery of directing magnets and the delicate astatic needle suspended by a very fine quartz fibre, allow of very sensitive adjustments to be made for the detection of the feeble currents generated in the coil when the angle of inclination of the coil is closely near to the true dip, a very small excess or defect in the angle being indicated respectively by a positive or negative deflection of the galvanometer needle. The true co-dip is given by the difference of the circle readings for the axis of the coil in the true vertical position and in the inclined position corresponding to the exact angle of the dip. In this 'null' position with a fairly rapid but constant and steady motion of the coil no current can be induced as shown by the undisturbed condition of the galvanometer needle.

To complete the duplicate installation of all important magnetic instruments which is essential both for accuracy and check work, inductor No. 108 by Otto Toepfer was ordered out and installed on the first floor in May 1914, and was under regular observation every alternate day during the period. The instrument is precisely of the same type as the Schulze's inductor described above, the only notable difference being in the suspension arrangement of the galvanometer needle, which is carried in this instrument by a silk fibre.

The Magnetographs.—The three magnetographs in use at Alibag are by Watson. They are mounted on isolated pillars in the room of the magnetograph building, a description of which is given in the observatory volume for 1906 to 1910.

The magnet of the horizontal force instrument is made up of a system of three slender bar magnets arranged vertically on a light central aluminium piece. This arrangement of the magnet system instead of one single large magnet gives distinct advantages in respect of mass and magnetic moment while contributing also to a reduction of the temperature co-efficient. The carrier of the magnet system is supported by a very fine quartz fibre suitably attached to the torsion head with a scale and clamping screw for the adjustment and measurement of the angle of torsion. The centre piece of the magnet system carries a light aluminium carrier made of two cross bars designed to receive a mirror. The bars carry adjusting screws by which the mirror can be finally adjusted about a vertical axis in relation to the magnetic axis of the system of magnets, as also about a horizontal axis. Just below this is fixed to the base plate of the instrument, another mirror which serves the purpose of securing the zero or base line trace. This mirror is also adjustable in azimuth and verticality. The magnet system swings in a massive copper block which forms the frame of the instrument, within a small chamber of the same form as the magnet system, but just large enough to allow free motion to the magnets. This arrangement provides thus not only for an effective damper but also secures uniformity of temperature of the magnets and the attached thermometer. The bulb of the thermometer is designed to

lie in as close a proximity of the magnet system as possible; and as both are enclosed in and are closely surrounded by the copper frame, the thermometer can be relied upon to register the true and actual variations of temperature of the magnet system, which is so vitally essential for requirements. The thermometers are specially constructed with open scales, 1° F. being equal to a length of about 0.3 inch so that $0^{\circ} \cdot 1$ F. can be read off accurately enough for all practical purposes. The side of the metal box forming the frame work of the instrument, which faces the lamp slit and the recording apparatus, carries a plano-convex lens of 165 cm. focal length.

In the declination magnetograph all the detailed arrangements are the same as described above, but the suspension of the magnet in this instrument is secured by a fine ribbon of phosphor bronze instead of a quartz fibre. The magnet system here consists of nine slender magnets arranged in a circle of about 12 mm. diameter.

These two instruments recording H and D variations, the former oriented North-South and the latter East-West, have their recording apparatus installed on a single central pillar and are run together by the same clock. The drums carrying the sensitive bromide paper are fitted in well closed wooden boxes to facilitate the removal and replacement of the sensitive papers in a dark room. The tube which connects the recorder and the instruments, carries at the end towards the former a glass scale and moveable mirror which can be lowered into position for eye observations. The lamp and slit, as is usual in all such instruments, are devised to move through a distance of about $\frac{3}{4}$ of an inch to allow of two days' curves being taken on one and the same sheet of paper. The beam of light as it passes through the slit traverses the tube and enters the magnet chamber through the plano-convex lens. As the two mirrors are adjusted at slightly different angles of inclination, the beam is separated after reflection here into two and repassing the lens and tube they enter the recording drum through a fine slit which being very close to the surface of the paper allows sharp images of the slit as reflected from the magnet and zero mirrors to be received on the paper. Arrangement for the introduction of a condensing cylindrical lens is provided with these instruments to allow of less sensitive papers to be utilized on the magnetograph, but as the image is appreciably less sharp than in the previous arrangement and as no other difficulties have compelled the use of the lens* it has not been used except in the case of the V. F. Magnetograph where it has been used uninterruptedly from April 1914.

The principal details of the Vertical Force Magnetograph are in the main the same as in the other magnetographs. The magnet system here consists of eight slender steel rods, each 10 cms. long and 0.2 cm. in diameter, fixed in two horizontal rows of four each in a central frame made of aluminium. The agate knife edge and an adjustable mirror lie between these rows on the frame which carries also a short thin vertical rod above on which a small weight is screwed, by raising or lowering which the final adjustment of the centre of gravity and of the sensitiveness of the balance, can be made. The frame carries a light vane and a counterpoise horizontally for adjusting the balance. A zinc rod with small moveable weights is screwed into a small bar which is attached to two of the magnets, but does not touch the central frame through which it passes freely as the hole is kept wide enough for this. With proper adjustment of these weights carried by the zinc bars the readings of the magnet balance are made nearly independent of temperature variations. The outer box which is of metal, carries centrally on a short pillar the agate plane for receiving the agate knife edge of the magnet system, which has a suitable device with a lever and hole, and slot and plane arrangement for lifting the magnet off and lowering it on the agate plane exactly in the same position as before. The box also contains five copper plates arranged vertically side by side as close as possible but just sufficiently apart to allow the slender magnets to move freely between them. These serve as effective dampers. The scale co-efficients of the force magnetographs are derived periodically from deflection observations performed on the instruments with deflectors as already referred to, at 100 cms. distance in the case of H. and at 75 cms. distance in the case of V. magnetograph. Upto May 1912 the observations were taken every week and the mean of the four or five such weekly determinations was used in the reductions. After that date observations have been taken every fortnight and the value used for any month is derived from six fortnightly determinations about the month. The deflector used up to May 1908 was magnet No. 137 while after that date magnet No. 3 was employed for this purpose. The values of the co-efficients used in the reductions are given below:—

Scale co-efficients of H. F. Magnetograph for 1 cm. of ordinate on the photographic paper.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911 ..	46.3	46.3	46.2	46.1	46.1	46.1	46.1	46.0	45.9	45.8	45.8	45.9
1912 ..	45.8	45.7	45.9	45.7	45.7	45.7	45.6	45.5	45.5	45.4	45.4	45.5
1913 ..	45.5	45.4	45.3	45.3	45.3	45.2	45.2	45.2	45.8	46.3	46.3	46.3
1914 ..	46.3	46.3	46.2	46.2	46.1	46.1	46.0	46.0	46.0	45.9	45.9	45.9
1915 ..	46.0	45.9	45.8	45.8	45.6	45.6	45.6	45.7	45.6	45.6	45.6	45.6

$\gamma = .00001$ C. G. S.

* The formula given below for the scale co-efficient will slightly be modified by the introduction of the additional lens, in respect of the Declination Magnetograph.

Scale co-efficients of V. F. Magnetograph for 1 cm. of ordinate on the photographic paper.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	92.7	92.6	92.6	93.1	93.3	93.0	93.0	92.9	92.8	93.2	93.0	92.9
1912	93.0	92.7	93.0	93.2	94.5	94.2	93.8	93.5	93.6	93.6	93.8	93.6
1913	93.5	93.3	93.3	93.6	93.8	94.0	93.9	93.5	93.4	93.4	93.5	93.5
1914	93.2	93.2	93.2	93.4	93.7	93.9	93.8	93.6	93.6	93.8	93.9	93.6
1915	93.3	92.9	93.2	93.2	93.6	93.7	93.5	92.9	93.1	93.2	93.4	93.4

$1\gamma = .00001$ C. G. S.

The several measurements necessary for the determination of the co-efficient of the Declination Magnetograph are as follows:—

Distance D from the lens to the edge of the recording cylinder = 167.98 cms.

Distance d from the lens to slit = 156.29 cms.

Distance m from mirror to lens = 1.744 cms.

Thickness of the cylindrical lens $t = 0.33$ cms.

The change due to 90° of torsion of the phosphor bronze ribbon was found to be 1.00 cm. on the paper whence the torsion co-efficient $1 + \frac{H}{F}$ works out as 1.00530.

The scale co-efficient for 1 cm. of ordinate hence as given by the formula

$$a = \frac{1}{2D} \left(1 + \frac{2Dd}{D-d} \frac{m}{m} \right) \left(1 + \frac{H}{F} \right)$$

works out as $10'.28$ which has been used in the reduction during the period.

The temperature co-efficient of the Horizontal Force Magnetograph has been determined by heating experiments and its adopted value is .000036 C. G.S. for 1° F.

The temperature co-efficient of the Vertical Force Magnetograph was found in the same experiments to be practically nil as no appreciable change in force after allowing for the actual diurnal change, could be definitely ascertained as being due to temperature effects.

The entries in tables of observations of absolute Horizontal Force with instruments No. 7 and No. 3 given in tables Nos. 1a and 1b for each year are copied directly from the observation books and the computation forms. Monthly means of observed moments of magnets and the differences in the values of H derived from two deflection distances (22.5 cms. and 30.0 cms. for instrument No. 7 and 23.0 cms. and 30.0 cms. for instrument No. 3) given in columns 15 and 18 of the tables, have been collected in tables 1 to 4 given below. They serve to exhibit at a glance how the magnetometers have behaved during the period. In the natural process of decay the moment of the magnets which in ideal conditions and circumstances ought to indicate a slow and steady loss conforming to some simple law, discloses, as will be seen from the tables, two fairly heavy and sudden dislocations in the series for instrument No. 7—one about May 1911 and the other about May 1915, the latter being the larger of the two. Two similar but heavier dislocations occur in the series for instrument No. 3 in June 1912 and May 1915. A reference to tables 2 and 4 also shows that the distribution conditions appear to be slightly affected in the No. 7 instrument in 1911. They are however markedly affected in instrument No. 3 in 1912 and there is also a suspicion that the distribution conditions of this instrument initially derived and adopted at Colaba, were slightly affected in the transit of the instrument from Colaba to Alibag as evidenced in the series in table 4 from 1904 to 1912. The unsteadiness of magnet No. 3 in this respect is also marked in the data of subsequent years which need careful examination. In tables 5 and 6 are given the base line values (observed and calculated) of the Horizontal Force Magnetograph derived independently from the results of the two magnetometers, and in tables 7—9 appear the differences between the observed and calculated base line values which show how far the auxiliary instrument can be depended upon to run parallel to the standard instrument No. 7 in the measurement of the absolute values of H . Small corrections to the absolute values due to this change in the distribution conditions of the magnets are clearly necessary and will have to be applied later to the series after full investigation.

Tables 10 and 11 give the base line values of the Declination Magnetograph standardised independently by instrument No. 7 and No. 3 respectively, while table 12 shows the differences. It will be seen that the average Declination (Easterly) derived from observations with instrument No. 7 on the top floor, is greater by $0'.55$ than observations on the first floor taken with instrument No. 3. But as the adopted site difference makes the second floor observations higher by $1'.4$ than on the lower floor, the instrumental difference is indicated at $0'.85$, instrument No. 7 giving smaller easterly declination than instrument No. 3.

TABLE 1.—*Mean monthly observed values of the moment of the vibration magnet of Magnetometer No. 7.*

Years.	Months.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1904	941.98	941.44	941.65	941.49	940.88	941.15	940.96	940.86	940.73	940.88	940.69	940.39	941.06
1905	940.57	940.61	940.46	940.30	940.16	939.86	939.66	939.79	939.58	939.68	939.48	939.65	939.98
1906	939.53	939.59	939.55	939.45	939.39	939.41	939.45	939.52	939.58	939.49	939.37	939.51	939.49
1907	939.42	939.48	939.50	939.35	939.31	939.25	939.25	939.33	939.33	939.24	939.22	939.31	939.33
1908	939.37	939.33	939.30	939.22	939.07	939.16	939.10	939.18	939.16	939.23	939.22	939.25	939.22
1909	939.19	939.32	939.18	939.07	939.07	939.00	939.08	939.12	939.10	939.06	939.06	939.22	939.12
1910	939.11	939.12	939.05	939.02	938.92	938.77	938.92	938.96	938.87	938.74	938.92	938.94	938.94
1911	938.95	938.93	938.96	938.73	938.72		938.24	938.36	938.32	938.27	938.27	938.33	
1912	938.38	938.40	938.43	938.18	938.15	937.95	938.14	938.17	938.00	938.10	938.14	938.14	938.18
1913	938.20	938.21	938.18	937.99	937.98	937.90	937.89	937.89	938.00	938.06	938.03	938.02	938.03
1914	938.12	938.09	938.08	937.98	937.86	937.78	937.87	937.91	937.86	937.82	937.80	937.89	937.92
1915	937.99	937.89	937.84	937.77		936.53	936.59	936.46	936.56	936.65	936.51	936.61	
1916	936.60	936.61	936.45	936.67	936.57	936.39	936.47	936.62	936.59	936.51	936.60	936.63	936.56
1917	936.61	936.60	936.67	936.56	936.31	936.41	936.44	936.32	936.42	936.53	936.45	936.52	936.49

TABLE 2.—*Mean monthly differences in the value of Horizontal Force determined from observations with instrument No. 7 at the two deflection distances of 22.5 cms. and 30.0 cms.*

Unity=1γ.

Years.	Months.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1904	0.0	+0.6	+0.3	+0.9	+1.4	+0.5	-0.9	+1.0	-0.1	+1.4	0.0	-0.5	+0.4
1905	+1.0	+1.2	+0.7	-0.1	0.0	+1.0	-1.5	-0.9	-1.5	-0.1	+0.9	+1.0	+0.1
1906	-0.9	+1.0	+0.5	-0.7	-0.5	-0.1	-0.6	-0.8	+2.6	-0.3	-0.1	+1.0	+0.1
1907	+1.1	+1.2	+1.9	+1.1	+1.4	+0.5	+0.1	-1.5	-1.0	-0.6	+1.5	+1.1	+0.6
1908	-0.6	+0.4	+0.1	+0.8	+1.9	+0.9	+1.0	-2.0	-1.1	-0.6	-0.7	-0.2	0.0
1909	-2.7	-1.5	+1.2	+1.6	+1.4	+1.4	-0.1	-0.9	-0.6	-0.2	0.0	+0.1	0.0
1910	-0.1	-0.6	+1.0	+1.4	+2.0	+3.5	+1.6	-1.4	-1.6	+0.7	+0.3	-0.4	+0.5
1911	+1.7	+1.9	+1.2	+1.7	+1.2	+3.8	+0.6	+0.5	+1.7	+1.4	+0.2	+1.5	+1.4
1912	+3.0	+2.0	+0.8	+0.2	+1.1	+0.5	+0.7	+1.0	+0.5	+2.7	+2.1	+2.2	+1.4
1913	+2.7	+2.5	+2.5	+1.1	+1.5	+2.1	+2.7	+1.8	+2.4	+2.9	+2.6	+2.0	+2.2
1914	+2.7	+3.0	+3.3	+3.2	+4.6	+2.2	+2.0	+0.7	+1.8	+1.7	+2.7	+3.2	+2.6
1915	+1.9	+2.1	+2.5	+1.5	+4.5	+4.2	+0.9	+1.4	+1.3	+1.4	+2.7	+2.9	+2.3
1916	+3.4	+3.6	+2.5	+2.7	+2.7	+1.6	+0.4	+0.7	+0.1	+1.9	+0.7	+2.6	+1.9
1917	+2.7	+2.2	+3.1	+2.5	+0.8	+1.0	+1.9	+0.6	+0.6	+0.8	-0.2	+2.0	+1.5

TABLE 3.—Mean monthly observed values of the moment of the vibration magnet of magnetometer No. 3.

Years.	Months.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1904	926.62	925.46	925.20	925.21	924.78	924.81	924.42	924.23	923.99	923.79	923.53	922.99	924.59
1905	922.96	922.78	922.76	922.51	922.32	922.11	921.57	921.65	921.39		918.84	918.87	—
1906	918.95	918.80	918.87	918.73	918.72	918.61	918.47	918.58	918.30	918.44	918.45	918.49	918.62
1907	918.52	918.35	918.30	918.29	918.38	918.29	918.22	918.17	918.10	918.26	918.09	918.12	918.26
1908	918.03	917.98	918.01	917.95	917.84	917.68	917.62	917.66	917.65	917.58	917.70	917.63	917.61
1909	917.68	917.61	917.50	917.54	917.41	917.32	917.25	917.20	917.11	917.28	917.27	917.32	917.37
1910	917.16	917.10	917.15	917.15	916.96	916.79	916.78	916.69	916.73	916.76	916.77	916.71	916.90
1911	916.77	916.64	916.54	916.46	916.45	916.36	916.42	916.31	916.28	916.28	916.32	916.20	916.42
1912	916.32	916.21	916.15	916.12	915.88		911.23	911.19	911.16	911.23	911.12	911.05	—
1913	911.02	911.07	911.02	910.95	910.81	910.73	910.68	910.63	910.52	910.58	910.55	910.57	910.76
1914	910.40	910.36	910.30	910.29	910.41	910.11	910.34	910.01	909.91	909.95	909.91	909.82	910.15
1915	909.93	909.84	909.81	909.68		906.48	906.28	906.39	906.28	906.30	906.17	906.21	—
1916	906.12	906.06	905.92	906.20	906.09	905.96	905.99	905.88	905.84	905.76	905.72	905.79	905.94
1917	905.77	905.83	905.33	904.83	905.11	904.75	904.68	904.03	904.16	904.62	904.67	904.64	904.87

TABLE 4.—Mean monthly differences in the values of horizontal Force determined from observations with magnetometer No. 3 at the two deflection distances of 23 cms. and 30 cms.

Unity = 1γ

Years.	Months.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1904	+4.1	+2.6	+3.1	+4.0	+3.6	+1.1	+5.2	+2.7	0.0	+0.6	+0.3	+2.5	+2.5
1905	+0.4	-0.2	+3.5	-0.2	+1.3	+0.5	-0.2	-0.5	-0.9	-0.9	-0.4	-0.4	+0.2
1906	+1.7	+2.0	+2.0	+0.6	+1.7	+0.1	+2.1	+5.1	+8.5	+2.2	+1.1	+0.7	+2.3
1907	+1.7	+2.9	+3.6	+3.3	+4.0	+4.6	+4.8	+5.1	+3.8	+1.6	+2.2	+0.7	+3.2
1908	+2.0	+1.9	+1.5	+3.6	+4.4	+5.5	+2.9	+2.7	+3.6	+2.6	+2.0	+0.4	+2.8
1909	+1.1	+1.2	+2.8	+2.5	+1.8	+2.7	+1.7	+1.9	+2.4	+2.1	+1.1	-1.9	+1.6
1910	+0.3	-1.1	-1.0	-0.6	+3.1	+0.7	+0.4	+0.9	+0.4	+1.3	-1.7	+0.6	+0.3
1911	+0.9	+2.1	+2.4	+1.0	+1.8	+6.2	+1.2	+1.3	-1.0	+0.9	-1.9	-0.2	+1.2
1912	+0.5	+0.2	+0.7	-0.7	-0.3	+0.1	+5.1	+7.6	+7.9	+7.3	+7.1	+7.6	+7.1
1913	+6.2	+5.7	+4.3	+4.4	+5.6	+7.1	+5.2	+3.5	+3.2	+4.2	+6.0	+6.3	+5.1
1914	+5.4	+5.3	+6.6	+3.7	+3.6	+6.0	+7.0	+5.7	+6.3	+5.0	+4.7	+7.7	+5.6
1915	+3.6	+7.1	+4.7	+5.6	+8.4	+6.1	+7.5	+8.3	+6.9	+6.4	+7.2	+6.9	+6.6
1916	+8.1	+8.1	+7.6	+8.5	+5.4	+5.7	+6.3	+5.7	+7.0	+3.8	+5.5	+5.7	+6.4
1917	+8.7	+8.5	+7.9	+5.8	+6.1	+8.2	+8.1	+9.1	+7.5	+7.2	+6.4	+8.3	+7.6

TABLE 5.—Mean monthly values (observed and calculated) of the base line of the Horizontal Force Magnetograph Standardised by observations with magnetometer No. 7.

[Figures in heavy type are calculated values.]

36000 γ +

Years.	Months.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1906 ..	435	457	478	508	544	590	622	653	adj. 681	adj. 681	474	499
1907 ..	adj. 498	548	563	581	609	637	661	680	adj. 472	adj. 468	480	480
1908 ..	498	510	524	537	558	572	588	601	620	635	adj. 467	467
1909 ..	475	489	500	509	523	533	541	548	560	576	586	600
1910 ..	603	612	622	633	639	adj. 416	425	434	442	451	460	468
1911 ..	476	484	492	500	508	516	523	531	538	546	553	560
1912 ..	474	476	488	496	509	519	522	530	538	547	552	562
1913 ..	567	574	581	587	593	600	606	613	619	625	631	636
1914 ..	569	572	578	584	592	601	606	610	615	626	631	636
1915 ..	642	646	651	659	667	676	672	679	adj. 482	489	491	492
1916 ..	496	500	505	509	514	518	522	526	530	534	538	542
1917 ..	498	499	503	509	518	522	524	524	526	536	538	541
1918 ..	546	549	553	557	560	564	567	571	574	577	581	584
1919 ..	544	544	551	558	569	570	569	566	574	579	582	582
1920 ..	587	590	593	596	599	602	605	607	610	613	615	617
1921 ..	587	587	594	600	602	603	606	602	607	611	613	614
1922 ..	620	622	625	627	629	631	633	635	637	639	641	643
1923 ..	614	621	625	629	631	634	635	634	635	640	639	640

TABLE 6.—Mean monthly values (observed and calculated) of the base line of the Horizontal Force Magnetograph Standardised by observations with magnetometer No. 3.

[Figures in heavy type are calculated values.]

36000 γ +

Years.	Months.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1906 ..	432	450	477	504	542	582	616	652	adj. 678	adj. 470	497	497
1907 ..	adj. 539	539	560	580	606	629	657	678	adj. 471	adj. 464	479	479
1908 ..	492	506	521	538	552	570	587	603	620	632	adj. 462	462
1909 ..	474	483	497	507	522	534	539	550	562	575	584	594
1910 ..	601	610	621	631	640	adj. 416	425	434	442	451	460	468
1911 ..	476	484	492	500	508	516	523	531	538	546	553	560
1912 ..	471	472	483	494	506	518	525	533	537	547	553	560
1913 ..	567	574	581	587	593	600	606	613	619	625	631	636
1914 ..	564	568	575	587	594	608	618	625	633	634	644	644
1915 ..	642	648	653	658	663	669	674	679	adj. 482	482	487	492
1916 ..	649	651	655	666	673	681	681	683	496	488	493	493
1917 ..	496	500	505	509	514	518	522	526	530	534	538	542
1918 ..	501	500	510	515	526	530	534	533	538	544	548	547
1919 ..	546	549	553	557	560	564	567	571	574	577	581	584
1920 ..	549	554	563	563	571	579	580	580	579	586	589	590

The figures in heavy type are the calculated values derived from the formula $Z=a+bt+ct^2$ where Z is the calculated value of the base line, t is time reckoned from October 1910 in the case of the first adjustment between June 1910 to August 1913 and from November 1913 in the case of the next adjustment. The values of the constants a , b and c are $a=451\gamma$, $b=8.56\gamma$ and $c=-.055\gamma$ for the first adjustment and $a=487\gamma$, $b=4.6\gamma$ and $c=-.029\gamma$ for the next adjustment.

TABLE 7.—Differences in the values of base lines in tables 5 and 6 showing how far the values of H derived from observations with Auxiliary magnetometer No. 3 differ from those from instrument No. 7.

Unity = 1γ

Years.	Months.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1906 ..	-3	-7	-1	-4	-2	-8	-6	-1	-3	(-4)	-4	-2	-3·7
1907 . . .	(-1)	-9	-3	-1	-3	-8	-4	-2	-1	(0)	-4	-1	-3·1
1908 . . .	-6	-4	-3	+1	-6	-12	-1	+2	0	-3	(+1)	-5	-2·2
1909 . . .	-1	-6	-3	-2	-1	+1	-2	+2	+2	-1	-2	-6	-1·6
1910 . . .	-2	-2	-1	-2	+1	-3	+4	+4	0	-2	0	-4	-0·6
1911 . . .	-3	-4	-5	-2	-3	-1	+3	+3	-1	0	+1	-2	-1·2
1912 ..	-5	-4	-3	+3	+2	..	+2	+8	+10	+7	+3	+8	(-1·4) +6·3
1913 ..	+7	+5	+4	+7	+6	+5	+9	+5	(+6)	+7	-3	+1	+4·9
1914 ..	+3	+1	+7	+6	+8	+8	+10	+9	+12	+8	+10	+6	+7·3
1915 ..	+5	+10	+12	+5	..	+9	+11	+14	+5	+7	+7	+8	+8·0 +8·7

TABLE 8.—Differences between the observed and the calculated values of base lines in table 5.

$$\text{Unity} = 1\gamma$$

Years.	Months.												Year,
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1910	..					+9	0	+1	+1		+4	+4	+2
1911	..	-2	-8	-4	+1	+3	-1	-1	0	+1	-1	+2	-1.2
1912	..	+2	-2	-3	-1	+1	0	-3	-4	+1	0	0	-1.0
1913	..	0	-2	-2	+1	+4	-2	-1	adj.	+7	+4	0	+1.5
1914	..	+2	-1	-2	0	+4	+2	-2	-4	+2	0	-1	+0.3
1915	..	-2	-5	-2	+1	+9	+2	-5	0	+2	+1	-2	+0.4
1916	..	0	-3	+1	+4	+3	+1	-5	-3	-2	-2	-3	-0.7
1917	..	-6	-1	0	+2	+2	+2	-1	-2	+1	-2	-3	-0.4

TABLE 9.—Differences between the observed and calculated values of base lines in table 6.

Unity = 1γ

Years.		Months.											Year.	
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.		December.
1910	..						+6	+4	+5	+1	+2	+4	-2	
1911	..	-5	-12	-9	-6	-2	+2	+2	+2	+1	+1	0	0	-2.3
1912	..	-3	-6	-6	0	+1	+2	+2	+5	+6	+8	+3	+8	-2.8 } +5.3 }
1913	..	+7	+3	+2	+8	+10	+12	+7	+4	adj.	+14	+1	+1	+6.3 }
1914	..	+5	0	+5	+6	+12	+12	+12	+7	+8	+10	+10	+5	+7.7 }
1915	..	+3	+5	+10	+6	—	+15	+13	+9	+5	+9	+8	+6	+6.0 } +9.3 }

TABLE 10.—*Base line values of the Declination Magnetograph standardised by observations with magnetometer No. 7.*

Years.	Months.												Year.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
1906	19.12	19.12	18.92	19.15	19.64	19.65	19.20	19.38	19.60	19.65	adj.	3.28	3.20	3.23
1907	3.04	3.15	3.10	2.95	3.26	3.57	3.47	3.28	3.40	3.32	3.22	3.02	3.02	
1908	2.98	3.22	3.12	3.10	3.35	3.85	3.90	3.70	3.62	3.36	3.02	3.06	3.06	
1909	3.30	3.55	3.30	3.20	3.60	3.75	3.60	3.45	3.42	3.47	3.17	3.40	3.43	
1910	3.52	3.55	3.40	3.50	3.95	3.94	3.62	3.65	3.66	3.77	3.82	adj.	adj.	4.80
1911	4.62	4.65	4.62	4.72	4.54	4.45	4.83	5.32	5.14	4.92	4.73	5.06	5.06	
1912	5.47	5.79	6.06	5.43	5.04	5.17	5.80	6.56	6.70	6.38	6.75	7.40	7.40	
1913	8.52	8.85	8.87	8.10	7.24	7.00	8.18	8.60	adj.	9.40	9.60	10.25	10.25	
1914	10.64	11.42	11.62	11.86	10.80	adj.	5.24	5.65	6.40	7.32	7.52	7.38	7.38	7.32
1915	8.37	8.95	9.55	9.38	8.85	8.85	8.86	9.67	10.06	adj.	3.20	3.38	3.38	
1916	3.98	4.75	5.52	4.38	4.18	4.64	4.58	5.28	5.91	5.89	5.98	adj.	adj.	
1917	7.20	7.48	7.21	7.11	6.61	6.56	7.11	7.46	7.34	7.55	8.00	8.17	8.17	

TABLE 11.—*Base line values of the Declination Magnetograph standardised by observations with magnetometer No. 3.*

1906	18.25	17.92	17.76	18.05	18.40	18.52	18.30	18.42	18.87	18.82	adj.	4.10	3.97	4.05
1907	3.70	3.72	4.12	4.02	4.28	4.15	4.17	4.22	4.37	4.06	4.05	3.70	3.70	
1908	3.62	3.72	3.62	3.58	4.65	4.85	4.36	4.32	4.37	4.34	4.17	3.90	4.12	
1909	3.70	3.52	3.95	3.68	3.87	3.85	3.90	3.95	3.92	3.80	4.07	4.06	3.86	
1910	3.67	3.92	3.97	4.10	4.85	4.88	4.92	5.22	5.06	4.95	4.85	adj.	adj.	5.56
1911	5.30	5.60	5.75	5.05	4.97	4.84	5.13	5.66	6.08	6.01	6.00	6.29	6.29	
1912	6.72	6.98	7.18	6.45	6.09	5.87	6.80	7.10	7.07	7.00	7.45	7.95	7.95	
1913	8.76	9.32	8.92	8.62	7.72	7.50	8.42	8.77	adj.	9.48	9.87	10.22	10.22	
1914	10.70	11.27	11.65	11.96	11.37	adj.	5.88	6.27	6.70	7.42	7.70	7.40	7.40	7.88
1915	8.22	8.90	9.55	8.88	9.17	8.77	8.94	9.65	9.92	adj.	3.12	3.44	3.44	
1916	4.10	5.32	6.02	4.68	3.81	4.07	4.59	5.21	5.70	5.81	5.68	adj.	adj.	
1917	7.51	7.66	7.87	7.86	7.21	7.21	7.91	7.98	8.16	8.11	8.61	8.52	8.52	

TABLE 12.—*Differences between the base line values (in Tables 10 and 11) derived from observations with magnetometers No. 7 and No. 3.*

1906	-0.87	-1.20	-1.16	-1.10	-1.24	-1.13	-0.90	-0.96	-0.73	-0.83	-0.82	-0.77	-0.98
1907	-0.66	-0.57	-1.02	-1.07	-1.02	-0.58	-0.70	-0.94	-0.97	-0.74	-0.83	-0.68	-0.81
1908	-0.64	-0.50	-0.50	-0.48	-1.30	-1.00	-0.46	-0.62	-0.75	-0.98	-1.15	-0.84	-0.77
1909	-0.40	+0.03	-0.65	-0.48	-0.27	-0.10	-0.30	-0.50	-0.50	-0.33	-0.90	-0.66	-0.42
1910	-0.15	-0.37	-0.57	-0.60	-0.91	-0.94	-1.30	-1.57	-1.40	-1.18	-1.03	..	-0.91
1911	-0.68	-0.95	-1.13	-0.33	-0.43	-0.39	-0.30	-0.34	-0.94	-1.09	-1.27	-1.23	-0.76
1912	-1.25	-1.19	-1.12	-1.02	-1.05	-0.70	-1.00	-0.54	-0.37	-0.62	-0.70	-0.55	-0.84
1913	-0.24	-0.47	-0.05	-0.52	-0.48	-0.50	-0.24	-0.17	..	-0.08	-0.27	+0.03	-0.27
1914	-0.06	+0.15	-0.3	-0.10	-0.57	..	-0.64	-0.62	-0.30	-0.10	-0.18	-0.02	-0.22
1915	+0.15	+0.05	0.0	+0.50	-0.32	+0.08	-0.08	+0.02	+0.14	..	+0.08	-0.06	+0.05
1916	-0.12	-0.57	-0.50	-0.30	+0.37	+0.57	-0.01	+0.07	+0.21	+0.08	+0.30	..	+0.09
1917	-0.31	-0.18	-0.66	-0.75	-0.60	-0.65	-0.80	-0.52	-0.82	-0.56	-0.61	-0.35	-0.57

Base line values denote easterly declination from January to October 1906 and westerly declination thereafter.

Inclination results in the Colaba-Alibag series upto the year 1908 were derived from observations with the dip circle only. On the installation of the inductor which was eventually to replace the dip circle, it became necessary for the purpose of preserving strict continuity, to determine the true instrumental difference between the two inclinometers. For this purpose, for two years 1909 and 1910 observations with the dip circle were continued as usual on Tuesdays and Fridays and the inductor was observed every Saturday. The indications of the instruments duly corrected for natural change to the mean of the day with the help of the magnetographs, shewed that as the average result for the year 1909 the inductor recorded a higher inclination by $2' \cdot 0$. Similar result for the year 1910 however made out this difference to be $3' \cdot 3$. The secular change in dip from 1909 to 1910 as made out by the inductor hence was $8' \cdot 6$ while the dip circle shewed a change of $7' \cdot 3$ only. It became apparent thus from the outset that the usual procedure adopted at the Observatory for the derivation of the mean values of inclination for the month and the year as also the values of V obtained with the help of differential corrections from the H and V magnetographs, was by no means free from objections, and a strong suspicion was created that we had here to deal more with errors of the zero creep of the magnetographs rather than the probable errors of observations or instrumental changes of the dip circle or the inductor. To investigate this question, for one year between May 1911 and May 1912 absolute observations of H and D were made every day in the year except on Sundays and holidays, each of the two magnetometers being observed on alternate days. Also observations of I with both the instruments—Schultz's inductor and dip circle—were made every day during the period. This inquiry in connection with the stability of the base line values of the H , D and V magnetographs resulted in the following decisions: (1) that no increase in the number of absolute observations of H and D was necessary as the bi-weekly observations were found quite sufficient in number to give the daily base line values of these two magnetographs reliably correct to the accuracy aimed at but (2) that in the V magnetograph the stability of the zero line was not such as could be depended upon for more than twenty-four hours and hence if the curves were to be standardised with the necessary accuracy for the derivation of the 'daily' base line values, it was obviously imperative to have absolute observations of inclination made every day throughout the year. Such daily observations of I have since been adopted and these have proved useful besides in enabling the instrumental difference between the inductor and the dip circle to be evolved quite accurately. The final differences in the values of inclination and vertical force, applicable to observations with the dip circle prior to the year 1911 and with the inductor thereafter were, as shown by the investigation, $1' \cdot 7$ and 22γ respectively, the later series by the inductor giving higher values of I and V .

8. PROCESSES OF REDUCTION AND DESCRIPTION OF THE TABLES OF RESULTS, 1911 TO 1915.

(a) Meteorological tables.

Pressure of Vapour and additional capacity of the Air.—Having obtained, from the tabulations of the barograms and thermograms, hourly values of barometric pressure, temperature of the air and temperature of evaporation, the pressure of vapour was calculated for each hour with the aid of a table by the formula.

$$f'' = f' - \cdot 01147 (t - t') \times \frac{P - f'}{30}$$

in which t and t' denote the temperatures of the air and wet bulb thermometers respectively, f'' and f' the pressure of vapour at the temperature of the dew point and at temperature t' and P the barometric pressure. The values of the pressure of vapour at different temperatures were taken from the following table, the numbers in which have been extracted from Boileau's Collection of Tables:—

Table 1.—*Regnault's values of the Pressure of Vapour at different temperatures.*

Temperature.	Pressure of vapour.	Temperature.	Pressure of vapour.	Temperature.	Pressure of vapour.	Temperature.	Pressure of vapour.	Temperature.	Pressure of vapour.	Temperature.	Pressure of vapour.	Temperature.	Pressure of vapour.	Temperature.	Pressure of vapour.
°	Inch.	°	Inch.	°	Inch.	°	Inch.	°	Inch.	°	Inch.	°	Inch.	°	Inch.
35	·204	43	·278	51	·374	59	·500	67	·662	75	·868	83	1·128	91	1·455
36	·212	44	·288	52	·388	60	·518	68	·685	76	·897	84	1·165	92	1·501
37	·220	45	·299	53	·403	61	·537	69	·709	77	·927	85	1·203	93	1·548
38	·229	46	·311	54	·418	62	·556	70	·733	78	·958	86	1·242	94	1·597
39	·238	47	·323	55	·433	63	·576	71	·758	79	·990	87	1·282	95	1·647
40	·248	48	·335	56	·449	64	·596	72	·784	80	1·023	88	1·324	96	1·698
41	·257	49	·348	57	·466	65	·617	73	·811	81	1·057	89	1·366	97	1·751
42	·267	50	·361	58	·482	66	·639	74	·839	82	1·092	90	1·410	98	1·805

To find the additional capacity of the air the pressure of vapour is deducted from the number in the above table standing opposite to the temperature of the air.

Barometric Pressure.—In table Ia is shown, for every day in the year for each year, the mean of 24 hourly tabulations of the barograph, corrected to agree with Newman's barometer No. 58; also the mean pressure for each month and each year, and the excess of each monthly mean above the annual mean for the same year. The principal features of the annual variation are indicated at the foot of the table. The maximum and minimum daily pressures for each month are distinguished by being printed in strong figures.

In Table Ib are given the diurnal inequalities of the Barometric Pressure for each month of the year and for the whole year. The figures represent the excesses of the mean hourly values of pressure over the respective monthly means. The greatest positive and negative excesses over this mean are printed in strong figures, the difference between the two giving the periodic diurnal range being shown at the foot of the table.

Temperature of the Air, etc.—The plan of the following tables is the same as that of Tables Ia and Ib, but the meteorological elements they represent, and the sources from which the numbers are obtained and the mode of their derivation, are as stated below:—

Tables IIa and IIb.—Temperature of the air derived from hourly tabulations of the thermograph dry-bulb.

Tables IIIa and IIIb.—Pressure of vapour derived from hourly tabulations of the thermograph dry-bulb and wet bulb, and of the barograph; and calculated in the manner described above.

Tables IVa and IVb.—Additional capacity of the air derived from hourly differences between the pressure of vapour corresponding to the temperature of the air and the calculated actual pressure of vapour.

Tables VIa and VIb.—Velocity of the wind without regard to direction derived from hourly tabulations from the register of the Robinson Beckley anemograph reduced by the factor 0.73.

Tables VIc and VIId.—Velocities of the north and east components of the wind derived from hourly tabulations from the register of the Robinson-Beckley anemograph.

Tables VIIf and VIg.—Velocity of the wind derived from hourly tabulations from the register of the Dines' anemometer.

In Tables IIc and IIId are given respectively the maximum and minimum temperatures during the day derived from a pair of maximum and minimum thermometers Nos. 10329 and 37909 by Negretti and Zambra.

~~X~~ *Tables Va and Vb* are on the same plan as Table Ia except that the entries made in them, refer to aggregates of rainfall—daily, monthly and yearly instead of mean values: and they are sufficiently explained by their several headings.

The numbers in Table VIe refer to wind velocities and are derived from hourly tabulations from the register of the Robinson-Beckley anemograph. The temperatures of the ground given in Table VIIa are derived from the readings of the several thermometers, made five times a day as regards the 1 inch and 9 inches deep thermometers, and once a day as regards the 20 inches, 60 inches and 132 inches deep thermometers.

In Table VIIb are shown for each of the five observation hours and for the mean of the day, the temperatures of the ground exposed to the direct rays of the sun, at the depths of 1 and 8 inches below the surface.

In Table VIII are collected data showing the extreme limits between which the oscillations of barometric pressure, temperature of the air, pressure of vapour, and additional capacity of the air were confined in each month and in the whole year, and also the ranges of the respective oscillations. It also indicates the extreme readings of the 1 inch and 8 inches deep thermometers exposed to the solar rays. Tables IXa and IXb give the daily and monthly means and the annual variation of the relative humidity of the air and of the extent of cloudy sky derived from observations made at 6 10, 14, 16 and 22 hours daily.

The five-day means in Table X are derived from the hourly tabulations of the barograph (reduced to the readings of Newman's barometer No. 58) and thermograph, from the measurements in Newman's rain gauge, and from the hourly tabulations from the register of the Robinson-Beckley anemograph.

In other respects these tables require no explanation beyond their titles, the headings of the several columns, and the foot-notes.

(b) *Tables of magnetic results.*

Table Ia gives for each year data and results of absolute observations of vibration and deflection taken with magnetometer No. 7 while Table Ib gives similar results from supplementary observations with instrument No. 3. Table IIa gives data and results of observations of absolute Declination taken with magnetometer No. 7 while Table IIb gives similar results from supplementary observations with instrument No. 3. Table IIIa gives results of observations of Inclination taken with inductor No. 41 by Schulze and Table IIIb gives results of supplementary observations of Inclination taken with dip circle No. 160 up to May 1914 and with inductor No. 108 by Otto Toepfer thereafter.

Tables IVa to IVe give for each year the base line values of the Horizontal Force magnetograph as derived from absolute observations of H by magnetometers Nos. 7 and 3, details of which are given in Tables Ia and Ib for each year. They serve indirectly the useful purpose of indicating the probable errors of the absolute determinations, while furnishing smooth values of the base line adopted for the derivation of the correct daily mean values of H.

Tables Va to Ve similarly give for each year the base line values of the declination magnetograph derived from observations with instrument No. 7 while Table Vf gives similar values derived from observations with instrument No. 3.

Tables VIa to VIe give for each year the daily means of Horizontal Force derived from twenty-four hourly ordinates, while Tables VIIa to VIIe similarly give the daily means of absolute declination.

Table VIII gives the adopted monthly means of H, D, V, and I determined by the usual method which consists in correcting the monthly mean of the observed absolute values by the difference between the mean ordinate at the time of the absolute determinations and the mean monthly ordinate derived from the twenty-four hourly tabulations, while Table VIIIa gives similar values derived from supplementary observations with the auxiliary instruments.

Tables IXa to IXe give for each year the magnetic character of each day as determined from the inspection of the Horizontal Force traces, and the list of quiet days selected from them for the determination of the magnetic diurnal inequalities. Tables IXf to IXj gives the magnetic character of each day from 10 A.M. to 10 A.M. and also the difference of the daily mean of H from that of the preceding day. The tables are a continuation of table 381 published in the Colaba Magnetic Data, 1846 to 1905, Part II, Chapter X, and are derived exactly on the same lines.

Tables Xa to Xe give for each year the non-periodic diurnal ranges of Horizontal Force determined from the hourly tabulations.

Tables XIa to XIe similarly give the Declination ranges.

Tables XIIa to XIIj, XIIIa to XIIIj, XIVa to XIVj, and XVa to XVj give respectively the diurnal inequalities of Horizontal Force, Declination, Vertical Force and Inclination for each month of the year for the winter and summer half years and for the whole year. Up to the end of 1912 the tabulations of V, D and H magnetograms were respectively made at 10, 9 and 8 minutes *before* the full hour in order that these instants of time may correspond to and lie about the exact full hour of Greenwich mean time. From January 1913 however all the three magnetograms are tabulated at the same instant, *viz.* at 9 minutes to the full hour of Bombay mean time corresponding to the exact Greenwich full hour.

Table XVI gives for the years 1911 to 1915 the variations of temperature in the H. F. Magnetograph enclosure, while Table XVII gives similar variations in the V. F. Magnetograph enclosure. The very minute variations of temperature in these tables serve to show that the diurnal inequalities given in the preceding tables may be taken practically as compensated for temperature especially as the temperature co-efficients of the two instruments are small (*vide* reference above).

Table XVIII gives the magnitudes of the aperiodic corrections applicable to the all-day diurnal inequalities of Horizontal Force as determined by different processes. Tables XIX and XX give similar figures for the Declination and the Vertical Force inequalities respectively.

In other respects all the above tables require no explanation beyond their titles, the headings of the several columns and the foot-notes.

(c) *Tables of seismic disturbances.*

Table I for each year gives the list of seismic disturbances recorded by the Milne's seismograph. It is on the same plan as similar tables published in the previous volumes of the observatory and calls for no remarks.

In tables IIa and IIb are similarly given details of seismic disturbances recorded by the Colaba (E.-W. and N.-S.) seismographs Nos. 1 and 2 respectively.

Table III gives the list of disturbances recorded by the Omori-Ewing seismograph while in table IV is given a similar list of movements picked up by the float record of the vertical movement seismograph.

9. NOTES ON INSTRUMENTAL CHANGES AND ON ALL IRREGULARITIES OR DEPARTURES FROM THE ROUTINE OF OBSERVATION OR REDUCTION DURING THE PERIOD 1911 TO 1915.

Robinson-Beckley Anemograph.—The external parts were painted on 14th June 1911, 5th January 1912, 7th May 1913, 21st May 1914 and 12th June 1915. The clock was taken to pieces for cleaning on 31st March 1911 and on 24th September 1914. The aggregate of all the interruptions of the instrument in the years 1911 to 1915 was 25^h 38^m. In all such cases the interruptions were of short duration and were substituted by values obtained from Dines's record by the constant factor determined for the two instruments. No complete day's record has been omitted in the formation of the monthly abstracts.

Dines's Anemometer.—The sensibility of the instrument is determined by a weight of 46 grains which produces a displacement of the pen, measuring about two miles on the chart. Whenever this is appreciably affected, the instrument is opened up and cleaned, and the accumulated scum on the float removed. The instrument was so cleaned and adjusted on the 6th January and 27th August 1911, 7th October and 6th November 1913 and 6th July 1915. The aggregate of all the interruptions of the instrument for the five years 1911 to 1915 was respectively, 1^d 7^h 58^m, 6^d 11^h 13^m, 2^d 23^h 22^m, 4^d 14^h 51^m and 2^d 8^h 19^m. The interruptions were principally due to adjustment of the instrument, to casual failure of the pen to record the fluctuations, to re-adjustment of the inclination of pen, to the stoppage or cleaning of the clock and to the derangement of the driving apparatus. On a few occasions when the wind velocity was very weak and fell near to zero, the record appeared to be faulty and had to be interpolated. These are included in the above aggregate and respectively amount to 0^d 2^h 16^m, 2^d 3^h 27^m, 0^d 22^h 49^m, 0^d 0^h 0^m and 1^d 15^h 52^m, for the five years. Two complete day's record has been omitted in the formation of monthly abstracts, viz., the 4th and the 5th April 1914 when modifications were made in the driving arrangement. Other short interruptions were made good by interpolation from Robinson-Beckley's record by the constant determined for the two instruments. Short interruptions caused by the regular change of paper every day for both anemometers, if not unusually prolonged, are not included in the above aggregate.

Method of interpolation in Tabulations.—When for any reason the traces furnished by the photographic self-registering instruments are interrupted, and the interruption includes the moments when one or more hourly tabulations should be made, these last are either substituted by the corresponding eye-observations, if the hours should happen to be any of the five regular observation hours, or if special eye-observations, were taken for the purpose, or else if no eye-observations are available, they are interpolated. Interpolation is resorted to rarely and only in case of accidents, otherwise, eye-observations are always made, in order to keep the record unbroken. If the interruption lasts for less time than one hour, the interpolation is made on the assumption that the rate of change of the phenomenon from its value at the beginning to that at the end of the interruption was uniform, provided that the parts of the curve immediately preceding and immediately following the gap were, in appearance, continuations of the straight line connecting the extremities of the gap. If the last condition is not satisfied, or if the gap, taking account of points inserted by means of eye-observations, is of greater length than one hour, the interpolation is made between the next preceding and the next following hourly entries, first, by allowing for the known *normal* rate of change of the phenomenon between those hours in the same month, and then by assuming that any additional change, shown by the difference between the values of the phenomenon at the two extreme hours, has grown at a uniform rate. Such interpolated values however are entered in the abstract sheets with enclosing square brackets while inserted eye-observations are shown between parentheses.

Barograph.—No tabulations were obtained for the following hours for the several reasons stated, but eye-observations were available and were adopted for the hours marked within parentheses, in 15 cases out of 19, interpolation being resorted to in the remaining 4 cases :—

- (1) Clock taken to pieces for cleaning on 1911 May 4^d (10^h to 13^h).
- (2) Stoppage of the clock on 1911 October 9^d (19^h and 20^h).
- (3) Stoppage of the clock on 1912 January 21^d (11^h).
- (4) Examination of the bi-hourly break arrangement on 1913 March 29^d (10^h).
- (5) Defective action of the bi-hourly fan on 1913 April 1^d (22^h).
- (6) Defective action of the bi-hourly fan on 1913 April 3^d 0^h.
- (7) Examination of the bi-hourly break arrangement on 1913 April 18^d 11^h.
- (8) Wrong setting of the cylinder on 1913 May 18^d 12^h, 13^h and (14^h).
- (9) Clock taken to pieces for cleaning on 1914 November 7^d (10^d to 14^h).

Occasional, though rare, failure of bi-hourly stops to act has caused no loss of record.

The aggregate of all the interruptions of the barograph in the years 1911 to 1915 was 27^h 19^m, and the number of hourly tabulations lost was 19, and of these 15 were substituted by eye-observations, leaving 4 more to be interpolated. Short interruptions caused by the regular change of photographic paper and by change of lamps, if not unusually prolonged, are not included in the above aggregate, nor in the aggregates of interruptions of the thermographs that follow further on.

Thermograph Dry-Bulb.—No tabulations were obtained for the following hours for the several reasons stated, but eye-observations were available and were utilised for the hours marked within parentheses, in all cases, except in 5, when interpolation had to be resorted to :—

- (1) Stoppage of the driving clock on 1911 April 3^d 11^h.
- (2) Examination of the bi-hourly break arrangement on 1911 April 4^d (11^h).
- (3) Clock taken to pieces for cleaning on 1911 April 26^d (15^h to 19^h).
- (4) Stoppage of clock and its examination on 1911 April 28^d (9^h to 11^h).
- (5) Adjustment of the bi-hourly break arrangement on 1911 April 30^d (11^h).
- (6) Examination of the bi-hourly break arrangement on 1911 May 6^d (11^h).
- (7) Examination of the bi-hourly break arrangement on 1911 May 8^d (18^h).
- (8) Stoppage of clock on 1912 March 21^d 5^h.
- (9) Stoppage of clock on 1912 April 17^d 19^h and 21^h.
- (10) Stoppage of clock on 1914 November 5^d (16^h).
- (11) Clock taken to pieces for cleaning on 1914 November 6^d (12^h to 15^h).
- (12) Stoppage of clock on 1915 April 3^d 18^h.

Occasional, though rare, failure of the bi-hourly stops to act has caused no appreciably large loss of record.

The aggregate of all the interruptions of the thermograph dry-bulb in the years 1911 to 1915 was 28^h 22^m, and the number of hourly tabulations lost was 22, and of these 17 were substituted by eye-observations, leaving 5 to be interpolated.

Thermograph Wet-Bulb.—No tabulations were obtained for the following hours for the several reasons stated, but eye-observations were available and were adopted for the hours marked within parentheses, in all cases except in 5, when interpolation had to be resorted to :—

- (1) Loss of curve owing to low temperature on 1911 February 1^d (5^h to 13^h and 22^h and 23^h).
- (2) Loss of curve owing to low temperature on 1911 February 2^d (0^h to 9^h).
- (3) Stoppage of the driving clock on 1911 April 3^d 11^h.
- (4) Examination of the bi-hourly break arrangement on 1911 April 4^d (11^h).
- (5) Clock taken to pieces for cleaning on 1911 April 26^d (15^h to 19^h).
- (6) Stoppage of clock and its examination on 1911 April 28^d (9^h to 11^h).
- (7) Adjustment of the bi-hourly break arrangement on 1911 April 30^d (11^h).
- (8) Examination of the bi-hourly break arrangement on 1911 May 6^d (11^h).
- (9) Examination of the bi-hourly break arrangement on 1911 May 8^d (18^h).
- (10) Stoppage of clock on 1912 March 21^d 5^h.
- (11) Stoppage of clock on 1912 April 17^d 19^h and 21^h.
- (12) Stoppage of clock on 1914 November 5^d (16^h). °
- (13) Clock taken to pieces for cleaning on 1914 November 6^d (12^h to 15^h).
- (14) Stoppage of clock on 1915 April 3^d 18^h.

Occasional, through rare, failure of the bi-hourly stops to act has caused no appreciably large loss of record.

The aggregate of all the interruptions of the thermograph wet-bulb in the years 1911 to 1915 was 2^d 13^h 26^m, due to the causes mentioned above and to the short intervals of time occupied in cleaning and renewing the muslin covering of the bulb and the bundle of threads connecting it with the supply of water. The total number of hourly tabulations lost was 41 and of these 36 were substituted by eye-observations, leaving 5 to be interpolated.

Self-registering Rain-Gauge.—No tabulations were obtained for the following hours for the several reasons stated :—

- (1) Faulty record due to leakage from 1912 November 22^d 0^h to 10^h.
- (2) Faulty working of the syphon in the receiver from 1913 June 7^d 0^h to 6^h.

In all cases eye-observations of Newman's rain-gauge were made use of to fill up the gaps and to obtain the daily total rainfall.

Horizontal Force magnetograph.—The following statement shows the principal cases in which irregularities of procedure have been rendered necessary in the hourly tabulations by extraneous disturbing influences or by imperfections in the working or management of the instruments:—

(1) Loss of curve due to the obstruction of light by the falling down of the shutter from 1911 April 9^d 19^h 12^m to 10^d 9^h 10^m. The whole day, is rejected for taking the monthly averages.

(2) Faulty adjustment of the lamp from 1911 May 17^d 11^h 30^m to 12^h 25^m. Tabulation for 12^h interpolated.

(3) Stoppage of the clock from 1911 December 19^d 2^h 18^m to 3^h 11^m. Tabulation for 3^h interpolated.

(4) Loss of curve due to omission to raise the reading mirror from 1912 January 29^d 13^h 52^m to 15^h 52^m. Tabulation for 15^h interpolated.

(5) Irregular motion of the cylinder from 1912 August 1^d 9^h 25^m to 22^h 28^m. The whole day is rejected for taking the monthly averages.

(6) Stoppage of the clock from 1913 July 5^d 23^h 15^m to 6^d 4^h 42^m. Tabulations from 0^h to 4^h interpolated.

(7) Loss of curve due to repairs to the cylinder fastener from 1914 January 15^d 9^h 7^m to 10^h 17^m. Tabulation for 10^h substituted by eye-observation.

(8) Lamp extinguished from 1915 July 17^d 20^h 10^m to 21^h 25^m. Tabulation for 21^h interpolated.

Occasional, though rare, failure of the hourly stops to act has caused no appreciably large loss of record.

The aggregate of all the interruptions of the Horizontal Force Magnetograph in the years 1911 to 1915 was 15^h 46^m, 15^h 31^m, 7^h 16^m, 2^h 7^m and 1^h 15^m respectively. The total number of hourly tabulations lost during these years was 37 out of which only 1 was substituted by eye-observation and 9 were interpolated. Two whole days were rejected for taking the monthly averages as the loss of curve exceeded half a day on those days.

Shift in the base line value of the Horizontal Force Magnetograph occurred on the 15th September 1913 when the instrument was adjusted.

Declination Magnetograph.—The following statement shows the principal cases in which irregularities of procedure have been rendered necessary in the hourly tabulations by extraneous disturbing influences or by imperfections in the working or the management of the instruments:—

(1) Stoppage of the clock from 1911 December 19^d 2^h 18^m to 3^h 11^m. Tabulation for 3^h interpolated.

(2) Loss of zero line on 1912 April 12^d 9^h 38^m to 13^d 6^h 5^m. Tabulations for 10^h to 6^h made by using the zero line of the second day on the sheet after applying a correction derived from a comparison with the five hourly readings of the day.

(3) Loss of curve from 1912 April 13^d 6^h 5^m to 9^h 30^m. Tabulations from 7^h to 9^h interpolated.

(4) Loss of curve from 1912 April 14^d 9^h 13^m to 15^d 9^h 11^m. The whole day is rejected.

(5) Loss of curve due to the falling down of the lid in the box from 1912 December 21^d 13^h 53^m to 15^h 55^m. Tabulation for 15^h interpolated and that for 16^h substituted by an eye-observation.

(6) Loss of curve due to omission to raise the reading mirror properly from 1913 March 11^d 9^h 55^m to 13^h 21^m. Tabulations from 11^h to 13^h interpolated.

(7) Stoppage of the clock from 1913 July 5^d 23^h 15^m to 6^d 4^h 42^m. Tabulations from 0^h to 4^h interpolated.

(8) A shift in the zero line occurred at 1913 September 15^d 9^h 51^m and at 15^h 51^m. Corrections applied to tabulations from 10^h to 15^h to make the whole day comparable.

(9) Loss of curve due to defect in the lamp from 1914 February 25^d 8^h 11^m to 9^h 11^m. Tabulation for 9^h interpolated.

(10) Shift in the zero line due to adjustment of the zero mirror on 1914 June 13^d 11^h 31^m to 48^m. Tabulations for 10^h and 11^h corrected for the shift to make the whole day comparable.

(11) Loss of curve due to the falling down of the shutter from 1915 June 30^d 13^h 52^m to 21^h 58^m. Tabulations for 16^h and 22^h substituted by eye-observations and for 15^h and 17^h to 21^h interpolated.

Occasional, though rare, failure of the hourly stops to act has caused no appreciably large loss of record.

The aggregate of all the interruptions of the Declination Magnetograph record in the years 1911 to 1915, was 1^h 14^m, 1^d 20^h 32^m, 9^h 47^m, 1^h 52^m and 8^h 49^m respectively. The total number of hourly tabulations lost during these years was 47 out of which 3 were substituted by eye readings and 20 were interpolated. One whole day was rejected as the curve was completely lost on that day.

Shift in the base line value of the Declination Magnetograph occurred on the 15th and 27th September 1913 and the zero mirror was adjusted on the 13th June 1914 and on the 25th October 1915.

Vertical Force Magnetograph.—The following statement shows the principal cases in which irregularities of procedure have been rendered necessary in the hourly tabulations by extraneous disturbing influences or by imperfections in the working or the management of the instruments:—

(1) Measurements of parts of the Instrument from 1911 April 3^d 17^h 3^m to 18^h 4^m. Tabulations for 18^h to 20^h interpolated as the record appeared to be disturbed.

(2) Stoppage of clock from 1911 May 17^d 10^h 17^m to 11^h 30^m. Tabulation for 11^h interpolated.

(3) Curve disturbed by experiments for finding the temperature co-efficient of the instrument which commenced at 1911 May 21^d 8^h 9^m. Tabulation for 9^h to 16^h interpolated.

(4) Examination of the instrument from 1911 August 9^d 15^h 55^m to 16^h 15^m. As the record thereafter was abnormally disturbed for a considerable interval the whole day is rejected for taking the monthly averages.

(5) Clock taken to pieces for cleaning on 1912 March 25^d 14^h 57^m to 18^h 47^m. Tabulations for 16^h to 18^h substituted by eye-observations.

(6) Loss of curve due to the breakage of the cylinder fastener from 1912 April 14^d 9^h 28^m to 10^h 16^m. Tabulation for 10^h substituted by an eye-observation.

(7) Adjustment of the instrument on 1912 April 28^d 8^h 15^m to 41^m. Tabulation for 9^h calculated as the record seemed to be disturbed.

(8) Adjustment of the instrument on 1912 May 8^d 10^h 4^m to 10^h. As the record after the adjustment was abnormally disturbed for a considerable interval the whole day is rejected for the monthly averages.

(9) Loss of curve due to omission to raise the reading mirror from 1912 May 11^d 13^h 50^m to 15^h 49^m. Tabulation for 15^h interpolated.

(10) Examination of the instrument on 1912 May 13^d 10^h 19^m to 10^h 40^m. As the record after this was abnormally disturbed for a considerable interval the whole day is rejected for taking the monthly averages.

(11) Loss of curve due to weak light from 1912 May 14^d 12^h 35^m to 14^h 57^m. Tabulations for 13^h to 15^h interpolated.

(12) Loss of curve due to trials to improve the quick run record which was not obtained from 1912 May 15^d 14^h 14^m to 15^h 13^m. Tabulation for 15^h interpolated.

(13) Loss of curve due to trials to improve the quick run record which was not obtained from 1912 May 16^d 8^h 24^m to 9^h 31^m. Tabulation for 9^h interpolated.

(14) Loss of curve due to defect in the light from 1912 May 19^d 3^h 57^m to 5^h 13^m. Tabulation for 5^h interpolated.

(15) Loss of curve due to adjustment of the lamp from 1912 May 19^d 6^h 35^m to 7^h 8^m. Tabulation for 7^h interpolated.

(16) Levelling and adjustment of the instrument from 1912 May 23^d 17^h 58^m to 18^h 21^m. Tabulations for 19^h to 9^h corrected for a dislocation of 210 cm. which appears to have occurred during the period.

(17) Loss of curve due to trials to improve the curve specks from 1912 June 1^d 9^h 12^m to 10^h 42^h. Tabulation for 10^h substituted by an eye-reading.

(18) Loss of curve due to omission to raise the reading mirror from 1912 July 21^d 5^h 50^m to 9^h 8^m. Tabulations for 7^h to 9^h interpolated.

(19) Loss of curve due to omission to raise the reading mirror from 1912 September 5^d 13^h 50^m to 15^h 5^m. Tabulation for 15^h interpolated.

(20) Stoppage of clock from 1912 September 12^d 12^h 23^m to 13^h 49^m. Tabulation for 13^h interpolated.

(21) Loss of curve due to stoppage of the cylinder from 1912 September 15^d 9^h 26^m to 10^h 14^m. Tabulation for 10^h substituted by an eye-observation.

(22) Stoppage of the clock from 1912 September 28^d 1^h 9^m to 3^h 18^m. Tabulations for 2^h and 3^h interpolated.

(23) Clock taken to pieces for cleaning from 1912 September 29^d 13^h 58^m to 17^h 21^m. Tabulations for 15^h to 17^h substituted by eye-observations.

(24) Loss of curve due to defect in the flame from 1912 December 28^d 0^h 50^m to 4^h 8^m. Tabulations for 2^h to 4^h interpolated.

(25) Clock taken to pieces for cleaning on 1913 April 22^d 14^h 11^m to 17^h 19^h. Tabulation for 16^h substituted by eye-observation and tabulations for 15^h and 17^h interpolated.

(26) Loss of curve due to breakage of the chimney from 1913 May 13^d 10^h 24^m to 11^h 31^m. Tabulation for 11^h interpolated.

(27) Loss of curve from 1913 November 26^d 9^h 26^m to 28^d 9^h 21^m as the bromide paper was wrongly fixed on the cylinder with the sensitive side inwards. These two days are therefore omitted for taking the monthly averages.

(28) Adjustment of the V. F. Magnetograph from 1914 June 13^d 11^h 16^m to 11^h 29^m and from 12^h 15^m to 12^h 28^m. As the record after this time appeared to be abnormally disturbed for a considerable interval the whole day is rejected for taking the monthly averages.

(29) Loss of curve due to trials to improve the curve specks from 1914 June 21^d 9^h 14^m to 10^h 24^m. Tabulation for 10^h substituted by an eye-observation.

(30) Loss of curve due to trials to improve the curve specks from June 1914 30^d 10^h 7^m to 11^h 26^m. Tabulation for 11^h substituted by an eye-observation.

(31) Curve dislocated or disturbed probably by an insect in the enclosure. Tabulations for 1914 October 1^d 2^h and 8^h which appeared to be so disturbed were interpolated.

(32) Adjustment of the V. F. magnet to improve the curve specks between 1915 December 7^d 9^h 54^m to 10^h 1^m. Tabulation for 10^h corrected by .020 cm. which was calculated as the amount of the dislocation.

Occasional, though rare, failure of the hourly stops to act has caused no appreciably large loss of record.

The aggregate of all the interruptions of the Vertical Force Magnetograph in the years 1911 to 1915 was 3^h 46^m, 37^h 42^m, 56^h 14^m, 6^h 22^m and 0^h 7^m respectively during which the curve was completely lost. The total number of hourly tabulations lost on this account was 82 out of which only 12 were substituted by eye-readings, 22 were interpolated and two whole days were rejected. During the period 13 hourly tabulations had also to be interpolated as the record was artificially disturbed and appeared to be faulty, and 4 more days had to be completely rejected as the record on these days was abnormally disturbed for a considerable interval immediately following an examination or adjustment of the instrument.

The following is a complete list of dislocations which have been noted to have occurred on the Vertical Force Magnetograph curves. Whenever a dislocation has occurred in the middle of the day as reckoned from 10^h to 9^h of the following day the tabulations of the hours immediately preceding or following the time of the dislocations have been corrected by the amounts determined from the measurements on the curves to make the whole day comparable throughout. This secures an unvitiated diurnal inequality. Such corrections have also been applied whenever the tabulation ordinates had to be made comparable as in the case of the determination of absolute values and the derivation of quiet-

day diurnal inequalities. The times of occurrence of these dislocations together with the amounts (in cms.) by which the curves have been shifted are as detailed below :—

1911 .. February	..	24 ^d 13 ^h 50 ^m (.070)
June	..	2 ^d 22 ^h 27 ^m (.015)
September	..	1 ^d 9 ^h 51 ^m (.052)
December	..	30 ^d 9 ^h 50 ^m (.010)
1912 .. April	..	17 ^d 5 ^h 51 ^m (.050)
April	..	23 ^d 5 ^h 50 ^m (.010)
May	..	8 ^d 15 ^h 49 ^m (.013)
May	..	8 ^d 21 ^h 50 ^m (.030)
May	..	23 ^d 17 ^h 58 ^m to 18 ^h 21 ^m (.210)
1913 ... June	..	7 ^d 17 ^h 33 ^m (.070)
1914 .. June	..	27 ^d 21 ^h 36 ^m (.010)
1915 .. December	..	7 ^d 9 ^h 54 ^m to 10 ^h 1 ^m (.020)

N. A. F. MOOS,

Director, Government Observatories,
Bombay and Alibag.

Bombay Observatory, 23rd December 1918.

TABLES OF RESULTS

DERIVED FROM

THE CONTINUOUS REGISTRATIONS OF AUTOMATIC
METEOROLOGICAL INSTRUMENTS

AND FROM

ABSOLUTE METEOROLOGICAL OBSERVATIONS.

1911—1915.

CORRIGENDA.

Bombay Magnetic, Meteorological and Seismographic Observations, 1911 to 1915.

INTRODUCTION.

Page	V	line	7	from	below	for.	exception	read	except on
"	XIV	"	17	"	"	"	building	"	building
"	XXII	Table	3	year	1917	January	for 05.77	"	905.77
"	XXVIII	Para.	6	line	3	for	gives	read	give
"	XXXI	"	4	"	2	for	7h 16 h	read	7h 16 m

Meteorological and Seismographic tables.

Page	1	Table	Ia	August 3d	for	.66	read	.766	
"	2	"	IIb	July 6h 2m	"	-1.5	"	To be in thick type.	
"	"	"	"	Year 10h 2m	"	-1.3	"	+1.3	
"	4	"	IIIa	April 25d	"	.840	"	.849	
"	9	"	VIc	June 10h 11h	"	0.0	"	0.1	
"	11	"	VIg	December 17h 18h	"	+1.6	"	To be in thin type.	
"	23	"	VIc	December 15d	"	4.7 N	"	4.1 N	
"	29	"	IXa	August 30d	"	.885	"	.855	
"	35	"	IVb	March 6h 2m	"	-109	"	-104	
"	51	"	Va	August 13d	"	1.76	"	1.96	
"	53	"	VIc	May 25d	"	0.75	"	0.7N	
"	54	"	VIc	October 18h 19h	"	4.1	"	To be in thin type.	
"	56	"	VIg	August 26d	"	4.7	"	7.5	
"	"	"	"	September 26d	"	7.5	"	4.7	
"	59	"	IXb	November 23d	"	2.8	"	To be in thin type.	
"	"	"	"	" 24	"	1.8	"	"	
"	"	"	"	" 25	"	1.4	"	"	
"	"	"	"	" 26	"	1.0	"	"	
"	"	"	"	" 27	"	1.4	"	"	
"	"	"	"	" 29	"	2.0	"	"	
"	"	"	"	" 30	"	2.4	"	"	
"	71	"	VIg	March 12h 13h	"	+1.9	"	+0.9	
"	75	"	X	Number 72	"	.299	"	.229	
"	"	"	"	of 5 day	"	"	"	"	
"	"	"	"	period	"	"	"	"	
"	75	"	X	Number 58 Rainfall for	0.98	read	0.28.		
"	"	"	"	of 5 day	"	"	"	"	
"	"	"	"	period	"	"	"	"	
"	87	"	1	The figures and remarks in the vertical columns from column No. 3 onward upto the end have been shifted. The first horizontal line is all right. The second line ending with the remark "Movements very small" should be read against the date 1912 January 26th (observatory No.2) and the following lines shifted down accordingly.					
"	103	Column 6		May 16d	for	4.0	read	74.0	

MAGNETIC TABLES.

Page	7	Table	Ib	July 13d	Column	8	for	89.40	read	89.10
"	"	"	"	"	"	13	"	"	"	"
"	"	"	"	September 2d	"	5	"	"	"	28.0
"	8	"	"	December 26d	"	8	"	87.77	"	86.77
"	"	"	"	"	"	13	"	"	"	"
"	10	"	IIa	October 18d	"	5	"	85.24.0	"	85.24.30
"	"	"	"	November 10d	"	11	"	0.52.0	"	0.52.55
"	11	"	IIb	January 26d	"	6	"	53.22.25	"	53.22.22
"	"	"	"	April 20d	"	7	"	"	"	10W
"	"	"	"	"	"	8.	"	"	"	0.71
"	12	"	"	September 5d	"	11	"	0.51.9	"	0.51.29
"	13	"	IIIa	March 24d	"	East.	"	23.46.62	"	23.46.42
"	"	"	"	May 19d	"	Mean Inclination.	"	23.6.19	"	23.46.19
"	14	"	"	September 18d	"	At Commencement.	"	11.6	"	11.16
"	15	"	"	December 14d	"	Mean Inclination.	"	23.52.7	"	23.52.17
"	21	"	Ia	July 24d	"	3	"	2.70.6	"	2.70.76
"	"	"	"	April 19d	"	10	"	10.48.2	"	10.48.42
"	22	"	"	December 18d	"	13	"	85.0	"	85.40
"	24	"	Ib	June 24d	"	15	"	9 1.09	"	911.09
"	"	"	"	April 4d	"	12	"	"	"	6.927
"	25	"	"	July 9d	"	12	"	5.86	"	5.866
"	27	"	IIa	December 5d	"	6	"	222.25.5	"	222.24.5
"	28	"	IIb	March 28	"	7	"	.0	"	20W
"	"	"	"	"	"	8	"	"	"	0.64
"	29	"	IIb	November 7d	"	7	"	.0	"	7W
"	"	"	"	"	"	8	"	"	"	0.61
"	30	"	IIIa	February 7d	"	3	"	2h 5m	"	12h 5m
"	31	"	"	April 3d	"	"	"	2h 6m	"	12h 6m
"	"	"	"	" 13d	"	2	"	3h 58m	"	13h 58m
"	"	"	"	" 15d	"	East.	"	23.54.2	"	23.54.42
"	"	"	"	" 16d	"	Mean Inclination.	"	23.55.7	"	23.55.78
"	32	"	"	August 1d	"	"	"	23.56.50	"	23.55.50
"	33	"	"	December 11d	"	At Conclusion.	"	2h 2m	"	12h 2m
"	"	"	"	" 14d	"	East B.	"	23.0.47	"	24.0.47
"	34	"	IIIb	January 11d	"	West.	"	23.49.6	"	23.59.5
"	"	"	"	"	"	Mean Dip.	"	23.59.5	"	23.50.9
"	37	"	Ia	January 22d	"	5	"	25.0	"	26.0
"	"	"	"	February 26d	"	10	"	1.50.36	"	10.50.36

Page	38	Table	Ia	April 30d	Column	9	for	26.33.29	read	26.33.27
"	42	"	Ib	November 24d	"	19	"	.368.2	"	0.36882
"	44	"	IIb	March 13d	"	7	"	.0	"	10E
"	"	"	"	"	"	8	"	"	"	0.64
"	45	"	IIIa	February 4d	"	At Commencement.	"	1h 45m	"	11h 45m
"	46	"	"	April 12d	"	Date.	"	2	"	12
"	47	"	"	August 7d	"	Mean Inclination.	"	24.3.7	"	24.3.67
"	48	"	"	October 4d	"	East.	"	4 4.45	"	24.4.45
"	56	"	Ib	In foot Note	"	"	"	Table VI	"	Table VIIa
"	58	"	IIb	"	"	1	"	After January	"	February.
"	"	"	"	"	"	"	"	February	"	March.
"	61	"	IIIa	July 25d	"	Date.	"	2	"	25
"	66	"	Ia	March 24d	"	3	"	2.7100	"	2.7101
"	67	"	"	April 7d	"	10	"	10.41	"	10.481
"	68	"	"	December 22d	"	8	"	84.61	"	84.60
"	"	"	"	"	"	13	"	"	"	"
"	70	"	Ib	June 7d	"	18	"	+ .0001	"	+ .00010
"	"	"	"	July 19d	"	7	"	7.566	"	7.565
"	71	"	Ib	October 4d	"	6	"	+80	"	+0.8
"	73	"	IIb	July	"	13	"	0.39.47	"	0.37.48
"	74	"	IIIa	April 12d	"	Mean Inclination.	"	24.1.65	"	24.15.65
"	75	"	"	July 10d	"	Date.	"	After 9th	"	10th.
"	"	"	"	August 13d	"	At Conclusion.	"	11h 3m	"	11h 30m
"	"	"	"	" 25d	"	Date.	"	After 23rd	"	25th.
"	78	"	IIIb	August 3d	"	At Conclusion.	"	11h 57m	"	11h 51m
"	121	"	XIb	March 7d	"	"	"	.1	"	2.1
"	127	"	XIIIc	June 7h 51m	"	"	"	216	"	To be in thin type.
"	"	"	"	August 12h 51m	"	"	"	213	"	Do. do.
"	"	"	"	September 11h 51m	"	"	"	235	"	Do. do.
"	130	"	XIVc	April 10h 51m	"	"	"	185	"	To be in thick type.
"	132	"	XVa	May 5h 51m	"	"	"	92	"	Do. do.
"	"	"	"	" 6h 51m	"	"	"	67	"	Do. do.
"	133	"	XVd	December 8h 51m	"	"	"	-8	"	+8
"	135	"	XVI	Heading	"	"	"	Mean temperature.	"	Mean monthly tem- perature.
"	136	"	XVII	"	"	"	"	"	"	"

APPENDIX.

Page	7	Table	IVc	March 17h 51m	for	330	read	320
"	9	"	Vc	January 11h 51m	"	202	"	201
"	"	"	"	" 13h 15m	"	52	"	51
"	10	"	Vc	May 14h 51m	"	+99	"	+100
"	"	"	"	July 17h 51m	"	115	"	155
"	11	"	VIa	June 22h 51m	"	19	"	29
"	"	"	"	December 14h 51m	"	+39	"	+41
"	12	"	VIc	April 9h 51m	"	+146	"	+46
"	"	"	"	Year	"	+5	"	-3
"	"	"	"	September 17h 51m	"	+41	"	+21
"	"	"	"	Year	"	+19	"	+18
"	13	"	VIe	June 17h 51m	"	-10	"	+10
"	"	"	"	Year	"	+9	"	+10
"	"	"	"	August 18h 51m	"	+29	"	-29
"	"	"	VIf	1911 April to September 23h	"	+4	"	+6
"	"	"	"	1913 April to September 10h	"	+11	"	-5
"	"	"	"	1913 Year	"	+5	"	-3
"	"	"	"	1913 April to September 18h	"	+22	"	+18
"	"	"	"	1913 Year	"	+19	"	+18
"	"	"	"	1915 April to September 18h	"	+21	"	+24
"	"	"	"	1915 Year	"	+9	"	+10
"	14	"	VIIa	February 2h 51m	"	6	"	+6
"	17	"	VIIIa	July 6h 50m	"	+40	"	+49
"	"	"	"	December 11h 50m	"	+11	"	+17
"	19	"	VIIIc	June 12h 51m	"	+6	"	-87
"	"	"	"	Year	"	-48	"	-56
"	"	"	VIIIf	1915 April to September 13h	"	-76	"	-92
"	"	"	"	1915 Year	"	-48	"	-56

Barometric Pressure, 1911.

TABLE Ia.—Daily and Monthly Means.

Height of the Barometer above mean sea-level=37 feet.

TABLE Ib.—Mean diurnal inequality for each month of the year and for the whole year.

Unity=0.001 inch.

1911.	Month.												1911.	Month.												Year.
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1	29.973	29.944	29.940	29.794	29.812	29.767	29.697	29.756	29.819	29.770	29.921	29.871	H. m.	6	12	14	3	0	4	6	4	8	4	3	2	5
2	947	933	943	788	826	723	722	730	805	772	950	877	0 7	2	4	1	9	10	13	11	13	8	17	11	7	9
3	931	935	879	803	819	676	741	741	66	773	984	890	1 7	16	19	18	24	24	24	23	28	24	27	22	22	23
4	30.000	943	856	826	822	701	703	735	773	796	950	898	2 7	23	29	23	28	29	28	29	37	31	27	27	29	28
5	019	968	864	799	810	698	632	705	792	786	911	903	3 7	24	29	23	26	25	27	29	34	28	21	24	26	26
6	29.965	978	849	796	832	704	618	695	823	799	921	883	4 7	23	29	23	26	25	27	29	34	28	21	24	26	26
7	947	989	823	785	802	659	631	701	808	840	943	853	5 7	15	21	12	12	12	20	22	27	15	7	12	15	16
8	961	976	817	811	778	585	655	706	778	836	955	890	6 7	0	1	6	7	7	2	7	14	3	14	9	1	1
9	932	982	833	808	770	578	681	666	738	840	957	938	7 7	22	22	27	29	25	21	9	5	20	34	30	23	22
10	922	981	855	796	775	542	649	762	798	834	934	895	8 7	44	45	48	52	43	31	21	22	38	52	51	41	41
11	015	30.015	864	809	750	561	693	792	835	865	904	907	9 7	62	62	61	60	54	38	30	34	49	63	63	70	54
12	894	29.999	872	843	755	615	749	763	831	880	897	948	10 7	60	66	63	59	53	41	33	37	50	57	57	63	53
13	907	974	899	831	738	696	755	706	835	884	876	952	11 7	44	49	48	47	43	35	30	32	41	37	36	41	40
14	904	965	860	809	761	743	730	683	850	865	857	942	12 7	60	66	63	59	53	41	33	37	50	57	57	63	53
15	909	952	847	824	774	701	720	685	851	836	844	957	13 7	44	49	48	47	43	35	30	32	41	37	36	41	40
16	923	963	957	828	743	630	713	675	817	886	855	956	14 7	14	22	21	26	27	24	18	20	20	10	4	5	18
17	901	985	922	861	709	639	725	664	792	923	872	981	15 7	20	20	9	2	4	6	5	2	4	17	25	24	18
18	885	30.007	920	927	731	670	747	707	799	888	862	971	16 7	43	35	34	28	19	11	12	14	25	40	45	43	29
19	909	012	896	945	730	703	725	740	801	883	791	976	17 7	54	55	54	45	36	29	24	24	39	53	52	43	43
20	926	29.932	873	808	708	766	714	747	767	863	862	970	18 7	53	56	58	53	46	38	34	30	44	50	47	48	46
21	815	931	876	861	721	791	764	728	722	904	785	972	19 7	44	49	52	48	44	37	29	25	38	40	39	38	40
22	822	959	868	875	751	767	744	767	770	906	766	989	20 7	29	34	39	37	33	27	18	14	26	24	23	23	27
23	863	915	894	860	770	777	739	773	770	939	793	925	21 7	6	15	21	18	15	12	1	2	10	2	2	1	8
24	913	903	901	821	778	787	774	775	799	978	845	899	22 7	14	8	0	1	0	6	11	16	7	14	15	14	9
25	853	923	887	793	749	800	775	780	801	960	887	940	23 7	26	23	18	14	11	17	22	28	21	21	23	24	21
26	870	913	837	736	721	768	713	779	778	960	903	924	24 7	25	27	24	20	17	24	27	30	22	18	23	23	23
27	931		881	777	718	716	662	744	780	962	875	905	25 7	16	22	21	15	13	17	22	22	16	12	14	14	17
28			863		763		674	767		932		929	26 7	16	22	21	15	13	17	22	22	16	12	14	14	17
29													27 7	16	22	21	15	13	17	22	22	16	12	14	14	17
30													28 7	16	22	21	15	13	17	22	22	16	12	14	14	17
31													29 7	16	22	21	15	13	17	22	22	16	12	14	14	17
Monthly Mean.	29.917	29.959	29.877	29.828	29.763	29.692	29.707	29.730	29.793	29.872	29.929	29.876	Range	116	122	121	113	100	79	67	74	94	116	115	122	100
Annual Variation.	+ .089	+ .131	+ .049	.000	-.065	-.136	-.121	-.098	-.035	+.044	+.048	+.100														

Annual mean .. 29.828

Temperature of the Air, 1911.

TABLE IIa.—Daily and Monthly Means.

TABLE IIb.—Mean diurnal inequality for each month of the year and for the whole year.

1911.	Month.												1911.	Month.												
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1	74.4	67.7	75.1	80.5	82.6	86.1	84.1	79.5	79.0	81.9	82.6	80.7	H. m.	— 2.0	— 2.6	— 2.1	— 1.9	— 2.1	— 1.0	— 0.9	— 0.7	— 1.3	— 1.8	— 1.6	— 2.4	— 1.7
2	73.7	67.7	75.0	80.1	82.8	85.4	84.2	81.1	78.2	81.7	82.7	81.0	0 2	— 2.3	— 3.2	— 2.4	— 2.2	— 2.4	— 1.4	— 1.0	— 0.9	— 1.4	— 2.1	— 2.2	— 2.9	— 2.0
3	74.1	70.1	75.0	79.5	83.0	85.4	84.2	81.1	78.2	81.7	82.7	81.0	1 2	— 2.5	— 3.3	— 2.6	— 2.5	— 2.6	— 1.5	— 1.0	— 1.0	— 1.6	— 2.1	— 2.6	— 3.3	— 2.2
4	73.9	71.8	75.7	78.4	83.2	83.1	82.4	77.7	79.7	81.9	81.2	81.0	2 2	— 2.5	— 3.3	— 2.6	— 2.5	— 2.6	— 1.5	— 1.0	— 1.0	— 1.6	— 2.1	— 2.6	— 3.3	— 2.2
5	70.9	72.4	76.5	77.2	84.4	82.8	82.2	76.2	81.1	82.5	80.8	80.2	3 2	— 2.8	— 3.6	— 3.1	— 2.9	— 2.9	— 1.7	— 1.1	— 1.1	— 1.9	— 2.4	— 3.0	— 3.7	— 2.5
6	70.2	73.2	77.4	78.1	84.8	83.9	80.7	75.9	81.1	82.6	81.5	78.8	4 2	— 3.1	— 3.9	— 3.5	— 3.2	— 3.1	— 1.7	— 1.3	— 1.2	— 1.9	— 2.6	— 3.2	— 3.7	— 2.7
7	71.6	72.4	76.9	79.0	83.8	85.0	79.8	79.3	81.1	82.6	81.5	78.8	4 2	— 3.1	— 3.9	— 3.5	— 3.2	— 3.1	— 1.7	— 1.3	— 1.2	— 1.9	— 2.6	— 3.2	— 3.7	— 2.7
8	73.9	72.2	76.7	81.0	83.8	84.6	78.8	80.8	81.0	82.5	80.4	81.8	* 5 2	— 3.5	— 4.5	— 3.9	— 3.6	— 3.4	— 1.8	— 1.5	— 1.1	— 2.0	— 3.0	— 3.6	— 4.0	— 3.0
9	75.9	72.2	76.8	79.7	83.3	82.0	77.3	80.9	80.3	83.0	80.8	80.8	6 2	— 4.0	— 5.2	— 4.2	— 3.8	— 3.2	— 1.8	— 1.4	— 1.1	— 1.9	— 3.1	— 3.8	— 4.2	— 3.1
10	76.4	71.8	77.6	78.7	84.1	82.2	78.2	81.1	81.4	82.4	80.8	80.8	7 2	— 4.3	— 5.3	— 3.8	— 2.8	— 2.3	— 1.6	— 1.2	— 0.9	— 1.7	— 2.6	— 3.7	— 4.3	— 2.9
11	75.9	72.9	77.8	77.9	84.4	80.1	81.3	80.8	81.3	82.1	79.8	79.3	7 2	— 4.3	— 5.3	— 3.8	— 2.8	— 2.3	— 1.6	— 1.2	— 0.9	— 1.7	— 2.6	— 3.7	— 4.3	— 2.9
12	75.4	76.8	77.9	78.5	83.6	80.4	81.9	81.3	80.7	82.1	79.8	79.3	8 2	— 2.9	— 3.5	— 1.8	— 0.8	— 0.7	— 0.6	— 0.4	— 0.5	— 0.8	— 1.5	— 2.2	— 3.1	— 1.6
13	75.1	77.1	75.3	80.0	83.3	80.3	82.2	81.0	81.1	82.2	80.3	78.8	8 2	— 2.9	— 3.5	— 1.8	— 0.8	— 0.7	— 0.6	— 0.4	— 0.5	— 0.8	— 1.5	— 2.2	— 3.1	— 1.6
14	74.0	76.3	75.8	79.3	83.7	81.8	82.0	80.4	81.1	82.4	80.3	79.5	9 2	— 1.4	— 1.5	— 0.2	— 0.7	— 0.6	0	— 0.3	— 0.1	— 0.1	— 0.3	— 0.9	— 1.6	— 0.4
15	74.5	75.7	78.2	79.3	83.7	81.8	82.0	80.4	81.1	82.4	80.3	79.5	9 2	— 1.4	— 1.5	— 0.2	— 0.7	— 0.6	0	— 0.3	— 0.1	— 0.1	— 0.3	— 0.9	— 1.6	— 0.4
16	76.2	75.0	78.5	79.6	84.2	82.9	82.7	80.9	80.6	82.5	80.0	78.8	10 2	+ 1.0	+ 1.0	+ 1.7	+ 2.1	+ 1.9	+ 1.1	+ 1.2	+ 0.9	+ 1.2	+ 1.4	+ 1.0	+ 0.6	— 1.3
17	75.6	74.6	79.7	79.8	84.2	82.9	82.7	80.9	81.0	84.1	81.1	78.2	11 2	+ 2.8	+ 3.6	+ 2.9	+ 3.1	+ 2.9	+ 1.7	+ 1.5	+ 1.5	+ 1.9	+ 2.6	+ 2.6	+ 2.7	+ 2.5
18	76.4	73.8	77.3	80.4	84.3	83.1	82.7	80.7	81.0	84.0	81.1	77.7	12 2	+ 4.4	+ 5.5	+ 3.8	+ 3.9	+ 3.7	+ 2.2	+ 1.9	+ 1.8	+ 2.5	+ 3.8	+ 4.3	+ 4.9	+ 3.6
19	77.4	74.4	75.6	80.6	85.3	83.5	82.1	81.1	81.4	82.7	78.8	77.3	13 2	+ 5.2	+ 6.3	+ 4.3	+ 4.1	+ 4.1	+ 2.6	+ 1.8	+ 1.8	+ 2.5	+ 4.2	+ 4.7	+ 5.9	+ 4.0
20	78.3	76.1	77.5	80.4	84.8	83.6	82.6	80.6	81.0	83.2	78.2	77.6	14 2	+ 5.2	+ 6.4	+ 4.6	+ 4.3	+ 4.4	+ 2.8	+ 1.9	+ 1.8	+ 2.9	+ 4.3	+ 4.8	+ 6.1	+ 4.1
21	79.3	77.7	78.6	80.8	84.9	83.5	81.8	80.2	80.4	83.4	78.8	77.7	15 2	+ 4.9	+ 5.9	+ 4.4	+ 4.1	+ 3.9	+ 2.8	+ 1.6	+ 1.7	+ 2.8	+ 4.0	+ 4.6	+ 5.9	+ 3.9
22	77.2	78.3	79.7	80.2	85.0	83.7	82.4	79.8	80.2	81.9	78.0	77.5	15 2	+ 4.9	+ 5.9	+ 4.4	+ 4.1	+ 3.9	+ 2.8	+ 1.6	+ 1.7	+ 2.8	+ 4.0	+ 4.6	+ 5.9	+ 3.9
23	76.2	78.2	79.8	80.5	85.7	83.7	82.5	80.4	80.0	81.6	79.7	78.9	16 2	+ 4.3	+ 5.1	+ 3.9	+ 3.6	+ 3.4	+ 2.0	+ 1.4	+ 1.3	+ 2.1	+ 3.3	+ 3.8	+ 5.0	+ 3.3
24	76.2	78.2	79.8	80.5	85.7	83.7	82.5	80.4	80.0	81.6	79.7	78.9	16 2	+ 4.3	+ 5.1	+ 3.9	+ 3.6	+ 3.4	+ 2.0	+ 1.4	+ 1.3	+ 2.1	+ 3.3	+ 3.8	+ 5.0	+ 3.3
25	74.5	77.3	79.8	81.4	86.4	82.9	82.3	81.2	80.4	80.6	80.3	79.0	17 2	+ 2.9	+ 3.6	+ 2.8	+ 2.6	+ 2.3	+ 1.2	+ 1.0	+ 1.0	+ 1.5	+ 1.8	+ 2.2	+ 3.0	+ 2.2
26	73.9	77.8	78.9	84.0	86.2	83.2	82.3	79.9	81.5	80.1	80.1	77.2	17 2	+ 2.9	+ 3.6	+ 2.8	+ 2.6	+ 2.3	+ 1.2	+ 1.0	+ 1.0	+ 1.5	+ 1.8	+ 2.2	+ 3.0	+ 2.2
27	71.0	77.5	78.5	84.1	86.8	83.0	81.6	80.1	81.6	79.6	79.8	78.7	18 2	+ 1.4	+ 1.8	+ 1.2	+ 0.9	+ 0.6	+ 0.4	+ 0.2	+ 0.2	+ 0.2	+ 0.5	+ 1.2	+ 1.5	+ 0.8
28	69.7	76.3	78.9	84.2	86.7	83.7	82.5	79.1	81.8	79.6	80.5	79.2	19 2	+ 0.6	+ 0.9	+ 0.3	— 0.2	— 0.5	— 0.2	— 0.3	— 0.4	— 0.3	— 0.1	+ 0.7	+ 0.8	+ 0.1
29	71.4	76.3	80.8	82.8	86.6	84.2	82.2	78.0	81.6	78.7	81.1	79.2	20 2	+ 0.1	+ 0.3	0	— 0.7	— 0.7	— 0.9	— 0.4	— 0.5	— 0.6	— 0.4	+ 0.3	+ 0.2	— 0.3
30	72.7	80.5	81.7	80.5	86.7	84.2	79.2	77.4	81.3	80.0	81.1	77.5	21 2	— 0.5	— 0.4	— 0.5	— 1.2	— 1.2	— 0.7	— 0.7	— 0.7	— 0.8	— 0.9	— 0.3	— 0.5	— 0.7
31	71.8	74.4	77.7	80.3	84.7	83.1	81.7	79.9	80.7	82.0	80.4	79.0	22 2	— 1.1	— 1.2	— 0.9	— 1.4	— 1.5	— 0.7	— 0.7	— 0.8	— 0.9	— 1.3	— 0.8	— 1.1	— 1.0
Monthly Mean.	74.5	74.4	77.7	80.3	84.7	83.1	81.7	79.9	80.7	82.0	80.4	79.0	23 2	— 1.8	— 2.0	— 1.5	— 1.7	— 1.8	— 0.9	— 0.8	— 0.8	— 1.1	— 1.7	— 1.3	— 2.0	— 1.4
Annual Variation.	— 5.4	— 5.5	— 2.2	+ 0.4	+ 4.8	+ 3.2	+ 1.8	0.0	+ 0.8	+ 2.1	+ 0.5	— 0.9	Range	9.5	11.7	8.8	8.1	7.8	4.6	3.4	3.0	4.9	7.4	8.6	10.4	7.2

Temperature of the Air, 1911.

TABLE IIc.—Showing the maximum Temperature of the Air on each day
during the year 1911.

1911.	Month.												1911.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	82.1	77.1	83.3	89.1	88.3	93.0	88.9	82.1	83.9	87.1	92.4	87.1	1	69.3	61.8	71.3	76.8	78.4	83.4	81.3	76.9	76.0	77.6	75.4	77.4
2	82.1	81.1	83.7	89.4	88.9	92.9	89.4	85.1	85.1	87.1	92.2	88.9	2	69.3	58.6	70.8	75.8	78.5	82.4	81.2	77.4	76.0	78.1	75.8	76.2
3	81.1	82.1	82.9	88.1	89.3	92.4	88.3	86.1	79.5	88.1	90.2	88.1	3	70.3	62.8	70.5	74.9	78.8	81.9	81.4	78.4	76.4	78.0	77.4	76.4
4	80.2	83.1	84.5	86.3	89.7	88.1	86.3	79.8	84.5	88.1	88.5	88.9	4	71.8	64.3	70.3	75.4	79.4	78.6	78.8	75.9	76.1	78.9	76.0	75.9
5	80.4	84.1	85.6	85.4	91.4	88.7	85.6	80.9	86.3	88.9	89.4	88.8	5	65.1	66.3	71.3	72.8	81.4	79.8	78.6	74.4	77.6	80.4	75.4	75.2
6	79.3	82.9	85.8	86.2	91.2	89.1	83.9	79.0	86.6	88.9	88.8	88.1	6	64.3	66.7	71.8	73.3	80.6	80.1	77.2	74.4	78.4	79.4	75.4	72.3
7	80.4	82.3	85.9	87.4	90.6	91.1	86.3	83.5	86.7	88.5	88.2	87.1	7	64.3	64.8	72.7	72.8	80.2	80.4	77.0	74.4	78.4	78.5	76.4	73.3
8	83.9	81.1	85.1	90.2	90.2	90.2	81.5	85.2	85.3	87.0	89.5	88.9	8	67.9	67.3	71.3	75.4	79.4	82.4	76.6	77.4	78.4	79.8	75.5	75.4
9	85.3	80.8	84.5	87.9	90.2	85.1	81.1	83.9	85.4	89.1	89.5	88.9	9	70.3	67.3	71.8	75.4	78.9	79.6	74.6	79.4	76.4	79.9	74.8	78.4
10	84.9	81.9	84.1	86.9	92.3	85.3	82.3	86.3	86.6	89.1	89.3	89.2	10	71.8	62.8	72.3	74.4	78.4	79.5	75.1	78.9	78.8	79.4	75.8	76.7
11	84.1	82.5	84.4	86.6	92.3	82.6	85.2	85.7	85.9	88.2	89.0	88.0	11	69.5	64.3	73.4	73.3	80.4	76.4	75.4	77.4	78.4	78.6	75.0	75.0
12	83.7	90.4	85.7	85.9	91.2	81.9	85.0	86.0	85.3	89.0	88.1	88.3	12	70.3	68.5	74.1	73.8	80.2	79.2	77.4	78.4	77.8	78.5	75.4	75.4
13	82.5	91.2	82.1	87.9	90.7	83.1	84.4	85.0	86.3	88.6	87.4	89.2	13	70.3	71.5	72.9	75.8	80.4	76.4	80.5	79.2	78.2	79.4	74.9	72.3
14	81.3	90.4	84.3	87.8	91.2	86.6	85.5	84.6	86.5	88.3	88.1	91.0	14	69.5	69.3	70.5	74.4	80.8	77.4	80.4	77.2	78.4	79.4	75.4	72.5
15	84.3	85.9	90.0	87.1	92.0	87.1	85.1	84.6	86.1	88.5	89.4	88.2	15	68.3	68.8	71.3	75.4	81.4	77.4	79.6	76.4	77.4	79.6	73.3	72.3
16	84.6	85.3	85.1	87.3	90.4	83.3	85.9	83.2	85.6	89.1	89.1	88.3	16	71.3	69.0	73.3	75.6	80.4	76.9	80.6	78.6	77.4	78.7	74.4	74.4
17	83.3	84.4	85.5	86.6	91.0	87.2	86.2	84.4	86.1	93.0	88.1	87.6	17	71.8	68.3	76.7	76.7	79.6	77.4	80.4	79.1	77.4	77.8	74.4	72.5
18	84.7	82.9	84.7	87.1	90.2	87.5	86.4	85.1	85.8	91.0	88.1	87.1	18	71.3	69.8	74.9	75.4	80.4	80.4	79.9	78.4	78.2	79.9	76.4	72.3
19	85.9	83.6	84.3	88.1	91.1	87.7	86.3	81.9	87.0	89.5	86.9	86.6	19	72.0	67.8	71.3	77.2	79.6	80.6	79.4	76.4	76.9	79.1	76.2	70.3
20	89.3	85.1	85.9	88.2	91.3	88.5	86.5	85.0	87.1	89.6	87.6	86.9	20	71.3	71.2	69.3	77.5	81.4	81.4	80.4	77.6	77.6	79.4	72.5	70.1
21	83.9	84.2	88.0	89.1	91.2	88.1	86.2	83.9	86.4	89.1	87.6	86.5	21	74.3	70.8	70.5	76.4	80.2	80.8	79.4	77.6	77.4	78.4	73.3	71.5
22	90.7	86.9	89.1	89.8	92.0	88.1	86.2	83.9	86.2	91.1	87.6	86.9	22	73.3	70.8	72.0	76.4	80.4	81.2	79.2	77.4	75.6	77.3	73.5	71.3
23	85.3	86.1	89.0	87.6	92.4	89.1	86.7	84.1	86.3	89.6	82.4	86.9	23	72.8	71.5	72.3	76.8	81.4	80.7	80.5	77.4	77.4	76.9	74.4	71.5
24	84.1	86.7	87.1	88.5	92.6	89.6	86.9	84.2	84.3	88.1	87.7	89.1	24	71.4	72.6	76.1	76.0	82.7	81.1	79.4	76.4	76.6	78.2	75.4	72.5
25	81.4	84.1	88.3	88.1	92.8	87.6	86.4	86.1	83.3	87.1	86.1	87.3	25	70.3	73.3	76.0	77.4	82.7	80.3	79.9	78.9	78.4	75.6	77.4	73.1
26	80.0	85.9	87.1	92.2	92.0	88.9	86.9	84.1	86.1	86.1	83.9	86.5	26	71.8	72.8	74.4	78.5	81.9	78.4	79.4	77.4	78.2	76.1	77.2	71.5
27	77.5	85.1	86.1	89.3	93.2	89.0	86.3	86.1	86.9	86.3	82.9	88.3	27	68.7	72.5	73.8	80.4	83.4	80.4	78.2	76.9	78.4	75.6	77.4	72.5
28	79.2	84.3	86.6	89.1	93.2	89.7	87.5	83.6	87.5	87.1	85.0	85.0	28	61.3	71.7	73.3	80.4	83.4	80.7	79.4	75.9	79.0	75.4	77.9	76.4
29	81.1	82.0	86.9	89.1	94.2	90.2	87.7	81.3	87.3	87.2	88.1	87.2	29	63.3	71.7	74.8	78.4	83.4	81.4	80.4	78.0	77.4	73.5	77.4	74.4
30	82.0	86.9	86.9	89.1	94.2	89.3	81.7	78.8	87.3	87.6	87.1	85.6	30	65.3	75.4	75.4	76.4	83.4	81.4	76.1	76.2	77.0	75.9	78.1	72.6
31	77.1	89.1	89.1	89.1	92.8	89.3	80.9	85.1	87.3	90.6	87.6	84.5	31	71.2	75.9	75.9	76.4	83.4	81.4	76.9	76.4	75.6	75.6	78.1	70.3
Monthly Mean.	83.0	84.4	85.9	88.1	91.4	88.0	85.6	83.9	85.8	88.7	87.9	87.7	Monthly Mean.	69.5	68.1	72.8	76.0	80.8	79.9	78.9	77.2	77.5	78.0	75.6	73.6

Annual mean ... 86.7
The greatest maximum temperature recorded during the year (that of 29th May was) ... 94.2

Annual mean ... 75.7
The least minimum temperature recorded during the year (that of 2nd February was) ... 58.6

Additional Capacity of the Air, 1911.

TABLE IVa.—Daily and Monthly Means.

TABLE IVb.—Mean diurnal inequality for each month of the year and for the whole year.

Unity=0.001 inch.

1911.	Month.												1911.	Month.												Year.	
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	
1	In. 0.197	In. 0.388	In. 0.250	In. 0.306	In. 0.264	In. 0.297	In. 0.264	In. 0.112	In. 0.120	In. 0.229	In. 0.342	In. 0.152	H. m. 0 2	— 55	— 107	— 73	— 62	— 82	— 39	— 29	— 18	— 27	— 53	— 71	— 95	— 59	
2	.. 0.179	.. 0.354	.. 0.281	.. 0.237	.. 0.275	.. 0.291	.. 0.271	.. 0.162	.. 0.140	.. 0.277	.. 0.301	.. 0.226	0 2	— 60	— 107	— 92	— 66	— 80	— 45	— 27	— 18	— 34	— 58	— 73	— 113	— 64	
3	.. 0.162	.. 0.266	.. 0.239	.. 0.259	.. 0.275	.. 0.260	.. 0.261	.. 0.190	.. 0.112	.. 0.244	.. 0.256	.. 0.249	1 2	— 71	— 102	— 93	— 77	— 83	— 44	— 25	— 20	— 37	— 65	— 78	— 108	— 67	
4	.. 0.233	.. 0.263	.. 0.230	.. 0.257	.. 0.250	.. 0.189	.. 0.186	.. 0.109	.. 0.143	.. 0.214	.. 0.231	.. 0.286	2 2	— 71	— 102	— 93	— 77	— 83	— 44	— 25	— 20	— 37	— 65	— 78	— 108	— 67	
5	.. 0.253	.. 0.255	.. 0.203	.. 0.218	.. 0.258	.. 0.156	.. 0.172	.. 0.067	.. 0.176	.. 0.198	.. 0.270	.. 0.299	3 2	— 72	— 87	— 105	— 86	— 93	— 52	— 29	— 21	— 39	— 73	— 84	— 97	— 70	
6	.. 0.278	.. 0.251	.. 0.243	.. 0.222	.. 0.261	.. 0.166	.. 0.136	.. 0.044	.. 0.185	.. 0.196	.. 0.263	.. 0.303	4 2	— 80	— 77	— 103	— 94	— 99	— 47	— 34	— 25	— 40	— 84	— 85	— 95	— 72	
7	.. 0.248	.. 0.308	.. 0.215	.. 0.198	.. 0.242	.. 0.226	.. 0.114	.. 0.066	.. 0.201	.. 0.188	.. 0.246	.. 0.327	5 2	— 75	— 77	— 102	— 100	— 107	— 45	— 35	— 22	— 46	— 91	— 86	— 96	— 73	
8	.. 0.229	.. 0.226	.. 0.238	.. 0.274	.. 0.273	.. 0.205	.. 0.107	.. 0.155	.. 0.201	.. 0.167	.. 0.238	.. 0.304	6 2	— 76	— 89	— 114	— 103	— 104	— 52	— 35	— 19	— 50	— 99	— 89	— 96	— 77	
9	.. 0.211	.. 0.227	.. 0.224	.. 0.254	.. 0.250	.. 0.161	.. 0.079	.. 0.173	.. 0.194	.. 0.198	.. 0.251	.. 0.257	7 2	— 76	— 94	— 103	— 85	— 76	— 48	— 30	— 17	— 56	— 97	— 88	— 99	— 72	
10	.. 0.276	.. 0.301	.. 0.279	.. 0.243	.. 0.308	.. 0.137	.. 0.085	.. 0.178	.. 0.212	.. 0.212	.. 0.274	.. 0.282	8 2	— 54	— 49	— 46	— 29	— 28	— 25	— 17	— 16	— 42	— 67	— 55	— 61	— 41	
11	.. 0.243	.. 0.278	.. 0.251	.. 0.218	.. 0.302	.. 0.099	.. 0.151	.. 0.171	.. 0.201	.. 0.217	.. 0.254	.. 0.294	9 2	— 18	— 5	— 5	— 20	— 15	— 5	— 3	— 7	— 21	— 29	— 22	— 14	— 7	
12	.. 0.191	.. 0.372	.. 0.277	.. 0.238	.. 0.231	.. 0.095	.. 0.161	.. 0.194	.. 0.194	.. 0.233	.. 0.186	.. 0.294	10 2	— 30	— 68	— 62	— 61	— 68	— 25	— 21	— 14	— 11	— 30	— 49	— 59	— 41	
13	.. 0.183	.. 0.391	.. 0.340	.. 0.290	.. 0.211	.. 0.101	.. 0.167	.. 0.177	.. 0.205	.. 0.221	.. 0.207	.. 0.331	11 2	— 87	— 155	— 100	— 92	— 99	— 46	— 33	— 24	— 36	— 77	— 122	— 143	— 84	
14	.. 0.215	.. 0.322	.. 0.326	.. 0.219	.. 0.225	.. 0.147	.. 0.170	.. 0.180	.. 0.207	.. 0.221	.. 0.274	.. 0.395	12 2	— 87	— 155	— 100	— 92	— 99	— 46	— 33	— 24	— 36	— 77	— 122	— 143	— 84	
15	.. 0.255	.. 0.271	.. 0.382	.. 0.204	.. 0.256	.. 0.143	.. 0.160	.. 0.185	.. 0.197	.. 0.205	.. 0.326	.. 0.325	12 2	— 150	— 194	— 126	— 123	— 128	— 58	— 46	— 40	— 55	— 124	— 175	— 224	— 120	
16	.. 0.187	.. 0.227	.. 0.231	.. 0.211	.. 0.251	.. 0.108	.. 0.184	.. 0.160	.. 0.159	.. 0.169	.. 0.315	.. 0.324	13 2	— 147	— 170	— 130	— 129	— 142	— 75	— 45	— 43	— 59	— 144	— 171	— 256	— 130	
17	.. 0.133	.. 0.230	.. 0.201	.. 0.283	.. 0.267	.. 0.168	.. 0.197	.. 0.166	.. 0.221	.. 0.242	.. 0.304	.. 0.308	11 2	— 142	— 156	— 130	— 136	— 156	— 81	— 43	— 37	— 72	— 141	— 157	— 223	— 123	
18	.. 0.159	.. 0.201	.. 0.252	.. 0.302	.. 0.286	.. 0.179	.. 0.198	.. 0.173	.. 0.223	.. 0.238	.. 0.296	.. 0.290	12 2	— 150	— 194	— 126	— 123	— 129	— 80	— 46	— 46	— 82	— 134	— 138	— 189	— 112	
19	.. 0.184	.. 0.297	.. 0.311	.. 0.272	.. 0.307	.. 0.181	.. 0.189	.. 0.142	.. 0.217	.. 0.174	.. 0.279	.. 0.294	13 2	— 142	— 156	— 130	— 136	— 156	— 81	— 43	— 37	— 72	— 141	— 157	— 223	— 123	
20	.. 0.255	.. 0.202	.. 0.398	.. 0.272	.. 0.318	.. 0.199	.. 0.183	.. 0.170	.. 0.253	.. 0.218	.. 0.335	.. 0.350	13 2	— 167	— 200	— 134	— 129	— 142	— 75	— 45	— 43	— 37	— 72	— 141	— 157	— 223	— 123
21	.. 0.317	.. 0.169	.. 0.336	.. 0.212	.. 0.322	.. 0.198	.. 0.211	.. 0.161	.. 0.243	.. 0.248	.. 0.241	.. 0.304	14 2	— 142	— 156	— 130	— 136	— 156	— 81	— 43	— 37	— 72	— 141	— 157	— 223	— 123	
22	.. 0.301	.. 0.247	.. 0.308	.. 0.223	.. 0.308	.. 0.221	.. 0.190	.. 0.162	.. 0.234	.. 0.265	.. 0.255	.. 0.292	15 2	— 119	— 127	— 123	— 129	— 147	— 80	— 46	— 46	— 82	— 134	— 138	— 189	— 112	
23	.. 0.218	.. 0.310	.. 0.374	.. 0.206	.. 0.298	.. 0.245	.. 0.214	.. 0.164	.. 0.216	.. 0.243	.. 0.265	.. 0.272	15 2	— 119	— 127	— 123	— 129	— 147	— 80	— 46	— 46	— 82	— 134	— 138	— 189	— 112	
24	.. 0.162	.. 0.226	.. 0.384	.. 0.218	.. 0.303	.. 0.266	.. 0.208	.. 0.180	.. 0.170	.. 0.223	.. 0.203	.. 0.387	16 2	— 93	— 87	— 119	— 121	— 126	— 63	— 38	— 31	— 72	— 104	— 105	— 137	— 91	
25	.. 0.175	.. 0.133	.. 0.310	.. 0.224	.. 0.299	.. 0.255	.. 0.206	.. 0.183	.. 0.165	.. 0.254	.. 0.183	.. 0.408	17 2	— 48	— 41	— 85	— 88	— 81	— 43	— 32	— 27	— 50	— 63	— 45	— 44	— 54	
26	.. 0.257	.. 0.218	.. 0.216	.. 0.370	.. 0.282	.. 0.228	.. 0.219	.. 0.145	.. 0.174	.. 0.275	.. 0.149	.. 0.316	18 2	— 4	— 1	— 45	— 34	— 16	— 20	— 14	— 13	— 19	— 17	— 5	— 24	— 13	
27	.. 0.268	.. 0.242	.. 0.257	.. 0.319	.. 0.320	.. 0.217	.. 0.193	.. 0.164	.. 0.186	.. 0.304	.. 0.155	.. 0.355	18 2	— 4	— 1	— 45	— 34	— 16	— 20	— 14	— 13	— 19	— 17	— 5	— 24	— 13	
28	.. 0.336	.. 0.226	.. 0.280	.. 0.298	.. 0.334	.. 0.249	.. 0.219	.. 0.151	.. 0.196	.. 0.302	.. 0.173	.. 0.318	19 2	— 20	— 18	— 19	— 9	— 19	— 2	— 0	— 9	— 1	— 2	— 19	— 55	— 11	
29	.. 0.325	.. 0.243	.. 0.327	.. 0.281	.. 0.328	.. 0.283	.. 0.253	.. 0.188	.. 0.066	.. 0.260	.. 0.222	.. 0.324	20 2	— 37	— 34	— 2	— 38	— 37	— 12	— 15	— 13	— 5	— 15	— 44	— 75	— 27	
30	.. 0.243	.. 0.220	.. 0.220	.. 0.224	.. 0.327	.. 0.253	.. 0.253	.. 0.107	.. 0.070	.. 0.213	.. 0.251	.. 0.266	21 2	— 44	— 50	— 23	— 57	— 50	— 25	— 12	— 17	— 13	— 26	— 54	— 80	— 38	
31	.. 0.193	.. 0.388	.. 0.278	.. 0.255	.. 0.283	.. 0.198	.. 0.178	.. 0.149	.. 0.192	.. 0.231	.. 0.245	.. 0.304	22 2	— 46	— 49	— 42	— 63	— 61	— 29	— 18	— 16	— 22	— 38	— 58	— 83	— 44	
													23 2	— 50	— 73	— 61	— 63	— 68	— 33	— 20	— 20	— 21	— 45	— 64	— 84	— 50	
Monthly Mean.	0.228	0.264	0.278	0.255	0.283	0.198	0.178	0.149	0.192	0.231	0.245	0.304		247	307	248	239	263	133	81	65	138	243	264	369	207	
Annual Variation.	— 0.005 +	.. 0.031 +	.. 0.045 +	.. 0.022 +	.. 0.050 +	.. 0.035 +	.. 0.055 +	.. 0.084 +	.. 0.041 +	.. 0.002 +	.. 0.012 +	.. 0.068 +	Range ..	247	307	248	239	263	133	81	65	138	243	264	369	207	

Rainfall, 1911.

TABLE Va.—Total fall of rain (in inches) as measured by F. Chambers's self-registering gauge, the funnel of which is 28 feet above the ground. TABLE Vb.—Total fall of rain (in inches) as measured by Newman's gauge placed 4½ feet above the ground.

1911.		Month.												1911.		Month.											
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	In.	..	..	..	..	In.	In.	In.	In.	In.	In.	In.	..	1	..	In.	..	..	..	In.	In.	In.	In.	In.	..	..	
2	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	0.01	0.51	0.41	..	..	
3	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	0.01	0.14	0.21	..	..		
4	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	..	..	..	..	..	0.08	0.68	0.17	1.00	..		
5	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..	..	..	..	..	..	0.72	1.89	0.23	..	..		
6	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..	..	..	..	..	..	0.50	0.22	0.01	..	..		
7	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..	..	..	..	..	..	0.15	4.29	0.56	0.04	..		
8	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..	..	..	..	..	..	4.78	0.07	0.07	..	..		
9	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..	..	..	..	..	..	0.14	2.24	0.03	0.10	..		
10	..	..	..	..	..	..	..	..	..	..	..	..	..	10	..	..	..	..	..	..	0.92	1.07	0.09	..	..		
11	..	..	..	..	..	..	..	..	..	..	..	..	..	11	..	..	..	..	..	..	0.50	0.24	0.05	..	..		
12	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..	..	..	..	..	..	2.89	0.33	..	..	..		
13	..	..	..	..	..	..	..	..	..	..	..	..	..	13	..	..	..	..	..	..	1.42	0.10	..	..	..		
14	..	..	..	..	..	..	..	..	..	..	..	..	..	14	..	..	..	..	..	..	1.74	0.40	0.02	..	..		
15	..	..	..	..	..	..	..	..	..	..	..	..	..	15	..	..	..	..	..	..	0.03	0.24	0.03	..	..		
16	..	..	..	..	..	..	..	..	..	..	..	..	..	16	..	..	..	..	..	..	0.19	0.02	0.12	..	..		
17	..	..	..	..	..	..	..	..	..	..	..	..	..	17	..	..	..	..	..	..	1.92	0.25	0.01	..	..		
18	..	..	..	..	..	..	..	..	..	..	..	..	..	18	..	..	..	..	..	..	0.10	0.04	0.01	..	..		
19	..	..	..	..	..	..	..	..	..	..	..	..	..	19	..	..	..	..	..	..	0.09	0.02	0.25	..	..		
20	..	..	..	..	..	..	..	..	..	..	..	..	..	20	..	..	..	..	..	..	0.02	0.02	0.05	..	..		
21	..	..	..	..	..	..	..	..	..	..	..	..	..	21	..	..	..	..	..	..	0.07	0.08	0.01	..	..		
22	..	..	..	..	..	..	..	..	..	..	..	..	..	22	..	..	..	..	..	..	0.02	0.03	0.27	..	0.27		
23	..	..	..	..	..	..	..	..	..	..	..	..	..	23	..	..	..	..	..	..	..	0.38	0.23	..	..		
24	..	..	..	..	..	..	..	..	..	..	..	..	..	24	..	..	..	..	..	..	0.01	0.07	0.03	..	..		
25	..	..	..	..	..	..	..	..	..	..	..	..	..	25	..	..	..	..	..	..	0.10	0.08	0.04	..	..		
26	..	..	..	..	..	..	..	..	..	..	..	..	..	26	..	..	..	..	..	..	0.05	0.48	..	..	..		
27	..	..	..	..	..	..	..	..	..	..	..	..	..	27	..	..	..	..	..	..	0.03	..	0.04	..	..		
28	..	..	..	..	..	..	..	..	..	..	..	..	..	28	..	..	..	..	..	..	..	0.19	0.38	..	..		
29	..	..	..	..	..	..	..	..	..	..	..	..	..	29	..	..	..	..	..	..	..	0.14	0.21	..	..		
30	..	..	..	..	..	..	..	..	..	..	..	..	..	30	..	..	..	..	..	..	..	2.41	1.21	..	..		
31	0.03	..	..	..	..	..	..	..	..	..	..	..	..	31	..	0.04	..	..	..	..	0.66	0.59	..	..	..		
Monthly Total.	0.03	..	..	..	..	0.03	10.51	15.43	16.81	2.43	..	0.27	..	Monthly Total.	0.06	..	..	..	0.04	10.85	15.89	16.90	2.50	..	0.27	..	
Number of rainy days.	1	..	..	..	..	2	18	23	30	14	..	1	..	Number of rainy days.	2	..	..	..	2	18	24	30	15	..	1	..	

In. In.
 Total fall of rain in the year Total fall of rain in the year
 Total number of rainy days in the year Total number of rainy days in the year
 The greatest daily fall of rain in the year (that of 7th July) was The greatest daily fall of rain in the year (that of 7th July) was
 No rain fell in the months of February, March, April, October and December, nor on any of the days left blank in the above table. No rain fell in the months of February, March, April, October, and December nor on any of the days left blank in the above table.

Velocity of Wind, 1911.

ROBINSON BECKLEY'S ANEMOGRAPH.

TABLE VIa.—Mean velocity of the wind in miles per hour, without regard to the Direction from which it blew for each day of Bombay Civil Time; also the mean monthly velocity and its variation from the mean of the year.

1911.	Month.												Month.												Year.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
Date.	Bombay Civil Time. Hourly Intervals												Bombay Civil Time. Hourly Intervals													
	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.		
1	5.6	11.1	7.1	11.5	4.8	7.7	7.2	8.9	10.6	4.3	5.7	5.5	1	1.7	2.2	1.9	0.5	1.4	0.2	0.1	0.2	0.3	1.3	0.1	2.2	1.0
2	3.6	7.5	6.8	8.1	3.7	9.4	5.9	12.3	11.2	3.9	5.3	6.4	0 to 1	2	1.5	1.5	1.4	1.2	0.9	0.1	0.1	0.4	1.2	1.1	1.8	0.9
3	5.7	6.2	5.9	7.2	4.1	7.7	4.4	14.1	9.6	5.9	4.5	4.5	1	3	1.2	1.0	1.8	1.9	2.1	0.2	0.1	0.2	1.4	0.9	1.5	1.0
4	6.4	6.1	6.5	4.8	7.2	4.7	5.6	4.8	14.6	9.2	6.7	4.9	2	3	1.2	1.0	1.8	1.9	2.1	0.2	0.1	0.2	1.4	0.9	1.5	1.0
5	10.0	6.5	6.8	5.6	8.1	4.3	4.8	11.7	10.1	6.2	5.9	6.5	3	4	0.8	0.7	2.3	2.6	1.9	0.1	0.4	0.1	0.5	1.5	1.0	1.0
6	7.6	5.9	7.3	6.5	6.0	5.4	4.8	11.2	7.8	4.8	4.4	5.8	3	5	0.5	0.8	2.2	3.6	2.1	0.2	0.5	0.1	0.4	1.5	0.3	0.1
7	5.7	7.1	5.5	7.4	5.2	5.4	6.8	12.2	9.2	3.3	4.0	5.5	4	6	1.0	1.3	2.3	4.0	2.6	0.1	0.1	0.1	0.6	1.2	0.7	0.4
8	6.5	7.0	5.6	11.3	4.1	5.9	9.5	13.3	9.2	3.4	6.1	5.5	4	7	1.0	1.4	2.0	4.3	2.4	0.4	0.4	0.4	0.6	0.4	0.7	0.9
9	5.4	7.4	5.9	8.5	5.6	11.1	9.7	14.0	10.8	4.5	5.3	6.1	5	8	1.0	1.1	2.1	3.7	2.3	0.4	0.5	0.3	0.7	0.1	0.2	1.1
10	4.9	6.6	4.0	6.7	8.0	9.2	10.3	9.0	9.9	4.2	4.8	6.5	7	9	0.5	0.4	1.7	2.1	1.7	0.7	0.1	0.1	0.6	0.4	0.1	1.8
11	5.4	7.0	4.7	6.9	7.0	10.0	10.9	11.6	5.4	5.0	4.8	6.5	8	10	0.4	1.1	1.5	1.2	0.7	0.1	0.6	0.1	0.1	0.1	0.9	0.3
12	5.5	7.1	5.4	4.8	10.8	11.0	13.4	13.0	4.8	5.4	5.6	6.5	9	11	0.4	1.1	1.5	1.2	0.7	0.1	0.6	0.1	0.1	0.1	0.9	0.3
13	4.8	8.0	9.1	4.8	8.2	12.0	14.7	12.3	4.4	6.0	5.4	6.6	10	12	0.4	2.0	1.0	0.3	0.3	0.3	0.2	0.2	0.7	0.8	1.1	0.6
14	4.0	4.5	8.6	7.1	5.6	7.9	11.6	15.8	5.4	7.2	4.9	5.9	11	13	0.7	1.0	1.0	0.8	1.0	0.1	0.1	0.2	0.5	0.3	1.4	1.2
15	5.1	5.9	5.9	7.7	4.8	11.7	11.9	12.6	4.6	6.2	4.7	7.3	12	14	0.3	0.4	2.1	2.3	1.9	0.1	0.1	0.5	1.0	0.1	1.2	0.7
16	6.1	7.8	9.0	4.8	4.5	11.3	11.7	10.4	5.3	4.4	4.5	4.7	13	15	0.3	0.3	2.1	2.3	1.9	0.1	0.1	0.5	1.0	0.1	1.2	0.7
17	5.9	6.7	8.3	6.7	4.8	10.3	12.2	10.6	4.0	6.2	4.5	5.1	14	16	0.9	1.8	2.9	3.7	2.6	0.4	0.4	0.4	1.5	2.1	1.2	0.6
18	6.1	7.8	9.0	4.8	4.5	11.3	11.7	10.4	5.3	4.4	4.5	4.7	15	17	2.0	2.6	4.0	4.5	3.3	0.7	0.9	1.0	1.5	2.7	1.9	0.7
19	4.5	7.8	9.7	4.8	3.8	8.8	11.1	9.4	5.2	4.0	6.6	6.2	16	18	2.7	3.4	4.3	4.8	3.7	0.6	0.7	0.7	1.3	3.0	2.1	1.3
20	5.5	5.9	11.7	8.8	4.5	10.0	11.1	8.1	5.7	5.8	7.7	6.6	17	19	2.6	3.2	3.7	3.7	3.2	1.0	0.4	0.7	1.1	2.8	2.1	1.2
21	6.2	5.6	6.2	8.1	4.0	10.6	11.1	9.2	5.4	5.2	7.0	4.9	18	20	2.3	3.6	4.3	4.8	3.7	0.6	0.7	0.7	1.3	3.0	2.1	1.3
22	5.1	6.4	6.7	10.2	5.3	8.5	8.8	12.5	4.0	4.8	6.8	5.1	19	21	2.7	3.4	4.3	4.8	3.7	0.6	0.7	0.7	1.3	3.0	2.1	1.3
23	5.1	7.3	6.7	10.3	6.3	7.2	11.2	12.5	4.5	5.1	7.4	5.4	20	22	2.6	3.2	3.7	3.7	3.2	1.0	0.4	0.7	1.1	2.8	2.1	1.2
24	5.6	4.5	10.6	8.6	6.0	9.0	11.7	9.3	7.5	4.4	7.3	7.0	21	23	2.3	3.6	4.3	4.8	3.7	0.6	0.7	0.7	1.3	3.0	2.1	1.3
25	4.4	3.7	9.7	7.8	5.0	7.9	8.4	7.7	8.6	5.1	5.1	5.1	22	24	2.3	3.6	4.3	4.8	3.7	0.6	0.7	0.7	1.3	3.0	2.1	1.3
26	7.4	5.6	6.2	8.6	4.3	10.0	6.5	3.7	7.5	4.8	3.2	6.3	23	25	2.6	2.9	3.2	2.9	2.7	0.7	0.0	0.5	0.8	1.6	1.7	1.5
27	7.0	7.0	8.9	8.1	7.9	9.2	8.1	5.6	7.5	6.6	3.8	7.0	24	26	2.6	2.9	3.2	2.9	2.7	0.7	0.0	0.5	0.8	1.6	1.7	1.5
28	8.6	6.8	8.6	8.1	7.9	9.2	8.1	5.6	7.5	6.6	3.8	7.0	25	27	2.6	2.9	3.2	2.9	2.7	0.7	0.0	0.5	0.8	1.6	1.7	1.5
29	6.9	6.8	8.6	8.1	7.9	9.2	8.1	5.6	7.5	6.6	3.8	7.0	26	28	2.6	2.9	3.2	2.9	2.7	0.7	0.0	0.5	0.8	1.6	1.7	1.5
30	7.7	..	9.2	6.1	8.9	7.5	9.5	9.2	4.3	5.5	4.9	5.0	27	29	2.6	2.9	3.2	2.9	2.7	0.7	0.0	0.5	0.8	1.6	1.7	1.5
31	6.5	..	..	4.0	7.6	9.2	7.6	9.2	4.0	5.0	5.4	4.6	28	30	2.6	2.9	3.2	2.9	2.7	0.7	0.0	0.5	0.8	1.6	1.7	1.5
	9.6	7.2	7.2	..	6.9	..	10.8	10.0	..	..	..	..	29	31	2.6	2.9	3.2	2.9	2.7	0.7	0.0	0.5	0.8	1.6	1.7	1.5
Monthly Mean.	6.1	6.7	7.3	7.4	5.9	8.7	9.4	10.8	6.9	5.3	5.3	6.0	Range.	4.8	5.8	6.6	9.1	6.3	2.2	2.0	2.1	2.4	4.5	3.6	4.3	3.6
Annual Variation.	-1.0	-0.4	+0.2	+0.3	-1.2	+1.6	+2.3	+3.7	-0.2	-1.8	-1.8	-1.1	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Miles.

The mean velocity for June to August .. 9.6
The mean velocity for September to May .. 6.3
The mean velocity for the year .. 7.1

MEAN DAILY VELOCITIES OF THE NORTH AND EAST COMPONENTS OF THE WIND, 1911.

TABLE VIc.—Showing the Mean Velocities of the North or South and East or West Components of the Winds which blew on each day of the year 1911.

In Miles per Hour.

Date.	Month.											
	January.		February.		March.		April.		May.		June.	
	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.	N.	S.
1	2.7	N	10.2	N	4.8	N	9.1	N	2.1	S	2.9	N
2	1.0	N	5.4	N	4.0	N	5.5	N	2.9	S	7.1	W
3	2.3	S	3.1	N	2.1	N	3.2	W	4.3	N	6.2	W
4	4.7	N	1.7	W	3.0	N	2.9	W	3.3	W	8.1	W
5	8.6	N	2.6	N	4.4	N	3.8	W	4.0	W	4.3	W
6	6.5	N	2.7	N	4.5	N	4.3	W	5.9	W	3.3	W
7	3.9	N	0.8	W	2.5	N	2.3	W	4.7	W	2.6	W
8	3.7	N	1.0	E	2.5	N	3.5	W	1.5	S	3.8	W
9	2.1	N	4.7	N	1.8	W	1.0	N	3.8	W	1.8	W
10	2.3	N	0.7	E	1.0	S	2.9	W	1.9	N	3.4	E
11	3.4	N	0.4	E	1.9	S	0.4	W	4.9	W	4.0	W
12	3.3	N	0.8	W	1.1	E	1.8	N	6.5	N	4.8	W
13	3.4	N	0.8	W	4.1	N	0.3	S	7.3	W	8.1	W
14	6.2	N	1.9	W	6.7	N	2.4	W	6.0	W	8.1	W
15	2.1	N	0.1	E	6.2	N	3.7	N	4.5	W	6.9	W
16	1.7	S	0.9	E	3.3	S	1.9	W	3.7	W	11.1	W
17	3.1	N	0.7	W	8.0	S	1.4	W	3.8	S	9.6	W
18	4.5	N	1.9	W	6.5	N	0.1	N	4.3	W	10.4	W
19	2.3	N	0.1	E	9.9	N	4.9	W	3.2	S	8.1	W
20	3.4	N	0.1	E	1.9	N	1.0	W	3.1	W	10.0	W
21	1.7	N	0.7	E	3.5	N	5.4	N	3.7	W	7.7	W
22	1.6	N	0.3	W	5.2	N	6.1	N	1.9	N	6.8	W
23	2.8	N	0.3	W	7.0	N	5.1	N	2.9	S	8.4	W
24	3.5	N	2.4	W	8.9	N	5.4	W	0.3	N	8.8	W
25	2.1	N	2.6	W	1.1	W	4.5	N	3.5	W	9.6	W
26	3.2	N	2.1	W	2.9	N	4.8	W	1.6	S	9.6	W
27	6.8	N	2.9	W	6.2	N	5.9	W	1.8	N	8.9	W
28	5.6	N	0.5	W	6.5	N	4.4	W	1.6	N	7.7	W
29	6.5	N	2.3	W	0.9	S	4.5	W	0.4	N	7.0	W
30	3.4	N	3.7	W	0.9	S	3.2	W	0.4	N	8.9	W
31	6.7	N	2.0	W	3.3	N	4.1	W	0.7	N	6.7	W
Monthly Mean	3.5	N	0.9	W	3.5	N	3.5	W	0.3	N	6.4	W
Annual Variation.	2.4	N	3.0	E	2.4	N	0.4	E	0.8	S	2.5	W

The Velocities of the Mean Components for the year are 1.1 N and 3.9 W.

In miles per hour.

1911.	Bombay Civil Time Hourly Intervals.	Month.																								Year.	
		January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.			
		N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.		
0 to 1	1-1	S2-1	E0-6	S1-2	E0-4	S1-0	E1-1	N1-0	E0-2	N1-5	E0-7	S0-5	E1-2	S0-1	E0-7	S0-4	E0-4	S0-2	E0-3	S0-7	E2-1	S3-1	E1-1	S1-6	E0-6	S1-1	E
1 "	1-2	S2-5	E0-3	S1-2	E0-6	S1-6	E0-8	N1-7	E0-1	N1-5	E0-3	S0-2	E0-8	S0-9	W0-6	S0-1	E0-4	S0-1	E0-6	S1-2	E1-2	S2-5	E1-4	S2-4	E0-5	S1-2	E
2 "	1-3	S2-5	E0-2	S2-0	E0-0	2-1	E0-2	N2-8	E0-0	2-1	E0-2	N0-3	W0-5	S0-5	W0-4	S0-1	E0-3	S0-1	W0-7	S1-7	E1-4	S2-9	E0-4	S2-2	E0-4	S1-5	E
3 "	0-7	S2-6	E0-1	S3-0	E0-7	S3-2	E0-1	N4-1	E0-1	N2-0	E1-6	N0-3	W0-2	S0-0	0-1	N0-0	0-1	S0-3	E0-5	S2-6	E1-4	S2-9	E0-0	2-3	E0-2	S1-9	E
4 "	0-7	S3-5	E0-0	3-7	E0-7	S3-5	E0-8	S4-7	E0-1	S2-2	E0-6	N0-7	W0-5	S0-2	E0-2	N0-2	W0-1	S0-1	E0-5	S3-3	E0-4	S3-2	E0-4	N3-5	E0-2	S2-2	E
5 "	1-3	S3-9	E0-6	S4-0	E1-3	S4-1	E1-2	S5-5	E0-4	S3-2	E0-1	N0-1	E0-1	S0-3	E0-7	N0-2	W0-1	N1-0	E0-8	S4-0	E0-4	S3-0	E0-1	S4-4	E0-4	S2-8	E
6 "	1-6	S4-1	E1-1	S4-3	E1-8	S5-3	E1-4	S5-6	E0-2	S3-6	E0-0	1-0	E0-4	S0-1	E0-1	N0-6	W0-4	S1-5	E0-9	S4-5	E0-7	S3-4	E0-3	S4-8	E0-7	S3-1	E
7 "	2-0	S4-8	E1-2	S4-9	E1-8	S5-4	E1-3	S4-8	E0-1	S3-0	E0-0	1-2	E0-2	S0-6	E0-2	N0-4	W0-3	S2-1	E1-2	S5-1	E1-2	S4-3	E0-7	S5-4	E0-8	S3-4	E
8 "	2-0	S4-9	E1-2	S5-9	E1-7	S5-5	E0-8	S2-8	E0-6	S2-2	E0-1	S0-7	E0-3	S0-4	E0-1	N0-1	W0-4	S1-7	E1-1	S4-9	E1-0	S4-4	E1-5	S6-3	E0-9	S3-3	E
9 "	1-5	S4-3	E1-8	S5-5	E1-2	S3-8	E1-1	S1-2	E0-6	S1-2	E0-1	S0-2	E0-0	0-3	W0-3	N0-0	0-2	S0-7	E0-9	S3-9	E0-9	S4-5	E1-8	S5-5	E0-8	S2-5	E
10 "	1-0	S2-6	E2-1	S3-5	E1-0	S1-2	E1-0	S0-7	W0-7	S0-4	E0-4	S0	E0-5	N0-7	E0-1	N0-4	E0-6	S0-5	E0-9	S1-7	E0-9	S3-2	E1-8	S4-0	E0-8	S1-5	E
11 "	0-8	S0-7	W1-4	S0-4	W0-0	2-6	W0-7	S1-9	W1-2	S0-8	W0-1	S0-3	W0-1	S0-7	E0-5	S0-2	W0-3	S0-6	W0-4	S1-0	W1-2	S0-1	W1-6	S2-1	E0-7	S0-5	W
12 "	0-1	S2-8	W0-9	S2-9	W0-4	N3-7	W0-1	N3-4	W0-8	S2-3	W0-4	N0-9	W0-4	N0-2	W0-4	S0-4	W0-2	N0-9	W0-2	S3-3	W0-6	S3-1	W1-8	S0-5	W0-3	S2-0	W
13 "	0-2	N4-5	W0-7	S5-2	W0-6	N5-0	W0-7	N4-5	W0-7	S3-0	W0-5	N1-5	W1-0	N0-8	W0-1	S0-4	W0-4	N1-5	W0-4	N4-8	W0-3	N4-9	W1-4	S3-2	W0-1	N3-3	W
14 "	1-0	N5-5	W0-1	N6-3	W1-2	N5-6	W0-9	N5-4	W0-4	S3-8	W0-1	N1-3	W0-4	N1-0	W0-1	S0-9	W0-6	N1-8	W0-7	N5-3	W0-7	N5-9	W0-9	S6-1	W0-4	N4-1	W
15 "	1-6	N5-9	W1-2	N6-7	W1-7	N5-9	W1-1	N5-5	W0-0	4-1	W0-9	N1-3	W0-7	N1-2	W0-0	0-8	W0-4	N1-5	W1-1	N5-6	W0-7	N6-1	W0-1	S6-8	W0-8	N4-3	W
16 "	1-9	N5-5	W1-7	N5-9	W2-0	N5-3	W0-7	N4-5	W0-3	N3-6	W0-3	N1-6	W0-5	N0-8	W0-1	N0-8	W0-7	N1-3	W1-6	N5-1	W1-2	N5-6	W0-4	N6-8	W0-9	N3-9	W
17 "	2-1	N5-1	W3-2	N5-3	W1-8	N4-6	W0-7	N3-7	W0-6	N3-1	W0-2	N1-5	W1-0	N0-7	W0-1	N0-6	W0-7	N1-2	W1-4	N3-9	W1-9	N4-8	W1-4	N3-5	W1-3	N3-4	W
18 "	2-9	N4-5	W3-3	N4-0	W1-8	N3-2	W0-1	N2-6	W1-0	N2-1	W0-2	N0-3	W0-2	N0-0	0-1	N0-8	E0-3	N0-7	W1-5	N2-9	W2-3	N4-3	W3-2	N5-5	W1-4	N2-4	W
19 "	3-1	N3-4	W2-9	N3-2	W1-8	N2-3	W0-2	N1-5	W0-7	N0-8	W0-1	S0-4	E0-1	N0-1	E0-4	N0-2	E0-7	N0-3	W1-8	N1-5	W2-6	N3-0	W3-7	N4-8	W1-5	N1-7	W
20 "	2-1	N1-5	W1-6	N1-5	W0-7	N1-0	W0-1	S0-7	W0-7	N0-2	W0-1	N0-5	E0-1	S0-4	E0-2	S1-0	E0-4	N0-4	E0-7	N0-7	W2-3	N1-8	W3-1	N3-2	W0-9	N0-7	W
21 "	1-2	N0-7	W0-3	S0-3	E0-4	N0-7	E0-5	N0-2	W0-8	N0-2	E0-5	S1-6	E0-2	S0-8	E0-0	1-1	E0-1	N0-4	E0-1	S0-0	0-4	N0-2	W2-1	N1-5	W0-4	N0-2	E
22 "	0-3	N0-5	E0-4	S1-5	E0-1	S1-0	E0-6	N0-3	W0-7	N0-5	E1-0	S1-5	E0-5	S0-9	E0-4	S1-2	E0-0	0-4	E0-1	N0-3	E0-1	S1-2	E1-1	N0-1	W0-0	0-7	E
23 "	0-6	S1-2	E0-8	S1-0	E0-8	S1-2	E1-0	N0-7	E0-7	N0-7	E0-9	S1-0	E0-5	S1-5	E0-1	S0-9	E0-1	N0-6	E0-4	S0-6	E1-0	S1-8	E0-1	N0-4	E0-3	S1-0	E
24 "																											

AGGREGATE AND MEAN VELOCITIES AND RELATIVE FREQUENCY OF DIFFERENT WINDS, 1911.

TABLE VIe.—Showing for the year 1911 the sums of the Velocities, and the Mean Velocities, in miles per hour, of the Winds which blew in each Month, from each of the sixteen Principal Directions and also the number of hourly Observations which those sums comprise; the latter numbers indicating the Relative Frequency of the same Wind (as to direction) in the several Months, and of different Winds during the same Month.

1911.	N.			N. N. E.			N. E.			E. N. E.			E.			E. S. E.			S. E.			S. S. E.		
Month.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.
January	333	64	5.2	357	80	4.5	117	31	3.8	455	95	4.8	188	39	4.8	272	44	6.2	68	11	6.2	14	3	4.7
February	343	65	5.3	291	56	5.2	196	45	4.4	609	103	5.9	128	23	5.6	0	0	0.0	18	4	4.5	32	8	4.0
March	239	38	6.3	204	49	4.2	89	20	4.4	184	33	5.6	67	17	3.9	111	20	5.5	24	5	4.8	28	12	2.3
April	76	16	4.7	190	53	3.6	46	15	3.1	4	4	4.0	12	3	4.0	5	2	2.5	4	2	2.0	10	3	3.3
May	2	1	2.0	20	7	2.9	24	9	2.7	0	0	0.0	0	0	0.0	31	6	5.2	4	1	4.0	11	2	5.5
June	0	0	0.0	1	2	0.5	8	2	4.0	35	8	5.8	5	1	5.0	71	6	11.8	59	6	9.8	26	10	10.0
July	4	1	4.0	1	2	0.5	10	2	5.0	8	2	4.0	16	3	5.3	42	5	8.4	43	4	10.7	101	11	9.2
August	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
September	0	0	0.0	6	2	3.0	2	1	2.0	19	6	3.2	4	1	4.0	35	9	3.9	39	9	4.3	5	1	5.0
October	24	7	3.4	95	26	3.7	112	32	3.5	304	53	5.7	101	21	4.8	245	41	6.0	170	34	5.0	35	15	2.3
November	194	45	4.3	239	54	4.4	292	61	4.8	496	96	5.2	247	50	4.9	444	97	4.6	54	13	4.2	15	4	3.7
December	190	43	4.4	342	88	3.9	315	63	5.0	1,100	172	6.4	286	53	5.4	301	48	6.3	4	1	4.0	5	1	5.0
Year	1,405	280	5.0	1,747	418	4.2	1,211	281	4.3	3,214	567	5.7	1,054	211	5.0	1,557	278	5.6	487	90	5.4	515	86	6.0

1911.	S.			S. S. W.			S. W.			W. S. W.			W.			W. N. W.			N. W.			N. N. W.			Number of Observations.
Month.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Variable.
January	14	2	7.0	5	1	5.0	0	0	0.0	7	2	3.5	69	23	3.0	646	111	5.8	1,115	131	8.5	877	105	8.4	0
February	0	0	0.0	21	4	5.2	4	1	4.0	50	12	4.2	57	15	3.8	620	77	8.1	1,209	138	8.8	900	121	7.4	0
March	167	19	8.8	122	26	4.7	41	12	3.4	136	31	4.4	200	35	5.7	1,091	136	8.0	1,912	188	10.2	802	103	7.8	0
April	5	1	5.0	53	11	4.8	28	7	4.0	150	37	4.1	495	94	5.3	2,086	234	8.9	1,556	158	9.8	593	81	7.3	0
May	78	15	5.2	180	41	4.4	191	46	4.2	869	170	5.1	1,214	197	6.2	1,251	166	7.5	358	50	7.2	198	26	7.6	0
June	230	24	9.6	520	57	9.1	416	54	7.7	2,639	287	9.2	899	109	8.2	1,055	128	8.2	80	11	7.3	10	2	5.0	0
July	65	8	8.1	268	33	8.1	258	38	6.8	4,156	399	10.4	1,481	145	10.2	323	56	5.8	114	21	5.4	81	13	6.2	0
August	0	0	0.0	58	8	7.2	730	84	8.7	4,994	450	11.1	1,950	167	11.7	317	34	9.3	0	0	0.0	0	0	0.0	0
September	18	4	4.5	255	52	4.9	169	39	4.3	962	134	7.2	2,408	300	8.0	1,007	154	6.5	22	6	3.7	6	2	3.0	0
October	70	16	4.4	23	5	2.6	5	2	2.5	87	25	3.5	255	63	4.0	1,366	212	6.4	784	135	5.8	262	50	5.2	0
November	8	2	4.0	15	5	3.0	29	11	2.6	106	30	3.5	144	26	5.5	467	76	6.1	648	82	7.9	454	68	6.7	0
December	1	1	1.0	0	0	0.0	0	0	0.0	12	3	4.0	187	35	5.3	594	91	6.5	524	70	7.5	572	75	7.6	0
Year.	662	93	7.1	1,520	247	6.2	1,871	294	6.4	14,168	1,580	9.0	9,359	1,209	7.7	10,823	1,475	7.3	8,322	990	8.4	4,755	646	7.4	1

Velocity of Wind, 1911.
DINES' ANEMOGRAPH.

TABLE VI f.—Mean Velocity of the Wind in miles per hour for each day of Bombay Civil Time; also the mean Monthly Velocity and its variation from the mean of the year.

1911.	Month.												1911.		Month.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time Hourly Intervals.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1	Miles. 4.8	Miles. 10.6	Miles. 6.7	Miles. 11.0	Miles. 4.6	Miles. 7.1	Miles. 5.5	Miles. 6.8	Miles. 9.3	Miles. 3.8	Miles. 5.3	Miles. 4.7		Miles. 1.8	Miles. 2.2	Miles. 1.8	Miles. 0.5	Miles. 1.0	Miles. 0.5	Miles. 0.0	Miles. 0.4	Miles. 0.4	Miles. 0.4	Miles. 1.2	Miles. 0.4	Miles. 1.1
2	3.2	7.2	6.3	7.8	3.5	8.5	4.5	6.6	10.0	3.3	4.9	5.7	0 to 1.	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
3	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
4	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
5	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
6	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
7	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
8	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
9	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
10	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
11	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
12	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
13	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
14	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
15	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
16	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
17	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
18	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
19	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
20	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
21	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
22	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
23	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
24	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
25	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
26	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
27	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
28	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
29	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
30	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
31	5.1	6.0	5.5	7.2	3.6	6.9	3.4	11.4	8.6	5.5	4.2	3.7	1	1.8	1.7	1.5	0.8	1.0	0.2	0.4	0.4	0.4	1.3	1.1	2.0	1.0
Monthly Mean.	5.8	6.3	6.9	6.7	5.3	7.5	7.6	8.9	6.1	4.9	4.9	5.3		4.7	5.5	6.1	8.2	5.2	1.9	1.9	1.8					
Annual Variation.	- 0.5	0.0 + 0.6 + 0.4	- 1.0 + 1.2 + 1.3 + 2.6	- 0.2 - 1.4 - 1.4	- 1.4 - 1.4																					

Miles.

The mean velocity for June to August

The mean velocity for September to May

The mean velocity for the year

Temperature of the Ground, 1911.

TABLE VIIa.—Showing for each month the mean Temperature of the Ground in the thermometer shed and its Annual Variation at the mean of the day, the Temperature of the Ground exposed to the direct rays of the sun at the depths of 1 m. and 8 inches below the surface.

Depth.	1 inch.			9 inches.			20 inches.			60 inches.			132 inches.			Depth from surface.			1 inch.					8 inches.				
	Mean Temperature.	Excess over the yearly Mean.	Mean over the Temperature.	Excess over the yearly Mean.	Mean over the Temperature.	Excess over the yearly Mean.	Mean over the Temperature.	Excess over the yearly Mean.	Mean over the Temperature.	Excess over the yearly Mean.	Mean over the Temperature.	Excess over the yearly Mean.	Mean over the Temperature.	Excess over the yearly Mean.	Month.	Observation Hours.					Mean of five observation hours.	Observation Hours.					Mean of five observation hours.	
																6	10	14	16	22		6	10	14	16	22		
January ..	77.0	-5.0	78.4	-3.9	82.0	-2.6	83.5	-1.5	83.6	-0.5	January ..	73.1	85.2	109.2	97.8	80.1	78.7	78.0	78.7	79.3	80.1	79.0						
February ..	76.9	-5.1	77.6	-4.7	80.8	-3.8	82.9	-2.1	83.2	-0.9	February ..	72.7	81.7	110.9	107.4	79.9	79.4	78.7	79.3	80.4	81.2	79.8						
March ..	80.2	-1.8	80.4	-1.9	82.8	-1.8	83.1	-1.9	83.3	-0.8	March ..	78.4	86.2	115.3	112.2	84.4	86.5	85.5	86.7	88.2	88.8	87.2						
April ..	82.9	+0.9	83.0	+0.7	84.7	+0.1	84.1	-0.9	83.3	-0.8	April ..	83.4	90.8	114.7	112.7	88.5	93.3	92.2	93.9	95.5	96.6	94.3						
May ..	86.8	+4.8	86.2	+3.9	87.5	+2.9	85.8	+0.8	83.6	-0.5	May ..	88.7	96.4	116.3	112.9	94.7	101.8	99.2	100.1	101.7	102.9	100.5						
June ..	85.2	+3.2	85.9	+3.6	87.9	+3.3	87.1	+2.1	84.2	+0.1	June ..	84.1	89.0	97.3	95.8	86.8	90.6	91.5	92.4	93.6	94.2	92.4						
July ..	83.6	+1.6	84.3	+2.0	86.7	+2.1	86.8	+1.8	85.0	+0.9	July ..	81.5	85.7	90.6	89.7	83.9	86.3	87.7	87.0	88.6	89.4	88.4						
August ..	81.6	-0.4	82.4	+0.1	84.8	+0.2	85.8	+0.8	84.8	+0.7	August ..	78.7	82.7	88.9	87.5	80.6	83.7	83.0	82.6	83.7	84.8	83.8						
September ..	82.5	+0.5	82.3	0.0	84.2	-0.4	85.0	0.0	84.5	+0.4	September ..	81.3	86.5	98.6	95.5	83.6	89.1	85.6	85.1	86.8	87.9	86.7						
October ..	84.0	+2.0	83.4	+1.1	85.1	+0.5	85.2	+0.2	84.5	+0.4	October ..	84.3	96.2	118.6	110.9	88.8	99.8	89.4	88.8	90.3	91.4	90.3						
November ..	82.5	+0.5	82.4	+0.1	84.6	0.0	85.4	+0.4	84.5	+0.4	November ..	80.6	94.9	114.9	104.4	86.3	96.2	85.8	85.1	86.7	87.3	86.2						
December ..	81.4	-0.6	81.4	-0.9	83.8	-0.8	85.1	+0.1	84.4	+0.3	December ..	77.9	91.4	114.7	97.0	83.3	92.9	82.8	82.1	82.9	83.6	83.1						
Year ..	82.0		82.3		84.6		85.0		84.1		Year ..	80.4	88.9	107.5	102.0	85.1	92.8	86.9	86.2	87.4	88.5	87.6						

Maxima and Minima of different Meteorological Elements, 1911.

TABLE VIII.—In which are collected the individual observations in each month of the year which showed the greatest and the least values of the following elements, viz., Height of Barometer (corrected for Temperature), Temperature of Air, Pressure of Vapour and Additional Capacity of Air, and Ground Temperatures, 1 inch and 8 inches below the surface (exposed to solar rays).

1911.	Height of Barometer.			Temperature of Air.			Pressure of Vapour.			Additional Capacity.			Ground Thermometer 1 inch deep.			Ground Thermometer 8 inches deep.		
	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.
Month.																		
January	In. 30.108	In. 29.756	In. 0.352	° 88.9	° 62.7	° 26.2	In. 0.868	In. 0.315	In. 0.553	In. 0.822	In. 0.051	In. 0.771	° 117.0	° 68.0	° 49.0	° 82.0	° 75.7	° 6.3
February	° 0.086	° 0.118	° 0.278	90.1	59.3	30.8	° 0.887	° 0.161	° 0.726	1.058	° 0.052	1.006	116.0	63.5	52.5	85.7	73.7	12.0
March	° 0.020	° 0.749	° 0.271	87.9	69.8	18.1	° 0.892	° 0.354	° 0.538	0.904	° 0.067	0.837	121.0	74.0	47.0	93.2	82.3	10.9
April	° 0.020	° 0.685	° 0.335	88.6	73.4	15.2	° 0.965	° 0.562	° 0.403	° 0.680	° 0.080	° 0.600	118.0	80.5	37.5	98.9	89.3	9.6
May	29.924	° 0.633	° 0.291	91.4	78.6	12.8	1.027	° 0.752	° 0.275	° 0.600	° 0.115	° 0.485	122.0	86.0	36.0	106.2	95.7	10.5
June	° 0.850	° 0.485	° 0.365	90.5	76.8	13.7	° 0.027	° 0.793	° 0.234	° 0.446	° 0.037	° 0.409	121.0	77.4	43.6	106.7	79.3	27.4
July	° 0.825	° 0.561	° 0.264	88.1	75.3	12.8	0.987	° 0.774	° 0.213	° 0.398	° 0.018	° 0.380	99.0	76.0	23.0	98.2	79.8	18.4
August	° 0.842	° 0.614	° 0.228	84.9	74.2	10.7	° 0.955	° 0.781	° 0.174	° 0.280	° 0.019	° 0.261	97.5	74.5	23.0	87.8	78.9	8.9
September	° 0.903	° 0.673	° 0.230	85.5	76.1	9.4	° 0.970	° 0.754	° 0.216	° 0.398	° 0.054	° 0.344	109.0	78.5	30.5	90.8	82.3	8.5
October	30.041	° 0.722	° 0.319	91.1	74.5	16.6	1.025	° 0.597	° 0.428	° 0.808	° 0.074	° 0.734	125.0	79.5	45.5	93.5	85.8	7.7
November	° 0.063	° 0.689	° 0.374	90.8	74.0	16.8	0.937	° 0.531	° 0.406	° 0.801	° 0.066	° 0.735	124.5	78.0	46.5	89.6	83.7	5.9
December	° 0.067	° 0.808	° 0.259	89.4	70.4	19.0	° 0.923	° 0.438	° 0.485	° 0.916	° 0.072	° 0.844	120.0	73.5	46.5	87.2	80.2	7.0
Year	30.108	29.485	0.623	91.4	59.3	32.1	1.027	0.161	0.866	1.058	0.018	1.040	125.0	63.5	61.5	106.7	73.7	33.0

Relative Humidity of the Air, 1911.

Extent of cloudy sky, 1911.

TABLE IXa.—Daily and monthly means of Observations taken at 6, 10, 14, 16 and 22 hours daily.

TABLE IXb.—Daily and monthly means of Observations taken at 6, 10, 14, 16, and 22 hours daily, the whole sky being reckoned as 10·0.

Complete Saturation=1·000.

1911.	Month.												1911.												
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	0.747	0.385	0.703	0.691	0.750	0.741	0.762	0.889	0.860	0.779	0.663	0.831	1	0.4	0.4	0.4	0.4	2.0	3.0	5.8	10.0	9.2	6.0	0.2	0.8
2	0.773	0.457	0.658	0.743	0.741	0.744	0.755	0.852	0.848	0.742	0.700	0.770	2	0.4	0.4	0.4	0.4	3.2	4.2	4.4	9.6	8.6	4.8	0.4	0.8
3	0.791	0.618	0.716	0.727	0.737	0.768	0.766	0.820	0.886	0.759	0.745	0.744	3	0.4	0.4	0.4	0.4	2.8	8.6	7.2	10.0	9.6	4.0	0.4	3.4
4	0.691	0.637	0.739	0.726	0.765	0.815	0.824	0.902	0.838	0.807	0.766	0.698	4	0.4	0.4	0.4	0.4	6.0	8.0	9.0	10.0	8.0	6.0	4.0	0.6
5	0.622	0.635	0.744	0.745	0.768	0.864	0.838	0.934	0.823	0.810	0.687	0.698	5	0.4	0.4	0.4	0.4	6.6	9.6	9.2	10.0	7.2	6.0	3.0	5.4
6	0.585	0.672	0.721	0.746	0.759	0.833	0.884	0.949	0.823	0.815	0.734	0.663	6	0.4	0.4	0.4	0.4	3.8	8.0	8.8	10.0	7.8	6.6	4.2	3.0
7	0.656	0.596	0.754	0.786	0.764	0.866	0.876	0.887	0.800	0.818	0.755	0.650	7	0.4	0.4	0.4	0.4	2.4	5.8	9.4	8.8	7.6	6.8	3.2	3.0
8	0.702	0.710	0.718	0.613	0.742	0.809	0.906	0.847	0.799	0.850	0.748	0.704	8	0.4	0.4	0.4	0.4	4.0	8.0	10.0	8.0	7.6	7.4	0.2	4.4
9	0.763	0.692	0.743	0.731	0.763	0.839	0.918	0.830	0.833	0.808	0.739	0.750	9	0.4	0.4	0.4	0.4	2.6	8.8	10.0	9.4	8.0	4.4	0.2	5.4
10	0.670	0.609	0.692	0.738	0.714	0.862	0.919	0.830	0.798	0.797	0.737	0.725	10	0.4	0.4	0.4	0.4	1.6	8.8	10.0	9.2	5.6	6.8	3.0	3.0
11	0.722	0.643	0.744	0.760	0.724	0.907	0.844	0.834	0.810	0.783	0.744	0.696	11	0.4	0.4	0.4	0.4	2.2	8.8	9.8	8.8	6.0	2.8	2.0	1.6
12	0.753	0.594	0.703	0.739	0.777	0.908	0.851	0.800	0.810	0.767	0.806	0.676	12	0.4	0.4	0.4	0.4	1.4	10.0	9.4	5.8	4.4	3.2	0.6	1.4
13	0.766	0.574	0.598	0.696	0.802	0.913	0.842	0.830	0.803	0.789	0.775	0.668	13	0.4	0.4	0.4	0.4	3.4	10.0	10.0	7.6	6.0	2.8	5.0	1.8
14	0.694	0.642	0.647	0.770	0.778	0.862	0.845	0.817	0.800	0.795	0.695	0.552	14	0.4	0.4	0.4	0.4	5.4	8.8	9.4	8.8	4.4	2.2	3.8	2.2
15	0.694	0.699	0.615	0.784	0.767	0.862	0.851	0.821	0.800	0.812	0.690	0.658	15	0.4	0.4	0.4	0.4	1.8	8.8	10.0	8.8	7.6	4.8	2.0	...
16	0.772	0.735	0.762	0.775	0.769	0.889	0.822	0.846	0.842	0.840	0.687	0.643	16	0.4	0.4	0.4	0.4	6.2	9.2	7.0	8.4	6.6	4.4	2.4	...
17	0.821	0.692	0.803	0.696	0.753	0.840	0.810	0.835	0.776	0.770	0.694	0.662	17	0.4	0.4	0.4	0.4	2.0	8.8	7.2	10.0	3.6	4.8	5.2	...
18	0.805	0.714	0.696	0.699	0.746	0.832	0.805	0.832	0.773	0.786	0.713	0.657	18	0.4	0.4	0.4	0.4	2.0	6.4	7.4	8.8	2.8	4.8	4.4	1.0
19	0.797	0.653	0.634	0.725	0.726	0.839	0.818	0.858	0.780	0.823	0.695	0.690	19	0.4	0.4	0.4	0.4	3.2	8.8	6.8	10.0	3.4	5.4	5.0	2.8
20	0.743	0.784	0.530	0.730	0.723	0.819	0.832	0.831	0.746	0.783	0.533	0.603	20	0.4	0.4	0.4	0.4	1.8	7.0	8.0	8.6	5.0	4.0	5.0	2.0
21	0.695	0.802	0.635	0.783	0.719	0.816	0.801	0.833	0.775	0.761	0.733	0.671	21	0.4	0.4	0.4	0.4	4.0	8.0	8.0	8.4	5.0	0.8	3.4	1.2
22	0.668	0.719	0.695	0.771	0.732	0.795	0.806	0.851	0.766	0.742	0.763	0.673	22	0.4	0.4	0.4	0.4	3.8	3.8	7.8	7.8	5.2	...	7.8	2.4
23	0.744	0.655	0.611	0.789	0.731	0.772	0.805	0.819	0.788	0.753	0.823	0.699	23	0.4	0.4	0.4	0.4	1.8	5.0	8.0	8.6	6.2	...	10.0	4.8
24	0.801	0.763	0.634	0.782	0.738	0.747	0.804	0.816	0.833	0.768	0.784	0.541	24	0.4	0.4	0.4	0.4	3.4	6.0	6.8	6.2	7.6	1.0	7.4	1.0
25	0.769	0.838	0.695	0.794	0.747	0.789	0.814	0.830	0.841	0.739	0.815	0.528	25	0.4	0.4	0.4	0.4	4.4	7.2	7.6	7.4	8.8	1.0	9.4	3.0
26	0.659	0.747	0.761	0.679	0.757	0.794	0.794	0.864	0.825	0.721	0.848	0.660	26	0.4	0.4	0.4	0.4	3.8	5.8	5.4	7.2	6.6	1.4	8.4	6.0
27	0.637	0.737	0.714	0.717	0.730	0.794	0.819	0.822	0.819	0.694	0.839	0.599	27	0.4	0.4	0.4	0.4	3.0	6.8	3.8	6.2	6.6	1.2	9.4	7.4
28	0.530	0.750	0.679	0.731	0.714	0.766	0.783	0.824	0.804	0.694	0.821	0.654	28	0.4	0.4	0.4	0.4	2.6	4.6	3.8	9.2	6.2	0.6	9.0	9.2
29	0.560	0.648	0.740	0.740	0.730	0.744	0.823	0.892	0.801	0.738	0.764	0.654	29	0.4	0.4	0.4	0.4	3.8	4.2	9.0	10.0	4.8	2.2	6.0	2.0
30	0.706	0.782	0.768	0.768	0.731	0.774	0.897	0.937	0.793	0.766	0.808	0.728	30	0.4	0.4	0.4	0.4	3.0	5.4	10.0	10.0	3.8	2.2	2.4	0.6
31	0.727	0.763	0.763	0.763	0.733	0.774	0.888	0.872	0.722	0.722	0.722	0.675	31	0.4	0.4	0.4	0.4	3.0	5.4	10.0	9.4	...	1.2	...	...
Monthly Mean.	0.712	0.669	0.695	0.739	0.746	0.817	0.832	0.852	0.810	0.775	0.747	0.672	Monthly Mean.	1.9	0.6	1.2	1.4	3.8	7.2	8.1	8.7	6.3	3.5	4.4	2.6
Annual Variation.	-0.043	-0.086	-0.060	-0.016	-0.009	+0.062	+0.077	+0.097	+0.055	+0.020	-0.008	-0.083	Annual Variation.	-2.2	-3.5	-2.9	-2.7	-0.3	+3.1	+4.0	+4.6	+2.2	-0.6	+0.3	-0.15

For the days which have no entry 0·0 is to be understood.
Mean of the months from January to April, November and December ..2·0
Mean of the months from May to October ..6·3
Mean of the year ..4·1

..0.755

Annual mean ..

Meteorological Data, 1911.

Table X.—Five-day Means.

Number of Five-day Period.	Barometric Pressure.	Tempera- ture of the air.	Pressure of Vapour.	Additional Capacity of the air.	Rainfall.*	North or South Com- ponent of Wind.	East or West Component of Wind.	Number of Five-day Period.	Barometric Pressure.	Tem- perature of the Air.	Pressure of Vapour.	Additional Capacity of the Air.	Rainfall.*	North or South Com- ponent of Wind.	East or West Component of Wind.
	In.	°	In.	In.	In.	Miles.	Miles.		In.	°	In.	In.	In.	Miles.	Miles.
1	29.974	73.4	0.621	0.205	..	2.9 N	0.5 W	38	29.643	79.8	0.895	0.122	9.66	0.6 S	4.6 W
2	.953	73.6	.588	.248	..	3.7 N	0.6 W	39	.696	81.1	.918	.147	1.67	2.9 S	11.6 W
3	.908	75.0	.653	.217	..	3.7 N	0.6 W	40	.720	82.4	.921	.186	0.32	4.3 S	10.9 W
4	.909	76.8	.743	.184	..	2.3 N	0.5 W	41	.734	82.2	.902	.201	0.25	3.3 S	9.7 W
5	.882	77.2	.706	.235	..	2.3 N	0.7 W	42	.749	82.2	.895	.205	0.22	3.3 S	5.1 W
6	.882	71.7	.497	.286	0.02	5.1 N	2.3 W	43	.728	80.0	.889	.137	3.89	1.9 S	10.1 W
7	.937	69.8	.446	.293	0.04	5.6 N	0.3 W	44	.708	78.0	.865	.096	11.00	0.8 S	12.2 W
8	.975	72.5	.550	.253	..	4.2 N	1.0 W	45	.733	81.0	.881	.179	0.27	4.4 S	11.0 W
9	.990	75.0	.548	.333	..	4.5 N	0.1 W	46	.689	80.7	.874	.173	0.93	5.5 S	11.0 W
10	.959	74.7	.620	.245	..	4.7 N	2.3 W	47	.715	80.3	.864	.165	0.92	5.0 S	6.5 W
11	.953	77.2	.710	.231	..	3.7 N	2.4 W	48	.764	80.1	.867	.112	0.78	1.7 S	9.7 W
12	.928	76.8	.711	.214	..	3.2 N	2.9 W	49	.783	78.6	.867	.163	2.80	1.0 S	9.7 W
13	.878	75.9	.660	.239	..	3.6 N	3.3 W	50	.788	80.2	.856	.163	1.28	0.1 S	9.1 W
14	.833	77.2	.696	.241	..	0.6 N	2.4 W	51	.781	80.9	.856	.188	0.17	2.5 S	7.1 W
15	.868	77.1	.626	.311	..	3.2 N	3.0 W	52	.842	80.8	.854	.198	0.18	2.5 S	3.2 W
16	.924	77.2	.638	.300	..	3.6 N	3.2 W	53	.795	80.9	.823	.234	0.01	0.8 N	3.8 W
17	.876	79.4	.690	.318	..	5.6 N	4.2 W	54	.755	80.7	.867	.182	0.24	0.4 N	6.4 W
18	.874	79.8	.762	.261	..	4.3 N	4.4 W	55	.780	81.7	.859	.224	..	0.5 N	3.8 W
19	.802	79.1	.743	.255	..	4.8 N	4.8 W	56	.803	82.6	.898	.208	..	2.9 N	1.8 W
20	.802	79.3	.746	.258	..	4.7 N	5.4 W	57	.846	82.6	.911	.205	..	0.1 S	1.8 W
21	.818	79.1	.765	.234	..	2.1 N	4.8 W	58	.860	82.8	.912	.212	..	3.6 N	3.8 W
22	.855	80.3	.770	.268	..	2.2 N	5.5 W	59	.895	83.2	.912	.229	..	0.7 N	0.2 W
23	.892	80.7	.833	.217	..	5.5 N	5.8 W	60	.927	80.8	.795	.260	..	0.1 N	0.1 W
24	.797	83.4	.848	.298	..	2.2 N	4.4 W	61	.949	80.5	.764	.283	..	3.3 N	0.5 W
25	.818	83.2	.874	.264	..	0.3 S	3.8 W	62	.943	81.6	.820	.264	..	1.9 N	0.2 W
26	.794	84.0	.901	.267	..	0.2 N	4.5 W	63	.945	80.7	.800	.253	..	1.0 N	0.8 E
27	.756	83.9	.921	.245	..	3.1 N	5.4 W	64	.877	80.1	.772	.262	..	2.6 N	0.3 W
28	.745	84.5	.902	.286	..	1.9 S	3.4 W	65	.845	79.8	.730	.291	..	3.4 N	1.1 W
29	.723	85.4	.915	.306	0.01	0.0	4.6 W	66	.760	79.4	.822	.183	0.27	3.8 N	1.2 E
30	.747	86.6	.952	.318	0.03	0.6 N	7.3 W	67	.876	80.6	.868	.179	..	0.4 N	0.1 W
31	.726	85.3	.947	.273	0.80	2.3 N	6.5 W	68	.890	80.4	.770	.273	..	3.6 N	0.6 W
32	.645	83.7	.965	.189	0.84	3.2 S	1.6 W	69	.899	80.3	.750	.288	..	2.0 N	1.1 E
33	.591	81.0	.942	.116	6.74	7.8 S	4.3 W	70	.941	79.1	.669	.334	..	3.6 N	1.0 E
34	.673	82.3	.949	.156	2.30	3.8 S	9.2 W	71	.969	77.7	.645	.309	..	2.3 N	0.7 E
35	.747	83.6	.927	.226	0.02	2.9 S	8.4 W	72	.962	78.1	.634	.335	..	3.5 N	2.1 E
36	.780	83.4	.904	.242	0.15	0.1 N	8.0 W	73	.919	78.1	.669	.298	..	2.3 N	1.2 E
37	.716	83.9	.916	.247	0.70	0.6 S	5.5 W	..	..	..	..	..	..	..	..

* Five-day sums, not means.

Barometric Pressure, 1912.

TABLE Ia.—Daily and Monthly Means.

TABLE Ib.—Mean diurnal inequality for each month of the year and for the whole year.

Unity=0.001 inch.

Height of the Barometer above mean sea-level=37 feet.

1912.	Month.												1912.	Bombay Civil Time.	Month.												Year.			
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.				
1	In. 29.927	In. 30.016	In. 29.881	In. 29.841	In. 29.791	In. 29.755	In. 29.698	In. 29.682	In. 29.682	In. 29.691	In. 29.794	In. 29.865	In. 29.922		H. m. 0 7														4	
2	.. 940	.. 935	.. 917	.. 865	.. 782	.. 784	.. 700	.. 696	.. 671	.. 824	.. 901	.. 971	.. 990		1 7														9	
3	.. 948	.. 952	.. 930	.. 850	.. 839	.. 779	.. 783	.. 705	.. 724	.. 730	.. 832	.. 924	.. 990		2 7														21	
4	.. 968	.. 962	.. 936	.. 840	.. 805	.. 738	.. 693	.. 685	.. 698	.. 834	.. 924	.. 924	.. 924		3 7														27	
5	.. 996	.. 971	.. 958	.. 904	.. 807	.. 737	.. 653	.. 690	.. 658	.. 829	.. 914	.. 942	.. 942		4 7														25	
6	.. 936	.. 952	.. 941	.. 848	.. 857	.. 818	.. 708	.. 486	.. 590	.. 836	.. 890	.. 961	.. 969		5 7														14	
7	.. 928	.. 941	.. 927	.. 843	.. 774	.. 683	.. 516	.. 615	.. 869	.. 901	.. 924	.. 990	.. 990		6 7														2	
8	.. 915	.. 921	.. 902	.. 800	.. 853	.. 762	.. 663	.. 569	.. 697	.. 860	.. 896	.. 967	.. 1007		7 7														23	
9	.. 927	.. 902	.. 914	.. 891	.. 903	.. 767	.. 642	.. 623	.. 736	.. 847	.. 891	.. 974	.. 1000		8 7														42	
10	.. 943	.. 916	.. 849	.. 914	.. 752	.. 616	.. 666	.. 773	.. 853	.. 846	.. 909	.. 992	.. 992		9 7														55	
11	.. 951	.. 901	.. 834	.. 877	.. 717	.. 567	.. 708	.. 794	.. 890	.. 860	.. 913	.. 1004	.. 1004		10 7														53	
12	.. 971	.. 931	.. 817	.. 848	.. 734	.. 558	.. 705	.. 742	.. 873	.. 840	.. 873	.. 923	.. 923		11 7														40	
13	.. 997	.. 934	.. 819	.. 868	.. 765	.. 571	.. 674	.. 713	.. 851	.. 844	.. 855	.. 995	.. 995		12 7														18	
14	.. 30-015	.. 914	.. 838	.. 821	.. 745	.. 553	.. 645	.. 707	.. 845	.. 873	.. 859	.. 946	.. 946		13 7														8	
15	.. 000	.. 912	.. 841	.. 846	.. 712	.. 494	.. 659	.. 690	.. 845	.. 873	.. 859	.. 946	.. 946		14 7														30	
16	.. 015	.. 926	.. 857	.. 795	.. 730	.. 497	.. 660	.. 698	.. 820	.. 878	.. 848	.. 928	.. 928		15 7														43	
17	.. 050	.. 894	.. 873	.. 797	.. 758	.. 535	.. 605	.. 702	.. 779	.. 883	.. 848	.. 928	.. 928		16 7														47	
18	.. 027	.. 892	.. 918	.. 757	.. 758	.. 570	.. 577	.. 723	.. 742	.. 860	.. 837	.. 878	.. 878		17 7														28	
19	.. 000	.. 925	.. 895	.. 750	.. 766	.. 625	.. 556	.. 763	.. 743	.. 837	.. 820	.. 916	.. 916		18 7														10	
20	.. 029	.. 903	.. 871	.. 762	.. 778	.. 692	.. 552	.. 756	.. 791	.. 802	.. 776	.. 946	.. 946		19 7														7	
21	.. 996	.. 886	.. 841	.. 763	.. 795	.. 688	.. 573	.. 726	.. 798	.. 802	.. 871	.. 979	.. 979		20 7														16	
22	.. 987	.. 869	.. 843	.. 755	.. 799	.. 637	.. 582	.. 702	.. 777	.. 798	.. 888	.. 970	.. 970		21 7														43	
23	.. 30-002	.. 841	.. 801	.. 784	.. 790	.. 624	.. 570	.. 725	.. 752	.. 827	.. 899	.. 917	.. 917		22 7														40	
24	.. 29-963	.. 842	.. 854	.. 786	.. 771	.. 634	.. 584	.. 703	.. 793	.. 858	.. 902	.. 917	.. 917		23 7														28	
25	.. 991	.. 875	.. 831	.. 827	.. 778	.. 651	.. 561	.. 646	.. 799	.. 875	.. 910	.. 941	.. 941		24 7														10	
26	.. 994	.. 889	.. 848	.. 831	.. 804	.. 618	.. 489	.. 632	.. 806	.. 909	.. 932	.. 968	.. 968		25 7														19	
27	.. 984	.. 848	.. 828	.. 805	.. 805	.. 612	.. 525	.. 662	.. 823	.. 863	.. 946	.. 965	.. 965		26 7														22	
28	.. 30-012	.. 841	.. 826	.. 836	.. 793	.. 650	.. 648	.. 690	.. 808	.. 822	.. 926	.. 969	.. 969		27 7														16	
29															28 7														15	
30															29 7														15	
31															30 7														15	
Monthly Mean.	29.980	29.916	29.877	29.833	29.776	29.646	29.618	29.702	29.791	29.850	29.889	29.958	29.958																	
Annual Variation.	+ .160	+ .096	+ .057	+ .013	-.044	-.174	-.202	-.118	-.029	+ .030	+ .069	+ .138	+ .138		Range:															

Annual mean in. 29.820

Temperature of the Air, 1912.

TABLE IIa.—Daily and Monthly Means.

TABLE IIb.—Mean diurnal inequality for each month of the year and for the whole year.

1912.	Month.												1912.	Month.												
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
													H. m.													
1	78.0	75.2	77.1	81.1	83.5	85.8	84.6	81.5	78.6	83.5	79.8	74.0	0 2	2.4	2.3	2.0	2.1	2.1	1.5	0.5	0.9	1.5	1.9	2.2	2.6	1.8
2	77.2	73.1	76.7	81.0	83.1	85.8	84.4	81.7	79.3	83.5	79.6	75.7	1 2	2.9	2.5	2.4	2.4	2.5	1.8	0.6	1.1	1.8	2.2	2.6	3.2	2.2
3	75.9	72.2	76.1	81.0	84.0	86.0	83.3	80.1	79.7	82.8	79.7	77.9	2 2	3.3	2.8	2.7	2.7	2.7	2.1	0.7	1.4	1.9	2.5	2.9	3.3	2.4
4	75.8	73.6	75.8	81.5	85.5	87.1	82.5	80.4	80.5	81.4	80.1	77.0	3 2	3.7	3.1	3.3	3.3	3.1	2.3	0.9	1.5	2.2	2.6	3.3	3.8	2.8
5	75.2	75.7	76.1	82.4	86.0	86.9	82.9	80.0	80.5	81.8	80.6	77.0	4 2	4.2	3.4	3.7	3.6	3.2	2.3	0.9	1.4	2.3	2.9	3.6	4.1	3.0
6	75.8	75.1	76.3	81.8	83.6	86.8	81.3	81.3	79.3	81.2	80.6	77.0	5 2	4.5	3.6	4.1	3.9	3.4	2.5	1.0	1.4	2.6	3.2	3.8	4.4	3.2
7	74.8	75.0	76.0	83.6	83.6	88.0	81.0	79.1	79.9	81.5	80.8	77.3	6 2	4.7	3.8	4.4	4.1	3.3	2.4	1.1	1.2	2.6	3.4	4.1	4.6	3.3
8	73.9	76.4	77.4	83.6	84.3	88.0	80.7	78.7	79.9	79.6	79.9	78.2	7 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
9	74.1	76.8	78.3	83.1	84.3	88.4	84.0	80.5	80.2	80.7	78.7	77.6	8 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
10	72.2	76.2	79.0	83.6	84.6	88.4	83.6	81.2	80.3	80.5	78.6	77.5	9 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
11	72.5	76.4	79.4	84.1	85.0	86.9	83.2	81.1	80.2	81.6	78.7	76.9	10 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
12	72.7	76.5	79.6	84.5	85.9	86.3	83.7	80.3	80.7	82.3	79.3	76.9	11 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
13	73.8	75.7	79.5	83.6	86.3	84.7	83.2	80.0	80.8	80.9	80.4	76.9	12 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
14	73.3	75.2	78.8	84.0	86.2	84.7	82.8	80.3	81.1	82.6	81.5	76.1	13 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
15	72.7	76.5	79.6	83.0	86.1	83.3	80.2	80.4	81.0	82.4	82.5	76.1	14 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
16	74.8	76.1	79.0	83.0	86.1	83.3	80.2	80.4	81.0	82.4	82.5	76.1	15 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
17	75.6	77.2	78.8	84.0	86.4	80.1	81.7	81.5	81.3	84.7	82.8	74.8	16 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
18	76.1	77.9	79.6	83.5	86.6	79.9	80.1	80.6	82.2	84.2	83.0	74.8	17 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
19	78.0	78.6	79.9	84.2	86.4	79.1	79.4	80.6	82.7	83.8	82.7	75.4	18 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
20	76.2	79.6	79.6	84.8	86.1	83.6	78.6	80.7	82.1	83.1	80.4	76.4	19 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
21	75.6	78.8	78.7	85.0	85.9	84.6	81.0	81.5	82.2	84.2	83.0	74.8	20 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
22	75.7	78.6	79.5	85.4	85.9	84.1	81.3	81.0	81.5	81.6	75.3	77.0	21 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
23	75.4	76.8	80.8	86.6	86.5	84.5	82.0	80.3	83.8	82.4	75.4	75.9	22 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
24	75.8	76.2	81.1	85.7	86.0	85.3	81.1	78.4	83.1	81.9	74.8	74.7	23 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
25	78.5	76.7	80.8	83.3	85.8	85.3	81.3	80.5	82.5	79.3	75.9	74.9	24 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
26	79.6	76.5	80.9	83.0	86.4	82.6	81.6	81.4	81.8	80.9	77.2	75.4	25 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
27	79.5	76.1	80.4	82.9	85.8	81.3	78.7	80.7	83.0	79.8	75.6	76.7	26 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
28	77.8	76.2	79.5	83.1	85.9	81.3	78.7	80.7	83.0	79.8	75.6	76.7	27 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
29	76.9	76.2	82.1	84.0	85.3	84.4	81.7	79.8	83.1	79.5	74.6	76.0	28 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
30	76.8	76.2	81.4	84.0	85.3	84.4	81.7	79.8	83.1	79.5	74.6	76.0	29 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
31	76.8	76.2	81.4	84.0	85.3	84.4	81.7	79.8	83.1	79.5	74.6	76.0	30 2	5.1	4.0	4.1	2.9	2.1	1.7	0.9	1.3	2.1	2.8	3.4	4.6	3.0
Monthly Mean.	75.6	76.2	78.8	83.4	85.4	84.7	81.8	80.5	81.0	81.8	79.1	76.3														
Annual Variation.	- 4.8	- 4.2	- 1.6	+ 3.0	+ 5.0	+ 4.3	+ 1.4	+ 0.1	+ 0.6	+ 1.4	- 1.3	- 4.1	Range.	11.5	9.1	9.5	8.8	7.9	5.9	2.8	3.9	6.1	7.9	10.1	11.5	7.8

Temperature of the Air, 1912.

TABLE IIc.---Showing the Maximum temperature of the Air on each day during the year 1912.

1912.		Month.												1912.		Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
1	88.1	82.9	85.1	89.0	90.7	92.2	89.1	85.2	83.1	89.1	87.2	82.9	1	72.1	71.3	72.3	74.6	78.7	81.6	82.4	78.3	76.6	79.7	73.8	68.3		
2	85.6	83.1	84.5	89.1	91.2	92.8	89.1	85.7	84.1	90.8	85.9	84.1	2	71.8	68.3	72.3	76.1	78.4	80.8	81.5	79.2	75.2	79.8	74.8	69.8		
3	84.4	82.9	84.1	89.3	91.2	92.6	88.2	83.1	85.2	89.6	87.1	87.1	3	70.3	66.4	70.7	77.2	79.4	82.2	80.6	75.5	75.6	80.4	75.4	72.4		
4	86.1	81.4	84.7	89.3	94.3	93.2	86.3	82.3	85.9	88.1	87.1	84.1	4	67.8	68.6	70.3	77.0	80.4	83.9	78.4	77.6	76.4	78.9	74.4	71.5		
5	84.6	83.0	84.1	90.4	95.0	93.4	86.1	82.1	84.8	88.0	87.5	83.3	5	68.5	70.3	70.3	76.8	80.9	83.3	81.4	77.8	76.9	78.5	75.6	72.5		
6	86.1	83.1	84.5	89.9	91.5	93.2	84.4	85.3	84.9	88.1	88.1	82.9	6	68.3	71.3	70.5	76.8	80.4	82.7	79.7	77.6	76.3	77.4	75.4	74.6		
7	85.0	82.1	85.0	91.3	91.6	93.8	85.3	84.9	82.7	88.9	87.1	83.1	7	68.7	71.3	72.8	75.7	78.6	83.6	78.4	78.2	74.6	79.4	74.6	68.1		
8	83.9	82.1	85.9	93.2	91.0	93.7	84.5	81.8	84.5	88.1	89.1	86.1	8	67.5	71.3	69.3	77.6	78.4	84.6	79.1	77.8	76.8	78.4	74.9	71.4		
9	83.4	84.3	86.6	93.0	91.2	93.8	85.6	80.2	84.1	85.9	90.0	86.2	9	69.1	71.3	70.5	78.4	79.4	84.5	77.4	77.2	76.3	75.8	73.3	73.2		
10	81.9	84.1	87.6	92.4	91.8	93.4	88.1	84.7	84.7	87.7	88.1	85.1	10	71.5	73.3	71.2	77.2	79.4	84.6	79.4	76.5	76.1	77.4	71.8	71.6		
11	80.5	83.6	87.3	89.6	91.5	95.3	87.1	85.1	84.9	87.3	88.1	84.3	11	65.4	72.3	73.2	78.4	80.7	84.4	80.8	79.0	75.4	77.1	72.3	72.0		
12	82.5	83.1	87.7	92.0	92.1	95.2	87.7	84.1	84.7	87.9	88.1	84.1	12	64.5	72.3	72.1	78.6	80.4	82.1	81.2	79.1	76.2	78.6	72.1	72.4		
13	82.9	83.4	87.6	93.4	91.5	99.3	87.5	83.3	86.1	89.9	90.4	85.6	13	65.3	72.3	72.5	79.4	82.2	83.3	80.1	76.4	76.8	77.6	72.9	71.8		
14	84.6	84.0	88.4	90.2	92.4	91.4	87.9	84.6	86.9	88.1	91.0	85.2	14	65.2	71.1	74.6	79.4	82.4	79.8	80.2	77.0	76.4	76.2	73.2	71.2		
15	82.6	84.0	87.2	90.4	92.0	88.6	86.1	83.0	87.1	89.1	89.7	85.3	15	66.3	70.8	72.6	81.1	82.2	81.5	81.3	76.3	77.4	78.4	76.0	70.3		
16	81.3	84.0	87.3	91.2	92.3	87.1	80.8	84.1	88.1	90.0	90.2	85.1	16	66.1	71.2	72.1	78.4	81.9	79.4	77.2	78.4	77.4	77.2	77.5	70.2		
17	85.1	85.5	86.9	91.1	92.4	84.1	85.1	85.1	88.1	90.2	92.4	85.3	17	68.3	71.3	73.3	79.4	80.4	77.4	77.4	77.1	76.4	77.5	79.6	71.2		
18	83.2	85.1	87.4	92.9	92.2	83.1	85.4	85.9	88.6	92.2	91.2	84.0	18	70.3	71.3	73.3	78.0	82.4	78.4	78.0	78.6	76.4	79.7	77.6	68.9		
19	85.1	87.2	86.3	91.2	92.4	82.3	85.1	85.2	89.5	92.4	91.4	83.9	19	70.3	71.3	74.9	78.4	83.2	77.5	77.3	76.4	79.1	78.7	79.4	67.6		
20	90.2	88.3	86.1	91.2	92.7	83.1	80.2	86.1	89.3	91.2	91.8	85.3	20	71.3	71.3	75.4	78.9	82.4	75.9	76.8	77.5	79.4	79.2	77.6	68.5		
21	86.3	92.0	88.6	93.1	92.4	88.1	79.0	85.1	89.9	91.2	84.1	85.2	21	70.1	70.5	73.3	79.7	82.6	77.2	76.1	78.1	81.0	77.8	79.6	71.3		
22	85.0	88.9	87.7	93.2	92.2	89.1	82.1	87.0	86.4	91.8	78.4	86.6	22	70.5	72.3	74.4	80.6	82.1	81.9	77.4	78.4	76.2	74.0	74.7	71.3		
23	83.9	89.3	88.1	92.4	92.2	88.9	85.2	85.9	87.5	89.3	81.4	86.1	23	72.3	71.8	73.3	81.4	82.4	81.4	78.4	77.2	76.2	76.2	71.0	71.4		
24	85.0	84.4	87.9	93.6	92.5	89.6	85.4	85.1	90.2	89.3	82.9	85.7	24	69.3	73.3	74.7	82.1	82.4	80.6	78.2	76.9	80.2	78.2	69.3	70.5		
25	85.7	84.3	87.5	94.2	92.8	89.9	82.6	83.8	88.9	87.1	83.1	84.1	25	68.3	71.7	77.4	82.6	82.4	82.4	77.9	75.4	80.2	78.2	68.4	69.1		
26	92.1	85.1	87.9	91.4	93.0	90.4	83.4	85.3	88.1	83.5	84.1	83.4	26	72.5	71.3	75.4	79.4	81.9	81.4	79.4	76.6	79.1	77.7	71.4	69.7		
27	91.0	85.2	88.8	90.5	92.9	88.3	84.9	86.5	88.1	87.1	84.3	84.9	27	73.3	72.3	75.4	78.9	82.2	78.4	78.4	78.1	78.1	76.6	71.3	67.3		
28	91.2	83.7	87.9	89.6	94.2	87.3	84.0	84.7	88.7	89.1	83.7	87.1	28	73.4	72.8	75.7	78.5	84.4	78.4	77.4	78.4	78.0	77.8	72.8	70.8		
29	85.9	85.1	88.1	89.0	93.0	85.9	82.0	84.5	89.3	88.1	82.4	87.1	29	72.4	71.3	74.1	78.4	78.1	75.4	76.4	75.6	78.8	73.1	71.0	70.4		
30	82.9	92.3	90.3	91.0	90.2	88.1	85.1	84.9	88.6	87.7	82.1	85.6	30	72.3	74.4	74.4	79.4	83.2	82.2	74.4	77.4	79.2	74.4	69.3	71.0		
31	83.9		90.3		91.0	85.2		83.9		89.1		84.7	31	73.3	76.2			80.2		79.4	76.6	74.1			71.0		
Monthly Mean.	85.2	84.7	87.1	91.3	92.2	89.9	85.1	84.5	86.7	88.9	86.9	85.0	Monthly Mean.	69.6	71.2	73.2	78.6	81.1	81.0	78.8	77.4	77.3	77.5	74.0	70.7		

Annual Mean .. 87.3
The greatest maximum temperature recorded during the year (that of 11th June) was .. 95.3

Annual Mean .. 75.9
The least minimum temperature recorded during the year (that of 12th January) was .. 64.5

Pressure of Vapour, 1912.

TABLE IIIa.—Daily and Monthly Means.

TABLE IIIb.—Mean diurnal inequality for each month of the year and for the whole year.

Unity=0.001 inch.

1912.	Month.												1912.	Month.												Year.									
	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.		December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.		November.	December.							
		In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	H. m.																					
1	0.650	0.535	0.677	0.812	0.862	0.906	0.949	0.918	0.861	0.861	0.833	0.569	0.569	0 2	+	4	-	12	13	7	-	5	-	1	3	10	-	17	+	6	+	8	-	2	
2	0.613	0.440	0.637	0.807	0.867	0.921	0.945	0.916	0.868	0.868	0.850	0.613	0.613	1 2	+	12	3	+	5	-	2	-	10	-	7	8	16	-	16	+	5	8	-	6	
3	0.639	0.537	0.620	0.875	0.892	0.925	0.948	0.915	0.864	0.864	0.835	0.814	0.670	2 2	-	2	+	2	2	8	-	13	-	13	14	20	-	22	-	16	11	10	-	10	
4	0.599	0.618	0.593	0.854	0.860	0.952	0.941	0.913	0.848	0.867	0.807	0.669	0.669	3 2	-	16	+	8	12	12	-	18	-	17	17	19	-	24	19	24	10	15	-	15	
5	0.609	0.651	0.528	0.790	0.892	0.938	0.925	0.902	0.825	0.844	0.820	0.727	0.727	4 2	-	30	-	5	18	5	-	17	-	24	11	22	-	18	14	20	21	17	-	17	
6	0.541	0.652	0.599	0.762	0.951	0.929	0.928	0.929	0.827	0.881	0.798	0.699	0.699	5 2	-	35	-	5	25	14	-	20	-	26	15	24	-	14	18	20	32	21	-	21	
7	0.545	0.665	0.615	0.710	0.872	0.949	0.942	0.915	0.820	0.933	0.730	0.578	0.578	6 2	-	40	-	5	27	17	-	18	-	22	15	16	-	7	25	23	43	21	-	21	
8	0.638	0.677	0.555	0.752	0.875	0.979	0.944	0.919	0.819	0.911	0.688	0.709	0.709	7 2	-	55	-	6	31	4	-	13	-	12	4	14	+	8	16	25	49	18	-	18	
9	0.691	0.705	0.668	0.757	0.862	0.962	0.925	0.901	0.798	0.890	0.590	0.713	0.713	8 2	-	41	+	1	31	5	-	9	-	6	3	3	+	19	2	14	40	10	-	10	
10	0.648	0.681	0.679	0.816	0.914	0.974	0.967	0.909	0.801	0.918	0.604	0.609	0.609	9 2	-	42	+	4	22	6	-	7	+	4	6	12	+	24	+	2	11	39	-	7	
11	0.512	0.676	0.708	0.910	0.949	0.993	0.945	0.920	0.805	0.908	0.573	0.532	0.532	10 2	-	19	+	9	8	7	+	7	+	9	8	24	+	37	0	15	30	+	3		
12	0.506	0.663	0.655	0.919	0.954	0.976	0.926	0.914	0.797	0.903	0.632	0.578	0.641	11 2	-	20	-	6	12	+	24	+	8	+	20	17	25	+	40	-	16	24	+	4	
13	0.524	0.627	0.650	0.873	0.951	0.980	0.930	0.876	0.787	0.902	0.573	0.532	0.532	12 2	-	40	-	8	13	+	33	+	15	+	25	23	28	+	39	-	12	46	+	5	
14	0.469	0.621	0.624	0.939	0.959	0.961	0.924	0.869	0.823	0.871	0.632	0.578	0.641	13 2	-	31	+	7	10	+	34	+	20	+	15	24	33	+	32	-	12	68	+	3	
15	0.482	0.659	0.706	0.916	0.938	0.927	0.916	0.893	0.831	0.824	0.790	0.641	0.641	14 2	+	4	+	21	14	+	14	+	18	+	21	25	29	+	26	2	11	27	+	11	
16	0.557	0.644	0.739	0.866	0.943	0.951	0.937	0.892	0.851	0.886	0.723	0.669	0.669	15 2	+	18	+	18	19	15	+	23	+	12	14	23	+	12	18	21	23	15	15	15	
17	0.606	0.725	0.746	0.871	0.947	0.957	0.945	0.903	0.854	0.863	0.627	0.627	0.627	16 2	+	36	+	18	18	14	+	7	+	18	9	18	+	7	19	37	47	18	18	18	
18	0.674	0.732	0.763	0.842	0.951	0.937	0.945	0.899	0.834	0.809	0.706	0.627	0.627	17 2	+	43	+	10	16	14	+	15	+	3	4	4	+	8	29	35	51	15	15	15	
19	0.649	0.652	0.848	0.936	0.931	0.908	0.943	0.884	0.842	0.809	0.627	0.627	0.627	18 2	+	49	+	8	9	16	+	4	+	1	7	3	-	23	31	45	67	14	14	14	
20	0.636	0.604	0.784	0.866	0.858	0.991	0.922	0.901	0.878	0.840	0.830	0.707	0.707	19 2	+	54	+	5	7	16	+	2	+	3	11	10	-	26	35	44	74	13	13	13	
21	0.682	0.648	0.779	0.901	0.844	0.988	0.931	0.900	0.878	0.840	0.621	0.621	0.621	20 2	+	60	+	0	10	3	+	9	0	0	9	6	-	23	34	42	68	15	15	15	
22	0.733	0.632	0.758	0.923	0.848	0.966	0.910	0.881	0.852	0.866	0.620	0.620	0.620	21 2	+	43	+	16	16	14	+	15	+	3	4	4	+	8	29	35	51	15	15	15	
23	0.633	0.665	0.818	0.899	0.869	0.968	0.940	0.852	0.866	0.861	0.640	0.640	0.640	22 2	+	49	+	8	9	16	+	4	+	1	7	3	-	23	31	45	67	14	14	14	
24	0.573	0.665	0.884	0.832	0.876	0.972	0.918	0.856	0.952	0.923	0.627	0.627	0.627	23 2	+	54	+	5	7	16	+	2	+	3	11	10	-	26	35	44	74	13	13	13	
25	0.681	0.675	0.831	0.858	0.906	0.970	0.905	0.874	0.939	0.881	0.671	0.682	0.682	24 2	+	60	+	0	10	3	+	9	0	0	9	6	-	23	34	42	68	15	15	15	
26	0.689	0.712	0.813	0.832	0.929	0.954	0.912	0.864	0.890	0.906	0.664	0.664	0.664	25 2	+	43	+	16	11	4	+	3	+	2	5	10	-	22	25	16	50	8	8	8	
27	0.654	0.667	0.741	0.865	0.950	0.940	0.909	0.854	0.918	0.834	0.603	0.662	0.662	26 2	+	32	+	12	19	9	+	7	+	4	1	8	-	19	3	3	24	5	5	5	
28	0.698	0.672	0.715	0.865	0.988	0.920	0.870	0.877	0.941	0.790	0.561	0.647	0.647	27 2	+	10	-	15	11	10	+	1	-	1	3	12	-	17	7	7	9	2	2	2	
29	0.772		0.731	0.861	0.957	0.955	0.923	0.869	0.884	0.770	0.669	0.669	0.669	28 2	+	115		37	50	51		43		51	42	57		66	60	73	142	39	39	39	
30	0.716		0.819		0.920		0.917	0.863						29 2	+																				
31														30 2	+																				
Monthly Mean.	0.622	0.648	0.714	0.855	0.909	0.952	0.929	0.892	0.866	0.851	0.708	0.650	0.650																						
Annual Variation.	- .178	- .152	- .086	+ .055	+ .109	+ .152	+ .129	+ .092	+ .066	+ .051	- .092	- .150	- .150	Range.																					

Annual Mean
Inch.
0.800

Additional Capacity of the Air, 1912.

TABLE IVa.—Daily and Monthly Means.

TABLE IVb.—Mean diurnal inequality for each month of the year and for the whole year.

Unity=0.001 inch.

1912.	Month.												1912.	Month.												Year.
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
i	In. 0.317	In. 0.339	In. 0.257	In. 0.253	In. 0.289	In. 0.332	In. 0.240	In. 0.159	In. 0.120	In. 0.245	In. 0.238	In. 0.278	H. m. 0 2	— 78	— 57	— 82	— 87	— 80	— 58	— 15	— 18	— 37	— 59	— 83	— 88	— 62
2	.. 0.326	.. 0.380	.. 0.284	.. 0.255	.. 0.271	.. 0.319	.. 0.239	.. 0.167	.. 0.133	.. 0.299	.. 0.182	.. 0.284	1 2	— 100	— 73	— 85	— 90	— 86	— 62	— 15	— 20	— 47	— 59	— 83	— 90	— 68
3	.. 0.262	.. 0.261	.. 0.284	.. 0.187	.. 0.275	.. 0.324	.. 0.191	.. 0.115	.. 0.151	.. 0.287	.. 0.202	.. 0.292	2 2	— 97	— 86	— 93	— 95	— 93	— 68	— 11	— 26	— 49	— 66	— 81	— 111	— 73
4	.. 0.302	.. 0.215	.. 0.301	.. 0.226	.. 0.369	.. 0.340	.. 0.171	.. 0.123	.. 0.212	.. 0.220	.. 0.201	.. 0.264	3 2	— 95	— 94	— 99	— 108	— 100	— 69	— 16	— 34	— 52	— 73	— 81	— 105	— 77
5	.. 0.273	.. 0.223	.. 0.306	.. 0.342	.. 0.255	.. 0.349	.. 0.140	.. 0.140	.. 0.175	.. 0.230	.. 0.210	.. 0.222	4 2	— 94	— 96	— 101	— 123	— 107	— 65	— 19	— 25	— 64	— 88	— 96	— 100	— 81
6	.. 0.359	.. 0.223	.. 0.306	.. 0.342	.. 0.255	.. 0.349	.. 0.140	.. 0.140	.. 0.175	.. 0.230	.. 0.210	.. 0.222	5 2	— 97	— 102	— 106	— 128	— 109	— 68	— 20	— 21	— 76	— 93	— 104	— 98	— 85
7	.. 0.324	.. 0.209	.. 0.292	.. 0.379	.. 0.286	.. 0.362	.. 0.137	.. 0.128	.. 0.150	.. 0.144	.. 0.303	.. 0.286	6 2	— 97	— 107	— 111	— 130	— 107	— 68	— 23	— 24	— 82	— 93	— 109	— 92	— 87
8	.. 0.206	.. 0.192	.. 0.348	.. 0.408	.. 0.280	.. 0.319	.. 0.113	.. 0.075	.. 0.204	.. 0.151	.. 0.370	.. 0.255	7 2	— 90	— 110	— 99	— 102	— 71	— 55	— 26	— 29	— 81	— 88	— 99	— 86	— 78
9	.. 0.149	.. 0.208	.. 0.275	.. 0.399	.. 0.319	.. 0.365	.. 0.123	.. 0.080	.. 0.227	.. 0.121	.. 0.376	.. 0.254	8 2	— 67	— 80	— 35	— 37	— 20	— 18	— 20	— 24	— 57	— 66	— 76	— 64	— 47
10	.. 0.197	.. 0.243	.. 0.295	.. 0.321	.. 0.266	.. 0.353	.. 0.201	.. 0.134	.. 0.231	.. 0.130	.. 0.392	.. 0.236	9 2	— 21	— 40	— 7	— 21	— 25	— 6	— 7	— 10	— 35	— 26	— 33	— 24	— 10
11	.. 0.281	.. 0.232	.. 0.287	.. 0.245	.. 0.243	.. 0.305	.. 0.212	.. 0.148	.. 0.235	.. 0.134	.. 0.381	.. 0.269	10 2	— 30	— 19	— 60	— 75	— 72	— 39	— 14	— 12	— 2	— 39	— 41	— 34	— 36
12	.. 0.299	.. 0.251	.. 0.353	.. 0.265	.. 0.252	.. 0.317	.. 0.089	.. 0.157	.. 0.205	.. 0.242	.. 0.291	.. 0.268	11 2	— 91	— 89	— 106	— 89	— 113	— 69	— 26	— 25	— 31	— 102	— 114	— 96	— 79
13	.. 0.288	.. 0.288	.. 0.365	.. 0.314	.. 0.290	.. 0.185	.. 0.224	.. 0.157	.. 0.261	.. 0.208	.. 0.438	.. 0.387	12 2	— 181	— 133	— 128	— 115	— 147	— 100	— 29	— 37	— 64	— 147	— 168	— 182	— 119
14	.. 0.344	.. 0.219	.. 0.281	.. 0.252	.. 0.317	.. 0.268	.. 0.207	.. 0.155	.. 0.232	.. 0.194	.. 0.291	.. 0.268	13 2	— 213	— 189	— 145	— 126	— 155	— 121	— 32	— 46	— 87	— 173	— 216	— 266	— 143
15	.. 0.299	.. 0.256	.. 0.251	.. 0.267	.. 0.305	.. 0.191	.. 0.115	.. 0.146	.. 0.222	.. 0.231	.. 0.272	.. 0.301	14 2	— 91	— 89	— 106	— 89	— 113	— 69	— 26	— 25	— 31	— 102	— 114	— 96	— 79
16	.. 0.266	.. 0.179	.. 0.248	.. 0.260	.. 0.304	.. 0.101	.. 0.089	.. 0.157	.. 0.205	.. 0.242	.. 0.325	.. 0.239	15 2	— 181	— 133	— 128	— 115	— 147	— 100	— 29	— 37	— 64	— 147	— 168	— 182	— 119
17	.. 0.216	.. 0.206	.. 0.226	.. 0.328	.. 0.310	.. 0.268	.. 0.213	.. 0.155	.. 0.232	.. 0.194	.. 0.291	.. 0.268	16 2	— 213	— 189	— 145	— 126	— 155	— 121	— 32	— 46	— 87	— 173	— 216	— 266	— 143
18	.. 0.253	.. 0.256	.. 0.173	.. 0.215	.. 0.338	.. 0.114	.. 0.086	.. 0.161	.. 0.189	.. 0.371	.. 0.427	.. 0.240	17 2	— 199	— 141	— 157	— 166	— 169	— 119	— 40	— 57	— 99	— 171	— 220	— 249	— 149
19	.. 0.321	.. 0.333	.. 0.176	.. 0.246	.. 0.393	.. 0.084	.. 0.071	.. 0.147	.. 0.180	.. 0.385	.. 0.399	.. 0.220	18 2	— 176	— 142	— 146	— 185	— 155	— 110	— 37	— 42	— 109	— 145	— 161	— 184	— 133
20	.. 0.274	.. 0.417	.. 0.232	.. 0.336	.. 0.395	.. 0.162	.. 0.054	.. 0.175	.. 0.130	.. 0.444	.. 0.075	.. 0.229	19 2	— 134	— 126	— 131	— 162	— 141	— 96	— 29	— 29	— 105	— 114	— 111	— 126	— 109
21	.. 0.208	.. 0.343	.. 0.204	.. 0.306	.. 0.396	.. 0.203	.. 0.127	.. 0.175	.. 0.165	.. 0.345	.. 0.157	.. 0.251	20 2	— 70	— 92	— 85	— 113	— 80	— 59	— 18	— 24	— 82	— 43	— 49	— 57	— 64
22	.. 0.157	.. 0.353	.. 0.256	.. 0.298	.. 0.396	.. 0.207	.. 0.145	.. 0.178	.. 0.194	.. 0.250	.. 0.244	.. 0.281	21 2	— 21	— 40	— 7	— 21	— 25	— 6	— 7	— 10	— 35	— 26	— 33	— 24	— 10
23	.. 0.251	.. 0.257	.. 0.238	.. 0.373	.. 0.396	.. 0.224	.. 0.153	.. 0.184	.. 0.194	.. 0.250	.. 0.244	.. 0.281	22 2	— 70	— 92	— 85	— 113	— 80	— 59	— 18	— 24	— 82	— 43	— 49	— 57	— 64
24	.. 0.323	.. 0.243	.. 0.179	.. 0.400	.. 0.371	.. 0.246	.. 0.142	.. 0.117	.. 0.184	.. 0.170	.. 0.242	.. 0.246	23 2	— 21	— 40	— 7	— 21	— 25	— 6	— 7	— 10	— 35	— 26	— 33	— 24	— 10
25	.. 0.304	.. 0.248	.. 0.222	.. 0.288	.. 0.332	.. 0.249	.. 0.162	.. 0.164	.. 0.174	.. 0.121	.. 0.228	.. 0.187	24 2	— 26	— 19	— 5	— 8	— 32	— 19	— 5	— 6	— 1	— 44	— 46	— 59	— 28
26	.. 0.331	.. 0.205	.. 0.244	.. 0.300	.. 0.336	.. 0.164	.. 0.165	.. 0.209	.. 0.199	.. 0.152	.. 0.276	.. 0.234	25 2	— 49	— 3	— 20	— 22	— 51	— 31	— 7	— 6	— 1	— 44	— 46	— 59	— 28
27	.. 0.365	.. 0.234	.. 0.299	.. 0.265	.. 0.290	.. 0.138	.. 0.106	.. 0.170	.. 0.191	.. 0.249	.. 0.343	.. 0.271	26 2	— 54	— 5	— 36	— 46	— 62	— 44	— 10	— 7	— 8	— 56	— 42	— 70	— 37
28	.. 0.259	.. 0.235	.. 0.298	.. 0.272	.. 0.256	.. 0.152	.. 0.111	.. 0.171	.. 0.189	.. 0.234	.. 0.331	.. 0.280	27 2	— 65	— 23	— 62	— 64	— 72	— 47	— 15	— 15	— 17	— 46	— 53	— 70	— 46
29	.. 0.157	.. 0.375	.. 0.309	.. 0.272	.. 0.257	.. 0.224	.. 0.161	.. 0.149	.. 0.249	.. 0.252	.. 0.324	.. 0.252	28 2	— 70	— 46	— 66	— 78	— 77	— 56	— 15	— 18	— 30	— 56	— 63	— 77	— 54
30	.. 0.206	.. 0.258	.. 0.258	.. 0.258	.. 0.299	.. 0.224	.. 0.169	.. 0.156	.. 0.232	.. 0.250	.. 0.324	.. 0.252	29 2	..	..	..	..	..	..	..	..	..	..	..	..	..
31	.. 0.206	.. 0.258	.. 0.258	.. 0.258	.. 0.299	.. 0.224	.. 0.169	.. 0.156	.. 0.232	.. 0.250	.. 0.324	.. 0.252	30 2	..	..	..	..	..	..	..	..	..	..	..	..	..
Monthly Mean.	0.272	0.260	0.277	0.295	0.314	0.244	0.157	0.148	0.196	0.238	0.296	0.263	Range.	313	252	268	315	278	190	66	91	191	266	329	377	236
Annual Variation.	+ .025	+ .013	+ .030	+ .048	+ .067	— .003	— .090	— .099	— .051	— .009	+ .049	+ .016														

Annual Mean .. 0.247

Rainfall, 1912.

TABLE Va.—Total fall of rain (in inches) as measured by F. Chambers's self-registering gauge, the funnel of which is 28 feet above the ground. TABLE Vb.—Total fall of rain (in inches) as measured by Newman's gauge, placed 4½ feet above the ground.

1912.	Month.												1912.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	1	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
2	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	..
3	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	..	..	..	..
4	..	..	..	..	..	..	..	..	..	..	..	..	4	..	..	..	..	..	..	..	..	..	..	..	..
5	..	..	..	..	..	..	..	..	..	..	..	..	5	..	..	..	..	..	..	..	..	..	..	..	..
6	..	..	..	..	..	..	..	..	..	..	..	..	6	..	..	..	..	..	..	..	..	..	..	..	..
7	..	..	..	..	..	..	..	..	..	..	..	..	7	..	..	..	..	..	..	..	..	..	..	..	..
8	..	..	..	..	..	..	..	..	..	..	..	..	8	..	..	..	..	..	..	..	..	..	..	..	..
9	..	..	..	..	..	..	..	..	..	..	..	..	9	..	..	..	..	..	..	..	..	..	..	..	..
10	..	..	..	..	..	..	..	..	..	..	..	..	10	..	..	..	..	..	..	..	..	..	..	..	..
11	..	..	..	..	..	..	..	..	..	..	..	..	11	..	..	..	..	..	..	..	..	..	..	..	..
12	..	..	..	..	..	..	..	..	..	..	..	..	12	..	..	..	..	..	..	..	..	..	..	..	..
13	..	..	..	..	..	..	..	..	..	..	..	..	13	..	..	..	..	..	..	..	..	..	..	..	..
14	..	..	..	..	..	..	..	..	..	..	..	..	14	..	..	..	..	..	..	..	..	..	..	..	..
15	..	..	..	..	..	..	..	..	..	..	..	..	15	..	..	..	..	..	..	..	..	..	..	..	..
16	..	..	..	..	..	..	..	..	..	..	..	..	16	..	..	..	..	..	..	..	..	..	..	..	..
17	..	..	..	..	..	..	..	..	..	..	..	..	17	..	..	..	..	..	..	..	..	..	..	..	..
18	..	..	..	..	..	..	..	..	..	..	..	..	18	..	..	..	..	..	..	..	..	..	..	..	..
19	..	..	..	..	..	..	..	..	..	..	..	..	19	..	..	..	..	..	..	..	..	..	..	..	..
20	..	..	..	..	..	..	..	..	..	..	..	..	20	..	..	..	..	..	..	..	..	..	..	..	..
21	..	..	..	..	..	..	..	..	..	..	..	..	21	..	..	..	..	..	..	..	..	..	..	..	..
22	..	..	..	..	..	..	..	..	..	..	..	..	22	..	..	..	..	..	..	..	..	..	..	..	..
23	..	..	..	..	..	..	..	..	..	..	..	..	23	..	..	..	..	..	..	..	..	..	..	..	..
24	..	..	..	..	..	..	..	..	..	..	..	..	24	..	..	..	..	..	..	..	..	..	..	..	..
25	..	..	..	..	..	..	..	..	..	..	..	..	25	..	..	..	..	..	..	..	..	..	..	..	..
26	..	..	..	..	..	..	..	..	..	..	..	..	26	..	..	..	..	..	..	..	..	..	..	..	..
27	..	..	..	..	..	..	..	..	..	..	..	..	27	..	..	..	..	..	..	..	..	..	..	..	..
28	..	..	..	..	..	..	..	..	..	..	..	..	28	..	..	..	..	..	..	..	..	..	..	..	..
29	..	..	..	..	..	..	..	..	..	..	..	..	29	..	..	..	..	..	..	..	..	..	..	..	..
30	..	..	..	..	..	..	..	..	..	..	..	..	30	..	..	..	..	..	..	..	..	..	..	..	..
31	..	..	..	..	..	..	..	..	..	..	..	..	31	..	..	..	..	..	..	..	..	..	..	..	..
Monthly Total.	..	..	..	..	..	..	..	..	..	..	..	..	Monthly Total.	..	..	..	..	..	..	..	..	..	..	..	..
Number of rainy days.	..	..	..	..	..	..	..	..	..	..	..	..	Number of rainy days.	..	..	..	..	..	..	..	..	..	..	..	..

Inches.
Total fall of rain in the year 52.86
Total number of rainy days in the year 87
The greatest daily fall of rain in the year (that of 21st July) was 8.04
No rain fell in the months of January, February, March, April and December, nor on any of the days left blank in the above table.

Inches.
Total fall of rain in the year 54.05
Total number of rainy days in the year 87
The greatest daily fall of rain in the year (that of 21st July) was 7.86
No rain fell in the months of January, February, March, April and December, nor on any of the days left blank in the above table.

Velocity of Wind, 1912.

ROBINSON BECKLEY'S ANEMOGRAPH.

TABLE VIa.—Mean Velocity of the Wind in miles per hour, without regard to the direction from which it blew for each day of Bombay Civil Time, also the Mean Monthly Velocity and its variation from the mean of the year. Wind in miles per hour for each month of the year 1912, and for the whole year.

1912.	Month.												Month.												1912.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time Hourly Intervals	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.											
1	Miles. 6.2	Miles. 8.5	Miles. 6.0	Miles. 6.2	Miles. 5.9	Miles. 5.4	Miles. 4.7	Miles. 8.4	Miles. 10.6	Miles. 9.3	Miles. 4.9	Miles. 5.6	0 to 1	Miles. 1	Miles. 1.8	Miles. 2.2	Miles. 0.8	Miles. 0.5	Miles. 0.7	Miles. 0.1	Miles. 0.3	Miles. 0.3	Miles. 1.3	Miles. 1.1	Miles. 1.5	Miles. 1.7	1.0										
2	5.4	6.9	6.0	6.4	5.9	4.3	6.4	11.8	6.7	8.6	6.2	4.8	1	2	1.9	1.8	1.2	1.5	1.3	0.3	0.1	0.5	1.1	1.2	0.4	1.4	1.0										
3	5.6	5.1	5.1	7.8	10.1	4.5	7.1	12.2	5.9	9.2	6.5	6.8	2	3	1.6	2.1	2.1	2.6	2.3	0.5	0.5	0.3	1.1	1.4	0.7	1.1	1.2										
4	4.6	3.7	7.0	6.7	7.9	5.4	7.9	11.3	4.8	8.0	5.6	3.7	3	4	1.3	2.0	2.3	2.9	2.6	0.7	0.5	0.4	1.1	1.2	0.6	0.3	1.1										
5	5.0	5.4	5.6	7.3	6.7	6.0	7.7	10.3	5.1	6.2	7.1	5.4	4	5	0.9	1.5	2.1	3.2	2.3	0.9	0.1	0.4	0.6	1.0	0.6	1.1	0.9										
6	6.2	4.8	6.7	7.3	5.4	5.3	6.7	8.8	5.2	5.5	5.4	6.7	5	6	0.6	0.8	1.9	3.6	2.6	1.0	0.4	0.3	0.9	0.9	1.4	1.2	0.7										
7	6.2	4.8	8.3	7.6	4.6	6.3	5.6	8.2	5.8	4.0	3.7	6.3	6	7	0.7	0.6	1.7	3.4	2.8	1.0	0.2	0.4	0.7	0.6	1.6	1.4	0.7										
8	4.5	3.6	6.7	7.5	9.3	4.3	7.6	12.6	8.2	5.2	4.9	5.9	7	8	0.5	0.4	1.4	3.4	2.2	1.6	0.2	0.0	0.4	0.5	2.0	1.8	0.5										
9	5.5	5.3	6.7	8.8	4.9	6.3	14.4	8.6	4.8	4.8	6.0	5.4	8	9	0.1	0.2	1.0	2.8	1.8	1.8	0.4	0.3	0.4	0.7	1.5	1.5	0.4										
10	6.1	3.7	6.7	7.3	6.8	5.9	11.1	8.8	4.1	4.5	7.0	4.0	9	10	0.0	0.1	1.8	2.3	1.2	2.1	0.1	0.4	0.6	1.0	0.7	1.2	0.6										
11	6.1	4.4	7.8	4.9	7.9	7.0	8.4	8.1	5.2	4.6	6.4	5.5	10	11	0.9	0.7	1.2	0.9	0.4	1.4	0.9	0.8	0.7	1.5	0.3	0.1	0.8										
12	7.6	5.4	7.5	4.3	4.8	8.0	10.6	6.7	5.2	4.5	7.6	6.6	11	12	1.1	0.1	0.3	1.0	0.7	0.1	0.7	0.1	1.0	0.7	1.7	1.6	0.4										
13	7.0	5.5	8.9	6.4	5.2	6.7	9.8	7.6	4.5	3.6	8.9	8.9	12	13	0.5	1.5	2.3	2.6	1.8	1.0	0.6	0.3	0.6	0.4	1.8	2.2	0.5										
14	7.3	6.0	9.5	5.6	5.8	9.3	11.5	9.7	6.2	4.2	5.1	8.0	13	14	1.0	2.4	2.9	3.5	2.4	0.9	0.2	0.2	1.5	1.5	1.2	1.8	1.1										
15	7.0	8.0	8.2	8.0	5.6	20.3	10.7	11.7	6.2	3.9	4.6	6.8	14	15	1.8	3.1	3.7	4.5	3.4	1.5	0.7	0.2	2.6	2.2	0.4	0.7	1.9										
16	4.9	7.9	6.3	8.1	5.9	19.3	11.8	10.8	7.3	6.3	4.0	7.5	15	16	2.3	3.4	4.0	4.6	3.3	1.7	0.3	0.4	2.4	2.8	0.5	0.4	2.2										
17	4.8	6.4	5.6	6.9	4.2	17.0	9.2	8.6	7.2	5.1	6.7	6.6	16	17	2.6	3.3	3.8	4.3	3.4	2.1	0.7	0.0	2.1	2.6	0.9	0.9	2.2										
18	5.1	5.5	6.2	7.0	5.1	13.8	10.2	8.6	7.1	4.8	7.3	5.8	17	18	2.6	3.3	3.8	4.3	3.4	2.1	0.7	0.0	2.1	2.6	0.9	0.9	2.2										
19	4.7	5.0	4.5	5.1	5.2	11.4	9.5	7.5	5.2	5.7	6.7	5.9	18	19	2.6	2.6	3.0	3.7	2.8	1.3	0.7	0.1	1.6	1.9	1.7	1.3	1.9										
20	4.7	6.1	5.9	6.4	6.0	9.5	13.0	7.5	5.2	5.7	6.7	5.1	19	20	2.3	1.8	2.0	2.1	2.3	0.2	0.0	0.1	0.7	1.9	2.1	1.7	1.4										
21	4.1	5.0	5.5	7.5	5.8	10.0	13.0	8.1	6.5	8.5	7.4	4.5	21	22	2.0	1.1	1.1	1.5	0.8	0.7	0.1	0.1	0.2	1.3	1.6	1.4	1.0										
22	7.0	4.7	6.5	9.7	5.9	7.9	17.8	9.5	4.8	7.0	5.9	5.6	22	23	1.2	0.2	0.6	0.2	0.4	0.4	0.4	0.8	0.5	0.4	0.4	0.3	0.0										
23	7.3	8.5	8.2	9.1	5.4	7.5	15.8	10.0	4.8	6.7	5.9	6.0	23	24	0.4	1.5	1.6	0.3	0.6	0.6	0.8	0.5	0.8	1.4	1.5	1.4	0.8										
24	7.3	7.9	5.6	8.9	4.9	7.2	11.6	7.6	5.6	4.7	5.9	5.5	24	25	1.4	2.6	1.5	0.1	0.9	0.2	0.8	0.1	1.0	1.1	2.0	1.5	1.0										
25	5.8	5.6	4.4	9.2	5.7	7.6	14.1	4.3	3.7	4.0	4.5	4.1	25	26	1.2	0.2	0.6	0.2	0.4	0.4	0.4	0.8	0.5	0.4	0.4	0.3	0.0										
26	5.1	5.4	5.3	7.8	6.4	4.1	16.2	4.7	4.3	4.3	6.0	4.6	26	27	0.4	1.5	1.6	0.3	0.6	0.6	0.8	0.5	0.8	1.4	1.5	1.4	0.8										
27	5.0	7.1	4.5	8.4	6.2	5.6	17.0	7.2	4.0	4.9	5.9	4.4	27	28	1.4	2.6	1.5	0.1	0.9	0.2	0.8	0.1	1.0	1.1	2.0	1.5	1.0										
28	4.0	7.8	5.8	5.9	6.5	8.3	17.4	8.9	3.3	4.3	9.7	5.3	28	29	1.2	3.0	1.0	0.7	0.4	0.2	0.9	0.2	1.1	1.5	2.4	1.8	1.0										
29	4.8	8.4	8.2	4.3	4.3	9.9	15.8	8.4	3.5	4.8	8.2	4.7	29	30	0.4	1.5	1.0	0.7	0.4	0.2	0.9	0.2	1.1	1.5	2.4	1.8	1.0										
30	4.3	4.3	5.1	4.3	3.7	9.3	9.3	9.5	3.2	5.5	7.6	5.6	30	31	0.4	1.5	1.0	0.7	0.4	0.2	0.9	0.2	1.1	1.5	2.4	1.8	1.0										
31	4.5		5.5																																		
Monthly Mean.	5.6	5.9	6.5	7.1	5.8	8.5	11.5	8.8	5.4	5.4	6.5	5.7																									
Annual Variation.	- 1.3	- 1.0	- 0.4	+ 0.2	- 1.1	+ 1.6	+ 4.6	+ 1.9	- 1.5	- 1.5	- 0.4	- 1.2	Range	4.5	6.4	6.3	8.2	6.2	4.2	1.6	1.3	3.9	4.3	4.5	4.0	3.4											

Miles.

The mean velocity for June to August .. 9.6

The mean velocity for September to May .. 6.0

The mean velocity for the year .. 6.9

MEAN DAILY VELOCITIES OF THE NORTH AND EAST COMPONENTS OF THE WIND, 1912.

In miles per hour.

1912.		Month.																								
		January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		
Date.		N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	
1	2.4	N	1.5	E	6.5	N	1.8	N	5.0	W	1.3	S	2.7	W	3.1	S	10.0	W	3.2	W	1.0	S	0.7	W	1.4	W
2	0.9	N	1.4	E	5.1	N	2.5	N	4.1	W	0.8	N	4.1	W	2.9	S	11.8	W	3.0	W	5.0	S	0.7	E	2.7	N
3	3.2	N	1.1	E	1.8	N	6.7	N	5.7	W	0.6	N	3.7	W	4.0	S	11.7	W	2.1	W	5.4	N	0.7	E	2.6	N
4	2.4	N	0.6	E	0.4	S	4.3	N	5.0	W	0.6	S	5.1	W	3.9	S	10.7	W	0.5	W	5.2	N	1.2	W	3.4	N
5	2.7	N	0.0	E	1.4	S	4.1	N	4.6	W	0.5	N	5.9	W	4.4	S	9.5	W	0.2	S	3.4	N	0.5	W	0.9	N
6	4.4	N	0.4	W	1.5	N	0.8	W	0.7	N	0.5	N	5.9	W	4.4	S	8.5	W	3.5	W	3.4	N	0.8	W	4.4	N
7	3.8	N	0.2	W	1.0	N	1.0	W	4.6	W	0.1	S	6.2	W	4.7	S	2.6	W	3.4	S	2.3	N	0.4	E	5.1	N
8	3.4	N	1.2	W	1.2	N	1.4	W	6.0	N	2.4	W	7.6	N	4.8	S	7.8	W	4.0	S	0.1	E	1.4	E	3.4	N
9	3.7	N	1.9	W	2.1	S	0.7	E	4.8	W	3.7	W	5.1	W	6.8	S	7.9	W	2.6	S	0.4	E	1.4	E	1.9	N
10	2.1	N	0.7	W	0.1	N	1.1	W	4.9	N	3.2	W	4.0	W	4.8	S	7.9	W	2.3	N	1.1	E	0.3	E	2.3	N
11	4.0	N	1.5	W	0.2	S	1.2	W	4.8	N	5.0	W	0.7	S	2.8	W	7.5	W	1.5	S	1.1	W	1.3	W	1.4	E
12	5.9	N	0.8	W	2.8	S	0.2	E	5.5	W	1.4	S	3.5	W	3.2	S	6.4	W	1.1	S	2.3	N	1.4	E	2.1	N
13	5.5	N	1.0	W	0.6	S	0.8	W	7.1	N	4.4	W	2.0	N	4.5	W	3.0	W	1.8	N	2.9	W	2.5	E	3.7	N
14	5.9	N	0.2	W	2.4	N	1.1	W	7.6	N	5.1	W	0.7	N	3.7	S	9.1	W	1.0	N	0.7	N	1.0	E	5.8	N
15	5.1	N	0.7	W	4.4	N	3.3	W	6.2	N	4.3	W	0.5	N	4.9	W	10.1	W	1.8	N	1.5	W	0.7	E	1.8	N
16	3.0	N	0.4	W	5.0	N	4.0	W	3.7	N	4.1	W	5.2	N	4.1	W	8.8	W	3.8	N	1.2	N	1.0	W	4.7	N
17	1.7	N	1.5	E	4.0	N	3.4	W	1.5	N	3.0	W	2.9	N	4.6	W	8.1	W	4.0	N	1.2	N	0.8	E	4.0	N
18	2.8	N	0.7	W	2.7	N	2.9	W	3.0	N	2.6	W	4.3	N	3.8	W	8.2	W	4.5	N	0.8	N	0.1	W	4.0	N
19	2.4	N	0.2	E	2.1	N	0.9	W	2.4	S	2.1	W	0.2	N	3.4	W	8.6	W	3.7	N	2.7	N	1.2	E	4.7	N
20	3.1	N	0.4	E	4.0	N	0.5	W	2.1	S	1.2	W	0.2	N	3.6	W	8.1	W	2.1	N	4.0	N	0.3	E	4.5	N
21	2.6	N	1.1	W	2.9	N	0.0	E	1.1	N	2.7	W	3.8	N	5.1	W	17.2	W	1.0	N	2.9	N	1.2	E	4.1	E
22	5.1	N	2.6	W	6.6	N	0.6	W	2.8	N	3.5	W	6.5	N	6.2	W	15.4	W	0.9	S	4.8	N	4.5	E	0.6	N
23	5.4	N	2.3	W	6.4	N	3.8	W	5.5	N	5.4	W	3.0	S	4.3	W	15.6	W	0.4	N	5.2	N	1.0	E	2.5	N
24	5.6	N	2.2	W	6.0	N	4.0	W	0.5	S	1.8	W	6.7	N	4.8	W	11.4	W	0.9	N	4.5	N	0.2	W	3.4	N
25	4.2	N	1.2	W	2.6	N	1.5	W	2.1	S	2.2	W	6.5	N	6.1	W	13.7	W	0.1	N	4.0	E	0.3	E	3.0	N
26	2.1	N	0.3	E	3.0	N	2.6	W	1.2	S	4.0	W	4.7	N	4.9	W	15.0	W	2.2	S	2.1	S	2.2	E	3.8	N
27	2.1	N	1.7	E	3.8	N	4.6	W	0.1	S	3.3	W	4.2	N	6.0	W	16.3	W	0.1	N	1.7	N	0.1	W	3.4	N
28	1.1	N	0.5	E	4.8	N	4.9	W	2.2	N	5.1	W	2.1	N	4.0	W	16.6	W	2.3	S	1.2	N	1.0	E	4.6	N
29	0.6	S	0.9	E	4.1	N	4.3	W	0.1	S	3.9	W	0.3	S	5.7	W	14.3	W	0.7	S	2.4	N	0.5	E	4.9	E
30	0.4	S	1.6	W					4.0	S	3.8	W	3.8	S	9.2	W	7.4	W	1.9	S	1.9	W	4.5	E	2.2	N
31	2.2	N	1.8	W					3.1	W	1.2	S	3.1	W	4.8	S	7.8	W	3.7	S	3.2	N	1.0	W	3.3	N
Monthly Mean.	3.2	N	0.4	W	2.4	N	1.8	W	3.0	N	4.4	W	0.1	S	4.4	W	10.2	W	2.1	S	2.1	N	0.5	W	3.0	N
Annual Variation.	2.4	N	2.6	E	1.6	N	1.2	E	1.7	N	0.2	W	2.2	N	1.4	W	0.9	S	1.4	W	4.3	S	0.9	W	2.9	S

The Velocities of the Mean Components for the year are 0.8 N and 3.0 W.

TABLE VI*d*.—Showing the mean diurnal inequality of the Velocity of the North or South and East or West Components of the Wind for each month of the year 1912 and for the whole year.

1912.		Month.												Year.															
		January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.					
		N.	or	W.	N.	or	W.	N.	or	W.	N.	or	W.	N.	or	W.	N.	or	W.	N.	or	W.	N.	or	W.	N.	or	W.	Year.
Bombay Civil		N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td></td></td></td>	W.	N. <td>or<td>W.</td><td></td></td>	or <td>W.</td> <td></td>	W.	
Time Hourly		N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td></td></td></td>	W.	N. <td>or<td>W.</td><td></td></td>	or <td>W.</td> <td></td>	W.	
Intervals.		N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td></td>	W.	N. <td>or<td>W.</td><td>N.<td>or<td>W.</td><td></td></td></td></td>	or <td>W.</td> <td>N.<td>or<td>W.</td><td></td></td></td>	W.	N. <td>or<td>W.</td><td></td></td>	or <td>W.</td> <td></td>	W.	
0 to 1	..1.1	S1.8	E0.7	S1.0	E0.6	N0.1	W0.3	N1.7	E0.2	S1.7	E0.7	S1.4	E0.2	S0.4	E0.1	S0.2	W0.1	N0.4	E0.8	S2.0	E0.8	S1.2	E0.7	S0.4	E0.4	S1.0	E1.0		
1 " 2	..1.2	S2.3	E0.6	S1.2	E0.7	N1.1	E0.0	2.4	E0.3	S1.9	E0.1	N1.3	E0.3	S0.2	W0.5	N0.6	W0.1	N0.4	E1.2	S1.8	E0.8	S1.8	E1.2	S1.7	E0.3	S1.3	E1.3		
2 " 3	..1.2	S2.6	E0.3	S2.0	E0.1	N2.6	E0.9	S3.6	E0.4	S2.4	E0.4	N1.2	E0.2	S0.9	W0.3	N0.3	W0.1	S1.4	E1.3	S1.9	E1.0	S2.0	E1.2	S2.4	E0.5	S1.7	E1.7		
3 " 4	..1.0	S2.6	E0.7	S3.0	E0.1	S3.2	E1.4	S4.2	E0.6	S2.8	E0.9	N1.2	E0.2	S0.9	W0.1	N0.4	W0.7	S2.4	E0.8	S2.6	E1.0	S2.7	E0.7	S3.8	E0.5	S2.3	E1.3		
4 " 5	..0.4	S3.0	E0.8	S4.0	E0.7	S4.2	E1.6	S4.3	E0.7	S2.3	E1.0	N1.6	E0.1	N0.6	W0.1	S0.3	W0.8	S2.6	E1.5	S3.4	E0.7	S4.3	E0.3	S4.6	E0.5	S2.8	E1.3		
5 " 6	..0.8	S3.9	E0.9	S5.5	E0.6	S5.1	E1.4	S5.1	E1.0	S2.9	E0.4	N2.1	E0.3	S0.7	W0.1	N0.2	W1.1	S3.7	E1.4	S3.5	E1.0	S5.0	E0.3	S4.8	E0.7	S3.4	E1.3		
6 " 7	..1.2	S4.2	E1.4	S6.2	E1.0	S5.5	E1.9	S5.5	E1.0	S2.9	E0.8	N1.8	E0.0	0.2	W0.1	N0.3	W1.4	S4.0	E1.1	S4.3	E1.5	S5.4	E0.4	S5.1	E0.8	S3.7	E1.3		
7 " 8	..1.3	S4.6	N1.2	S6.5	E1.5	S6.2	E1.6	S4.6	E0.8	S2.3	E0.3	N2.1	E0.1	S0.2	W0.1	N0.5	E2.1	S4.4	E1.4	S4.7	E1.3	S5.6	E0.6	S5.5	E1.0	S3.9	E1.3		
8 " 9	..1.0	S5.0	E1.0	S6.2	E2.1	S6.2	E1.5	S4.2	E0.7	S2.1	E0.3	N1.5	E0.5	N0.1	W0.1	N1.0	E1.7	S3.4	E1.2	S4.4	E1.4	S5.4	E0.8	S5.3	E0.9	S3.7	E1.3		
9 " 10	..1.2	S5.1	E0.8	S5.1	E2.1	S4.5	E1.5	S2.4	E0.5	S1.0	E0.5	N0.6	E0.7	N0.5	W0.1	S1.1	E1.5	S3.4	E0.9	S2.9	E1.5	S5.0	E1.1	S5.0	E0.8	S3.0	E1.3		
10 " 11	..1.1	S3.6	E0.1	S2.4	E2.0	S0.9	E1.2	S0.7	W0.7	S0.1	E0.1	N0.1	W0.2	S0.7	E0.0	0.7	E1.7	S1.8	E1.0	S1.5	E1.5	S3.9	E1.5	S4.0	E0.9	S1.6	E1.3		
11 " 12	..0.9	S0.6	E0.1	N1.5	W1.1	S2.0	W0.9	S2.7	W0.7	S1.2	W0.7	S1.2	W0.4	S1.1	E0.6	S0.4	E0.8	S0.4	W0.4	S1.8	W1.6	S1.5	E1.9	S1.6	E0.8	S0.5	W1.3		
12 " 13	..0.7	S2.3	W0.2	N4.5	W0.6	S4.3	W0.2	S4.2	W0.3	S2.4	W0.8	S2.0	W0.1	S0.1	E0.2	S0.1	E0.2	S2.6	W0.1	S3.1	W1.7	S0.7	W1.4	S0.9	W0.5	S2.2	W1.3		
13 " 14	..0.4	S4.5	W0.3	N5.6	W0.1	N5.1	W0.6	N5.0	W0.1	S3.1	W0.5	S2.1	W0.7	S0.7	E0.4	S0.0	0.3	N3.7	W0.6	N4.1	W1.2	S3.0	W1.1	S2.3	W0.2	S3.1	W1.4		
14 " 15	..0.1	N5.5	W0.7	N6.2	W0.7	N5.6	W1.5	N5.6	W0.1	N4.1	W0.1	N2.9	W0.5	S0.1	W0.2	S0.5	W0.9	N5.1	W1.2	N5.5	W0.6	S5.3	W0.7	S5.3	W0.3	N4.3	W1.3		
15 " 16	..1.1	N5.8	W0.8	N6.5	W1.6	N5.7	W1.6	N5.9	W1.0	N3.8	W0.7	S2.3	W0.3	N0.6	W0.2	N0.8	W1.0	N4.8	W1.7	N6.1	W0.2	N6.7	W0.1	N6.2	W0.7	N4.6	W1.3		
16 " 17	..1.6	N5.8	W1.0	N6.2	W2.1	N5.4	W1.9	N5.3	W1.1	N3.7	W0.1	N2.0	W0.4	N0.5	W0.2	N0.4	W1.7	N4.3	W2.1	N5.6	W1.5	N6.3	W1.0	N6.6	W1.2	N4.3	W1.3		
17 " 18	..2.1	N5.4	W1.5	N5.3	W2.0	N4.6	W2.1	N4.2	W1.2	N3.1	W0.4	N1.8	W0.2	N0.4	W0.1	N0.4	W2.1	N2.8	W2.8	N4.3	W3.1	N6.0	W1.9	N6.2	W1.6	N3.7	W1.3		
18 " 19	..2.4	N4.7	W1.4	N4.3	W1.5	N3.5	W2.0	N2.7	W1.2	N2.4	W0.1	N1.2	W0.2	N0.4	W0.3	N0.3	W1.5	N1.8	W2.3	N2.9	W3.9	N5.7	W3.2	N5.5	W1.7	N2.9	W1.3		
19 " 20	..2.7	N4.0	W1.4	N3.0	W1.5	N2.5	W2.3	N1.7	N1.4	N1.2	W0.4	S0.6	W0.2	N0.3	W0.1	S0.3	W1.2	N1.2	W1.9	N2.1	W4.0	N5.2	W3.3	N4.8	W1.6	N2.2	W1.3		
20 " 21	..2.5	N2.5	W1.1	N1.9	W0.7	N0.7	W0.8	N0.1	E1.0	N0.2	E0.7	S0.3	W0.1	N0.1	W0.1	N0.6	E0.9	N0.4	W1.3	N0.7	W3.2	N3.5	W2.7	N3.6	W1.1	N1.1	W1.3		
21 " 22	..1.1	N1.0	W0.6	N0.4	W0.3	S0.4	E0.2	N0.2	E0.2	N1.0	E0.6	S0.3	E0.4	N0.3	E0.2	S0.3	E0.8	N0.1	W0.0	0.6	E1.7	N1.3	W1.2	N1.7	W0.4	N0.1	W1.3		
22 " 23	..0.0	0.3	E0.3	S1.0	E0.4	S0.4	E0.8	N0.1	W0.1	N1.0	E0.1	S0.3	E0.1	N1.5	E0.2	N0.4	W0.5	N0.4	W0.4	S0.9	E1.7	N0.5	W0.9	N0.7	W0.2	N0.3	W1.3		
23 " 24	..0.1	S1.3	E0.8	S1.0	E0.3	N0.1	W0.8	N0.1	W0.2	S0.9	E0.2	S0.6	E0.1	N1.2	E0.1	N0.1	E0.3	N0.1	E0.3	S1.0	E0.9	S0.4	E0.1	N0.4	W0.1	S0.5	E1.3		

Aggregate and Mean Velocities and relative Frequency of Different Winds, 1912.

TABLE VIe.—Showing for the year 1912 the sums of the Velocities, in miles per hour, of the Winds which blew in each month, from each of the sixteen Principal Directions and also the number of hourly Observations which those sums comprise, the latter numbers indicating the Relative Frequency of the same Wind (as to direction) in the several Months, and of different Winds during the same month.

1912.	N.		N. N. E.		N. E.		E. N. E.		E.		E. S. E.		S. E.		S. S. E.	
	Mean Velocity.		Sum of Velocities.		Number of Observations.		Mean Velocity.		Sum of Velocities.		Mean Velocity.		Sum of Velocities.		Mean Velocity.	
	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.
January	216	46	4.7	255	59	4.0	254	171	103	21	4.9	130	33	12	2.7	7
February	68	16	4.2	249	67	3.7	128	74	136	29	4.7	228	32	15	6.3	24
March	144	26	5.5	183	51	3.6	110	31	54	10	5.4	185	67	12	5.6	45
April	78	15	5.2	185	47	3.9	55	15	32	8	4.0	52	12	10	3.3	62
May	24	6	4.0	37	9	4.1	16	9	3.2	0	0.0	39	4	4	6.5	32
June	0	0	0.0	33	9	3.7	24	5	5.4	4	3.7	174	17	13	10.7	72
July	0	0	0.0	10	1	10.0	0	13	0	0	0.0	0	0	2	20.0	69
August	0	0	0.0	0	0	0.0	12	2	5.0	6	4.7	14	3	3	5.3	5
September	2	1	2.0	70	26	2.7	63	18	71	17	4.2	177	35	37	6.8	245
October	61	20	3.0	138	39	3.5	180	115	5.1	61	3.6	237	49	45	5.2	30
November	217	43	5.0	286	66	4.3	293	212	6.9	31	5.9	193	30	11	9.9	95
December	185	38	4.9	203	53	3.8	174	234	305	47	6.5	265	55	7	3.7	0
Year	995	211	4.7	1629	427	3.8	1309	887	5.8	234	4.9	1694	303	171	6.3	1,779
																181
																9.8

1912.	S.		S. S. W.		S. W.		W. S. W.		W.		W. N. W.		N. W.		N. N. W.		Number of Observations.	
	Mean Velocity.		Sum of Velocities.		Number of Observations.		Mean Velocity.		Sum of Velocities.		Mean Velocity.		Sum of Velocities.		Mean Velocity.		Mean Velocity.	
	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.	Miles.	tions.	Variable.	Calm.
January	0	0	0.0	16	3	5.3	43	8	5.4	111	5.3	434	76	5.7	1,099	135	8.1	638
February	7	18	3.5	15	6	2.5	72	16	4.5	376	4.5	1,081	150	7.2	924	102	9.1	347
March	75	18	4.2	96	19	5.1	121	27	4.3	544	6.5	1,218	153	8.0	1,320	152	8.7	433
April	75	13	5.8	98	24	4.1	202	49	4.1	397	6.1	1,637	166	9.3	1,665	183	9.1	511
May	32	6	5.3	232	40	5.8	924	178	5.2	899	5.7	1,014	155	6.5	434	54	8.0	136
June	467	31	15.1	287	36	8.0	1,867	246	7.6	994	7.3	530	87	6.1	63	11	5.7	90
July	23	3	7.7	165	28	5.9	863	411	11.1	2,066	14.8	119	8	14.9	0	0	10.0	10
August	5	1	5.0	96	14	6.9	543	132	5.1	436	9.8	397	44	9.0	21	5	4.2	17
September	87	20	4.3	89	23	3.9	56	14	3.9	64	5.3	877	139	6.3	554	82	6.8	114
October	23	9	2.6	26	7	3.7	16	6	3.9	66	4.6	666	101	6.6	1,116	153	7.3	391
November	25	1	25.0	28	3	9.3	32	6	5.3	165	5.7	352	56	6.3	514	71	7.2	760
December	0	0	0.0	4	1	4.0	22	7	3.1	79	4.4	377	77	4.9	481	70	6.9	669
Year	819	104	7.9	1,152	204	5.6	2,285	1,454	8.2	8,843	8.2	8,602	1,212	7.1	8,191	1,018	8.0	4,116
																		6.9
																		593
																		11

Velocity of Wind, 1912.

DINES'S ANEMOGRAPH.

TABLE VI.—Mean Velocity of the Wind in miles per hour, for each day of Bombay Civil Time, also the mean monthly velocity and its variation from the mean of the year.

1912.	Month.												Year.
	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	Bombay Civil Time Intervals	Miles.											
		0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 6	6 to 7	7 to 8	8 to 9	9 to 10	10 to 11	11 to 12
1	0 to 1	5.7	7.8	5.3	5.4	5.0	4.3	7.2	9.0	8.0	4.7	4.3	4.7
2	1 to 2	4.8	6.2	5.1	5.6	5.1	3.7	5.7	10.1	6.1	4.9	5.5	4.9
3	2 to 3	5.2	4.5	4.5	7.1	9.6	4.0	6.5	10.6	5.0	8.3	6.1	5.7
4	3 to 4	4.2	3.4	6.2	6.0	7.6	4.6	7.1	9.6	4.2	7.5	5.2	2.9
5	4 to 5	4.2	5.0	4.9	6.7	6.2	5.4	7.2	8.8	4.4	5.6	6.5	3.5
6	5 to 6	5.6	4.1	6.0	6.6	5.0	4.9	6.1	7.7	4.9	4.9	4.8	6.0
7	6 to 7	5.4	3.9	7.5	6.9	4.2	5.6	5.7	8.5	5.7	3.6	3.2	5.6
8	7 to 8	3.6	3.1	6.6	8.5	4.2	6.8	11.7	7.1	5.1	4.6	5.3	4.7
9	8 to 9	4.2	4.6	5.9	7.7	4.7	4.7	12.9	7.4	4.2	4.3	5.4	4.2
10	9 to 10	5.5	3.0	5.9	6.4	6.4	5.3	9.9	7.5	3.7	4.1	6.4	2.9
11	10 to 11	5.3	3.8	7.1	4.3	7.6	6.6	7.3	7.3	4.5	4.5	5.6	4.8
12	11 to 12	6.8	4.8	6.7	3.7	4.8	6.2	8.4	6.0	4.2	4.2	6.8	6.0
13	12 to 1	6.1	4.9	8.0	5.7	5.2	6.2	8.4	6.5	4.1	3.2	7.3	8.0
14	1 to 2	6.2	5.3	8.6	5.4	5.8	9.4	10.0	8.5	5.7	3.7	3.7	6.1
15	2 to 3	6.3	7.3	7.3	7.9	5.0	20.8	9.4	9.9	5.5	3.3	3.9	7.0
16	3 to 4	4.0	7.2	5.4	7.6	5.2	19.6	10.2	9.2	6.5	5.8	3.8	6.7
17	4 to 5	4.3	5.7	4.7	6.7	4.1	16.5	8.0	7.5	6.7	4.7	6.2	5.9
18	5 to 6	4.5	4.7	5.1	6.8	4.5	13.6	8.7	7.2	6.5	4.5	6.0	5.1
19	6 to 7	3.7	4.2	4.0	4.7	4.7	10.5	8.1	6.2	5.4	4.5	6.1	4.5
20	7 to 8	4.1	5.2	5.3	6.0	5.5	8.4	11.5	6.5	4.7	5.1	6.1	3.9
21	8 to 9	3.7	4.1	4.6	7.1	5.1	8.3	16.4	7.0	6.4	7.9	6.8	3.9
22	9 to 10	6.3	4.0	5.5	9.4	5.3	6.7	15.7	8.3	4.3	6.2	11.9	5.1
23	10 to 11	6.4	7.6	7.3	8.6	4.8	6.2	13.4	9.0	4.5	5.9	5.2	5.1
24	11 to 12	6.7	7.2	5.2	8.4	4.7	6.0	9.5	6.6	5.1	4.1	5.1	4.5
25	12 to 1	5.2	4.7	3.5	8.9	5.4	6.2	11.9	3.8	3.7	3.2	3.7	3.1
26	1 to 2	4.5	4.4	4.0	7.7	6.1	3.6	14.0	4.1	4.1	3.6	5.0	5.0
27	2 to 3	4.5	6.1	3.3	8.0	5.9	5.2	14.2	6.1	3.4	4.3	5.4	3.6
28	3 to 4	3.5	6.8	4.7	5.9	6.2	7.5	14.9	7.5	3.0	3.7	8.7	4.5
29	4 to 5	4.2	7.4	7.1	4.1	5.5	8.3	13.5	7.3	3.2	4.4	7.0	5.0
30	5 to 6	3.9		4.2	4.3	3.7	8.6	9.5	7.6	2.7	5.0	6.9	4.0
31	6 to 7	3.9		4.9		3.2	8.1	8.1	8.2				4.9
Monthly Mean.		4.9	5.2	5.6	6.6	5.4	7.9	10.1	7.6	4.9	4.9	5.8	4.9
Annual Variation.		— 1.2	— 0.9	— 0.5	+ 0.5	— 0.7	+ 1.8	+ 4.0	+ 1.5	— 1.2	— 1.2	— 0.3	— 1.2
		Range.	4.7	6.1	6.0	7.8	5.6	4.0	1.6	1.2	3.2	4.3	3.5
													3.3

Miles.

The mean velocity for June to August
 The mean velocity for September to May
 The mean velocity for the year

8.5
 5.4
 6.1

Temperature of the Ground, 1912.

TABLE VIIa.—Showing for each month the Mean Temperature of the Ground in the thermometer shed and its annual variation at the mean of the day, the Temperature of the Ground exposed to the direct rays of the sun at the depths of 1 and 8 inches below the surface.

Depth.	1 Inch.			9 Inches.			20 Inches.			60 Inches.			132 Inches.			Depth from Surface.	8 Inches.									
	Mean Temperature.	Excess over the yearly Mean.	Month.	Mean Temperature.	Excess over the yearly Mean.	Month.	Mean Temperature.	Excess over the yearly Mean.	Month.	Mean Temperature.	Excess over the yearly Mean.	Month.	Mean of five observation hours.	Observation Hours.					Mean of five observation hours.							
														6	10		14	16		22						
January ..	78.3	-4.2	78.5	81.5	-2.8	84.2	84.1	-0.9	74.0	86.4	113.5	99.3	80.1	90.6	79.3	78.8	79.5	80.2	80.9	79.9						
February ..	78.7	-3.8	78.8	81.2	-3.1	83.4	83.7	-1.7	76.8	85.0	116.2	113.9	82.6	94.9	82.6	81.8	82.6	83.7	84.7	83.1						
March ..	81.4	-1.1	80.6	82.3	-2.0	83.4	83.6	-0.8	78.7	86.9	118.2	116.0	85.4	97.1	88.0	86.9	88.3	89.9	91.0	88.8						
April ..	85.9	+3.4	84.4	85.2	+0.9	84.5	83.9	-0.6	85.0	93.8	118.6	115.9	90.7	100.8	94.9	93.8	95.5	97.3	98.2	96.0						
May ..	87.6	+5.1	86.4	87.2	+2.9	86.1	84.4	0.0	88.7	97.0	115.5	112.6	93.4	101.4	99.9	98.8	100.5	102.2	103.2	100.9						
June ..	86.5	+4.0	86.3	88.0	+3.7	87.3	85.0	+2.2	85.4	90.9	100.8	99.1	88.6	93.0	94.6	93.7	95.3	96.5	97.5	95.5						
July ..	83.3	+0.8	84.1	86.5	+2.2	87.1	85.1	+2.0	80.6	83.3	88.1	86.6	82.2	84.2	85.1	84.6	85.9	86.6	87.2	85.9						
August ..	82.0	-0.5	82.6	84.9	+0.6	85.8	84.9	+0.7	79.0	83.3	89.8	87.6	82.1	84.0	84.0	83.5	84.8	85.8	86.5	84.9						
September ..	82.8	+0.3	82.4	84.3	0.0	84.9	84.6	+0.2	80.9	86.4	102.7	100.9	83.8	91.0	86.5	85.9	88.1	89.7	90.0	88.0						
October ..	83.7	+1.2	*	85.0	+0.7	85.0	84.5	-0.1	81.6	90.0	110.4	104.0	87.1	94.6	87.8	87.2	88.5	89.6	90.2	88.5						
November ..	81.1	-1.4		84.0	-0.3	85.0	84.5	-0.1	76.9	87.5	105.5	95.3	82.2	89.5	82.8	82.2	83.7	84.2	83.2	83.2						
December ..	78.2	-4.3		81.7	-2.6	84.0	84.1	-1.1	72.2	83.6	106.3	90.7	76.8	85.9	77.0	76.5	77.6	78.5	79.0	77.7						
Year ..	82.5			84.3		85.1	84.4		80.0	87.8	107.1	101.8	84.6	92.2	86.9	86.1	87.5	88.6	89.4	87.7						

* This thermometer was found broken and was replaced by a new one in March 1914.

Maxima and Minima of different Meteorological Elements, 1912.

TABLE VIII.—In which are collected the individual observations in each month of the year, which showed the greatest and least values of the following elements, viz., Height of Barometer (corrected for Temperature), Temperature of Air, Pressure of Vapour, Additional Capacity of Air and Ground temperatures, 1 inch and 8 inches below the surface (exposed to solar rays.)

1912. Month.	Height of Barometer.			Temperature of Air.			Pressure of Vapour.			Additional Capacity.			Ground Thermometer 1 inch deep.			Ground Thermometer 8 inches deep.		
	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.
January	In. 30.119	In. 29.869	0.250	° 90.5	° 65.8	° 24.7	In. 0.844	In. 0.359	In. 0.485	In. 0.935	In. 0.060	In. 0.875	° 117.8	° 69.5	° 48.3	° 83.7	° 76.4	° 7.3
February	.. 0.087	.. 0.761	.. 0.326	.. 88.4	.. 66.8	.. 21.6	.. 0.847	.. 0.326	.. 0.521	.. 0.921	.. 0.075	.. 0.846	.. 121.5	.. 71.0	.. 50.5	.. 87.3	.. 78.4	.. 8.9
March	.. 0.043	.. 0.738	.. 0.305	.. 89.6	.. 70.9	.. 18.7	.. 0.923	.. 0.419	.. 0.504	.. 0.787	.. 0.056	.. 0.731	.. 122.0	.. 74.5	.. 47.5	.. 94.7	.. 83.8	.. 10.9
April	.. 0.078	.. 0.678	.. 0.311	.. 90.8	.. 76.3	.. 14.5	.. 1.076	.. 0.601	.. 0.475	.. 0.773	.. 0.087	.. 0.686	.. 121.6	.. 80.5	.. 41.1	.. 101.3	.. 90.3	.. 11.0
May	.. 0.091	.. 0.650	.. 0.269	.. 92.2	.. 79.1	.. 13.1	.. 0.051	.. 0.716	.. 0.335	.. 0.708	.. 0.123	.. 0.585	.. 120.9	.. 84.5	.. 36.4	.. 105.4	.. 94.7	.. 10.7
June	.. 0.028	.. 0.431	.. 0.397	.. 93.4	.. 75.5	.. 17.9	.. 0.059	.. 0.808	.. 0.251	.. 0.570	.. 0.044	.. 0.526	.. 115.0	.. 75.0	.. 40.0	.. 106.2	.. 83.3	.. 22.9
July	.. 0.047	.. 0.361	.. 0.386	.. 87.6	.. 74.9	.. 12.7	.. 0.016	.. 0.787	.. 0.229	.. 0.330	.. 0.025	.. 0.305	.. 96.0	.. 74.0	.. 22.0	.. 92.7	.. 77.8	.. 14.9
August	.. 0.043	.. 0.543	.. 0.300	.. 85.2	.. 75.0	.. 10.2	.. 0.982	.. 0.762	.. 0.220	.. 0.312	.. 0.033	.. 0.279	.. 99.0	.. 75.8	.. 23.2	.. 89.0	.. 79.8	.. 9.2
September	.. 0.048	.. 0.612	.. 0.336	.. 87.5	.. 75.4	.. 12.1	.. 1.059	.. 0.727	.. 0.332	.. 0.409	.. 0.049	.. 0.360	.. 112.0	.. 76.5	.. 35.5	.. 94.5	.. 82.1	.. 12.4
October	.. 0.073	.. 0.746	.. 0.227	.. 91.9	.. 74.1	.. 17.8	.. 0.018	.. 0.421	.. 0.597	.. 0.978	.. 0.041	.. 0.937	.. 116.0	.. 75.0	.. 41.0	.. 92.9	.. 83.3	.. 9.6
November	.. 0.029	.. 0.632	.. 0.347	.. 91.6	.. 68.8	.. 22.8	.. 0.937	.. 0.448	.. 0.489	.. 0.844	.. 0.040	.. 0.804	.. 114.0	.. 70.0	.. 44.0	.. 88.3	.. 74.5	.. 13.8
December	.. 0.100	.. 0.817	.. 0.283	.. 86.1	.. 68.4	.. 17.7	.. 0.835	.. 0.387	.. 0.448	.. 0.762	.. 0.085	.. 0.677	.. 112.0	.. 69.8	.. 42.2	.. 80.3	.. 74.9	.. 5.4
Year	30.119	29.361	0.758	93.4	65.8	27.6	1.076	0.326	0.750	0.978	0.025	0.953	122.0	69.5	52.5	106.2	74.5	31.7

Relative Humidity of the Air, 1912.

Extent of cloudy Sky, 1912.

TABLE IXa.—Daily and monthly means of observations taken at 6, 10, 14, 16 and 22 hours, daily.

TABLE IXb.—Daily and monthly means of observations taken at 6, 10, 14, 16 and 22 hours daily, the whole sky being reckoned as 10.0.

Complete Saturation=1.000.

1912.		Month.												1912.		Month.											
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1	0.646	0.587	0.705	0.729	0.732	0.717	0.794	0.841	0.895	0.764	0.729	0.644	0.644	1	..	4.4	1.0	0.6	1.6	1.2	7.0	6.6	9.2	1.6	0.6	..	
2	0.627	0.542	0.680	0.744	0.735	0.724	0.791	0.848	0.873	0.699	0.802	0.637	0.637	2	..	..	5.6	0.6	3.2	1.0	7.0	8.2	9.2	0.2	1.0	..	
3	0.694	0.673	0.688	0.804	0.769	0.722	0.813	0.885	0.833	0.724	0.801	0.674	0.674	3	3.4	..	1.8	1.6	0.6	4.6	8.6	10.0	8.0	3.4	0.8	..	
4	0.661	0.731	0.639	0.782	0.653	0.717	0.843	0.869	0.795	0.781	0.788	0.696	0.696	4	..	5.0	0.2	3.6	4.8	4.8	7.2	9.8	3.6	2.4	..		
5	0.665	0.724	0.583	0.706	0.653	0.712	0.800	0.878	0.785	0.780	0.789	0.754	0.754	5	0.8	5.4	0.8	2.4	4.8	5.8	8.0	8.8	7.0	6.2	2.0	2.4	
6	0.598	0.742	0.654	0.670	0.778	0.706	0.874	0.833	0.810	0.806	0.734	0.711	0.711	6	0.2	1.0	0.8	0.6	3.8	3.8	9.8	6.6	8.0	3.8	1.2	2.4	
7	0.645	0.752	0.671	0.621	0.730	0.703	0.862	0.874	0.837	0.856	0.668	0.663	0.663	7	..	1.8	1.4	1.4	2.4	2.4	9.0	9.2	7.0	9.0	1.4	3.6	
8	0.740	0.774	0.615	0.625	0.736	0.717	0.896	0.931	0.787	0.844	0.630	0.731	0.731	8	..	4.6	..	..	1.6	2.6	8.8	10.0	5.2	8.6	..	..	
9	0.799	0.752	0.703	0.628	0.712	0.709	0.854	0.924	0.771	0.871	0.617	0.699	0.699	9	1.2	2.0	..	0.6	2.4	4.0	9.6	9.0	1.8	8.0	..	0.2	
10	0.742	0.720	0.681	0.695	0.752	0.722	0.819	0.861	0.764	0.855	0.595	0.731	0.731	10	2.4	1.2	1.6	1.0	2.0	4.0	7.2	8.0	3.6	6.0	..	2.8	
11	0.617	0.721	0.682	0.771	0.772	0.707	0.821	0.852	0.769	0.840	0.609	0.696	0.696	11	..	0.4	4.0	4.0	2.4	7.2	8.0	8.6	6.6	4.0	..	1.8	
12	0.614	0.696	0.619	0.767	0.772	0.746	0.794	0.846	0.765	0.878	0.583	0.634	0.634	12	1.0	0.4	0.4	4.0	3.0	10.0	8.6	9.6	5.6	2.0	..	..	
13	0.635	0.672	0.610	0.695	0.746	0.842	0.789	0.835	0.757	0.786	0.542	0.516	0.516	13	2.0	2.4	..	6.0	4.2	10.0	5.6	9.0	2.6	7.0	..	..	
14	0.568	0.687	0.597	0.795	0.740	0.774	0.811	0.858	0.772	0.798	0.606	0.583	0.583	14	1.4	1.8	..	5.4	3.4	6.6	4.4	9.4	2.0	1.4	..	..	
15	0.575	0.728	0.713	0.752	0.722	0.762	0.798	0.850	0.755	0.814	0.703	0.679	0.679	15	0.2	0.8	..	1.6	4.6	6.8	6.0	9.6	3.4	1.0	..	1.6	
16	0.688	0.706	0.724	0.727	0.733	0.823	0.907	0.854	0.781	0.758	0.747	0.651	0.651	16	0.4	0.2	1.0	2.4	4.6	5.4	9.6	9.0	4.4	2.6	2.8	0.6	
17	0.681	0.789	0.721	0.756	0.726	0.761	0.869	0.850	0.791	0.768	0.709	0.655	0.655	17	3.0	0.8	0.6	4.0	3.0	9.6	8.6	7.6	1.8	1.0	5.0	3.0	
18	0.727	0.765	0.743	0.690	0.726	0.726	0.802	0.838	0.781	0.691	0.650	0.714	0.714	18	4.0	0.2	..	1.2	3.0	10.0	9.2	7.6	1.4	3.4	2.4	4.0	
19	0.683	0.718	0.805	0.788	0.772	0.884	0.909	0.830	0.821	0.670	0.599	0.741	0.741	19	2.6	..	0.6	1.2	3.0	9.8	9.8	8.8	7.8	2.8	3.6	2.4	
20	0.611	0.659	0.811	0.772	0.665	0.911	0.942	0.855	0.820	0.632	0.599	0.741	0.741	20	..	0.4	..	2.4	2.8	10.0	10.0	8.2	6.6	4.0	10.0	1.0	
21	0.672	0.563	0.736	0.700	0.666	0.851	0.949	0.858	0.838	0.473	0.805	0.728	0.728	21	0.4	..	0.4	4.0	4.0	8.4	10.0	8.0	6.6	4.0	4.2	1.0	
22	0.748	0.636	0.768	0.721	0.664	0.820	0.866	0.821	0.859	0.603	0.910	0.731	0.731	22	..	..	..	4.0	4.4	4.2	9.8	8.8	2.4	5.0	3.4	3.0	
23	0.804	0.619	0.731	0.753	0.665	0.801	0.846	0.821	0.841	0.665	0.812	0.694	0.694	23	3.2	1.2	0.4	6.0	4.4	5.8	9.6	8.6	2.0	5.6	1.2	1.0	
24	0.679	0.693	0.733	0.686	0.669	0.794	0.854	0.819	0.826	0.771	0.692	0.648	0.648	24	2.6	1.2	0.4	4.0	4.4	5.8	9.6	8.6	2.0	5.6	..	..	
25	0.645	0.733	0.814	0.676	0.673	0.782	0.862	0.874	0.805	0.834	0.675	0.697	0.697	25	3.0	..	..	3.0	1.6	4.6	9.6	8.8	5.0	5.6	..	..	
26	0.692	0.727	0.753	0.731	0.705	0.783	0.843	0.828	0.825	0.867	0.706	0.754	0.754	26	4.4	..	..	2.0	2.0	5.0	10.0	7.6	3.6	9.0	..	..	
27	0.632	0.758	0.737	0.714	0.705	0.841	0.838	0.787	0.809	0.850	0.668	0.707	0.707	27	..	0.4	1.8	1.2	6.4	6.0	10.0	7.8	5.0	4.0	0.2	..	
28	0.622	0.715	0.691	0.748	0.737	0.853	0.909	0.828	0.822	0.724	0.599	0.648	0.648	28	5.4	1.6	2.4	2.0	7.0	8.6	10.0	8.8	4.0	5.6	..	..	
29	0.725	0.737	0.711	0.744	0.791	0.866	0.886	0.834	0.810	0.751	0.584	0.666	0.666	29	..	0.6	..	3.2	6.4	9.4	10.0	8.4	4.4	3.0	..	..	
30	0.809	0.754	0.661	0.714	0.772	0.806	0.853	0.885	0.760	0.742	0.594	0.702	0.702	30	6.0	..	..	2.2	7.2	7.0	7.4	8.6	3.4	2.4	..	..	
31	0.754	0.754	0.745	0.745	0.727	0.806	0.833	0.824	0.824	0.741	0.735	0.735	0.735	31	3.2	..	3.0	4.2	4.2	6.8	6.8	7.2	1.0	3.6	..	..	
Monthly Mean.		0.677	0.701	0.701	0.723	0.723	0.788	0.851	0.851	0.805	0.762	0.686	0.685	Monthly Mean.	2.0	1.3	1.2	2.3	3.4	6.1	8.6	8.5	5.0	4.1	2.0	1.3	
Annual Variation.		— .069	— .045	— .045	— .023	— .023	— .042	— .105	— .105	— .105	— .060	— .061	— .061	Annual Variation.	— 1.8	— 2.5	— 2.6	— 1.5	— 0.4	— 2.3	— 4.8	— 4.7	— 1.2	— 0.3	— 1.8	— 2.5	

..0.746

Annual Mean

For the days which have no entry, 0.0 is to be understood.

Mean of the months from January to April, November and December .. 1.7
Mean of the months from May to October .. 5.9
Mean for the year .. 3.8

TABLE X.—Five-day Means, 1912.

Number of Five-day Period.	Barometric Pressure.	Temperature of the air.	Pressure of Vapour.	Additional Capacity of the air.	* Rainfall.	North or South Component of Wind.	East or West Component of Wind.	Number of five-day Period.	Barometric Pressure.	Temperature of the air.	Pressure of Vapour.	Additional Capacity of the air.	* Rainfall.	North or South Component of Wind.	East or West Component of Wind.
	In.	°	In.	In.	In.	Miles.	Miles.		In.	°	In.	In.	In.	Miles.	Miles.
1	29.956	76.4	0.622	0.296	..	2.3 N	0.9 E	38	29.585	81.5	0.933	0.143	2.65	3.8 S	6.1 W
2	..	74.5	.613	.247	..	3.5 N	0.9 W	39	.654	83.5	.938	.211	0.71	3.2 S	9.7 W
3	..	72.9	.499	.318	..	5.3 N	0.8 W	40	..	81.3	.931	.139	6.20	2.6 S	9.6 W
4	30.021	75.3	.628	.259	..	2.6 N	0.1 E	41	.568	80.5	.930	.110	12.50	2.0 S	14.6 W
5	..	75.7	.651	.243	..	4.6 N	1.9 W	42	.546	80.5	.903	.137	2.74	4.5 S	15.2 W
6	29.983	78.5	.699	.283	..	0.9 N	0.4 E	43	.688	81.4	.918	.154	2.26	3.2 S	9.7 W
7	..	74.2	.569	.280	..	3.0 N	1.9 W	44	.667	80.3	.916	.118	2.52	2.8 S	9.1 W
8	..	75.5	.670	.215	..	0.0	0.1 W	45	.723	80.4	.904	.133	1.26	3.9 S	6.6 W
9	..	76.3	.654	.257	..	0.2 S	0.8 W	46	.710	80.6	.888	.156	0.73	3.5 S	9.1 W
10	..	76.5	.693	.223	..	3.6 N	2.9 W	47	.734	80.9	.893	.162	0.87	0.7 N	8.2 W
11	..	78.5	.640	.341	..	4.4 N	1.8 W	48	.682	80.1	.860	.169	1.39	0.5 S	4.9 W
12	..	76.5	.678	.284	..	3.9 N	4.4 W	49	.688	79.6	.868	.146	2.49	3.5 S	7.4 W
13	..	76.2	.595	.310	..	0.9 N	2.4 W	50	.713	79.8	.837	.181	0.76	1.9 S	3.1 W
14	..	77.4	.645	.299	..	5.0 N	3.3 W	51	.853	80.1	.804	.225	..	1.5 S	1.1 W
15	..	79.2	.675	.327	..	6.0 N	4.3 W	52	.861	80.9	.824	.232	..	2.9 N	2.3 W
16	..	79.4	.796	.211	..	0.2 N	3.1 W	53	.775	81.5	.902	.177	0.94	0.3 N	1.0 W
17	..	80.2	.814	.220	..	1.0 N	3.5 W	54	.784	82.5	.932	.183	..	0.6 N	2.1 W
18	..	80.9	.764	.295	..	2.0 N	4.1 W	55	.811	81.7	.899	.235	..	3.9 N	3.6 W
19	..	81.4	.828	.248	..	3.3 N	4.7 W	56	.837	80.7	.872	.213	..	1.9 N	1.2 W
20	..	82.9	.759	.370	..	5.1 N	3.5 W	57	.885	82.2	.919	.129	0.50	1.1 N	0.7 E
21	..	84.0	.911	.258	..	0.7 S	3.5 W	58	.852	83.5	.751	.403	..	3.5 N	1.9 E
22	..	83.5	.889	.263	..	2.6 N	5.5 W	59	.856	81.2	.862	.208	0.15	0.3 N	0.3 E
23	..	85.5	.884	.343	..	5.8 N	4.6 W	60	.832	80.1	.788	.245	..	2.0 N	0.1 W
24	..	83.3	.856	.287	..	2.0 N	4.9 W	61	.861	79.9	.814	.209	..	2.8 N	0.6 W
25	..	84.4	.875	.312	..	3.9 N	4.9 W	62	.917	79.6	.863	.364	..	2.9 N	1.1 E
26	..	84.2	.895	.281	..	0.5 N	4.3 W	63	.910	80.5	.685	.364	..	3.4 N	1.3 E
27	..	85.6	.950	.280	..	1.7 S	4.6 W	64	.842	82.5	.768	.346	1.00	3.7 N	1.7 E
28	..	86.3	.929	.330	..	2.4 S	4.5 W	65	.867	75.5	.698	.189	2.62	1.5 N	0.7 E
29	..	86.1	.859	.391	..	0.5 N	3.7 W	66	.927	75.8	.587	.310	..	3.8 N	4.3 E
30	..	85.8	.946	.294	..	0.3 S	5.9 W	67	.959	77.0	.676	.258	..	2.4 N	1.3 E
31	..	86.0	.925	.323	..	0.9 S	2.7 W	68	.983	77.1	.679	.256	..	2.7 N	1.3 E
32	..	87.5	.951	.354	..	0.0	2.9 W	69	..	76.5	.593	.326	..	3.4 N	2.9 E
33	..	86.4	.977	.287	..	14.1 S	7.2 W	70	..	75.5	.645	.244	..	3.1 N	1.0 E
34	..	81.8	.936	.153	3.56	3.4 S	5.6 W	71	..	75.9	.663	.239	..	2.4 N	1.4 E
35	..	83.2	.965	.176	4.82	1.5 S	7.0 W	72	..	76.3	.659	.254	..	2.4 N	1.0 E
36	..	83.2	.951	.190	1.72	3.5 S	..	73	..	..	..	..	..	..	..
37	..	83.8	.948	.213	0.54	..	..	..	..	..	..	..	..	..	..

* Five-day sums, not means.

Barometric Pressure, 1913.

TABLE Ia.—Daily and monthly means. TABLE Ib.—Mean diurnal inequality for each month of the year and for the whole year.

Height of the Barometer above mean Sea-level=37 feet.

Unity=0.001 inch.

1913.	Month.												1913.	Month.												Year.								
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.								
1	In. 29.982	In. 29.981	In. 29.847	In. 29.855	In. 29.759	In. 29.642	In. 29.740	In. 29.675	In. 29.717	In. 29.795	In. 29.879	In. 29.928	H. m.	+	3	+	9	+	7	0	+	5	+	8	+	3	+	1	0	+	5	+	4	
2	30.003	982	890	842	739	592	773	664	670	828	885	917	0 7	-	7	-	9	-	6	14	-	11	-	9	-	12	-	17	-	11	-	6	-	10
3	29.960	976	873	829	783	587	786	694	696	837	902	881	1 7	-	19	-	23	-	20	22	-	23	-	23	-	26	-	29	-	23	-	17	-	22
4	942	981	885	820	785	575	755	718	781	829	919	940	2 7	-	26	-	26	-	24	22	-	23	-	23	-	33	-	30	-	29	-	24	-	28
5	959	978	912	829	785	521	714	715	816	801	911	948	3 7	-	26	-	31	-	27	24	-	28	-	28	-	33	-	30	-	29	-	24	-	28
6	947	971	892	782	782	474	725	723	799	785	942	935	4 7	-	24	-	32	-	24	18	-	26	-	28	-	30	-	29	-	26	-	23	-	26
7	916	946	868	787	797	476	687	699	785	813	943	941	5 7	-	14	-	20	-	10	8	-	21	-	23	-	23	-	16	-	13	-	16	-	16
8	941	919	856	821	789	480	623	712	823	818	941	936	6 7	+	1	-	3	-	1	10	-	4	-	8	-	13	-	4	-	10	-	9	-	2
9	963	915	869	811	762	492	602	750	851	786	931	904	7 7	+	22	-	22	-	28	30	-	13	-	9	-	7	-	19	-	31	-	22	-	21
10	942	896	895	793	746	498	645	759	834	787	900	929	8 7	+	48	-	45	-	51	44	-	26	-	24	-	24	-	41	-	50	-	45	-	41
11	919	922	891	799	776	461	658	758	821	748	890	930	9 7	+	66	-	59	-	62	53	-	37	-	33	-	34	-	51	-	62	-	60	-	53
12	924	933	867	811	819	497	693	741	821	731	895	908	10 7	+	65	-	61	-	58	50	-	37	-	33	-	35	-	51	-	57	-	55	-	52
13	944	882	838	796	801	632	741	715	862	703	909	892	11 7	+	45	-	45	-	50	42	-	34	-	31	-	32	-	41	-	39	-	37	-	40
14	972	890	783	790	767	699	680	711	859	714	937	891	12 7	+	15	-	23	-	29	26	-	22	-	22	-	19	-	18	-	10	-	26	-	20
15	995	895	798	790	765	695	601	749	842	779	961	875	13 7	-	17	-	10	-	4	4	-	5	-	7	-	4	-	6	-	18	-	20	-	6
16	30.014	904	868	802	810	692	542	771	803	854	960	904	14 7	-	41	-	35	-	30	18	-	12	-	10	-	13	-	28	-	43	-	46	-	29
17	010	892	881	799	828	694	524	768	783	912	949	961	15 7	-	50	-	48	-	48	38	-	25	-	23	-	23	-	39	-	55	-	51	-	42
18	29.992	850	857	799	773	731	505	765	824	930	926	948	16 7	-	50	-	49	-	50	38	-	39	-	34	-	31	-	43	-	53	-	50	-	47
19	961	843	862	788	733	789	526	730	852	916	953	937	17 7	-	40	-	44	-	52	48	-	36	-	30	-	24	-	33	-	42	-	39	-	39
20	958	839	897	764	742	822	665	700	849	940	975	961	18 7	-	28	-	31	-	38	37	-	29	-	20	-	15	-	19	-	24	-	24	-	27
21	956	842	890	782	779	773	744	725	826	966	953	993	19 7	-	9	-	14	-	22	20	-	11	-	5	-	2	-	4	-	2	-	1	-	3
22	946	865	824	778	760	733	726	766	805	962	942	30.001	20 7	+	9	-	5	-	4	2	-	7	-	7	-	10	-	9	-	18	-	14	-	8
23	953	881	802	749	757	738	655	744	828	926	935	010	21 7	+	20	-	20	-	13	11	-	20	-	18	-	23	-	24	-	25	-	24	-	20
24	970	929	875	707	737	709	610	700	849	924	938	037	22 7	+	20	-	25	-	21	17	-	25	-	22	-	26	-	24	-	21	-	22	-	23
25	982	959	890	718	735	599	632	745	840	930	941	028	23 7	+	12	-	17	-	16	12	-	24	-	18	-	19	-	15	-	13	-	14	-	17
26	999	944	867	711	735	561	637	833	829	919	927	058	24 7	+	12	-	17	-	16	12	-	24	-	18	-	19	-	15	-	13	-	14	-	17
27	30.028	869	881	726	733	616	601	861	814	902	889	011	25 7	+	9	-	8	-	4	2	-	7	-	7	-	10	-	9	-	18	-	14	-	8
28	29.999	811	900	749	725	633	598	751	784	865	869	011	26 7	+	20	-	20	-	13	11	-	20	-	18	-	23	-	24	-	25	-	24	-	20
29	30.001	896	788	684	684	742	658	783	763	874	893	024	27 7	+	20	-	22	-	21	17	-	25	-	22	-	26	-	24	-	21	-	22	-	23
30	002	863	756	665	665	767	673	824	791	885	910	156	28 7	+	12	-	17	-	16	12	-	24	-	18	-	19	-	15	-	13	-	14	-	17
31	29.994		861	640				787					29 7	+	12	-	17	-	16	12	-	24	-	18	-	19	-	15	-	13	-	14	-	17
Monthly Mean.	29.970	29.910	29.867	29.786	29.758	29.631	29.658	29.741	29.807	29.849	29.924	29.967	Range.	116	110	112	119	103	76	67	68	94	117	116	115	100								
Annual Variation.	+ .148	+ .088	+ .045	- .036	- .064	- .191	- .164	- .081	- .015	+ .027	+ .102	+ .145																						

Annual Mean In. .29.822

Temperature of the Air, 1913.

TABLE IIa.—Daily and monthly means.
TABLE IIb.—Mean diurnal inequality for each month of the year and for the whole year.

1913.	Month.												1913.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Date.													Bombay Civil Time.													
													H. m.													
1	76.4	74.2	76.0	77.8	84.5	87.7	82.7	81.3	79.1	82.4	81.0	77.7	0 2	2.8	2.1	2.0	2.2	2.3	0.8	0.7	1.1	1.3	1.9	2.5		
2	76.7	75.2	75.9	77.9	84.0	87.6	82.6	80.7	77.8	81.5	80.8	76.9	0 2	3.2	2.4	2.4	2.6	2.7	1.1	1.1	1.2	1.5	2.4	3.1		
3	74.6	75.8	75.5	79.8	84.2	86.7	81.3	81.3	80.3	82.9	79.0	76.6	1 2	3.6	2.7	2.6	2.8	2.8	1.2	1.3	1.3	1.6	2.6	3.3		
4	74.1	75.9	75.5	79.8	84.2	86.7	81.3	81.3	80.3	82.9	79.0	76.6	1 2	4.0	3.3	3.1	3.3	3.1	1.3	1.3	1.5	1.7	2.8	3.8		
5	74.8	74.9	74.2	79.2	84.5	86.5	79.6	81.1	80.6	83.9	80.3	74.9	2 2	4.0	3.3	3.1	3.3	3.1	1.3	1.3	1.5	1.7	2.8	3.8		
6	75.7	75.5	74.5	81.1	83.6	86.2	78.1	80.6	80.0	84.8	80.7	74.2	3 2	4.2	3.7	3.6	3.6	3.1	1.4	1.4	1.4	1.8	3.2	4.1		
7	75.4	77.1	75.5	81.9	84.1	82.6	81.9	80.7	80.2	84.1	80.2	77.2	4 2	4.6	4.0	4.1	3.8	3.3	1.5	1.5	1.6	1.9	3.3	4.5		
8	75.6	77.2	75.5	80.1	84.3	81.0	80.0	79.9	80.0	84.7	79.6	78.5	5 2	4.6	4.0	4.1	3.8	3.3	1.5	1.5	1.6	1.9	3.3	4.5		
9	75.3	76.0	75.2	81.2	84.7	81.9	78.7	81.3	70.7	82.5	79.6	78.4	5 2	4.8	4.3	4.5	3.8	3.1	1.6	1.3	1.5	2.2	3.4	4.9		
10	74.4	75.8	75.5	81.4	84.4	81.3	81.9	81.4	79.1	79.1	79.2	78.1	6 2	5.0	4.6	4.1	2.6	2.1	1.3	1.1	1.3	1.9	3.0	4.7		
11	73.7	75.5	75.6	81.6	84.9	81.8	82.1	81.1	80.7	80.0	77.9	77.2	7 2	5.0	4.6	4.1	2.6	2.1	1.3	1.1	1.3	1.9	3.0	4.7		
12	72.3	75.2	76.5	82.3	85.1	83.6	82.1	81.6	80.6	80.4	78.0	75.9	7 2	5.8	4.9	4.1	2.6	2.1	1.3	1.1	1.3	1.9	3.0	4.7		
13	72.4	75.4	76.1	82.9	85.5	84.6	82.9	81.3	80.2	80.1	77.9	75.3	8 2	5.8	4.9	4.1	2.6	2.1	1.3	1.1	1.3	1.9	3.0	4.7		
14	72.6	75.0	76.8	83.1	85.7	84.9	81.5	81.6	80.8	81.7	77.4	74.9	9 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
15	73.4	75.8	76.1	82.3	85.9	84.6	82.9	81.4	81.4	82.0	77.3	75.2	9 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
16	73.6	76.5	74.7	82.0	85.8	84.6	81.1	81.4	79.0	80.5	77.7	77.4	10 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
17	74.8	75.5	77.4	81.6	85.5	84.8	82.0	81.4	80.5	79.7	77.5	77.3	11 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
18	74.5	75.5	77.3	81.7	85.1	85.0	82.0	81.4	80.5	79.7	77.5	75.2	12 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
19	75.2	76.3	76.1	82.0	85.5	85.0	82.0	81.4	80.5	79.7	77.5	75.2	13 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
20	75.5	77.5	75.2	81.8	85.8	85.1	82.1	81.4	80.5	79.7	77.5	75.9	14 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
21	73.9	77.7	75.6	82.3	85.5	84.8	82.1	81.4	80.5	79.7	77.5	75.9	15 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
22	73.4	76.2	78.2	82.2	85.3	84.8	81.5	80.5	81.3	82.6	77.8	74.8	16 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
23	72.2	74.9	80.0	81.5	85.5	85.5	80.5	80.3	81.0	83.3	75.6	74.2	16 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
24	71.9	75.4	79.1	81.2	85.5	85.5	80.5	80.3	81.0	83.3	75.6	74.2	16 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
25	73.9	72.0	78.2	82.0	85.7	85.7	80.5	81.2	81.2	83.1	79.0	71.7	17 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
26	75.5	73.2	77.5	82.0	86.6	86.6	81.1	81.1	81.3	81.5	79.8	70.9	17 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
27	75.9	71.1	76.6	83.3	87.1	87.1	81.1	81.1	81.3	81.5	79.8	70.9	18 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
28	75.1	75.9	77.6	84.9	87.6	87.6	81.1	81.1	81.3	81.5	79.8	70.9	19 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
29	74.4	75.9	77.6	84.9	87.6	87.6	81.1	81.1	81.3	81.5	79.8	70.9	20 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
30	73.7	75.9	77.6	84.9	87.6	87.6	81.1	81.1	81.3	81.5	79.8	70.9	21 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
31	73.6	75.9	77.6	84.9	87.6	87.6	81.1	81.1	81.3	81.5	79.8	70.9	22 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
Monthly Mean.	74.3	75.4	76.6	81.7	85.5	83.2	81.1	80.8	80.6	81.7	78.7	75.4	23 2	6.2	5.4	4.7	3.1	2.6	1.0	0.6	0.5	1.2	1.8	3.2		
Annual Variation.	- 5.3 - 4.2 - 3.0 + 2.1 + 5.9 + 3.6 + 1.5 + 1.2 + 1.0 + 2.1 - 0.9 - 4.2												- 5.3 - 4.2 - 3.0 + 2.1 + 5.9 + 3.6 + 1.5 + 1.2 + 1.0 + 2.1 - 0.9 - 4.2													

Annual Mean

79.6

Temperature of the Air, 1913.

TABLE IIc.—Showing the maximum Temperature of the Air on each day during the year 1913. TABLE II d.—Showing the minimum Temperature of the Air on each day during the year 1913.

1913.		Month.												1913.		Month.											
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	1913.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
		86.5	82.3	84.5	86.6	91.4	94.4	86.9	84.9	82.6	87.9	90.2	85.1			70.8	69.5	68.3	71.3	80.4	85.2	79.4	79.4	77.6	79.9	75.2	73.3
1	..	85.9	83.4	85.1	84.1	91.0	94.4	87.4	82.0	79.2	88.2	88.2	85.0	1	..	70.6	69.3	67.3	72.3	79.3	84.2	80.2	79.4	76.1	78.2	75.2	71.3
2	..	84.1	84.0	83.9	85.3	91.5	94.4	87.3	85.4	84.5	88.1	86.9	82.9	2	..	68.5	71.3	70.5	74.4	79.9	84.5	78.2	77.2	76.0	79.4	74.4	70.3
3	..	83.9	83.8	83.9	86.4	91.0	95.0	84.5	84.9	84.9	88.6	86.9	82.9	3	..	65.8	70.8	75.2	75.4	79.9	82.2	78.7	78.8	76.4	79.8	73.8	72.3
4	..	85.0	83.4	82.3	87.1	90.9	93.0	85.1	84.1	84.7	90.4	88.1	81.6	4	..	67.7	68.3	70.3	74.4	80.2	80.4	76.5	77.9	78.2	79.9	74.1	69.3
5	..	85.1	84.1	83.9	90.2	90.8	93.0	82.4	84.3	84.9	90.6	88.9	82.1	5	..	68.8	69.3	69.3	74.4	78.8	79.8	73.9	76.6	78.0	79.9	75.6	68.4
6	..	85.9	85.0	84.6	90.2	90.6	85.3	86.5	83.3	84.3	88.9	87.9	85.2	6	..	69.8	72.0	70.5	75.4	79.5	79.8	77.8	78.4	77.6	80.2	74.9	72.1
7	..	84.6	85.1	83.3	88.3	91.2	84.4	85.6	82.5	84.9	90.2	88.0	85.8	7	..	69.8	72.3	70.8	75.4	79.5	79.2	76.6	78.4	76.2	81.4	75.2	73.3
8	..	84.1	83.3	83.3	89.3	91.2	84.7	85.7	85.9	85.1	88.9	88.6	85.0	8	..	70.3	71.5	71.5	76.1	80.4	78.8	76.7	77.9	76.3	82.4	73.7	73.5
9	..	83.1	83.9	83.7	89.3	91.2	83.9	85.7	85.9	86.1	85.1	88.2	84.9	9	..	68.3	70.8	72.1	76.1	79.4	78.8	77.2	79.2	76.3	75.8	74.1	72.3
10	..	82.1	84.9	85.0	88.3	91.3	85.2	85.6	85.9	86.1	86.1	86.3	84.3	10	..	66.8	69.3	70.3	77.1	80.2	79.4	78.4	78.6	76.6	76.0	73.3	72.5
11	..	81.4	84.3	85.4	89.1	91.4	86.1	85.8	85.4	85.9	87.0	87.3	82.7	11	..	66.8	68.5	71.3	77.8	80.8	78.5	78.4	78.9	76.6	76.8	72.3	71.3
12	..	80.8	85.1	84.7	90.8	91.3	88.8	87.1	86.0	85.5	87.1	86.4	82.3	12	..	66.1	67.5	69.4	77.3	81.6	81.6	78.4	77.4	75.4	75.9	70.3	71.3
13	..	81.6	83.9	84.3	90.4	91.3	89.3	85.9	86.1	86.0	87.8	85.9	82.0	13	..	66.3	69.1	71.9	78.6	81.9	81.9	78.4	78.2	76.5	76.7	70.1	70.8
14	..	82.5	83.1	84.5	90.2	91.5	89.3	86.9	85.1	86.9	88.0	86.7	83.6	14	..	65.7	71.3	70.3	77.2	82.2	81.6	77.8	77.8	75.9	76.4	72.1	68.6
15	..	83.3	83.1	83.9	88.9	92.1	89.4	84.9	85.6	81.1	86.6	87.1	87.7	15	..	69.0	68.3	72.6	76.4	81.4	80.6	77.9	78.9	76.3	76.4	71.3	70.1
16	..	84.9	84.9	85.0	89.1	91.6	89.2	83.9	85.8	86.2	85.1	87.3	86.6	16	..	68.1	68.3	73.3	77.2	82.1	81.7	76.0	77.2	76.8	75.2	70.1	68.3
17	..	85.1	86.0	84.1	89.3	90.7	89.8	79.2	85.0	87.9	86.3	86.3	85.9	17	..	69.3	71.1	70.3	77.2	82.1	81.6	76.4	75.4	76.8	76.2	71.3	68.7
18	..	85.9	86.3	83.7	89.1	91.7	89.8	84.1	82.5	85.1	88.0	86.3	86.5	18	..	66.8	72.3	73.3	78.2	81.4	81.9	77.4	77.4	76.7	75.8	72.1	70.6
19	..	83.7	85.1	85.3	89.3	92.5	91.0	85.9	84.2	84.9	89.1	86.7	85.4	19	..	67.8	72.3	70.9	77.2	80.6	75.6	78.4	77.8	76.4	75.8	70.3	68.2
20	..	82.7	84.1	88.3	90.0	92.3	79.5	85.4	83.6	85.8	91.0	84.6	82.9	20	..	64.3	71.5	72.8	77.2	81.6	74.4	77.2	76.8	76.4	76.4	70.3	68.7
21	..	81.5	83.1	86.3	89.2	93.3	78.2	82.6	84.5	85.8	90.2	84.6	81.6	21	..	63.8	72.1	74.4	77.4	81.9	74.4	76.4	76.8	76.4	76.4	70.1	66.9
22	..	82.1	83.4	86.3	89.1	93.4	81.3	83.9	84.1	86.1	90.9	84.1	80.3	22	..	68.8	72.3	73.0	77.6	82.8	75.7	79.1	78.2	76.6	76.4	73.5	64.1
23	..	84.9	79.5	86.5	88.9	93.4	81.7	83.1	86.3	86.1	89.1	86.9	80.1	23	..	68.8	68.3	73.0	77.6	82.8	75.7	79.1	78.7	76.4	75.8	73.5	64.1
24	..	84.9	83.1	85.3	89.1	93.4	85.1	83.6	86.3	86.1	89.1	86.9	80.1	24	..	68.8	68.3	73.0	77.6	82.8	75.7	79.1	78.7	76.4	75.8	73.5	64.1
25	..	84.9	83.1	85.3	89.1	93.4	85.1	83.6	86.3	86.1	89.1	86.9	80.1	25	..	68.8	68.3	73.0	77.6	82.8	75.7	79.1	78.7	76.4	75.8	73.5	64.1
26	..	84.9	83.1	85.3	89.1	93.4	85.1	83.6	86.3	86.1	89.1	86.9	80.1	26	..	68.8	68.3	73.0	77.6	82.8	75.7	79.1	78.7	76.4	75.8	73.5	64.1
27	..	84.5	84.6	85.3	90.5	94.0	81.9	83.3	83.9	87.3	88.9	87.2	80.2	27	..	69.8	68.3	72.0	78.6	83.2	74.4	77.2	77.5	75.4	74.1	75.8	65.7
28	..	82.6	87.4	86.3	90.8	93.4	85.3	81.6	85.3	88.4	88.3	85.5	79.2	28	..	68.3	68.3	72.3	81.6	83.4	74.6	77.2	75.7	77.4	73.8	73.8	64.5
29	..	83.0	87.1	86.1	91.0	93.3	87.3	85.4	86.5	87.6	88.9	85.0	82.3	29	..	67.3	68.3	72.0	81.4	84.2	79.6	77.9	77.8	77.4	74.6	73.3	68.1
30	..	82.5	86.1	86.9	87.8	93.8	86.9	85.2	87.1	88.6	89.4	84.4	82.1	30	..	67.3	67.3	71.1	80.4	84.1	79.6	78.8	78.2	79.4	76.3	74.6	70.5
31	..	82.9	86.9	86.9	88.9	94.5	83.8	83.8	86.4	86.4	89.5	84.4	82.7	31	..	67.3	67.3	72.7	80.4	82.9	79.8	79.8	78.0	76.4	76.4	70.6	70.6
Monthly Mean.		83.7	84.1	85.0	88.9	92.0	87.6	84.6	84.9	85.4	88.4	86.9	83.5	Monthly Mean.		68.0	69.7	71.3	76.8	81.4	79.8	74.5	77.8	77.0	77.1	73.1	69.8

Annual Mean
The greatest maximum temperature recorded during the year (that of 4th June) was .. 86.2

Annual Mean
The least minimum temperature recorded during the year (that of 26th February) was .. 63.3

Pressure of Vapour, 1913.

TABLE IIIa.—Daily and Monthly Means.

TABLE IIIb.—Mean diurnal inequality for each month of the year and for the whole year.

Unity=0.001 inch.

1913.	Month.												1913.	Month.												Year.
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1	In. 0.607	In. 0.618	In. 0.611	In. 0.761	In. 0.919	In. 1.007	In. 0.935	In. 0.891	In. 0.844	In. 0.925	In. 0.720	In. 0.723	H. M. 0 2	7	5	9	4	9	6	14	8	18	3	5	9	5
2	578	608	635	766	946	975	928	904	863	954	756	650	0 2	7	0	7	10	16	11	12	15	22	18	16	12	10
3	592	707	676	764	929	973	933	912	908	965	734	639	1 2	6	4	4	10	10	10	20	14	20	31	14	19	12
4	603	732	653	772	910	930	910	904	898	998	799	668	2 2	6	4	4	10	10	10	20	14	20	31	14	19	12
5	623	662	533	781	897	972	889	895	889	1.014	790	571	2 2	13	17	2	20	20	14	16	17	22	33	25	19	18
6	612	661	567	820	876	957	857	893	864	0.050	679	571	3 2	17	18	4	28	20	18	20	16	19	33	39	24	21
7	600	718	652	765	886	942	918	893	848	0.005	717	757	4 2	17	18	4	28	20	18	20	16	19	33	39	24	21
8	596	682	678	829	869	942	927	868	859	0.003	722	792	5 2	32	32	17	26	19	18	24	17	11	35	36	36	25
9	566	649	665	810	869	948	938	890	820	0.883	689	803	6 2	43	35	26	20	11	17	18	14	9	32	45	29	25
10	561	571	697	871	848	947	933	894	819	0.889	686	751	7 2	46	44	25	9	14	12	15	11	1	18	35	33	22
11	574	545	635	829	866	998	938	848	819	0.872	676	677	8 2	37	43	11	6	4	0	1	3	16	13	35	22	12
12	574	611	723	840	878	976	946	832	832	0.908	722	672	9 2	30	28	24	2	1	9	9	7	22	13	29	16	8
13	574	669	663	844	892	945	945	822	823	0.851	714	609	10 2	30	14	11	8	9	20	23	27	28	9	16	5	4
14	522	662	645	858	896	946	929	838	836	0.837	684	636	11 2	34	19	2	13	6	24	23	24	24	6	23	12	2
15	584	502	747	815	888	942	948	847	885	0.823	640	575	12 2	62	12	13	14	12	25	23	31	33	6	47	22	1
16	575	553	727	820	860	915	912	827	921	0.781	658	525	13 2	46	13	10	19	14	20	23	23	28	11	38	16	5
17	603	609	558	865	857	931	903	843	935	0.893	689	576	14 2	46	13	10	19	14	20	23	23	28	11	38	16	5
18	622	709	536	866	905	906	924	843	935	0.863	691	583	15 2	5	25	15	14	16	19	30	21	22	34	9	15	19
19	625	793	527	839	913	902	933	855	909	0.863	691	583	16 2	27	27	12	8	14	12	20	14	15	45	35	38	22
20	628	694	619	868	898	856	908	850	861	0.801	702	627	17 2	41	38	5	8	18	12	20	14	15	45	35	38	22
21	499	826	877	876	902	829	898	839	851	0.750	618	608	18 2	52	28	3	5	16	12	20	14	15	45	35	38	22
22	514	588	826	877	907	865	913	862	831	0.764	661	550	19 2	52	28	3	5	16	12	20	14	15	45	35	38	22
23	607	444	728	852	936	900	914	870	832	0.768	741	475	20 2	52	28	3	5	16	12	20	14	15	45	35	38	22
24	613	406	696	860	955	964	901	876	864	0.771	749	495	21 2	59	32	1	2	9	1	3	5	10	19	60	46	17
25	655	521	724	937	971	902	906	851	885	0.749	699	534	22 2	54	28	1	3	4	4	7	7	20	18	70	45	15
26	652	543	715	1.010	967	964	912	846	907	0.786	731	537	23 2	66	38	8	6	4	4	6	7	12	20	79	36	19
27	591	728	0.995	975	982	982	940	852	928	0.755	766	642	24 2	47	28	11	6	1	12	5	11	11	8	48	27	11
28	541	734	939	987	975	966	930	879	994	0.762	782	718	25 2	16	24	16	7	4	5	1	8	9	7	5	3	3
29	565	779	779	972	972	972	920	858	994	0.757	757	718	30 2	5	0	18	2	5	6	10	8	15	9	6	18	4
31	565	779	779	972	972	972	920	858	994	0.757	757	718	31 2	5	0	18	2	5	6	10	8	15	9	6	18	4
Monthly Mean.	0.588	0.621	0.669	0.846	0.906	0.943	0.920	0.866	0.871	0.866	0.708	0.637	Range.	128	82	44	47	38	43	54	48	55	80	126	82	49
Annual Variation.	— .199	— .166	— .118	— .059	— .119	— .156	— .133	— .079	— .084	— .079	— .079	— .150														

Annual Mean In 0.787

Additional Capacity of the Air, 1913.

TABLE IVa.—Daily and Monthly Means.

TABLE IVb.—Mean diurnal inequality for each month of the year and for the whole year.

Unity=0.001 inch.

1913.	Month.												1913.	Month.												Year.
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1	In. 0.312	In. 0.231	In. 0.291	In. 0.197	In. 0.268	In. 0.309	In. 0.184	In. 0.176	In. 0.150	In. 0.183	In. 0.343	In. 0.231	H. m. 0 2	- 91	- 61	- 72	- 74	- 82	- 27	- 13	- 30	- 27	- 66	- 78	- 63	- 57
2	.. 0.350	.. 0.211	.. 0.265	.. 0.193	.. 0.224	.. 0.336	.. 0.188	.. 0.143	.. 0.090	.. 0.124	.. 0.298	.. 0.280	0 2	- 102	- 73	- 81	- 80	- 87	- 34	- 25	- 28	- 28	- 66	- 84	- 73	- 63
3	.. 0.271	.. 0.187	.. 0.210	.. 0.237	.. 0.271	.. 0.355	.. 0.159	.. 0.149	.. 0.116	.. 0.139	.. 0.273	.. 0.302	1 2	- 111	- 78	- 82	- 88	- 98	- 40	- 24	- 33	- 36	- 60	- 95	- 74	- 68
4	.. 0.249	.. 0.166	.. 0.232	.. 0.248	.. 0.268	.. 0.349	.. 0.158	.. 0.164	.. 0.137	.. 0.156	.. 0.199	.. 0.249	2 2	- 103	- 79	- 83	- 88	- 98	- 39	- 31	- 35	- 38	- 66	- 97	- 87	- 71
5	.. 0.285	.. 0.225	.. 0.296	.. 0.249	.. 0.281	.. 0.265	.. 0.107	.. 0.154	.. 0.163	.. 0.148	.. 0.278	.. 0.231	3 2	- 105	- 90	- 103	- 94	- 101	- 39	- 30	- 34	- 41	- 76	- 91	- 89	- 74
6	.. 0.288	.. 0.217	.. 0.236	.. 0.331	.. 0.285	.. 0.157	.. 0.174	.. 0.153	.. 0.183	.. 0.167	.. 0.319	.. 0.183	4 2	- 99	- 83	- 104	- 102	- 104	- 42	- 29	- 39	- 39	- 55	- 106	- 83	- 77
7	.. 0.297	.. 0.253	.. 0.207	.. 0.203	.. 0.313	.. 0.116	.. 0.099	.. 0.157	.. 0.166	.. 0.188	.. 0.293	.. 0.186	5 2	- 92	- 88	- 109	- 109	- 109	- 50	- 28	- 38	- 64	- 83	- 108	- 97	- 81
8	.. 0.335	.. 0.219	.. 0.195	.. 0.285	.. 0.317	.. 0.118	.. 0.080	.. 0.187	.. 0.211	.. 0.149	.. 0.331	.. 0.172	6 2	- 95	- 87	- 93	- 83	- 68	- 40	- 25	- 35	- 66	- 84	- 112	- 99	- 74
9	.. 0.293	.. 0.245	.. 0.219	.. 0.263	.. 0.315	.. 0.121	.. 0.153	.. 0.181	.. 0.175	.. 0.114	.. 0.338	.. 0.214	7 2	- 73	- 43	- 49	- 42	- 23	- 21	- 17	- 24	- 57	- 53	- 70	- 73	- 45
10	.. 0.277	.. 0.315	.. 0.199	.. 0.213	.. 0.355	.. 0.139	.. 0.163	.. 0.170	.. 0.228	.. 0.140	.. 0.275	.. 0.111	8 2	- 39	- 3	- 22	- 10	- 30	- 4	- 8	- 0	- 39	- 3	- 18	- 31	- 6
11	.. 0.213	.. 0.297	.. 0.271	.. 0.251	.. 0.388	.. 0.164	.. 0.170	.. 0.196	.. 0.243	.. 0.162	.. 0.258	.. 0.203	9 2	- 36	- 50	- 64	- 54	- 72	- 27	- 4	- 16	- 6	- 38	- 48	- 25	- 36
12	.. 0.225	.. 0.340	.. 0.269	.. 0.302	.. 0.362	.. 0.193	.. 0.186	.. 0.222	.. 0.213	.. 0.161	.. 0.288	.. 0.185	10 2	- 107	- 102	- 87	- 90	- 119	- 46	- 10	- 44	- 29	- 93	- 131	- 96	- 79
13	.. 0.203	.. 0.261	.. 0.202	.. 0.296	.. 0.358	.. 0.226	.. 0.130	.. 0.247	.. 0.250	.. 0.208	.. 0.276	.. 0.315	11 2	- 204	- 135	- 107	- 127	- 154	- 60	- 29	- 55	- 53	- 126	- 225	- 164	- 120
14	.. 0.254	.. 0.227	.. 0.241	.. 0.264	.. 0.350	.. 0.246	.. 0.182	.. 0.251	.. 0.154	.. 0.208	.. 0.276	.. 0.322	12 2	- 228	- 132	- 129	- 136	- 162	- 69	- 38	- 56	- 77	- 151	- 247	- 193	- 135
15	.. 0.314	.. 0.253	.. 0.223	.. 0.239	.. 0.343	.. 0.239	.. 0.144	.. 0.236	.. 0.143	.. 0.195	.. 0.296	.. 0.325	13 2	- 196	- 134	- 141	- 158	- 167	- 77	- 39	- 65	- 95	- 140	- 214	- 176	- 133
16	.. 0.289	.. 0.387	.. 0.195	.. 0.267	.. 0.338	.. 0.254	.. 0.144	.. 0.236	.. 0.152	.. 0.214	.. 0.287	.. 0.387	14 2	- 164	- 126	- 135	- 152	- 156	- 67	- 45	- 58	- 98	- 121	- 165	- 131	- 118
17	.. 0.286	.. 0.337	.. 0.212	.. 0.265	.. 0.352	.. 0.292	.. 0.075	.. 0.222	.. 0.152	.. 0.214	.. 0.287	.. 0.387	15 2	- 129	- 99	- 129	- 130	- 125	- 52	- 29	- 47	- 72	- 105	- 116	- 97	- 94
18	.. 0.277	.. 0.305	.. 0.343	.. 0.232	.. 0.368	.. 0.275	.. 0.079	.. 0.211	.. 0.235	.. 0.371	.. 0.257	.. 0.307	16 2	- 63	- 63	- 98	- 89	- 72	- 31	- 26	- 40	- 48	- 55	- 38	- 39	- 55
19	.. 0.270	.. 0.243	.. 0.341	.. 0.224	.. 0.333	.. 0.303	.. 0.139	.. 0.114	.. 0.094	.. 0.166	.. 0.283	.. 0.325	17 2	- 3	- 9	- 37	- 30	- 3	- 10	- 16	- 9	- 28	- 19	- 3	- 1	- 13
20	.. 0.217	.. 0.182	.. 0.364	.. 0.270	.. 0.314	.. 0.294	.. 0.164	.. 0.135	.. 0.136	.. 0.247	.. 0.340	.. 0.320	18 2	- 16	- 7	- 5	- 12	- 33	- 7	- 10	- 5	- 17	- 17	- 37	- 17	- 10
21	.. 0.199	.. 0.209	.. 0.251	.. 0.295	.. 0.354	.. 0.323	.. 0.168	.. 0.190	.. 0.210	.. 0.319	.. 0.255	.. 0.244	19 2	- 45	- 31	- 19	- 36	- 51	- 22	- 3	- 11	- 3	- 36	- 65	- 22	- 28
22	.. 0.294	.. 0.251	.. 0.295	.. 0.203	.. 0.326	.. 0.084	.. 0.144	.. 0.194	.. 0.227	.. 0.372	.. 0.256	.. 0.261	20 2	- 51	- 38	- 38	- 48	- 57	- 21	- 5	- 19	- 15	- 49	- 75	- 37	- 38
23	.. 0.274	.. 0.295	.. 0.172	.. 0.191	.. 0.319	.. 0.096	.. 0.139	.. 0.194	.. 0.235	.. 0.371	.. 0.257	.. 0.270	21 2	- 53	- 54	- 54	- 55	- 71	- 21	- 11	- 28	- 22	- 45	- 52	- 38	- 42
24	.. 0.274	.. 0.342	.. 0.241	.. 0.245	.. 0.298	.. 0.077	.. 0.142	.. 0.193	.. 0.235	.. 0.371	.. 0.257	.. 0.270	22 2	- 65	- 48	- 69	- 63	- 73	- 30	- 10	- 29	- 23	- 57	- 83	- 43	- 49
25	.. 0.277	.. 0.364	.. 0.249	.. 0.236	.. 0.315	.. 0.108	.. 0.159	.. 0.188	.. 0.209	.. 0.309	.. 0.273	.. 0.250	23 2	- 339	- 225	- 250	- 267	- 276	- 127	- 76	- 104	- 164	- 235	- 359	- 292	- 216
26	.. 0.244	.. 0.306	.. 0.196	.. 0.208	.. 0.318	.. 0.070	.. 0.115	.. 0.147	.. 0.135	.. 0.314	.. 0.328	.. 0.250	Range.	- 339	- 225	- 250	- 267	- 276	- 127	- 76	- 104	- 164	- 235	- 359	- 292	- 216
27	.. 0.244	.. 0.359	.. 0.236	.. 0.192	.. 0.343	.. 0.111	.. 0.113	.. 0.147	.. 0.173	.. 0.259	.. 0.260	.. 0.246														
28	.. 0.264	.. 0.261	.. 0.213	.. 0.213	.. 0.340	.. 0.152	.. 0.153	.. 0.224	.. 0.172	.. 0.297	.. 0.229	.. 0.201														
29	.. 0.294	.. 0.248	.. 0.248	.. 0.223	.. 0.320	.. 0.165	.. 0.156	.. 0.207	.. 0.135	.. 0.311	.. 0.193	.. 0.149														
30	.. 0.268	.. 0.192	.. 0.192	.. 0.192	.. 0.332	.. 0.165	.. 0.146	.. 0.221	.. 0.175	.. 0.221	.. 0.280	.. 0.251														
31	.. 0.268	.. 0.192	.. 0.192	.. 0.192	.. 0.332	.. 0.165	.. 0.146	.. 0.221	.. 0.175	.. 0.221	.. 0.280	.. 0.251														
Monthly Mean.	0.269	0.265	0.251	0.240	0.320	0.201	0.143	0.187	0.175	0.221	0.280	0.251		339	225	250	267	276	127	76	104	164	235	359	292	216
Annual Variation.	+ 0.355	+ 0.31	+ 0.17	+ 0.06	+ 0.86	- 0.33	- 0.91	- 0.47	- 0.59	- 0.13	+ 0.46	+ 0.17														

Inch.
.. 0.234

Annual Mean

Rainfall, 1913.

TABLE Va.—Total fall of rain (in inches) as measured by F. Chambers's self-registering gauge, the funnel of which is 28 feet above the ground.

1913.		Month.										1913.		Month.													
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	..	..	..	..	..	..	In.	In.	In.	In.	In.	..	..	1	..	..	..	..	..	..	In.	In.	In.	In.	..	..	
2	..	..	..	..	..	..	0.04	0.06	0.09	0.19	..	..	..	2	..	..	..	..	..	..	..	0.04	0.09	0.20	..	..	
3	..	..	..	..	..	..	0.06	0.08	1.28	1.28	..	..	..	3	..	..	..	..	..	..	..	0.08	0.09	1.38	..	..	
4	..	..	..	..	..	..	0.89	0.10	0.32	0.32	..	..	..	4	..	..	..	..	..	..	..	0.90	0.11	0.30	..	..	
5	..	..	..	..	..	..	0.01	0.09	0.35	0.35	..	..	..	5	..	..	..	..	..	..	..	0.63	0.11	0.37	..	..	
6	..	..	..	..	..	..	3.73	0.11	0.03	0.03	..	..	..	6	..	..	..	..	..	..	..	3.91	0.12	0.03	..	..	
7	..	..	..	..	..	..	0.01	1.20	0.26	..	..	..	..	7	..	..	..	..	..	..	..	1.23	0.26	..	..	..	
8	..	..	..	..	..	..	0.38	0.13	0.01	0.12	..	..	..	8	..	..	..	..	..	..	..	0.41	0.13	0.02	..	..	
9	..	..	..	..	..	..	2.62	0.09	0.12	0.12	..	..	..	9	..	..	..	..	..	..	..	4.70	0.10	0.12	..	..	
10	..	..	..	..	..	..	0.73	5.52	0.03	..	1.89	..	..	10	..	..	..	..	..	..	..	5.50	0.03	1.50	..	..	
11	..	..	..	..	..	..	0.82	0.36	0.12	0.14	0.40	..	..	11	..	..	..	..	..	..	..	1.48	0.01	0.16	0.45	..	
12	..	..	..	..	..	..	0.27	0.31	..	..	0.01	..	..	12	..	..	..	..	..	..	..	0.82	0.37	0.01	0.45	..	
13	..	..	..	..	..	..	0.02	0.27	0.01	0.14	0.22	..	..	13	..	..	..	..	..	..	..	0.27	0.28	0.24	0.24	..	
14	..	..	..	..	..	..	..	0.88	..	..	0.01	..	..	14	..	..	..	..	..	..	..	0.02	0.30	0.01	0.15	..	
15	..	..	..	..	..	..	0.03	0.08	..	0.01	..	..	..	15	..	..	..	..	..	..	..	0.88	..	..	..	..	
16	..	..	..	..	..	..	0.03	1.23	0.04	0.24	..	..	..	16	..	..	..	..	..	..	..	0.06	0.08	0.01	..	..	
17	..	..	..	..	..	..	0.10	0.03	0.03	..	..	..	..	17	..	..	..	..	..	..	..	0.03	1.31	0.05	0.27	..	
18	..	..	..	..	..	..	..	4.28	0.09	..	..	..	..	18	..	..	..	..	..	..	..	0.01	0.11	0.03	..	..	
19	..	..	..	..	..	..	..	3.74	0.01	1.83	..	..	..	19	..	..	..	..	..	..	..	4.28	0.10	..	..	..	
20	..	..	..	..	..	..	..	0.41	0.72	0.62	..	..	..	20	..	..	..	..	..	..	..	3.84	0.01	2.01	..	..	
21	..	..	..	..	..	..	0.12	0.57	0.62	..	..	..	..	21	..	..	..	..	..	..	..	0.42	0.75	0.62	..	..	
22	..	..	..	..	..	..	2.53	0.31	0.08	..	..	..	..	22	..	..	..	..	..	..	..	0.14	0.59	0.62	..	..	
23	..	..	..	..	..	..	1.24	1.11	0.17	..	..	..	..	23	..	..	..	..	..	..	..	2.60	0.32	0.68	..	..	
24	..	..	..	..	..	..	2.04	0.76	..	..	..	..	..	24	..	..	..	..	..	..	..	1.28	1.13	0.19	..	..	
25	..	..	..	..	..	..	5.08	0.57	0.05	..	..	..	..	25	..	..	..	..	..	..	..	2.11	0.78	..	..	..	
26	..	..	..	..	..	..	3.43	0.01	0.07	0.11	..	..	..	26	..	..	..	..	..	..	..	5.15	0.60	0.06	..	..	
27	..	..	..	..	..	..	3.37	0.67	0.34	0.11	..	..	..	27	..	..	..	..	..	..	..	3.59	0.01	0.09	0.11	..	
28	..	..	..	..	..	..	0.46	0.59	0.01	0.01	..	..	..	28	..	..	..	..	..	..	..	3.51	0.71	0.34	0.12	..	
29	..	..	..	..	..	..	0.15	0.04	..	..	..	..	..	29	..	..	..	..	..	..	..	0.48	0.64	0.01	0.02	..	
30	..	..	..	..	..	..	0.04	0.06	..	..	..	..	..	30	..	..	..	..	..	..	..	0.15	0.05	..	..	..	
31	..	..	..	..	..	..	0.25	..	..	..	..	..	..	31	..	..	..	..	..	..	..	0.05	0.07	..	..	..	
Monthly Total.	..	..	..	..	..	..	24.72	32.95	3.28	5.48	2.16	..	..	Monthly Total.	..	..	..	..	..	..	..	25.81	33.58	3.47	5.75	2.35	
Number of rainy days.	..	..	..	..	..	..	21	30	22	16	5	..	..	Number of rainy days.	..	..	..	..	..	..	..	21	30	22	16	5	

Total fall of rain in the year	..70.96 In.
Total number of rainy days in the year	.. 94
The greatest daily fall of rain in the year (that of 9th July) was	.. 5.50 In.

Total fall of rain in the year	..68.59 In.
Total number of rainy days in the year	.. 94
The greatest daily fall of rain in the year (that of 9th July) was	5.52 In.

July) was .. 9.52 in. No rain fell in the months of January, February, March, April, May, November and December, nor on any of the days left blank in the above table.

Velocity of Wind, 1913.

ROBINSON BECKLEY'S ANEMOGRAPH.

TABLE VIa.—Mean Velocity of the Wind in miles per hour, without regard to the Direction from which it blew for each day of Bombay Civil Time; also the Mean Monthly Velocity and its variation from the Mean of the year.

1913.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Date.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.
1	4.5	4.2	5.6	6.7	5.9	7.5	5.3	12.9	8.9	5.7	5.7	6.4	1.1
2	7.0	3.9	7.4	6.1	6.0	7.1	4.3	13.9	9.6	5.5	5.1	5.6	1.0
3	5.8	5.7	7.1	5.0	7.0	6.9	6.2	11.7	12.4	6.1	4.9	4.5	1.2
4	5.0	5.6	5.5	5.4	4.5	7.1	8.9	11.5	7.5	4.8	5.4	8.0	1.0
5	4.9	7.5	7.4	5.4	6.2	6.7	12.2	10.6	10.1	4.3	5.6	8.0	1.2
6	4.9	5.7	3.3	6.6	5.2	4.6	3.9	11.1	9.9	3.2	5.6	3.6	1.0
7	5.7	5.4	5.1	6.1	5.9	8.4	6.2	9.9	8.1	3.5	6.5	5.2	1.0
8	6.2	7.5	5.9	5.3	5.8	13.2	6.8	8.4	5.6	6.4	5.4	5.1	1.0
9	5.6	5.2	5.6	6.6	4.9	11.1	6.5	6.5	4.8	4.4	7.1	6.2	0.9
10	5.4	6.2	5.8	8.0	4.7	10.3	8.2	5.6	4.9	5.1	7.3	7.8	0.8
11	6.7	6.3	7.3	4.3	5.1	13.2	7.8	6.5	5.0	5.0	5.1	7.8	0.7
12	6.7	6.9	8.2	5.9	5.2	14.5	7.5	6.7	4.2	5.7	5.3	6.5	0.7
13	6.2	5.7	7.8	7.1	5.0	9.9	6.7	4.9	3.6	7.1	5.3	5.1	0.5
14	7.7	5.1	6.2	5.3	5.4	8.9	8.4	4.6	3.8	4.8	4.7	5.9	0.5
15	7.9	4.5	6.7	5.5	5.1	6.6	10.4	4.7	5.9	4.7	4.5	7.2	0.5
16	6.5	7.0	5.4	4.9	5.9	7.0	9.2	4.0	4.5	4.0	4.0	7.0	0.6
17	7.0	7.8	6.2	5.2	5.4	7.0	12.7	4.8	4.4	4.0	6.6	8.2	0.3
18	6.4	6.7	7.8	5.7	5.2	5.5	16.6	5.6	3.4	4.0	6.1	8.0	0.3
19	6.2	4.3	11.5	6.4	6.4	5.9	15.5	4.8	4.4	7.0	5.2	6.7	0.5
20	4.9	3.8	8.1	6.1	5.1	6.5	9.7	4.9	4.4	7.4	6.2	6.7	0.5
21	6.7	3.9	7.5	5.6	4.8	8.8	6.8	8.0	4.5	7.3	4.9	5.6	1.3
22	6.7	8.2	7.9	5.6	4.7	8.1	8.0	12.8	5.1	5.4	5.5	5.9	2.0
23	8.4	8.9	5.4	6.9	5.9	9.2	11.1	14.7	4.0	5.8	5.6	6.6	2.4
24	6.0	7.1	2.7	6.2	8.9	8.2	12.9	15.7	4.3	5.2	4.4	6.6	2.4
25	6.8	9.6	6.3	4.8	7.3	10.6	13.8	13.6	4.0	5.6	4.0	6.9	1.9
26	6.0	10.5	9.3	7.2	6.4	13.4	10.7	8.2	5.2	5.7	5.6	6.2	1.4
27	4.9	6.7	7.6	5.4	5.5	14.3	10.3	6.7	5.6	5.3	4.8	6.7	0.8
28	4.7	6.7	7.3	6.2	4.9	11.8	11.4	9.3	5.0	4.5	3.6	4.2	0.7
29	6.0	5.4	5.7	5.4	5.6	5.9	8.5	7.8	4.2	5.1	4.3	4.0	0.7
30	6.2	5.2	6.2	6.2	5.2	4.2	9.5	7.5	3.7	5.2	4.4	4.5	1.0
31	5.9	6.6	6.6	6.2	6.6	12.2	12.2	6.7	5.7	5.6	5.3	6.1	1.2
Monthly Mean.	6.0	6.3	6.7	5.8	5.6	8.7	9.3	8.5	5.7	5.3	5.3	6.1	
Annual Variation.	- 0.6	- 0.3	+ 0.1	- 0.8	- 1.0	+ 2.1	+ 2.7	+ 1.9	- 0.9	- 1.3	- 1.3	- 0.5	
Range.	5.8	5.7	6.3	7.6	5.3	2.2	1.6	2.1	3.4	3.7	4.0	5.0	3.6

Miles.

The mean velocity for June to August
The mean velocity for September to May
The mean velocity for the year

8.8
5.9
6.6

MEAN DAILY VELOCITIES OF THE NORTH AND EAST COMPONENTS OF THE WIND, 1913.

TABLE VIc.—Showing the Mean Velocities of the North or South and East or West Components of the Winds which blew on each day of the year 1913.

In Miles per Hour.

1913.		Month.																							
Date.	January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		
	N.	E. or W.	N.	E. or W.	N.	E. or W.	N.	E. or W.	N.	E. or W.	N.	E. or W.	N.	E. or W.	N.	E. or W.	N.	E. or W.	N.	E. or W.	N.	E. or W.			
1	2.5	1.0	0.8	0.9	3.8	2.9	3.3	4.7	1.0	4.5	2.3	6.1	4.4	1.1	4.1	12.1	2.3	8.4	4.0	2.3	3.4	1.5	5.1		
2	2.6	2.4	0.1	1.2	5.2	3.4	1.5	2.9	1.9	4.4	2.5	5.7	2.4	2.1	2.2	13.4	0.0	9.5	4.3	3.0	1.5	1.4	0.3		
3	2.9	1.2	3.2	1.7	4.3	2.8	0.8	0.8	2.0	3.7	0.9	6.5	1.6	1.0	2.6	11.1	2.5	11.9	4.3	2.3	1.1	0.3	0.3		
4	3.0	0.6	3.6	3.4	3.7	1.9	1.8	4.4	3.8	3.2	1.2	3.2	0.9	8.4	3.2	10.8	2.3	6.9	3.3	2.7	4.2	1.2	2.3		
5	3.0	0.5	5.7	2.8	5.6	2.2	4.4	3.9	3.5	3.2	3.5	1.2	6.5	4.5	9.4	10.1	1.2	9.8	3.0	1.7	4.2	0.4	2.3		
6	1.2	1.5	4.1	2.1	0.5	1.0	3.9	3.7	2.1	3.4	3.1	0.4	0.9	5.0	8.4	5.3	9.1	1.6	1.9	3.0	1.2	0.4	0.3		
7	3.7	1.2	4.1	1.8	1.7	2.0	4.4	4.4	1.8	3.7	7.2	2.3	1.0	1.7	5.0	8.4	2.4	7.5	1.2	1.9	3.0	0.3	0.7		
8	3.6	0.7	5.8	3.9	3.5	4.2	3.5	3.5	1.5	5.1	9.5	5.3	2.1	4.7	5.3	6.3	1.5	4.0	3.5	5.0	3.2	1.1	1.8		
9	3.1	0.4	3.7	2.3	2.9	3.4	4.0	4.0	0.9	4.7	9.0	5.4	2.1	4.6	4.0	5.1	0.1	4.7	0.1	2.9	2.5	0.7	2.8		
10	2.6	1.0	4.6	3.2	3.4	4.2	4.8	5.6	0.3	4.5	5.3	8.2	6.3	2.7	2.8	4.6	1.4	4.2	2.4	1.7	4.3	1.8	3.7		
11	1.5	1.0	4.6	2.7	6.2	2.8	3.2	3.2	0.2	5.0	6.9	10.1	4.4	6.2	2.9	5.5	2.0	3.7	0.4	1.8	2.1	0.5	3.2		
12	5.1	1.5	5.6	2.2	6.4	4.2	3.9	4.3	0.9	4.8	4.8	13.5	2.9	6.8	0.9	6.3	1.5	3.9	2.1	2.3	2.4	0.9	2.6		
13	4.0	1.2	4.3	1.2	4.5	4.9	4.5	4.3	2.0	4.4	3.3	9.3	3.5	5.6	0.1	4.9	0.7	2.1	5.7	3.1	3.1	0.1	1.0		
14	5.9	1.0	3.4	2.9	2.9	3.4	4.5	4.5	3.5	4.0	3.4	8.2	1.8	8.0	1.5	4.3	0.2	2.6	3.1	1.1	3.3	0.0	1.0		
15	7.1	1.2	0.9	2.6	4.0	4.6	4.6	4.6	2.7	4.1	2.9	5.7	2.8	9.8	1.0	4.5	2.3	5.2	2.5	0.3	1.7	0.3	0.8		
16	5.1	0.4	4.2	3.7	2.8	3.3	4.0	4.0	0.4	5.8	3.2	6.1	1.2	8.8	1.4	3.7	1.2	1.8	0.8	0.7	2.4	0.4	2.1		
17	4.2	1.1	6.0	1.5	2.2	3.5	4.8	4.8	0.1	5.4	2.9	6.3	1.5	12.4	1.9	4.0	1.5	0.4	0.1	0.9	2.6	1.8	2.9		
18	4.3	0.1	5.3	1.6	5.1	4.3	4.8	4.8	1.5	4.8	1.4	5.1	0.2	16.5	0.5	5.4	1.7	1.6	0.4	0.3	2.9	1.5	3.0		
19	3.1	0.7	2.1	1.0	9.8	5.2	4.5	4.5	3.6	3.9	1.6	4.5	5.9	13.9	0.4	4.6	2.1	3.0	5.2	2.2	2.2	0.6	4.4		
20	1.8	1.2	1.2	0.0	4.7	4.1	4.1	4.1	2.8	3.9	1.0	6.2	5.2	7.9	1.5	0.2	1.0	1.7	6.2	2.4	4.3	0.1	2.2		
21	5.1	1.2	0.1	1.5	6.0	3.2	4.8	4.8	0.2	3.1	2.1	8.4	3.4	5.7	0.5	6.4	1.0	1.6	5.4	2.4	4.3	0.1	4.0		
22	5.3	2.6	6.3	4.6	6.0	2.1	2.1	4.5	1.2	4.4	1.8	3.7	4.3	6.5	0.7	12.6	0.1	4.5	4.0	1.6	4.0	1.5	2.6		
23	7.1	2.8	7.0	4.6	1.9	2.3	5.0	5.0	2.0	5.1	0.7	6.2	5.1	9.7	0.2	14.6	0.1	4.5	4.0	1.6	4.0	1.5	2.1		
24	4.8	1.2	3.7	4.8	1.4	2.1	4.3	4.3	4.2	7.6	2.9	2.5	4.7	11.9	0.2	15.7	0.1	0.5	3.7	0.7	4.5	0.8	1.8		
25	4.4	0.3	7.7	4.6	3.9	4.3	4.3	4.3	2.9	6.7	3.3	9.1	3.5	12.0	3.6	12.8	1.6	2.1	3.9	1.2	1.3	0.4	2.5		
26	1.7	1.8	9.5	2.9	6.5	5.4	5.4	5.4	3.0	4.3	4.6	12.3	3.8	9.9	3.3	7.4	3.5	0.1	3.2	0.1	3.0	1.0	1.1		
27	0.0	1.0	5.4	2.3	5.1	4.3	3.7	3.7	1.5	3.6	0.8	9.8	5.9	8.1	3.9	5.0	3.3	0.7	3.5	0.7	1.0	1.2	0.4		
28	1.5	0.4	5.0	1.6	4.6	4.0	4.0	4.0	1.3	4.5	1.2	11.4	7.0	8.6	1.2	8.9	2.9	1.5	2.7	0.4	0.5	0.2	0.4		
29	4.3	1.3	4.3	3.7	4.9	3.7	4.3	4.3	1.7	5.1	3.1	4.7	3.5	7.7	0.7	7.7	0.3	1.0	3.5	0.5	0.7	0.2	0.4		
30	4.6	1.5	2.9	3.0	2.9	4.0	3.9	3.9	0.6	4.9	2.4	2.9	3.7	8.6	0.4	7.5	0.4	0.5	3.5	2.9	2.3	2.1	0.3		
31	4.3	1.8	1.8		1.9	3.7	3.7		2.9	5.8			4.5	11.4	1.8	6.2							1.7		
Monthly Mean.	3.7	0.0	4.1	2.5	4.0	3.5	4.0	4.0	0.0	4.6	2.5	5.8	2.9	7.4	1.9	7.7	0.6	3.6	2.8	0.8	2.6	0.3	0.6		
Annual Variation...	2.4	3.3	2.8	0.8	2.7	0.2	0.7	0.7	1.3	1.3	3.8	2.5	4.2	4.1	3.2	4.4	0.7	0.3	1.5	2.5	1.3	3.6	2.7		

The Velocities of the Mean Components for the year are 1.3 N and 3.3 W.

TABLE VIa.---Showing the Mean diurnal inequality of the Velocity of the North or South and East or West Components of the Wind for each month of the year 1913 and for the whole year.

In miles per hour.

1913.	Bombay Civil Time Hourly Intervals.	Month.												Year.														
		January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.				
		N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.			
0 to 1	..	1.2	S1.2	E0.5	S1.5	E0.4	N0.7	E0.6	N1.2	E0.5	N0.8	E0.4	S0.4	E0.1	N0.3	E0.4	S0.1	E0.4	N0.4	W0.1	S0.7	E0.4	S1.2	E0.9	S1.2	E0.2	S0.7	E
1 "	..	1.6	S1.8	E0.5	S1.2	E0.9	N0.9	E0.7	N2.2	E0.7	N1.0	E0.2	N0.7	E0.4	S0.5	E0.4	S0.0	0.0	0.1	W0.3	N0.7	E0.7	S1.4	E1.0	S1.2	E0.1	S1.0	E
2 "	..	2.0	S2.6	E0.7	S2.1	E0.2	N2.1	E0.1	S2.9	E0.2	N1.6	E0.2	S0.6	E0.4	S0.6	E0.2	S0.0	0.1	S0.7	E0.4	S1.9	E0.4	S2.1	E1.5	S1.7	E0.5	S1.6	E
3 "	..	1.1	S2.9	E0.4	S2.1	E0.2	S2.7	E0.3	S3.4	E0.2	N1.8	E0.3	S1.2	E0.1	N1.1	E0.4	S0.2	W0.2	S0.7	E0.2	N1.2	E0.5	S3.4	E1.1	S2.4	E0.3	S1.9	E
4 "	..	1.0	S3.7	E0.2	S2.5	E0.1	S3.4	E0.7	S4.3	E0.2	S2.6	E0.7	S0.4	E0.3	N0.7	E0.1	S0.4	E0.6	S1.7	E0.3	S1.7	E0.7	S3.9	E1.1	S3.2	E0.4	S2.4	E
5 "	..	0.6	S4.5	E1.0	S3.0	E1.0	S4.5	E1.0	S4.4	E0.6	S2.9	E0.1	N0.3	E0.2	S0.8	E0.0	0.1	E0.2	S1.8	E0.5	S3.1	E0.7	S4.4	E1.2	S4.0	E0.6	S2.8	E
6 "	..	0.6	S5.0	E1.5	S3.8	E1.2	S4.9	E1.2	S4.4	E0.9	S3.4	E0.1	N0.8	E0.1	N0.9	E0.4	S0.1	E0.8	S2.6	E0.9	S2.9	E1.1	S4.6	E1.5	S3.9	E0.8	S3.1	E
7 "	..	1.2	S5.3	E1.5	S4.0	E1.3	S5.6	E1.1	S4.2	E0.9	S3.3	E0.0	1.4	E0.1	S0.7	E0.1	N0.2	E0.5	S2.4	E1.1	S3.8	E1.1	S5.1	E1.5	S4.5	E0.8	S3.4	E
8 "	..	1.5	S5.4	E1.5	S5.4	E0.7	S5.0	E1.8	S5.0	E1.0	S2.8	E0.7	S1.0	E0.9	S1.2	E0.1	N0.5	W1.4	S3.0	E1.2	S4.2	E0.7	S5.6	E1.5	S5.3	E1.1	S3.6	E
9 "	..	2.0	S5.3	E1.3	S4.3	E0.4	S2.5	E1.7	S1.7	E0.9	S1.0	E0.0	0.4	W0.5	S0.3	E0.1	S0.4	W1.5	S2.9	E1.2	S3.9	E1.2	S4.6	E1.5	S5.1	E1.0	S2.6	E
10 "	..	1.9	S3.3	E1.3	S1.3	E0.7	S0.1	E1.2	S0.7	W1.0	S0.1	E0.1	S0.6	W0.0	0.1	E0.0	0.7	W1.2	S1.7	E1.5	S2.9	E1.6	S2.9	E1.5	S3.9	E1.0	S1.2	E
11 "	..	1.3	S0.6	E1.3	S0.7	W0.5	S2.6	W0.8	S2.3	W0.6	S1.0	W0.1	S0.1	E0.5	S0.1	W0.0	0.4	W0.8	S0.3	E1.3	S1.0	E1.4	S1.5	E0.7	S0.1	E0.8	S0.3	W
12 "	..	1.2	S2.3	W0.5	S3.4	W0.4	S4.3	W0.7	S3.6	W0.4	S2.1	W0.4	N0.9	W0.1	S0.6	W0.6	S0.5	W0.1	S1.9	W1.2	S1.7	W1.1	S0.4	W0.7	S1.9	W0.5	S2.0	W
13 "	..	0.6	S4.5	W0.2	S4.5	W0.1	N4.8	W0.1	S4.8	W0.1	S3.2	W0.4	N0.8	W0.2	N0.9	W0.1	N0.7	W0.4	N2.9	W0.3	S4.2	W0.5	S2.9	W0.1	S3.3	W0.1	S3.1	W
14 "	..	0.2	N6.1	W0.4	N4.7	W0.1	N5.4	W0.8	N5.4	W0.0	3.8	W0.5	N1.1	W0.4	N0.8	W0.6	S1.0	W0.7	N3.6	W1.0	N5.1	W0.5	N5.6	W0.7	N5.5	W0.4	N4.0	W
15 "	..	1.0	N6.5	W1.1	N5.3	W0.9	N5.1	W1.0	N5.1	W0.4	N4.2	W0.8	N1.5	W0.9	N1.2	W0.7	N0.6	W0.2	N3.5	W1.3	N5.0	W1.1	N6.5	W1.1	N5.6	W0.9	N4.2	W
16 "	..	1.5	N6.5	W1.6	N5.1	W1.0	N4.4	W1.2	N4.8	W0.7	N3.9	W0.5	N1.5	W0.2	N1.5	W0.3	N0.7	W1.1	N3.4	W1.6	N4.5	W1.8	N6.1	W1.8	N5.4	W1.1	N4.0	W
17 "	..	3.0	N5.6	W2.7	N3.8	W1.4	N3.6	W1.0	N4.2	W1.0	N3.3	W0.3	N1.1	W0.4	N1.0	W0.4	N0.2	W1.5	N1.5	W1.1	N3.3	W1.9	N5.6	W2.4	N4.8	W1.4	N3.2	W
18 "	..	4.0	N4.7	W2.6	N2.8	W1.0	N2.6	W1.0	N2.8	W1.0	N2.3	W0.5	N1.6	W0.4	N1.0	W0.6	N0.7	E1.1	N0.2	W2.0	N2.6	W2.2	N4.8	W3.2	N3.9	W1.6	N2.4	W
19 "	..	4.0	N3.9	W2.3	N1.8	W0.9	N1.4	W1.1	N1.0	W0.6	N1.2	W0.1	S0.0	0.7	N0.6	W0.3	N0.2	E1.2	N0.3	W1.7	N1.3	W2.6	N3.7	W3.4	N3.2	W1.6	N1.5	W
20 "	..	3.3	N2.9	W1.8	N1.0	W0.3	N0.5	W0.9	N0.5	W0.5	N0.3	E0.3	N0.1	W0.1	N0.1	E0.1	N1.0	E0.4	N0.3	E0.7	N0.4	W1.5	N2.6	W2.3	N2.5	W1.0	N0.7	W
21 "	..	1.3	N0.7	W1.0	N0.2	E0.1	N0.5	E0.9	N0.1	E0.2	N0.7	E0.7	S0.7	E0.3	N0.1	W0.6	N0.9	E0.6	N0.5	E0.1	N0.1	W0.8	N1.7	W1.1	N1.3	W0.5	N0.0	W
22 "	..	0.1	N0.6	E0.1	S1.0	E0.3	S0.5	E0.7	N0.4	E0.1	N0.7	E0.7	S0.4	E0.1	N0.2	E0.3	N1.0	E0.4	N0.3	W0.2	S0.4	E0.4	N0.4	W0.1	S0.4	E0.1	N0.4	E
23 "	..	0.7	S1.2	E0.5	S1.0	E0.0	0.6	E0.5	N1.2	E0.2	N0.9	E0.4	S0.6	E0.7	S0.5	E0.1	S0.7	E0.1	N0.1	E0.1	S0.4	E0.2	S0.3	E0.5	S0.6	E0.2	S0.7	E
24 "	..																											

AGGREGATE AND MEAN VELOCITIES AND RELATIVE FREQUENCY OF DIFFERENT WINDS, 1913.

TABLE VIe.—Showing for the year 1913 the sums of the Velocities, and the Mean Velocities, in miles per hour, of the Winds which blew in each Month, from each of the sixteen Principal Directions and also the number of hourly Observations which those sums comprise; the latter numbers indicating the Relative Frequency of the same Wind (as to direction) in the several Months, and of different Winds during the same Month.

1913.	N.			N. N. E.			N. E.			E. N. E.			E.			E. S. E.			S. E.			S. S. E.		
Month.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.
January	241	53	4.5	353	89	4.0	896	157	5.7	211	48	4.4	145	27	5.4	0	0	0	0	0	0	0	2	2.5
February	373	63	5.9	231	57	4.1	114	32	3.6	55	16	3.4	69	20	3.4	53	16	3.3	7	2	3.5	7	2	3.5
March	286	54	5.3	259	64	4.0	81	25	3.2	4.9	3	3.0	70	17	4.1	7	2	3.5	24	8	3.0	8	4	3.0
April	5	2	2.5	59	20	2.9	61	22	2.8	3.1	6	3.3	99	19	5.2	29	9	3.2	24	6	4.0	6	4	4.0
May	2	1	2.0	47	14	3.4	23	6	3.8	3.8	14	4	3.5	1	1.0	16	3	5.3	37	7	5.3	7	5	5.3
June	4	1	4.0	27	5	5.4	20	4	5.0	3.3	6	2.0	301	29	10.4	133	14	9.5	274	31	8.8	31	8	8.8
July	1	1	1.0	18	5	3.6	0	2	9.0	0	4	2.0	129	18	7.2	12	2	6.0	207	31	6.7	31	6	6.7
August	3	1	3.0	6	2	3.0	23	1	3.0	5.7	3	4.0	4	1	4.0	0	0	0	0	0	0	5	6	0
September	25	5	5.0	97	26	3.7	62	16	3.9	4.1	37	3.8	117	27	4.3	39	10	3.9	85	21	4.0	21	4	4.0
October	155	29	5.3	192	40	4.8	298	66	4.5	5.3	240	4.9	71	14	5.1	45	9	5.0	46	9	5.1	9	5	5.1
November	130	31	4.2	163	42	3.9	218	49	4.4	5.3	82	4.8	189	35	5.4	9	2	4.5	0	0	0	0	0	0
December	438	100	4.4	190	48	4.0	274	64	4.3	6.4	120	5.5	65	18	3.6	14	3	4.7	20	6	3.3	6	3	3.3
Year	1,663	341	4.9	1,642	412	4.0	1,404	340	4.1	5.4	273	4.5	1,260	226	5.6	357	70	5.1	759	128	5.9	128	5	5.9

1913.	S.			S. S. W.			S. W.			W. S. W.			W.			W. N. W.			N. W.			N. N. W.			Number of Observations.		
Month.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.
January	0	0	0.0	0	0	0.0	0	0	0.0	97	20	4.8	388	63	6.2	950	116	8.2	112	8.5	0	0	0	0	0	0	
February	0	0	0.0	5	2	5.0	21	6	4.2	129	28	4.6	603	89	6.8	1,509	180	8.4	123	7.4	3	0	0	0	0	0	
March	0	0	0.0	31	10	3.1	47	18	2.6	97	17	5.7	1,481	177	8.4	1,491	188	7.9	123	7.6	4	0	0	0	0	0	
April	81	13	6.2	126	29	4.3	70	25	4.7	85	17	5.7	1,670	235	7.1	1,670	235	7.1	123	7.6	4	0	0	0	0	0	
May	100	11	9.1	111	21	5.3	379	73	5.2	721	146	4.9	1,161	190	6.1	1,271	187	6.8	207	50	4.1	3	0	0	0	0	
June	191	25	7.6	361	44	8.2	525	71	7.4	2,299	258	8.9	1,297	132	9.8	701	79	8.9	84	12	7.0	59	6.6	0	0	0	
July	82	14	5.9	172	30	5.7	979	118	8.3	3,259	334	9.8	1,475	123	12.0	471	51	9.2	62	8	7.7	13	3.2	1	0	0	
August	28	6	4.7	71	14	5.1	551	80	6.9	2,702	321	8.4	2,667	267	10.0	213	33	6.5	15	3	5.0	4	4.7	0	0	0	
September	22	7	3.1	24	9	2.7	38	7	5.4	628	75	8.4	1,271	172	7.4	1,139	212	5.4	242	53	4.6	51	4.6	1	0	0	
October	26	7	3.7	55	17	3.2	14	4	3.5	59	12	4.9	52	15	3.5	533	107	5.2	964	148	6.5	133	5.5	3	0	0	
November	0	0	0.0	3	1	3.0	0	0	0.0	26	5	5.2	63	15	4.2	515	91	5.7	827	124	6.7	87	5.2	0	0	0	
December	4	1	4.0	23	5	4.6	16	6	2.7	29	6	4.8	34	13	2.6	283	55	5.1	1,207	142	8.5	135	7.8	0	0	0	
Year	534	84	6.4	982	181	5.4	2,603	387	6.7	10,045	1,228	8.2	8,934	1,077	8.3	9,288	1,379	6.7	8,347	1,158	7.2	819	6.8	21	0	0	

Velocity of Wind, 1913.

DINES'S ANEMOGRAPH.

TABLE VIg.—Mean Velocity of Wind in miles per hour for each day of Bombay Civil Time; also the Mean Monthly Velocity and its variation from the mean of the year.

1913.	Month.												1913.	Month.												Year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Bombay Civil Time Hourly Intervals.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.		December.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
1	3.8	3.4	4.7	6.0	6.0	7.5	5.2	11.3	8.1	5.5	5.3	5.5	0 to	1	2.4	1.5	0.6	0.6	1.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.

Miles.

The mean velocity for June to August .. 8.1
The mean velocity for September to May .. 5.3
The mean velocity for the year .. 6.0

Temperature of the Ground, 1913.

TABLE VIIa.—Showing for each month the Mean Temperature of the Ground in the Thermometer Shed and the Annual Variation at the respective depths of 1, 9, 20, 60 and 132 inches below the surface.

TABLE VIIb.—Showing for each of the five observation hours and for the mean of the day, the Temperature of the Ground exposed to the direct rays of the Sun at the depths of 1 in. and 8 inches below the surface.

Depth. Month.	1 inch.			*9 inches.			20 inches.			60 inches.			132 inches.			Depth from surface. Month.	1 inch.						8 inches.						Mean of five obser- vation hours.
	Mean Tempe- rature.	Excess over the yearly Mean.	Excess over the yearly Mean.	Mean Tempe- rature.	Excess over the yearly Mean.	Mean Tempe- rature.	Excess over the yearly Mean.	Mean Tempe- rature.	Excess over the yearly Mean.	Mean Tempe- rature.	Excess over the yearly Mean.	Mean Tempe- rature.	Excess over the yearly Mean.	Observation Hours.															
														6	10		14	16	22	6	10	14	16	22					
January ..	76.5	-4.7	80.2	-3.0	82.9	-1.0	83.9	+0.3	83.9	+0.3	70.6	82.3	107.2	94.8	75.7	86.1	76.2	75.5	76.6	77.6	78.4	76.8							
February ..	77.6	-3.6	79.9	-3.3	82.2	-1.7	83.7	+0.1	83.7	+0.1	73.2	81.6	106.7	104.8	80.4	89.4	80.4	79.6	80.6	81.7	82.4	80.9							
March ..	78.9	-2.3	80.3	-2.9	81.9	-2.0	82.8	-0.8	82.8	-0.8	75.9	83.6	108.2	107.1	82.5	91.5	85.2	84.2	85.6	87.4	88.3	86.1							
April ..	83.6	+2.4	83.1	-0.1	82.8	-1.1	82.9	-0.7	82.9	-0.7	83.3	90.0	109.3	107.9	88.5	95.8	93.1	92.0	93.8	95.7	96.7	94.3							
May ..	87.1	+5.9	85.9	+2.7	84.6	+0.7	83.5	-0.1	83.5	-0.1	88.4	96.5	113.9	111.1	92.8	100.5	99.6	98.6	100.2	102.2	103.2	100.8							
June ..	84.9	+3.7	87.1	+3.9	86.4	+2.5	84.0	+0.4	84.0	+0.4	82.7	87.8	95.6	93.2	84.9	88.9	91.2	90.4	91.8	92.8	93.5	91.9							
July ..	82.0	+0.8	85.3	+2.1	86.1	+2.2	84.1	+0.5	84.1	+0.5	78.2	82.2	87.8	86.3	80.0	82.9	84.3	83.7	85.0	86.1	86.3	85.1							
August ..	81.9	+0.7	84.0	+0.8	84.8	+0.9	83.9	+0.3	83.9	+0.3	78.4	82.7	90.1	88.7	80.7	84.1	84.6	84.0	85.3	86.3	86.8	85.4							
September ..	81.7	+0.5	83.7	+0.5	84.2	+0.3	83.8	+0.2	83.8	+0.2	79.9	83.9	95.1	91.8	82.5	86.6	85.2	84.5	86.3	86.9	87.6	86.1							
October ..	82.9	+1.7	84.1	+0.9	84.2	+0.3	83.8	+0.2	83.8	+0.2	80.0	88.4	105.6	100.0	83.6	91.5	85.3	84.6	86.1	87.1	87.1	86.1							
November ..	80.3	-0.9	83.4	+0.2	83.9	0.0	83.7	+0.1	83.7	+0.1	74.9	90.2	110.6	96.4	80.0	90.4	80.6	80.1	81.2	81.8	82.5	81.2							
December ..	77.4	-3.8	81.5	-1.7	83.4	-0.5	83.4	-0.2	83.4	-0.2	71.5	85.8	108.8	91.9	77.3	87.1	78.6	77.9	78.8	79.6	80.3	79.0							
Year ..	81.2		83.2		83.9		83.6		83.6		78.1	86.2	103.2	97.8	82.4	89.6	85.4	84.6	85.9	87.1	87.8	86.1							

* This thermometer which was found broken in October 1912 was not replaced by a new one till March 1914.

Maxima and Minima of different Meteorological Elements, 1913.

TABLE VIII.—In which are collected the individual observations in each month of the year which showed the greatest and the least values of the following elements, viz., Height of Barometer corrected for Temperature, Temperature of Air, Pressure of Vapour and Additional Capacity of Air, and Ground Temperatures, 1 inch and 8 inches below the surface (exposed to Solar rays).

1913.	Height of Barometer.			Temperature of Air.			Pressure of Vapour.			Additional Capacity.			Ground Thermometer 1 inch deep.			Ground Thermometer 8 inches deep.		
	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.
January	In. 30.101	In. 29.852	In. 0.249	° 84.9	° 65.6	° 19.3	In. 0.759	In. 0.383	In. 0.376	In. 0.762	In. 0.066	In. 0.696	° 110.7	° 68.0	° 42.7	° 79.8	° 74.3	° 5.5
February	.. 0.062	.. 0.748	.. 0.314	.. 84.9	.. 64.0	.. 20.9	.. 0.831	.. 0.271	.. 0.560	.. 0.656	.. 0.051	.. 0.605	.. 109.2	.. 69.0	.. 40.2	.. 84.8	.. 76.9	.. 7.9
March	.. 29.993	.. 0.711	.. 0.282	.. 86.1	.. 68.7	.. 17.4	.. 0.890	.. 0.373	.. 0.517	.. 0.593	.. 0.059	.. 0.534	.. 110.0	.. 71.5	.. 38.5	.. 92.0	.. 79.8	.. 12.2
April	.. 0.917	.. 0.652	.. 0.265	.. 89.2	.. 72.6	.. 16.6	.. 1.048	.. 0.675	.. 0.373	.. 0.643	.. 0.072	.. 0.571	.. 111.5	.. 77.0	.. 34.5	.. 100.7	.. 87.8	.. 12.9
May	.. 0.883	.. 0.575	.. 0.308	.. 92.6	.. 79.4	.. 13.2	.. 0.019	.. 0.754	.. 0.265	.. 0.548	.. 0.117	.. 0.431	.. 119.5	.. 84.0	.. 35.5	.. 106.7	.. 93.0	.. 13.7
June	.. 0.872	.. 0.408	.. 0.464	.. 93.1	.. 74.0	.. 19.1	.. 0.065	.. 0.762	.. 0.303	.. 0.566	.. 0.024	.. 0.542	.. 119.1	.. 74.5	.. 44.6	.. 106.7	.. 76.4	.. 30.3
July	.. 0.833	.. 0.451	.. 0.382	.. 86.6	.. 74.0	.. 12.6	.. 0.013	.. 0.800	.. 0.213	.. 0.325	.. 0.020	.. 0.305	.. 96.0	.. 73.0	.. 23.0	.. 95.7	.. 80.3	.. 15.4
August	.. 0.876	.. 0.621	.. 0.255	.. 85.6	.. 74.9	.. 10.7	.. 0.974	.. 0.765	.. 0.209	.. 0.361	.. 0.036	.. 0.325	.. 101.5	.. 77.4	.. 24.1	.. 89.8	.. 82.6	.. 7.2
September	.. 0.918	.. 0.633	.. 0.285	.. 87.0	.. 75.5	.. 11.5	.. 1.054	.. 0.764	.. 0.290	.. 0.379	.. 0.034	.. 0.345	.. 102.0	.. 76.5	.. 25.5	.. 96.1	.. 81.0	.. 15.1
October	.. 30.036	.. 0.628	.. 0.408	.. 90.3	.. 75.0	.. 15.3	.. 0.116	.. 0.546	.. 0.570	.. 0.753	.. 0.050	.. 0.703	.. 114.3	.. 77.0	.. 37.3	.. 90.8	.. 82.1	.. 8.7
November	.. 0.037	.. 0.818	.. 0.219	.. 89.7	.. 70.6	.. 19.1	.. 0.896	.. 0.438	.. 0.438	.. 0.821	.. 0.079	.. 0.742	.. 113.0	.. 72.0	.. 41.0	.. 85.1	.. 78.2	.. 6.9
December	.. 0.220	.. 0.820	.. 0.400	.. 87.2	.. 63.8	.. 23.4	.. 0.864	.. 0.384	.. 0.480	.. 0.732	.. 0.038	.. 0.694	.. 113.5	.. 65.2	.. 48.3	.. 82.1	.. 74.9	.. 7.2
Year.	30.220	29.408	.812	93.1	63.8	29.3	1.116	0.271	0.845	0.821	0.020	0.801	119.5	65.2	54.3	106.7	74.3	32.4

Relative Humidity of the Air, 1913.

Extent of cloudy sky, 1913.

TABLE IXa.—Daily and Monthly Means of Observations taken at 6, 10, 14, 16 and 22 hours daily. Complete Saturation=1.000.

1913.	Month.												1913.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	0.620	0.712	0.705	0.765	0.758	0.748	0.830	0.833	0.864	0.817	0.670	0.711	1	..	..	2.2	0.4	1.2	6.0	5.0	9.2	8.8	4.8	1.2	3.6
2	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	0.8	2.0	..	6.2	7.0	10.0	10.0	5.2	..	3.2
3	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	2.4	2.8	1.2	6.8	8.0	8.8	8.4	2.2	..	0.8
4	..	..	..	..	..	..	..	..	..	..	..	..	4	..	..	1.6	1.6	4.4	8.0	8.8	8.0	7.0	1.8	..	4.2
5	..	..	..	..	..	..	..	..	..	..	..	..	5	..	..	1.0	2.4	2.0	8.2	9.0	9.4	6.0	3.0	..	0.8
6	..	..	..	..	..	..	..	..	..	..	..	..	6	..	..	..	..	1.6	8.6	7.0	9.0	7.0	5.4	..	..
7	..	..	..	..	..	..	..	..	..	..	..	..	7	..	..	..	..	3.0	9.2	8.2	8.6	7.4	5.0	..	..
8	..	..	..	..	..	..	..	..	..	..	..	..	8	..	..	..	..	3.6	10.0	9.6	8.8	6.8	6.6	..	1.6
9	..	..	..	..	..	..	..	..	..	..	..	..	9	..	..	..	..	3.4	10.0	8.6	9.0	4.2	8.6	..	2.4
10	..	..	..	..	..	..	..	..	..	..	..	..	10	..	..	..	..	5.2	9.2	7.2	7.6	7.6	8.6	..	0.6
11	..	..	..	..	..	..	..	..	..	..	..	..	11	..	..	..	..	4.6	9.4	6.8	9.0	4.4	8.4	..	0.6
12	..	..	..	..	..	..	..	..	..	..	..	..	12	..	..	..	..	4.6	9.4	6.8	8.0	5.0	5.4	..	1.0
13	..	..	..	..	..	..	..	..	..	..	..	..	13	..	..	..	..	3.0	8.0	6.0	4.0	4.4	8.4	..	1.0
14	..	..	..	..	..	..	..	..	..	..	..	..	14	..	..	..	..	5.0	5.0	7.6	6.0	5.0	1.6	..	0.8
15	..	..	..	..	..	..	..	..	..	..	..	..	15	..	..	..	..	2.4	5.0	7.6	6.0	5.0	1.6	..	0.8
16	..	..	..	..	..	..	..	..	..	..	..	..	16	..	..	..	..	2.6	4.4	9.2	5.6	9.2	0.4	..	2.0
17	..	..	..	..	..	..	..	..	..	..	..	..	17	..	..	..	..	3.2	5.6	9.6	6.2	4.8	1.6	..	2.2
18	..	..	..	..	..	..	..	..	..	..	..	..	18	..	..	..	..	4.2	4.8	10.0	6.8	8.2	1.8	..	..
19	..	..	..	..	..	..	..	..	..	..	..	..	19	..	..	..	..	3.0	4.2	9.4	5.2	7.2	1.4	..	..
20	..	..	..	..	..	..	..	..	..	..	..	..	20	..	..	..	..	4.0	4.2	9.6	9.8	9.0	2.0	..	..
21	..	..	..	..	..	..	..	..	..	..	..	..	21	..	..	..	..	4.0	6.4	5.0	7.8	5.0	2.0	..	..
22	..	..	..	..	..	..	..	..	..	..	..	..	22	..	..	..	..	2.8	10.0	8.0	9.6	5.0	1.2	..	..
23	..	..	..	..	..	..	..	..	..	..	..	..	23	..	..	..	..	5.0	9.6	9.6	10.0	4.0	1.6	..	..
24	..	..	..	..	..	..	..	..	..	..	..	..	24	..	..	..	..	2.0	10.0	9.0	9.0	4.0	1.6	..	..
25	..	..	..	..	..	..	..	..	..	..	..	..	25	..	..	..	..	5.2	10.0	9.4	7.6	4.0	0.2	..	..
26	..	..	..	..	..	..	..	..	..	..	..	..	26	..	..	..	..	5.6	10.0	10.0	4.8	8.2	1.2	..	..
27	..	..	..	..	..	..	..	..	..	..	..	..	27	..	..	..	..	2.6	10.0	9.6	6.8	8.0	0.8	..	2.0
28	..	..	..	..	..	..	..	..	..	..	..	..	28	..	..	..	..	8.0	8.2	9.6	4.8	6.2	2.0	..	6.0
29	..	..	..	..	..	..	..	..	..	..	..	..	29	..	..	..	..	3.8	6.4	7.0	5.6	4.6	1.0	..	3.8
30	..	..	..	..	..	..	..	..	..	..	..	..	30	..	..	..	..	5.6	4.8	7.2	5.0	3.2	..	..	0.4
31	..	..	..	..	..	..	..	..	..	..	..	..	31	..	..	..	..	2.6	4.8	9.0	5.0	2.8	..	..	3.2
Monthly Mean.	0.661	0.686	0.710	0.761	0.723	0.822	0.864	0.815	0.827	0.785	0.697	0.701	Monthly Mean.	0.4	0.8	0.6	2.4	3.4	7.6	8.0	7.4	6.2	3.3	1.2	1.3
Annual Variation.	..	..	..	..	..	..	..	..	..	..	..	..	Annual Variation.	..	..	..	..	..	..	..	..	..	..	..	..

Annual Mean

..0.754

For the days which have no entry 0.0 is to be understood.
 Mean of the months, from January to April, November and December .. 1.1
 Mean of the months from May to October .. 6.0
 Mean for the year .. 3.5

Meteorological Data, 1913.

Table X.—Five-day Means, 1913.

Number of Five-day Period.	Barometric Pressure. In.	Tempera- ture. of the Air. °	Pressure of Vapour. In.	Additional Capacity of the Air. In.	Rainfall.* In.	North or South Com- ponent of Wind. Miles.	East or West Component of Wind. Miles.	Number of Five-day Period.	Barometric Pressure. In.	Tem- perature of the Air. °	Pressure of Vapour. In.	Additional Capacity of the Air. In.	Rainfall.* In.	North or South Com- ponent of Wind. Miles.	East or West Component of Wind. Miles.
1	29.969	75.3	0.601	0.286		2.8 N	1.1 E	38	29.870	79.7	0.899	0.117	15.34	0.8 S	3.5 W
2	942	75.3	.585	.300		2.8 N	1.0 E	39	.683	82.1	.937	.160	1.84	3.8 S	5.9 W
3	951	72.9	.779	.234		4.7 N	0.8 W	40	.540	80.7	.927	.122	9.62	1.2 S	12.3 W
4	987	74.7	.581	.287		3.7 N	0.5 E	41	.680	81.2	.915	.136	2.79	4.5 S	8.3 W
5	961	73.1	.575	.245		5.3 N	1.5 W	42	.625	80.8	.915	.136	2.01	4.7 S	9.3 W
6	30.006	74.9	.610	.260		2.4 N	0.1 W	43	.675	81.2	.911	.154	0.62	3.4 S	11.3 W
7	29.985	74.9	.658	.213		2.4 N	1.8 W	44	.713	80.7	.890	.158	0.72	4.5 S	9.0 W
8	946	76.1	.681	.224		4.7 N	2.6 W	45	.745	81.3	.884	.187	0.16	2.1 S	5.3 W
9	905	75.4	.592	.292		4.5 N	2.4 W	46	.753	81.3	.833	.236	0.18	1.3 S	4.4 W
10	877	75.9	.599	.302		3.7 N	2.1 W	47	.733	79.6	.843	.169	1.62	0.1 S	7.6 W
11	866	76.3	.680	.232		3.3 N	3.1 W	48	.766	80.7	.861	.186	0.50	2.4 S	10.0 W
12	886	73.6	.505	.332		6.3 N	2.9 W	49	.756	80.3	.859	.178	1.58	0.8 N	7.9 W
13	890	75.1	.613	.263		3.9 N	2.3 W	50	.830	80.2	.881	.151	0.72	2.0 S	9.0 W
14	876	75.5	.675	.211		3.5 N	4.1 W	51	.830	80.4	.828	.205	0.28	0.7 N	4.1 W
15	831	76.0	.662	.241		4.1 N	3.3 W	52	.830	80.4	.839	.200	2.63	1.1 N	2.4 W
16	877	76.3	.619	.291		5.6 N	4.1 W	53	.831	81.2	.919	.147	2.63	1.2 N	2.5 W
17	852	78.6	.720	.262		3.4 N	3.2 W	54	.832	80.8	.853	.203	0.23	1.4 N	0.7 W
18	880	78.0	.736	.227		3.9 N	3.9 W	55	.792	82.1	.942	.157		2.2 N	0.7 W
19	835	78.8	.769	.219		0.2 S	2.9 W	56	.813	83.6	.813	.147	0.02	2.1 N	2.1 W
20	799	81.1	.802	.266		3.1 N	4.3 W	57	.772	81.3	0.925	.151	2.20	0.7 N	0.4 W
21	797	82.4	.847	.265		1.8 N	4.0 W	58	.792	80.8	.858	.197	0.15	2.4 N	0.3 W
22	790	81.8	.845	.245		1.8 N	4.4 W	59	.943	80.9	.832	.228		4.2 N	1.6 W
23	747	81.8	.862	.229		2.4 N	4.6 W	60	.920	82.4	.760	.353		3.7 N	0.2 E
24	746	83.8	.948	.214		0.8 N	3.9 W	61	.876	80.9	.756	.304		3.0 N	0.8 E
25	770	84.4	.920	.264		1.0 S	3.7 W	62	.912	80.0	.752	.279		2.9 N	0.3 E
26	775	84.2	.876	.302		1.3 N	4.3 W	63	.921	79.3	.697	.311		2.9 N	0.9 E
27	786	85.4	.863	.363		1.8 S	4.5 W	64	.932	77.7	.701	.255		2.6 N	0.3 E
28	777	85.5	.881	.347		1.7 S	5.0 W	65	.951	78.1	.667	.304		3.2 N	0.8 E
29	754	85.5	.911	.316		2.1 N	5.4 W	66	.937	77.7	.694	.263		2.7 N	0.3 W
30	708	87.3	.971	.327		0.4 N	4.5 W	67	.898	78.8	.740	.248		1.6 N	0.3 W
31	607	87.5	.971	.336	0.01	2.0 N	5.5 W	68	.924	75.9	.630	.272		3.8 N	1.1 W
32	489	83.6	.966	.190	4.19	6.5 S	0.6 E	69	.928	77.9	.766	.193		4.7 N	2.4 W
33	567	83.2	.971	.169	2.59	4.7 S	9.9 W	70	.894	75.7	.661	.234		4.2 N	0.7 W
34	720	84.8	.936	.262	5.99	2.4 S	5.5 W	71	.960	76.2	.564	.248		3.8 N	2.6 E
35	755	80.6	.972	.182	12.88	0.3 S	9.5 W	72	30.027	72.9	.551	.265		5.1 N	1.6 W
36	634	80.6	.942	.104	1.70	2.6 S	9.5 W	73	.076	73.4	.633	.197		1.9 N	0.3 W
37	764	82.3	.934	.171		1.8 S	3.1 W	73							

* Five-day sums, not means.

Barometric Pressure, 1914.

TABLE Ia.—Daily and Monthly Means.
 TABLE Ib.—Mean diurnal inequality for each month of the year and for the whole year.

Height of the Barometer above mean sea-level=37 feet. Unity=0.001 inch.

1914.	Month.												1914.	Month.												1914.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Year.													
Date.													Bombay Civil Time.														
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	H. m.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	
1	30.118	29.983	29.980	29.786	29.771	29.762	29.632	29.616	29.827	29.841	29.895	29.854	0 7	7	10	9	8	4	4	10	12	5	5	3	6	2	7
2	081	918	961	816	799	760	605	623	817	825	888	885	1 7	3	3	5	6	9	6	7	7	11	7	7	8	7	
3	042	942	960	881	808	721	603	642	806	867	837	915	2 7	19	18	17	21	22	20	22	27	22	23	18	20	21	
4	025	963	900	885	795	661	610	674	772	870	819	917	3 7	25	25	22	27	23	24	29	32	28	23	23	28	26	
5	023	943	828	850	766	670	609	719	708	827	834	914	4 7	24	26	22	23	19	24	28	31	28	20	20	25	24	
6	038	936	841	826	726	728	648	740	724	800	844	886	5 7	14	18	12	9	8	16	20	23	17	6	9	16	14	
7	072	934	861	855	729	734	667	715	757	823	850	883	6 7	2	2	1	6	9	0	5	10	4	10	11	0	2	
8	090	927	887	884	771	682	626	720	732	901	864	866	7 7	25	22	30	28	31	16	9	7	14	32	33	21	22	
9	083	950	895	912	789	679	584	785	717	894	863	887	8 7	47	41	51	49	45	27	21	22	33	49	54	46	40	
10	057	970	886	935	775	707	576	809	747	887	855	891	9 7	64	56	63	58	54	36	29	33	44	61	68	62	52	
11	057	969	886	915	755	746	609	755	765	893	869	900	10 7	61	60	64	55	49	43	33	35	46	57	61	59	51	
12	022	934	874	894	784	706	629	728	725	880	856	867	11 7	41	45	49	45	41	28	30	31	40	39	38	42	39	
13	29.994	965	913	897	780	628	641	685	626	872	858	891	12 7	11	17	22	23	25	16	19	19	21	9	6	11	17	
14	973	992	936	873	724	609	661	672	554	904	857	905	13 7	19	10	7	5	2	2	7	4	8	17	25	21	8	
15	985	978	895	893	692	591	682	649	541	890	835	908	14 7	41	35	31	30	21	15	12	13	31	40	49	41	30	
16	983	927	867	882	781	639	699	662	546	856	825	919	15 7	49	50	51	47	39	29	24	26	44	53	60	50	43	
17	975	913	875	860	781	617	617	631	617	872	829	923	16 7	48	48	51	55	51	37	33	33	47	55	57	48	47	
18	986	971	966	842	854	639	571	649	735	928	820	938	17 7	37	37	42	50	49	36	30	30	39	45	45	38	41	
19	983	965	907	839	877	633	588	711	853	945	834	902	18 7	25	25	30	41	38	23	21	19	23	30	28	23	28	
20	953	922	851	881	840	596	587	749	895	923	880	947	19 7	37	42	50	51	49	36	30	30	39	45	45	38	41	
21	924	971	896	872	840	580	556	708	875	897	908	872	20 7	49	50	51	47	39	29	24	26	44	53	60	50	43	
22	945	927	895	846	840	625	545	710	863	893	885	911	21 7	48	48	51	55	51	37	33	33	47	55	57	48	47	
23	957	895	881	836	827	698	548	716	860	909	890	972	22 7	37	42	50	51	49	36	30	30	39	45	45	38	41	
24	962	926	879	815	789	716	571	711	834	932	927	997	23 7	25	25	30	41	38	23	21	19	23	30	28	23	28	
25	961	925	859	844	777	655	632	720	830	954	939	901	24 7	6	6	12	16	21	7	6	3	4	11	6	3	10	
26	943	898	862	834	789	566	664	734	833	923	965	965	25 7	10	9	4	1	5	9	9	13	12	10	15	15	8	
27	953	891	847	809	776	511	617	770	811	884	995	995	26 7	20	22	12	16	12	19	19	26	28	22	23	26	20	
28	927	934	827	804	738	626	592	769	823	888	969	920	27 7	19	22	17	23	19	25	27	33	28	21	23	26	24	
29	924	855	754	738	636	605	605	784	877	915	913	911	28 7	19	25	17	23	19	25	27	33	28	21	23	26	24	
30	959	881	757	780	670	608	608	826	886	909	866	981	29 7	12	19	12	19	16	21	23	27	19	18	15	15	18	
31	30.007		816	789	606	606	606	829		902	961	961	23 7	12	19	12	19	16	21	23	27	19	18	15	15	18	
Monthly Mean.	30.001	29.943	29.893	29.853	29.781	29.659	29.613	29.717	29.765	29.887	29.876	29.924		113	111	119	113	105	73	66	68	93	116	128	112	99	
Annual Variation.	+ .175	+ .117	+ .067	+ .027	— .045	— .167	— .213	— .109	— .061	+ .061	+ .050	+ .098	Range.														

Temperature of the Air, 1914.

TABLE IIa.—Daily and Monthly Means.
 TABLE IIb.—Mean diurnal inequality for each month of the year and for the whole year.

1914.	Month.												1914.	Month.												Year.
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1	74.0	73.8	74.9	79.4	84.4	86.8	84.6	79.5	82.1	83.2	83.2	78.1	H. m.	0	2.5	2.1	2.2	2.2	2.3	1.6	0.4	1.1	1.1	2.3	2.4	1.9
2	74.3	74.6	75.0	79.3	84.0	86.5	85.0	80.8	81.9	83.2	83.4	80.4	0	2	3.0	2.8	2.5	2.6	2.5	1.6	0.7	1.3	1.4	2.6	2.9	2.2
3	74.7	74.6	76.1	79.5	84.5	86.3	83.6	80.9	81.9	82.6	83.3	80.5	1	2	3.3	2.9	2.8	2.8	2.7	1.7	0.7	1.3	1.6	2.9	3.3	2.4
4	75.1	75.0	76.3	79.3	85.2	87.3	84.1	80.8	82.1	82.9	84.1	79.4	2	2	3.6	3.2	3.2	3.2	2.8	1.8	0.9	1.4	1.7	3.0	3.6	2.7
5	76.1	75.0	76.9	79.7	85.4	87.5	83.7	79.7	80.3	83.0	80.8	78.3	3	2	3.8	3.6	3.5	3.4	2.9	2.0	1.1	1.3	1.6	3.3	3.7	2.8
6	76.2	75.4	76.3	80.3	85.7	87.6	82.7	79.9	81.7	82.4	83.2	77.2	4	2	4.4	4.0	4.0	3.7	3.1	2.1	1.3	1.4	1.8	3.5	4.1	3.2
7	77.2	75.9	76.3	79.2	85.8	86.5	82.4	80.6	81.6	84.0	83.0	77.1	5	2	4.7	4.3	4.2	3.8	2.9	1.9	1.3	1.4	1.7	3.8	4.8	3.3
8	76.4	75.2	76.5	78.8	86.1	86.6	83.0	80.6	82.1	85.0	83.8	76.9	6	2	5.1	4.5	4.0	3.5	2.9	1.7	0.8	1.2	1.3	3.3	4.1	2.9
9	75.9	74.8	76.5	79.1	85.5	86.9	83.4	80.5	82.2	84.5	84.4	76.0	7	2	3.8	3.0	2.0	1.0	0.3	0.9	0.2	0.8	0.5	2.1	2.7	1.7
10	75.9	74.7	76.5	80.1	85.1	85.5	83.7	81.2	79.1	83.4	84.5	73.0	8	2	2.1	0.9	0.2	0.2	0.9	0.2	0.4	0.1	0.0	0.7	1.1	0.4
11	76.2	76.2	76.0	79.3	84.5	83.3	82.3	79.5	78.3	83.3	84.1	75.3	9	2	0.3	1.4	2.0	1.8	2.3	1.5	0.7	0.9	0.8	1.1	1.0	1.2
12	75.3	75.9	77.1	79.5	86.1	85.0	83.1	80.4	78.6	83.4	82.2	76.2	10	2	2.4	3.1	3.4	3.0	3.1	2.2	1.1	1.6	1.6	2.7	2.9	2.5
13	76.4	73.3	76.6	81.5	85.7	82.2	80.8	80.8	80.3	83.6	80.9	76.4	11	2	4.9	4.5	4.3	4.1	3.7	3.2	1.8	1.9	2.3	4.3	4.9	3.7
14	76.8	71.4	76.6	80.6	85.4	82.1	82.8	81.0	80.5	83.3	81.2	75.8	12	2	6.2	5.0	4.8	4.6	4.0	3.3	0.9	1.9	2.4	5.1	6.0	4.2
15	76.9	70.6	75.1	80.5	85.0	81.6	82.6	79.8	80.9	83.4	81.8	76.8	13	2	6.7	5.2	5.2	5.0	4.3	3.3	1.4	2.2	2.9	5.4	6.0	4.5
16	75.8	75.8	74.8	81.5	85.1	80.1	81.1	80.8	80.2	84.1	80.8	77.0	14	2	6.5	4.8	4.9	4.7	4.0	2.6	0.8	2.2	2.6	4.9	5.7	4.2
17	74.7	75.4	76.0	82.7	85.5	80.1	81.8	80.3	80.8	85.5	80.9	75.0	15	2	5.6	4.5	4.1	3.9	3.4	2.0	1.1	1.7	2.1	4.0	4.4	3.5
18	75.5	75.6	77.3	82.6	85.3	84.5	78.4	80.9	80.4	83.6	80.0	74.5	16	2	3.6	3.2	2.8	2.6	2.0	1.4	0.7	0.9	1.4	2.5	2.6	2.2
19	76.1	75.0	77.8	82.7	85.0	84.3	77.3	80.8	81.9	82.4	78.4	74.1	17	2	1.9	1.6	0.9	0.7	0.2	0.4	0.3	0.3	0.4	1.2	1.3	0.9
20	75.6	75.2	78.3	83.4	86.4	81.4	80.8	81.4	80.7	82.5	79.7	74.0	18	2	1.0	0.9	0.0	0.5	0.9	0.4	0.1	0.1	0.2	0.4	0.8	0.2
21	74.8	75.8	79.6	83.9	86.2	83.9	79.7	81.6	81.1	83.6	79.5	74.6	19	2	0.4	0.4	0.4	0.8	1.3	0.6	0.1	0.3	0.5	0.0	0.3	0.6
22	74.9	75.8	81.0	83.4	86.5	84.7	78.8	81.8	82.9	83.7	78.5	74.8	20	2	0.3	0.2	0.8	1.2	1.5	1.2	0.1	0.6	0.7	0.7	0.6	0.2
23	74.1	74.1	80.3	84.1	86.5	84.8	77.3	82.3	83.1	83.5	78.2	74.4	21	2	1.2	0.9	1.3	1.4	1.7	1.2	0.4	0.6	0.8	1.3	1.6	1.1
24	74.1	74.1	80.3	84.1	86.5	84.8	78.0	82.1	82.8	82.8	77.0	77.0	22	2	2.2	1.6	1.8	1.8	2.0	1.3	0.5	0.9	1.0	1.9	2.2	1.6
25	74.1	74.1	80.3	84.1	86.5	84.8	78.0	82.1	82.8	82.8	77.0	77.0	23	2	2.2	1.6	1.8	1.8	2.0	1.3	0.5	0.9	1.0	1.9	2.2	1.6
26	74.1	74.1	80.3	84.1	86.5	84.8	78.0	82.1	82.8	82.8	77.0	77.0	24	2	2.2	1.6	1.8	1.8	2.0	1.3	0.5	0.9	1.0	1.9	2.2	1.6
27	74.1	74.1	80.3	84.1	86.5	84.8	78.0	82.1	82.8	82.8	77.0	77.0	25	2	2.2	1.6	1.8	1.8	2.0	1.3	0.5	0.9	1.0	1.9	2.2	1.6
28	74.1	74.1	80.3	84.1	86.5	84.8	78.0	82.1	82.8	82.8	77.0	77.0	26	2	2.2	1.6	1.8	1.8	2.0	1.3	0.5	0.9	1.0	1.9	2.2	1.6
29	74.1	74.1	80.3	84.1	86.5	84.8	78.0	82.1	82.8	82.8	77.0	77.0	27	2	2.2	1.6	1.8	1.8	2.0	1.3	0.5	0.9	1.0	1.9	2.2	1.6
30	74.1	74.1	80.3	84.1	86.5	84.8	78.0	82.1	82.8	82.8	77.0	77.0	28	2	2.2	1.6	1.8	1.8	2.0	1.3	0.5	0.9	1.0	1.9	2.2	1.6
31	74.1	74.1	80.3	84.1	86.5	84.8	78.0	82.1	82.8	82.8	77.0	77.0	29	2	2.2	1.6	1.8	1.8	2.0	1.3	0.5	0.9	1.0	1.9	2.2	1.6
Monthly Mean.	75.7	74.9	76.9	80.9	85.5	84.3	81.7	80.7	80.9	83.4	81.7	76.2	Range.	11.8	9.7	9.4	8.8	7.4	5.4	2.7	3.6	4.7	9.2	10.3	11.0	7.8
Annual Variation.	- 4.5	- 5.3	- 3.3	+ 0.7	+ 5.3	+ 4.1	+ 1.5	+ 0.5	+ 0.7	+ 3.2	+ 1.5	- 4.0	Range.	11.8	9.7	9.4	8.8	7.4	5.4	2.7	3.6	4.7	9.2	10.3	11.0	7.8
Annual Mean	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

Annual Mean 80.2

TABLE IIc.—Showing the maximum temperature of the Air on each day during the year 1914.

1914.		Month.												1914.		Month.											
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	80.0	81.4	82.3	86.7	90.7	93.3	88.6	82.2	87.2	88.7	92.2	86.3	86.3	1	68.6	69.3	71.1	74.1	81.2	83.4	81.8	76.4	78.8	79.7	77.8	73.3	
2	82.5	82.9	81.7	86.1	91.0	92.6	89.4	83.4	87.4	89.3	92.9	89.9	89.9	2	69.3	68.3	71.3	74.8	80.2	83.9	82.4	78.6	77.7	79.4	77.4	73.7	
3	84.0	83.4	83.1	88.4	91.3	92.6	88.0	83.0	87.9	89.6	92.6	89.6	89.6	3	70.7	69.6	70.9	74.5	80.8	83.0	78.4	77.8	78.9	79.2	75.4	75.4	
4	84.5	83.1	86.7	87.1	91.8	92.4	88.8	83.0	87.0	90.4	92.5	88.1	88.1	4	71.5	67.5	69.1	74.9	81.4	83.2	81.4	78.4	78.0	79.0	79.9	72.1	
5	81.1	83.6	85.6	86.5	91.2	93.7	87.6	83.1	89.5	90.2	88.2	87.6	87.6	5	71.5	67.6	70.5	74.6	81.4	83.2	80.4	78.2	79.0	77.8	79.5	70.5	
6	84.1	83.8	84.3	85.3	91.2	93.7	87.1	83.1	89.5	90.2	88.2	88.2	88.2	6	71.1	68.5	72.5	74.6	81.6	83.9	81.3	77.6	78.2	79.5	76.8	72.5	
7	86.2	82.8	84.1	86.1	91.6	93.0	85.1	84.1	87.0	88.7	89.7	85.6	85.6	7	71.4	68.5	71.1	75.4	82.2	83.2	79.2	77.4	78.4	79.0	70.0	70.0	
8	85.6	84.9	84.0	86.4	91.4	92.4	87.0	85.3	85.0	88.8	89.9	86.9	86.9	8	71.1	70.2	71.3	76.2	81.9	83.4	78.6	77.5	79.8	79.4	79.4	70.5	
9	87.3	84.6	83.2	86.8	91.2	92.4	84.0	85.0	85.4	90.5	90.4	84.4	84.4	9	71.5	68.9	71.5	74.9	82.0	81.8	79.2	77.0	78.8	79.8	77.8	72.5	
10	86.2	84.2	83.9	86.4	92.4	93.0	85.9	85.1	87.4	93.1	93.0	84.5	84.5	10	70.7	68.5	73.1	73.3	82.6	83.4	80.2	77.9	78.0	79.4	78.6	70.5	
11	86.0	82.4	83.3	86.1	92.6	92.9	88.5	86.0	88.1	93.2	93.2	84.1	84.1	11	69.5	69.5	73.3	74.1	82.0	82.8	81.8	77.5	78.9	78.2	79.6	67.5	
12	86.0	84.4	83.3	86.9	92.5	93.1	87.4	86.0	83.0	90.2	92.4	82.2	82.2	12	69.5	67.3	72.3	75.7	81.8	82.6	80.6	77.2	77.2	78.2	79.2	67.5	
13	86.3	84.8	85.1	86.4	91.8	93.0	87.4	82.9	85.2	90.2	91.2	82.8	82.8	13	69.3	70.5	68.5	75.8	81.6	80.4	79.6	76.9	76.8	78.4	79.6	70.5	
14	85.9	83.7	86.9	87.1	93.2	91.1	85.4	83.9	80.8	89.3	90.2	83.9	83.9	14	71.5	74.1	69.9	75.9	81.4	77.8	80.2	75.8	77.2	79.9	79.2	69.5	
15	83.7	83.0	87.3	86.5	93.4	91.4	87.9	83.0	81.1	90.8	89.9	83.3	83.3	15	70.5	71.5	67.5	75.9	82.4	81.8	79.4	78.2	77.0	79.0	75.8	71.9	
16	84.6	80.2	86.1	88.9	92.0	85.1	86.8	85.9	79.5	90.6	89.0	84.3	84.3	16	69.5	70.3	72.3	75.4	83.2	83.2	89.2	77.1	76.4	77.4	75.4	72.0	
17	84.2	81.4	85.0	89.2	91.8	86.9	82.1	84.0	84.2	89.8	88.5	85.0	85.0	17	71.1	71.3	71.3	76.2	81.8	81.8	78.6	77.2	77.9	76.4	75.9	70.3	
18	84.5	78.0	84.3	87.3	92.0	88.1	86.0	84.7	83.2	88.3	90.2	83.1	83.1	18	72.3	68.5	71.5	75.6	81.6	77.5	81.2	78.6	79.0	75.9	75.4	70.5	
19	85.3	81.3	83.1	87.5	92.3	85.0	85.4	83.7	84.2	92.4	90.9	84.6	84.6	19	71.3	62.1	73.3	75.4	81.7	79.4	79.6	78.0	77.6	79.6	77.4	68.0	
20	83.3	86.2	82.4	88.0	91.5	85.5	82.1	83.2	85.3	89.7	90.0	86.3	86.3	20	72.1	68.5	68.5	76.4	81.6	81.6	78.1	77.0	78.2	79.7	76.2	70.3	
21	83.2	83.2	83.5	88.5	92.1	83.0	83.6	85.5	84.1	93.0	89.4	86.0	86.0	21	70.1	71.1	68.1	77.2	81.4	81.4	77.6	77.3	77.1	78.6	74.8	70.5	
22	83.6	82.4	83.2	88.9	92.2	83.4	84.2	84.2	85.4	94.2	89.0	83.9	83.9	22	68.3	69.8	72.4	77.9	81.4	76.4	78.0	77.4	77.5	79.6	75.4	70.5	
23	85.5	83.2	83.6	89.9	92.0	87.1	80.4	83.4	86.0	93.0	89.1	84.4	84.4	23	67.5	70.9	72.1	79.0	81.4	80.9	75.4	76.2	77.6	81.2	73.0	68.3	
24	85.3	83.3	84.6	90.0	91.9	89.0	80.9	84.6	85.9	91.2	88.7	83.5	83.5	24	68.3	69.1	73.1	77.4	82.0	80.9	74.9	77.9	77.0	78.6	73.0	68.3	
25	85.4	83.6	85.6	89.4	91.2	89.5	79.1	85.3	87.7	91.2	88.7	83.3	83.3	25	69.1	68.5	73.7	77.6	81.9	82.2	75.3	77.9	78.2	76.4	71.7	66.6	
26	84.2	83.9	85.4	90.8	92.3	83.0	83.0	85.9	88.5	91.3	88.6	82.9	82.9	26	67.8	71.3	73.7	78.2	82.4	79.3	75.2	78.4	79.5	76.4	72.5	65.6	
27	83.9	82.3	86.5	89.4	93.0	84.0	84.2	85.3	88.3	91.8	88.9	84.0	84.0	27	68.5	71.1	72.5	78.8	82.8	78.4	78.4	78.6	78.4	77.2	73.5	67.1	
28	83.5	82.1	86.5	90.7	93.0	87.6	82.5	86.4	88.3	92.4	89.2	84.2	84.2	28	65.3	73.5	75.6	80.2	82.6	78.6	76.4	77.4	76.8	77.4	74.6	68.3	
29	83.9	82.1	86.7	90.2	93.0	89.2	82.3	86.1	87.9	91.0	89.1	83.3	83.3	29	67.6	66.6	76.3	78.4	83.2	81.4	76.6	76.4	78.4	72.0	68.6	68.6	
30	82.9	86.1	86.1	91.3	93.0	89.1	79.1	86.9	83.4	92.4	87.2	83.7	83.7	30	67.5	67.5	78.2	80.4	82.8	81.4	76.2	79.6	77.5	73.1	68.3	68.3	
31	81.6	87.4	87.4	91.8	92.5	89.1	79.8	86.1	86.1	91.2	87.2	89.1	89.1	31	69.2	69.2	75.6	75.6	82.5	82.5	76.0	78.9	77.4	77.4	73.1	68.3	
Monthly Mean.		84.3	84.6	88.0	92.0	89.5	84.8	84.5	85.6	90.9	90.0	85.1	85.1	Monthly Mean.		69.7	69.5	72.0	76.3	81.9	80.7	78.7	77.6	78.1	78.6	76.3	70.2

Annual Mean	..	86.9	Annual Mean	..	75.8
The greatest maximum temperature recorded during the year (that of 22nd October) was ,	94.2		The least minimum temperature recorded during the year (that of 19th February) was	62.1	

TABLE IIIa.—Daily and Monthly Means.

TABLE IIIb.—*Mean diurnal inequality for each month of the year and for the whole year.*

Unity=0.001 inch.

1914.	Month.												1914.	Month.												1914.		
	Date.	Bombay Civil Time.												H. m.	Bombay Civil Time.												Range.	
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.			December.
1	0.661	0.626	0.646	0.794	0.952	0.939	0.974	0.929	0.891	0.834	0.758	0.710	0	13	10	0	5	5	8	9	12	13	0	8	6	2		
2	0.588	0.593	0.661	0.788	0.921	0.949	0.974	0.929	0.888	0.819	0.730	0.728	1	5	3	8	12	10	12	8	17	15	3	3	8	2		
3	0.595	0.606	0.680	0.798	0.931	0.949	0.967	0.924	0.868	0.810	0.738	0.653	2	6	7	9	16	18	14	16	21	15	20	13	25	7		
4	0.645	0.603	0.596	0.773	0.919	0.957	0.960	0.925	0.865	0.827	0.837	0.625	2	19	5	15	23	19	17	21	20	19	18	17	24	14		
5	0.699	0.573	0.673	0.770	0.885	0.949	0.981	0.925	0.883	0.826	0.845	0.629	3	19	5	15	23	19	17	21	20	19	18	17	24	17		
6	0.706	0.603	0.734	0.771	0.891	0.970	0.969	0.919	0.898	0.854	0.768	0.658	4	35	15	10	20	20	18	19	20	15	18	7	33	19		
7	0.634	0.635	0.700	0.704	0.908	0.976	0.949	0.909	0.895	0.816	0.734	0.641	5	44	31	21	21	20	19	23	21	21	22	21	38	25		
8	0.635	0.622	0.735	0.746	0.892	0.958	0.947	0.909	0.910	0.881	0.792	0.692	6	52	47	25	19	15	16	28	18	17	24	24	39	27		
9	0.590	0.572	0.726	0.725	0.894	0.973	0.951	0.910	0.881	0.855	0.761	0.699	7	65	48	17	9	9	11	9	12	2	22	26	46	23		
10	0.598	0.602	0.697	0.692	0.916	0.962	0.964	0.917	0.901	0.830	0.732	0.653	7	65	48	17	9	9	11	9	12	2	22	26	46	23		
11	0.563	0.593	0.679	0.702	0.895	0.961	0.958	0.909	0.919	0.857	0.764	0.687	8	45	44	14	2	2	4	3	3	10	14	20	42	14		
12	0.608	0.591	0.622	0.731	0.876	0.963	0.953	0.921	0.912	0.854	0.761	0.687	8	45	44	14	2	2	4	3	3	10	14	20	42	14		
13	0.613	0.655	0.459	0.755	0.891	0.950	0.964	0.896	0.941	0.880	0.785	0.710	9	32	48	20	2	1	7	12	7	17	5	6	37	9		
14	0.618	0.735	0.483	0.738	0.962	0.972	0.961	0.900	0.909	0.820	0.739	0.660	10	33	29	30	6	5	17	18	28	22	1	16	17	3		
15	0.671	0.713	0.582	0.756	1.013	0.974	0.959	0.915	0.930	0.879	0.782	0.696	11	36	15	15	7	12	17	14	35	31	13	19	16	1		
16	0.679	0.640	0.710	0.767	0.902	0.940	0.941	0.905	0.918	0.871	0.737	0.728	12	64	12	11	5	14	19	19	34	33	30	44	13	2		
17	0.667	0.663	0.695	0.806	0.959	0.928	0.924	0.898	0.913	0.865	0.764	0.704	12	64	12	11	5	14	19	19	34	33	30	44	13	2		
18	0.661	0.490	0.691	0.808	0.904	0.935	0.940	0.908	0.928	0.880	0.734	0.690	13	53	25	21	7	15	25	20	23	23	30	41	8	2		
19	0.658	0.392	0.619	0.797	0.906	0.905	0.938	0.909	0.926	0.824	0.702	0.622	13	53	25	21	7	15	25	20	23	23	30	41	8	2		
20	0.686	0.540	0.583	0.816	0.898	0.936	0.937	0.875	0.909	0.849	0.698	0.684	14	2	6	25	19	18	29	27	31	28	21	15	10	19		
21	0.556	0.690	0.633	0.868	0.916	0.958	0.958	0.882	0.858	0.860	0.688	0.556	15	2	43	23	31	16	13	18	12	17	25	13	14	21		
22	0.554	0.658	0.680	0.919	0.984	0.934	0.962	0.885	0.865	0.871	0.682	0.585	16	2	65	27	21	18	12	15	17	9	37	17	40	25		
23	0.598	0.590	0.713	0.914	0.964	0.965	0.888	0.890	0.884	0.783	0.623	0.521	17	2	75	23	18	14	7	6	10	2	5	33	49	22		
24	0.606	0.583	0.738	0.883	0.915	0.989	0.881	0.873	0.934	0.719	0.618	0.504	18	2	82	23	14	12	10	5	3	14	39	40	61	22		
25	0.634	0.622	0.765	0.874	0.916	0.987	0.881	0.880	0.940	0.769	0.590	0.552	19	2	79	21	7	8	4	5	5	11	14	40	61	20		
26	0.651	0.649	0.733	0.911	0.925	0.964	0.913	0.880	0.940	0.769	0.590	0.552	20	2	66	23	12	12	7	2	2	10	11	35	56	22		
27	0.648	0.680	0.748	0.919	0.929	0.969	0.916	0.889	0.924	0.725	0.578	0.578	21	2	46	27	8	15	4	7	1	15	10	43	61	20		
28	0.626	0.649	0.812	0.929	0.932	0.974	0.901	0.889	0.897	0.724	0.580	0.577	22	2	7	25	6	14	4	12	6	13	9	14	45	13		
29	0.587	0.869	0.916	0.916	0.917	0.981	0.898	0.899	0.947	0.758	0.603	0.584	21	2	46	27	8	15	4	7	1	15	10	43	61	22		
30	0.637	0.866	0.939	0.939	0.937	0.986	0.886	0.902	0.950	0.734	0.646	0.540	22	2	7	25	6	14	4	12	6	13	9	14	45	13		
31	0.662	0.839	0.903	0.903	0.903	0.906	0.906	0.891	0.906	0.744	0.646	0.599	23	2	1	14	1	3	3	6	10	15	14	2	4	4		
Monthly Mean.	0.630	0.615	0.686	0.809	0.923	0.955	0.939	0.903	0.906	0.846	0.744	0.617																
Annual Variation.	-168	-183	-112	+101	+125	+157	+141	+105	+108	-048	-054	-181	Range.	137	81	61	42	38	48	55	56	54	70	100	107	52		

Inch.
0.798

Annual Mean

TABLE IVb.—*Mean diurnal inequality for each month of the year and for the whole year.*

Unity=0.001 inch.

1914.	Month.												1914.	Month.
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	H. m.	
1	0.180	0.211	0.223	0.215	0.234	0.337	0.215	0.080	0.207	0.202	0.386	0.257	0 2	
2	.265	.269	.210	.218	.248	.315	.232	.123	.204	.218	.401	.319	0 2	
3	.273	.254	.324	.256	.251	.347	.186	.132	.223	.208	.408	.396	1 2	
4	.257	.258	.317	.233	.297	.317	.233	.113	.204	.204	.338	.389	2 2	
5	.176	.302	.256	.230	.317	.350	.187	.125	.214	.204	.285	.330	3 2	
6	.260	.271	.193	.246	.330	.338	.186	.095	.135	.176	.176	.317	3 2	
7	.303	.239	.210	.332	.325	.311	.169	.112	.189	.190	.243	.288	4 2	
8	.354	.295	.178	.278	.340	.302	.167	.152	.153	.196	.229	.250	5 2	
9	.320	.278	.218	.297	.336	.308	.164	.127	.197	.379	.264	.334	6 2	
10	.345	.327	.182	.274	.343	.293	.157	.134	.199	.212	.212	.234	7 2	
11	.290	.271	.237	.295	.333	.319	.187	.134	.185	.335	.343	.415	7 2	
12	.360	.275	.294	.298	.333	.265	.201	.147	.083	.295	.342	.307	8 2	
13	.300	.214	.443	.248	.296	.193	.176	.085	.067	.253	.349	.264	9 2	
14	.304	.180	.422	.280	.263	.190	.141	.109	.059	.219	.350	.228	10.2	
15	.211	.183	.359	.255	.235	.231	.175	.121	.047	.269	.373	.210	11 2	
16	.223	.189	.220	.287	.250	.140	.175	.160	.054	.269	.326	.190	12 2	
17	.249	.160	.226	.273	.277	.172	.126	.154	.122	.280	.294	.211	13 2	
18	.267	.280	.229	.241	.318	.164	.153	.149	.113	.267	.337	.203	14 2	
19	.274	.365	.253	.246	.301	.174	.177	.131	.105	.357	.394	.256	15 2	
20	.222	.355	.256	.230	.302	.126	.115	.143	.146	.297	.363	.214	16 2	
21	.339	.207	.236	.210	.294	.109	.102	.172	.174	.317	.369	.378	17 2	
22	.311	.225	.220	.204	.245	.094	.125	.149	.185	.360	.378	.288	18 2	
23	.284	.314	.208	.219	.254	.160	.059	.134	.152	.440	.400	.348	19 2	
24	.288	.307	.202	.236	.303	.198	.082	.181	.139	.465	.434	.336	20 2	
25	.272	.254	.189	.248	.290	.192	.056	.179	.156	.400	.362	.345	21 2	
26	.240	.246	.236	.224	.315	.126	.100	.191	.163	.328	.446	.275	22 2	
27	.243	.198	.225	.228	.332	.114	.134	.179	.125	.394	.446	.283	23 2	
28	.245	.243	.203	.237	.332	.190	.111	.192	.170	.433	.436	.287	24 2	
29	.284	.243	.200	.231	.347	.211	.050	.187	.179	.400	.379	.283	25 2	
30	.209	.182	.202	.233	.361	.211	.051	.204	.186	.418	.325	.341	26 2	
31	.182		.202		.357			.208					27.2	
Monthly Mean.	0.264	0.256	0.244	0.250	0.302	0.227	0.146	0.145	0.151	0.303	0.345	0.204	Range.	
Annual Variation.	+ .020 + .012		.000 + .006 + .058		-.017 - .098		-.099 - .093 + .059 + .101 + .050						223	

Inch.
0.244

Annual Mean

Rainfall, 1914.

TABLE Va.—Total fall of rain (in inches) as measured by F. Chambers's self-registering gauge, the funnel of which is 28 feet above the ground.

1914.		Month.												1914.		Month.											
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	..	..	In.	..	..	..	In.	0.06	In.	0.36	..	..	..	1	..	..	In.	..	..	..	In.	0.13	0.05	0.38	..	..	
2	..	..	..	..	..	..	0.01	0.21	0.36	0.21	..	..	..	2	..	..	..	..	..	..	..	0.01	0.01	0.23	..	..	
3	..	..	..	..	..	..	0.17	0.84	0.84	0.84	0.05	..	..	3	..	..	..	..	..	..	..	0.20	0.85	0.07	..	..	
4	..	..	..	..	..	..	0.01	0.04	0.24	0.06	0.06	0.03	..	4	..	..	..	..	..	..	0.01	0.05	0.06	..	0.03		
5	..	..	..	..	..	..	..	0.34	0.18	0.01	..	0.14	..	5	..	..	..	..	..	..	..	0.35	0.17	0.01	..	..	
6	..	..	..	..	..	..	0.01	0.36	0.82	0.38	..	..	..	6	..	..	..	..	..	..	0.01	0.38	0.84	0.40	..	..	
7	..	..	..	..	..	..	0.04	0.22	0.66	..	..	..	..	7	..	..	..	..	..	..	0.05	0.25	0.07	..	..	..	
8	..	..	..	0.07	..	..	0.07	0.73	0.01	0.27	..	..	..	8	..	..	..	0.07	..	..	0.09	0.76	0.01	0.28	..	..	
9	..	..	..	..	..	..	0.17	0.57	0.07	..	..	..	..	9	..	..	..	..	..	..	0.02	0.17	0.60	0.07	..	..	
10	..	..	..	..	..	..	0.13	0.32	0.02	..	..	..	..	10	..	..	..	..	..	..	0.01	0.13	0.31	0.02	..	..	
11	..	..	..	..	..	..	0.24	0.19	0.05	..	..	..	..	11	..	..	..	..	..	..	0.01	0.27	0.20	0.07	..	..	
12	..	..	..	..	..	..	0.07	0.08	0.19	3.34	..	..	..	12	..	..	..	..	..	..	0.09	0.07	0.22	3.40	..	..	
13	..	..	..	..	..	..	1.30	0.18	1.76	2.52	..	..	..	13	..	..	..	..	..	..	1.38	0.22	1.99	2.55	..	..	
14	..	..	..	..	..	..	0.06	0.66	0.17	2.34	..	..	..	14	..	..	..	..	..	..	0.07	0.66	0.18	2.36	..	..	
15	..	..	..	..	..	..	0.04	0.06	2.28	3.95	..	..	..	15	..	..	..	..	..	..	0.06	0.06	2.32	4.04	..	..	
16	..	..	..	..	..	..	1.04	0.41	0.28	5.50	..	..	..	16	..	..	..	..	..	..	1.08	0.42	0.27	5.65	..	..	
17	..	..	0.07	..	..	..	0.69	2.24	0.01	0.54	..	..	..	17	..	0.08	..	..	..	..	0.69	2.33	0.01	0.57	..	..	
18	..	..	..	..	..	..	0.21	0.21	0.23	0.65	..	..	..	18	..	..	..	..	..	..	0.23	0.21	0.26	0.68	..	..	
19	..	..	..	..	..	..	0.10	0.01	0.42	0.08	..	..	..	19	..	..	..	..	..	..	0.11	0.02	0.42	0.08	..	..	
20	..	..	..	..	..	..	1.98	0.99	0.27	..	..	..	..	20	..	..	..	..	..	..	2.07	1.04	0.28	..	..	..	
21	..	..	..	..	..	..	3.64	1.30	0.21	0.05	..	..	..	21	..	..	..	..	..	..	3.86	1.36	0.24	0.05	..	..	
22	..	..	..	..	..	..	3.29	0.20	0.39	..	..	..	..	22	..	..	..	..	..	..	3.35	0.21	0.39	..	..	..	
23	..	..	..	..	..	..	0.25	6.11	0.38	0.10	..	..	..	23	..	..	..	..	..	..	0.25	6.28	0.40	0.11	..	..	
24	..	..	..	..	..	..	..	2.02	0.38	0.07	..	..	..	24	..	..	..	..	..	..	2.08	0.40	0.08	..	..	..	
25	..	..	..	..	..	..	0.03	3.45	0.04	..	..	..	..	25	..	..	..	..	..	..	0.03	3.54	0.05	..	..	..	
26	..	..	..	..	..	..	1.87	1.45	0.07	0.02	..	..	..	26	..	..	..	..	..	..	1.93	1.55	0.07	0.02	..	..	
27	..	..	..	..	..	..	0.97	0.49	0.11	0.38	..	..	..	27	..	..	..	..	..	..	1.03	0.48	0.10	0.42	..	..	
28	..	..	..	..	..	..	0.08	0.66	0.04	0.01	..	..	..	28	..	..	..	..	..	..	0.09	0.72	0.04	0.01	..	..	
29	..	..	..	..	..	..	..	2.42	0.26	..	..	..	..	29	..	..	..	..	..	..	0.01	2.48	0.27	..	..	..	
30	..	..	..	..	..	..	0.03	2.39	..	..	..	..	..	30	..	..	..	..	..	..	0.04	2.46	..	..	..	..	
31	..	..	..	..	..	..	2.24	2.24	0.03	..	..	..	..	31	..	..	..	..	..	..	2.31	2.31	0.03	..	..	..	
Monthly Total.		..	0.07	..	0.07	..	15.94	30.04	12.12	20.52	0.01	0.17	..	Monthly Total.		..	0.08	..	0.07	..	16.69	31.12	12.44	21.03	0.01	0.18	..
Number of rainy days.		..	1	..	1	..	24	31	30	23	1	2	..	Number of rainy days.		..	1	..	1	..	25	31	30	23	1	2	..

Total fall of rain in the year Inches. 81.62
Total number of rainy days in the year 114
The greatest daily fall of rain in the year (that of 23rd July) was 6.28
No rain fell in the months of January, March, May and December, nor on any of the days left blank in the above table.

Velocity of Wind, 1914.

ROBINSON BECKLEY'S ANEMOGRAPH.

TABLE VIa.--Mean Velocity of the Wind in miles per hour, without regard to the direction from which it blew for each day of Bombay Civil Time, also the Mean Monthly Velocity and its variation from the mean of the year. Wind in miles per hour for each month of the year 1914, and for the whole year.

1914.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Date.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.
1	5.4	6.6	5.6	4.7	7.1	6.2	8.6	10.3	3.7	3.8	6.6	5.4	0 to 1
2	5.1	8.1	8.6	5.7	5.3	7.5	7.8	9.8	4.0	5.2	7.7	6.6	1 " 2
3	6.3	6.7	10.0	5.9	5.8	7.9	8.8	9.3	4.9	6.3	7.0	7.5	2 " 3
4	3.8	6.5	7.6	7.0	6.7	6.8	9.7	12.8	5.4	5.0	8.4	6.2	3 " 4
5	3.0	7.0	4.8	5.6	6.1	6.8	12.0	10.9	5.4	6.2	4.8	5.5	4 " 5
6	4.0	6.1	5.4	4.8	5.6	6.3	13.2	10.1	3.2	6.2	4.9	6.9	5 " 6
7	4.8	7.2	6.5	4.8	5.2	7.8	15.2	7.0	4.4	6.8	4.4	5.9	6 " 7
8	5.7	8.2	6.2	5.0	6.3	8.1	16.0	5.6	6.2	6.2	4.7	5.1	7 " 8
9	8.2	7.8	7.7	6.7	5.8	8.6	15.0	6.5	6.5	4.3	4.0	5.2	8 " 9
10	5.3	5.4	4.9	5.3	6.4	6.7	16.1	5.8	4.9	5.7	4.7	6.2	9 " 10
11	6.5	7.3	6.7	5.4	7.8	5.0	13.8	7.3	8.6	5.0	5.4	7.0	10 " 11
12	5.3	4.5	7.2	5.9	7.1	4.5	10.4	7.3	9.7	4.3	5.4	4.5	11 " 12
13	5.1	4.1	11.2	6.9	10.8	5.1	10.5	7.3	6.2	5.0	5.1	4.9	12 " 13
14	4.5	3.1	8.1	6.5	10.3	5.3	10.3	6.5	6.5	3.5	5.0	5.1	13 " 14
15	4.8	6.4	5.5	6.2	7.8	8.7	13.6	9.7	8.1	4.0	6.0	4.0	14 " 15
16	4.3	3.1	5.4	7.3	5.6	9.6	14.1	9.0	13.6	4.6	6.8	5.2	15 " 16
17	4.5	5.6	5.7	6.5	5.6	9.4	16.2	6.7	10.8	4.3	5.9	4.5	16 " 17
18	4.3	9.1	5.4	4.3	5.8	10.3	16.7	5.8	8.1	4.4	5.7	5.4	17 " 18
19	4.4	8.0	7.7	5.4	7.2	9.6	16.6	7.0	4.3	5.5	6.2	8.0	18 " 19
20	5.0	5.4	7.8	6.3	7.5	11.5	14.3	10.6	5.1	4.3	5.9	6.3	19 " 20
21	6.9	5.7	5.4	6.4	8.9	11.0	12.0	11.9	4.5	5.8	4.8	6.9	20 " 21
22	5.1	8.9	5.1	4.9	7.8	7.5	10.0	10.0	5.9	5.9	6.4	4.4	21 " 22
23	5.8	11.7	6.2	7.4	6.0	6.9	11.7	9.5	3.8	7.7	6.3	6.5	22 " 23
24	4.5	7.5	7.5	4.5	5.6	6.7	13.7	12.5	5.0	7.0	6.4	7.2	23 " 24
25	4.9	5.1	6.6	5.6	4.5	7.8	16.9	10.7	6.4	6.1	6.6	7.6	Range.
26	4.3	4.2	6.7	5.0	4.8	13.3	12.7	9.2	5.5	5.7	7.7	5.1	
27	5.8	4.1	6.0	3.8	5.8	15.7	12.1	6.8	4.5	5.8	8.3	4.0	
28	6.3	4.8	5.7	5.3	6.5	10.1	11.7	9.1	4.0	5.9	8.4	4.7	
29	5.4		6.2	4.9	6.2	7.3	10.7	9.7	4.0	5.4	7.5	6.5	
30	6.2		5.4	6.2	5.4	6.8	9.5	7.5	3.4	5.7	6.5	6.2	
31	6.5		4.8		4.7		8.7	4.8	5.3				
Monthly Mean.	5.2	6.4	6.6	5.7	6.5	8.2	12.5	8.6	5.9	5.4	6.1	5.9	
Annual Variation.	- 1.7	- 0.5	- 0.3	- 1.2	- 0.4	+ 1.3	+ 5.6	+ 1.7	- 1.0	- 1.5	- 0.8	- 1.0	

Miles.
The mean velocity for June to August. . . 9.8
The mean velocity for September to May . . 6.0
The mean velocity for the year . . 6.9

M N 78-14

M N 78-14

M N 78-14

TABLE VI d.—Showing the mean diurnal inequality of the Velocity of the North or South and East or West Components of the Wind
for each month of the year 1914 and for the whole year.
In miles per hour.

1914.		Month.												Year.													
		January.		February.		March.		April.		May.		June.			July.		August.		September.		October.		November.		December.		
		N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.		N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	
Bombay Civil Time Hourly Intervals..		N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.		
0 to 1	..0.9	S1.5	E0.6	S1.6	E0.3	N1.1	E0.1	S1.4	E0.2	N1.8	E0.3	S1.0	E0.7	S0.1	W0.4	S0.4	W0.1	S0.9	E0.7	S1.5	E1.1	S1.4	E0.7	S1.3	E0.4	S1.1	E
1 " 2	..1.0	S2.1	E0.9	S1.7	E0.4	N0.9	E0.3	S1.8	E0.0	1.7	E0.5	S0.4	E0.2	S0.5	W0.6	S0.2	W0.7	S0.3	E0.6	S1.6	E0.8	S1.6	E1.0	S1.8	E0.5	S1.1	E
2 " 3	..1.2	S2.8	E0.3	S1.5	E0.2	N1.7	E0.1	S2.1	E0.1	S2.1	E0.4	S0.4	E0.2	S0.7	W0.3	S0.0	0.4	S0.7	E0.1	S2.1	E0.7	S1.8	E1.0	S2.5	E0.4	S1.4	E
3 " 4	..0.7	S3.3	E0.4	S2.2	E0.1	S2.9	E0.7	S2.7	E0.9	S2.2	E0.3	N0.5	E0.1	S0.7	W0.4	S0.3	W0.3	S0.4	E0.1	S2.9	E1.0	S3.2	E1.0	S2.6	E0.4	S1.8	E
4 " 5	..1.0	S3.4	E0.3	S2.6	E0.1	S3.3	E0.8	S3.4	E1.2	S2.5	E0.1	S0.6	E0.0	0.6	W0.4	S0.0	0.1	S0.2	E0.1	S3.6	E0.5	S3.8	E1.2	S2.9	E0.5	S2.1	E
5 " 6	..0.7	S3.8	E1.0	S2.9	E1.2	S4.8	E1.0	S4.2	E1.0	S3.0	E0.0	1.4	E0.4	N0.5	W0.1	N0.1	E0.4	S1.1	E0.3	S4.4	E0.6	S4.0	E1.2	S3.2	E0.6	S2.7	E
6 " 7	..0.8	S3.4	E1.3	S4.4	E1.8	S5.7	E1.0	S4.4	E1.0	S2.7	E0.3	N1.5	E0.7	N0.1	E0.4	N0.3	E1.1	S1.8	E1.5	S5.2	E0.8	S4.7	E1.5	S4.0	E0.8	S3.2	E
7 " 8	..0.8	S4.0	E2.1	S4.4	E2.1	S6.2	E0.9	S5.1	E1.0	S2.3	E0.7	S2.1	E1.0	N0.7	E0.2	N0.5	E1.0	S1.8	E1.0	S5.0	E0.7	S5.2	E1.7	S4.2	E0.9	S3.5	E
8 " 9	..1.4	S5.0	E1.9	S4.8	E1.7	S6.1	E0.7	S4.8	E0.7	S1.9	E0.3	S1.6	E0.9	N0.5	E0.1	S0.3	E0.8	S1.7	E1.1	S4.8	E1.0	S5.3	E1.3	S4.4	E0.8	S3.4	E
9 " 10	..1.3	S4.6	E1.6	S4.5	E1.5	S4.3	E0.8	S3.2	E0.5	S0.8	E0.5	S1.2	E0.3	N0.3	E0.3	N0.2	E1.0	S1.2	E1.8	S4.0	E1.7	S5.3	E1.8	S4.8	E0.9	S2.9	E
10 " 11	..1.1	S3.4	E2.0	S2.9	E1.1	S1.2	E1.0	S0.3	E0.6	S0.6	W0.8	S0.8	E0.2	N0.3	E0.1	S0.5	E0.4	S0.5	E1.8	S2.9	E1.6	S4.2	E2.1	S4.1	E1.0	S1.7	E
11 " 12	..1.4	S1.5	E1.0	S0.4	W0.8	S1.9	W0.4	S1.9	W0.3	S1.5	W0.5	S0.5	W0.4	N0.0	0.0	0.2	W0.3	S0.1	E2.0	S0.5	E1.8	S1.7	E2.2	S0.6	E0.9	S0.2	W
12 " 13	..1.0	S0.2	W0.2	S3.0	W0.5	S4.2	W0.2	N3.7	W0.2	N2.5	W0.3	S1.2	W1.0	N0.1	E0.3	N1.0	W0.4	N1.2	W1.7	S1.5	W1.8	S0.4	W1.2	S2.1	W0.4	S1.7	W
13 " 14	..0.4	S2.9	W0.8	N4.8	W0.1	S5.4	W0.4	N4.7	W0.6	N3.3	W0.0	1.6	W0.5	N0.2	W0.7	N0.3	W0.7	N2.1	W0.7	S4.7	W1.3	S4.4	W0.9	S4.0	W0.0	3.2	W
14 " 15	..0.4	N5.4	W1.5	N5.3	W0.5	N5.7	W0.5	N5.5	W0.7	N4.1	W0.5	S2.1	W0.6	N0.6	W0.4	N0.7	W0.4	N2.6	W0.2	S6.2	W0.4	S5.8	W0.1	N5.4	W0.3	N4.1	W
15 " 16	..0.7	N6.2	W1.8	N5.3	W1.3	N6.1	W0.8	N5.8	W0.9	N4.0	W0.3	N2.4	W0.1	N0.3	W1.0	N1.0	W0.6	N2.1	W1.0	N6.8	W0.4	N7.3	W1.2	N5.6	W0.8	N4.3	W
16 " 17	..1.3	N6.2	W2.1	N5.1	W1.9	N5.9	W1.3	N5.6	W1.0	N4.0	W0.3	S1.6	W0.7	N0.6	W0.3	N0.7	W0.7	N2.2	W2.2	N6.3	W1.8	N7.1	W2.1	N5.2	W1.3	N4.2	W
17 " 18	..1.8	N5.6	W1.8	N4.5	W2.2	N5.1	W1.3	N4.3	W1.1	N2.8	W0.1	S1.8	W0.1	S0.4	W0.7	N0.1	E0.5	N1.0	W2.3	N5.7	W2.6	N6.3	W3.2	N5.0	W1.4	N3.5	W
18 " 19	..3.0	N5.0	W1.4	N3.7	W2.1	N3.4	W0.9	N3.4	W0.9	N1.5	W0.8	N1.4	W0.3	S0.4	E0.0	0.1	W0.8	N1.3	W3.1	N4.1	W4.2	N5.1	W3.7	N4.3	W1.7	N2.7	W
19 " 20	..2.7	N3.9	W1.8	N2.1	W1.7	N2.1	W0.6	N1.5	W0.5	N0.6	W0.7	N0.4	W0.5	S0.8	E0.1	N0.2	E0.4	N0.6	W2.9	N2.7	W4.3	N4.0	W4.0	N3.4	W1.6	N1.7	W
20 " 21	..2.5	N2.9	W1.7	N1.0	W0.9	N1.0	W0.4	N0.0	0.4	N0.1	E1.1	N0.5	W0.8	S0.6	E0.1	S0.6	E0.7	N0.2	E1.9	N1.8	W2.6	N2.3	W3.0	N2.3	W1.2	N0.9	W
21 " 22	..1.3	N1.2	W0.6	N0.4	W0.4	N0.1	E0.3	N1.0	E0.6	N0.7	E0.7	N0.1	E0.6	S0.1	E0.5	S0.3	E0.4	N1.1	E1.4	N0.3	W0.7	N0.5	W1.7	N1.1	W0.6	N0.0	
22 " 23	..0.3	N0.4	E0.1	S0.7	E0.1	N1.2	E0.1	N1.3	E0.2	N1.2	E0.6	N0.5	E1.4	S0.5	E0.4	S0.9	E0.4	N0.9	E0.3	S0.6	E0.1	S0.2	E0.3	N0.6	E0.0	0.7	E
23 " 24	..0.8	S1.1	E0.3	S1.0	E0.1	S1.2	E0.2	N1.3	E0.4	N1.5	E0.0	0.9	E1.5	S0.7	E0.7	S0.5	E0.3	N1.2	E0.1	S1.4	E0.9	S1.0	E0.4	S1.2	E0.3	S1.1	E

Aggregate and Mean Velocities and relative Frequency of Different Winds, 1914.

TABLE VIe.—Showing for the year 1914 the sums of the Velocities and the Mean Velocities, in miles per hour, of the Winds which blew in each month, from each of the sixteen Principal Directions and also the number of Hourly Observations which those sums comprise, the latter numbers indicating the Relative Frequency of the same Wind (as to direction) in the several Months, and of different Winds during the same month.

1914.	N.			N. N. E.			N. E.			E. N. E.			E.			E. S. E.			S. E.			S. S. E.		
Month.	Sum of Velocities.	Number of Observa- tions.	Mean Velocity.	Sum of Velocities.	Number of Observa- tions.	Mean Velocity.	Sum of Velocities.	Number of Observa- tions.	Mean Velocity.	Sum of Velocities.	Number of Observa- tions.	Mean Velocity.	Sum of Velocities.	Number of Observa- tions.	Mean Velocity.	Sum of Velocities.	Number of Observa- tions.	Mean Velocity.	Sum of Velocities.	Number of Observa- tions.	Mean Velocity.	Sum of Velocities.	Number of Observa- tions.	Mean Velocity.
	Miles.		Miles.	Miles.		Miles.	Miles.		Miles.	Miles.		Miles.	Miles.		Miles.	Miles.		Miles.	Miles.		Miles.	Miles.		Miles.
January	228	58	3.9	202	55	3.7	243	62	3.9	768	153	5.0	361	85	4.2	146	30	4.9	0	0	0.0	0	0	0.0
February	428	66	6.5	209	48	4.4	91	22	4.1	258	50	5.2	61	13	4.7	97	23	4.2	57	11	5.2	86	18	4.8
March	245	41	6.0	223	54	4.1	85	18	4.7	184	36	5.1	85	22	3.9	111	26	4.3	0	0	0.0	62	8	7.7
April	3	1	3.0	73	23	3.2	64	18	3.6	49	12	4.1	26	5	5.2	31	8	3.9	24	6	4.0	74	12	6.2
May	8	2	4.0	29	10	2.9	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	91	10	9.1
June	0	0	0.0	21	5	4.2	18	3	6.0	50	12	4.2	111	25	4.4	101	11	9.2	75	10	7.5	516	41	12.6
July	10	2	5.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	5	1	5.0
August	21	4	5.2	1	1	1.0	2	2	1.0	18	3	6.0	14	3	4.7	34	7	4.9	2	1	2.0	0	0	0.0
September	0	0	0.0	26	7	3.7	42	10	4.2	105	27	3.9	33	12	2.7	36	12	3.0	73	16	4.6	220	42	5.2
October	81	22	3.7	284	80	3.5	206	55	3.7	800	141	5.7	192	39	4.9	287	57	5.0	70	21	3.3	15	4	3.7
November	192	46	4.2	293	73	4.0	290	67	4.3	1,337	212	6.3	210	37	5.7	225	39	5.8	23	2	11.5	4	1	4.0
December	375	78	4.8	387	89	4.3	202	43	4.7	884	160	5.5	191	32	6.0	205	50	4.1	0	0	0.0	0	0	0.0
Year.	1,591	320	5.0	1,748	445	3.9	1,243	300	4.1	4,453	806	5.5	1,284	273	4.7	1,273	263	4.8	324	67	4.8	1,073	137	7.8

1914.	S.			S. S. W.			S. W.			W. S. W.			W.			W. N. W.			N. W.			N. N. W.			Number of Observations.		
Month.	Sum of Velocities.		Mean Velocity.	Sum of Velocities.		Mean Velocity.	Sum of Velocities.		Mean Velocity.	Sum of Velocities.		Mean Velocity.	Sum of Velocities.		Mean Velocity.	Sum of Velocities.		Mean Velocity.	Sum of Velocities.		Mean Velocity.	Sum of Velocities.		Mean Velocity.	Sum of Velocities.		Mean Velocity.
	Miles.	Number of Observations.	Miles.	Miles.	Number of Observations.	Miles.	Miles.	Number of Observations.	Miles.	Miles.	Number of Observations.	Miles.	Miles.	Number of Observations.	Miles.	Miles.	Number of Observations.	Miles.	Miles.	Number of Observations.	Miles.	Miles.	Number of Observations.	Miles.	Miles.	Number of Observations.	Variable.
January	0	0	0.0	0	0	0.0	5	1	5.0	34	6	5.7	530	89	6.0	806	116	6.9	556	87	6.4	2	0	0	0	0	0
February	12	5	2.4	5	1	5.0	59	10	5.9	262	65	4.0	391	69	5.7	1,503	166	9.1	762	102	7.5	2	0	0	0	0	0
March	77	11	7.0	37	6	6.2	54	11	4.9	137	32	4.9	1,579	192	8.2	1,330	177	7.5	647	107	6.0	1	0	0	0	0	0
April	75	12	6.2	39	8	4.9	264	51	5.2	883	136	6.5	1,853	280	6.6	527	114	4.6	88	28	3.1	3	0	0	0	0	0
May	139	21	6.6	340	77	4.4	697	114	6.1	1,208	178	6.8	1,160	150	7.7	665	83	8.0	169	28	6.0	1	0	0	0	0	0
June	548	51	10.7	361	48	7.5	956	140	6.8	1,353	183	7.4	1,522	162	9.4	238	28	8.5	0	0	0	0	0	0	0	0	0
July	0	0	0.0	46	6	7.7	213	28	7.6	4,306	369	11.7	4,622	326	14.2	124	12	10.3	0	0	0	0	0	0	0	0	0
August	0	0	0.0	73	11	6.6	407	60	6.8	2,515	311	8.1	2,935	290	10.1	315	40	7.9	53	7	7.6	23	4	5.7	0	0	0
September	83	18	4.6	241	35	6.9	538	90	6.0	765	137	5.6	1,339	192	7.0	447	68	6.6	204	29	7.0	84	24	3.5	0	0	0
October	0	0	0.0	0	0	0.0	32	8	4.0	183	37	4.9	591	94	6.3	762	95	8.0	489	84	5.8	1	0	0	0	0	0
November	3	1	3.0	0	0	0.0	37	10	3.7	65	13	5.0	467	70	6.7	565	66	8.6	689	83	8.3	0	0	0	0	0	0
December	0	0	0.0	0	0	0.0	5	2	2.5	11	2	5.5	407	70	5.8	696	89	7.8	1,050	129	8.1	0	0	0	0	0	0
Year.	937	119	7.9	1,142	192	5.9	2,497	400	6.2	10,092	1,207	8.4	13,221	1,439	9.2	8,102	1,162	7.0	7,111	942	7.5	4,564	677	6.7	10	1	1

Velocity of Wind, 1914.

DINES'S ANEMOGRAPH.

TABLE VIg.—Mean Velocity of the Wind in miles per hour for each day of Bombay Civil Time; also the Mean Monthly Velocity and its variation from the mean of the year.

1914.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Date.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.
1	4.2	6.0	4.9	3.5	6.3	5.1	7.1	8.6	3.1	3.3	5.8	4.7	0 to 1
2	4.0	7.3	7.6	4.7	4.8	6.2	6.5	8.2	3.3	4.7	6.5	5.8	1 "
3	5.1	6.0	9.0	5.3	5.3	6.2	7.6	8.2	4.0	5.6	5.9	6.6	2 "
4	3.2	5.8	6.9	Re.	7.0	5.6	8.0	10.4	4.5	4.5	7.2	5.2	3 "
5	2.6	5.9	4.2	Re.	6.3	5.8	10.2	8.5	4.5	4.5	4.2	6.0	4 "
6	3.4	5.5	4.4	4.0	6.0	5.5	11.0	8.1	2.9	5.4	4.2	6.0	5 "
7	4.1	6.2	6.0	4.1	5.1	6.5	12.5	5.5	3.9	6.2	3.5	5.2	6 "
8	4.9	7.2	5.7	4.2	5.6	7.1	13.4	4.3	5.7	5.5	4.0	4.3	7 "
9	6.9	6.9	6.8	5.8	5.2	7.0	12.3	5.1	5.3	3.6	3.2	4.7	8 "
10	4.1	4.8	4.1	4.7	5.5	5.5	13.3	4.7	5.0	4.3	3.8	5.5	9 "
11	5.4	6.3	6.0	4.5	6.5	4.8	11.3	5.9	6.8	4.4	4.7	6.1	10 "
12	4.3	3.8	6.4	5.0	6.3	4.1	8.2	6.0	8.2	3.7	4.4	3.9	11 "
13	4.0	3.3	10.5	6.0	9.8	4.7	8.4	6.1	4.9	4.3	4.2	4.2	12 "
14	3.7	2.4	7.6	5.4	9.3	4.6	8.5	5.5	5.4	3.1	4.2	4.5	13 "
15	3.9	5.6	5.3	5.3	6.8	8.5	11.0	8.3	6.2	3.3	5.4	3.7	14 "
16	3.3	2.2	5.0	6.6	4.9	9.3	11.3	7.5	11.3	3.9	6.1	4.5	15 "
17	3.5	4.9	5.2	5.7	5.0	9.0	13.3	5.3	9.6	3.2	5.3	5.2	16 "
18	3.5	8.2	4.6	3.8	4.7	10.3	13.4	4.4	7.0	3.6	4.9	4.7	17 "
19	3.6	7.0	6.8	4.9	6.4	9.5	13.4	5.7	4.3	4.8	5.2	7.1	18 "
20	4.3	4.4	6.8	5.5	6.5	10.7	11.8	8.7	4.6	3.2	4.9	5.5	19 "
21	6.1	4.7	4.5	5.7	8.0	10.5	9.8	9.8	3.6	4.9	3.9	6.2	20 "
22	4.2	8.2	4.0	4.3	7.0	6.7	8.1	8.2	4.5	5.1	5.4	3.6	21 "
23	4.7	10.7	4.9	6.7	5.1	5.6	9.7	7.5	3.2	6.9	5.3	5.6	22 "
24	3.5	7.0	6.2	3.9	4.9	5.0	11.0	10.1	4.5	6.0	5.8	6.2	23 "
25	4.1	4.6	5.5	4.8	3.8	4.0	14.1	8.6	5.8	5.3	5.8	6.4	24 "
26	3.5	3.7	5.7	4.2	4.1	10.9	10.5	4.7	7.5	5.0	6.8	4.3	25 "
27	5.0	3.3	5.2	3.0	4.7	12.7	9.9	5.4	3.9	5.0	7.5	3.2	26 "
28	5.6	3.9	4.9	4.6	5.0	8.4	9.3	7.2	3.5	4.9	7.6	3.9	27 "
29	4.9	5.8	4.3	5.7	5.0	6.2	8.5	7.9	3.3	4.6	7.0	5.7	28 "
30	5.8	4.5	4.5	5.7	4.4	5.8	7.7	6.0	2.8	5.0	5.8	7.0	29 "
31	5.8	3.6	3.6	3.6	3.7	7.1	3.7	3.7	3.7	4.5	5.3	5.3	30 "
Monthly Mean.	4.4	5.6	5.8	4.9	5.8	7.1	10.3	7.0	5.0	4.7	5.3	5.1	31 "
Annual Variation.	- 1.5	- 0.3	- 0.1	- 1.0	- 0.1	+ 1.2	+ 4.4	+ 1.1	- 0.9	- 1.2	- 0.6	- 0.8	Range.
													4.0
													5.4
													6.1
													6.5
													4.4
													1.9
													1.2
													1.6
													2.0
													3.9
													5.2
													4.3
													3.3

Miles.

The mean velocity for June to August
The mean velocity for September to May
The mean velocity for the year

8.1
5.2
5.9

Temperature of the Ground, 1914.

TABLE VIIa.—Showing for each month the Mean Temperature of the Ground in the thermometer shed and its annual variation at the respective depths of 1, 9, 20, 60 and 132 inches below the surface.

TABLE VIIb.—Showing for each of the five observation hours and for the mean of the day the Temperature of the Ground exposed to the direct rays of the sun at the depths of 1 inch and 8 inches below the surface.

Depth.	1 Inch.		9 Inches.		20 Inches.		60 Inches.		132 Inches.		Depth from Surface.	1 Inch.					8 Inches.						
	Mean Tempe- rature.	Excess over the yearly Mean.	Mean Tempe- rature.	Excess over the yearly Mean.	Mean Tempe- rature.	Excess over the yearly Mean.	Mean Tempe- rature.	Excess over the yearly Mean.	Mean Tempe- rature.	Excess over the yearly Mean.		Observation Hours.					Observation Hours.						
												6	10	14	16	22	Mean of five obser- vation hours.	6	10	14	16	22	Mean of five obser- vation hours.
January ..	77.3	-4.7	79.9	-3.6	82.5	-1.5	82.9	-0.4	82.9	-0.4	January ..	71.8	83.0	110.4	98.4	77.5	88.2	78.6	77.9	78.8	79.4	80.3	79.0
February ..	77.0	-5.0	79.6	-3.9	81.7	-2.3	82.6	-0.7	82.6	-0.7	February ..	73.1	81.0	108.8	106.3	79.2	89.7	80.3	79.5	80.4	81.4	82.6	80.8
March ..	79.0	-3.0	80.1	-3.4	81.8	-2.2	82.4	-0.9	82.4	-0.9	March ..	76.1	88.0	116.1	113.4	82.8	95.3	86.2	85.1	86.5	88.2	89.2	87.0
April ..	82.8	+0.8	82.6	-0.9	82.6	-1.4	83.1	-0.2	83.1	-0.2	April ..	82.8	96.2	122.7	120.4	89.6	102.3	93.8	92.7	94.6	96.4	97.5	95.0
May ..	87.3	+5.3	85.9	+2.4	84.3	+0.3	83.3	0.0	83.3	0.0	May ..	89.5	103.4	123.0	120.0	94.2	106.0	100.5	99.4	101.3	103.0	103.9	101.6
June ..	85.9	+3.9	86.1	+2.6	86.1	+2.1	83.6	+0.3	83.6	+0.3	June ..	85.6	93.7	104.1	100.5	87.8	94.4	93.1	93.1	94.4	96.1	95.1	94.4
July ..	83.0	+1.0	86.1	+2.6	86.1	+2.1	83.7	+0.4	83.7	+0.4	July ..	81.2	85.7	89.9	88.7	82.7	85.6	85.9	85.3	86.2	87.0	87.3	86.4
August ..	81.8	-0.2	84.3	+0.8	85.1	+1.1	84.0	+0.7	84.0	+0.7	August ..	80.2	85.7	92.6	91.3	81.8	86.3	84.0	83.7	85.0	86.0	86.1	85.0
September ..	82.4	+0.4	84.1	+0.6	84.5	+0.5	83.9	+0.6	83.9	+0.6	September ..	80.9	87.5	98.4	95.7	82.9	89.1	84.4	83.9	85.5	86.8	87.0	85.5
October ..	85.0	+3.0	84.8	+1.3	84.6	+0.6	83.8	+0.5	83.8	+0.5	October ..	83.5	97.1	117.7	110.7	88.6	99.5	87.5	86.7	88.6	89.7	89.9	88.5
November ..	83.5	+1.5	85.0	+1.5	84.8	+0.8	83.4	+0.1	83.4	+0.1	November ..	80.0	94.0	115.6	101.4	84.9	95.2	84.8	84.1	84.9	85.5	86.3	85.1
December ..	78.5	-3.5	82.7	-0.8	84.3	+0.3	83.2	-0.1	83.2	-0.1	December ..	73.2	86.7	111.9	94.9	79.6	89.3	79.7	79.2	80.1	80.7	81.3	80.2
Year.	82.0		83.5		84.0		83.3		83.3		Year.	79.8	90.2	109.3	103.5	84.3	93.4	86.6	85.9	87.2	88.3	88.9	87.4

* A new thermometer No. 203096 by C. F. Cassella was put in March in place of an old one which was found broken in October 1912.

Maxima and Minima of different Meteorological Elements, 1914.

TABLE VIII.—In which are collected the individual observations in each month of the year, which showed the greatest and the least values of the following elements, viz., Height of Barometer corrected for Temperature, Temperature of Air, Pressure of Vapour and Additional Capacity of Air, and Ground temperatures, 1 inch and 8 inches below the surface (exposed to solar rays.)

1914. Month.	Height of Barometer.			Temperature of Air.			Pressure of Vapour.			Additional Capacity.			Ground Thermometer 1 inch deep.			Ground Thermometer 8 inches deep.		
	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.
January	In. 30.182	In. 29.864	0.318	° 87.4	° 68.2	19.2	In. 0.791	In. 0.421	0.370	In. 0.789	In. 0.067	0.722	° 114.6	° 68.9	45.7	° 80.8	° 76.9	3.9
February	° 077	° 825	.252	° 84.6	° 62.9	21.7	° 789	° 252	.537	° 769	° 059	.710	° 113.6	° 67.0	46.6	° 85.4	° 77.4	8.0
March	° 076	° 741	.335	° 86.3	° 68.5	17.8	° 935	° 200	.735	° 813	° 061	.752	° 120.7	° 70.2	50.5	° 93.5	° 82.0	11.5
April	° 29.996	° 677	.319	° 89.6	° 74.3	15.3	° 992	° 662	.330	° 562	° 082	.480	° 126.5	° 79.0	47.5	° 102.0	° 89.5	12.5
May	° 937	° 613	.324	° 91.2	° 80.7	10.5	° 1.085	° 883	.252	° 547	° 126	.421	° 126.0	° 87.0	39.0	° 106.0	° 97.2	8.8
June	° 803	° 481	.322	° 92.5	° 77.1	15.4	° .048	° 818	.230	° 529	° 042	.487	° 122.0	° 78.0	44.0	° 107.5	° 82.6	24.9
July	° 738	° 505	.233	° 88.7	° 75.1	13.6	° .059	° 818	.241	° 327	° 021	.306	° 104.0	° 75.0	29.0	° 98.7	° 79.7	14.0
August	° 870	° 572	.298	° 85.6	° 76.0	9.6	° .004	° 813	.191	° 307	° 025	.282	° 103.0	° 77.6	25.4	° 89.1	° 80.3	8.8
September	° 948	° 474	.474	° 86.8	° 76.8	10.0	° .031	° 801	.230	° 359	° 020	.339	° 111.0	° 77.5	33.5	° 90.1	° 79.8	10.3
October	° 30.020	° 735	.285	° 92.5	° 76.8	15.7	° .041	° 533	.508	° 851	° 084	.767	° 123.2	° 80.9	42.3	° 92.1	° 85.0	7.1
November	° 087	° 753	.334	° 92.5	° 73.3	19.2	° 0.981	° 453	.528	° 887	° 097	.790	° 122.8	° 74.0	48.8	° 88.6	° 80.6	8.0
December	° 094	° 785	.309	° 89.6	° 66.6	23.0	° .846	° 379	.467	° 895	° 081	.814	° 116.0	° 66.3	49.7	° 84.2	° 75.9	8.3
Year.	30.182	29.474	0.708	92.5	62.9	29.6	1.085	0.200	0.885	0.895	0.020	0.875	126.5	66.3	60.2	107.5	75.9	31.6

Relative Humidity of the Air, 1914.

Extent of Cloudy Sky, 1914.

TABLE IXa.—Daily and monthly means of observations taken at 6, 10, 14, 16 and 22 hours daily, the whole sky being reckoned as 10.0.

Complete Saturation=1.000.

1914.		Month.												1914.		Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
1	0.779	0.731	0.739	0.763	0.785	0.716	0.808	0.901	0.817	0.817	0.647	0.729	1	6.0	1.0	1.6	1.8	1.6	4.0	5.8	10.0	5.0	2.2	1.2	5.6		
2	.614	.687	.732	.762	.768	.725	.799	.877	.796	.793	.646	.651	2	5.2	..	2.8	0.6	1.6	4.0	5.6	9.8	4.0	1.6	2.0	1.4		
3	.690	.692	.640	.727	.755	.705	.839	.871	.779	.810	.634	.573	3	4.8	..	..	0.2	3.2	5.0	8.2	9.8	4.0	3.4	1.4			
4	.693	.692	.638	.741	.743	.742	.790	.882	.805	.822	.717	.564	4	4.0	..	..	0.8	3.6	4.4	8.2	9.8	4.4	7.2	2.8			
5	.795	.627	.727	.753	.719	.705	.838	.884	.792	.802	.756	.661	5	5.8	..	..	2.4	3.4	3.0	10.0	10.0	6.0	2.0	5.8			
6	.760	.698	.766	.736	.709	.734	.854	.892	.882	.823	.814	.682	6	4.0	0.2	..	3.2	3.6	5.0	9.8	8.8	7.0	3.6	8.0			
7	.617	.697	.757	.686	.723	.744	.839	.885	.821	.816	.761	.691	7	4.0	1.8	0.4	1.8	3.6	4.6	9.6	8.0	7.4	4.0	5.0			
8	.667	.627	.790	.735	.712	.737	.850	.842	.861	.820	.781	.737	8	0.2	0.6	1.8	3.4	3.2	7.0	9.2	5.6	4.8	5.0	1.4			
9	.564	.610	.772	.698	.709	.750	.856	.882	.816	.804	.795	.746	9	..	0.6	1.2	1.8	4.0	4.6	10.0	8.0	7.8	3.6	1.2			
10	.616	.679	.750	.689	.713	.743	.845	.876	.795	.687	.758	.631	10	..	1.0	3.6	0.4	4.8	3.0	8.4	5.8	4.6	3.6	4.6			
11	.595	.629	.724	.693	.709	.746	.831	.860	.807	.710	.687	.511	11	..	..	2.4	3.0	2.0	2.4	8.8	6.2	6.0	1.0	3.6			
12	.684	.667	.671	.699	.706	.790	.814	.852	.929	.727	.723	.623	12	..	..	0.4	3.4	1.4	7.2	7.8	6.0	9.6	2.2	1.6			
13	.605	.742	.461	.743	.726	.821	.837	.905	.926	.775	.682	.639	13	..	2.4	..	2.0	1.6	8.0	5.6	9.2	4.0	1.6	7.0			
14	.648	.772	.527	.711	.764	.824	.873	.880	.927	.794	.670	.735	14	..	2.8	..	3.4	2.0	6.0	8.0	8.6	2.6	3.6	3.4			
15	.744	.767	.590	.742	.796	.787	.831	.882	.945	.754	.646	.751	15	..	5.2	..	1.2	5.0	5.0	7.0	9.0	1.8	0.8	6.2			
16	.744	.759	.741	.713	.781	.873	.830	.833	.945	.761	.691	.780	16	1.0	6.0	..	..	5.0	9.0	8.0	9.2	6.2	1.4	2.8			
17	.700	.807	.734	.741	.765	.843	.899	.847	.873	.746	.703	.764	17	..	5.0	0.4	..	1.2	8.4	9.0	10.0	9.2	2.6	1.8			
18	.690	.599	.714	.763	.714	.843	.842	.881	.886	.757	.674	.757	18	1.0	1.4	..	2.0	1.6	8.4	9.8	8.2	6.0	2.6	1.8			
19	.693	.502	.682	.750	.729	.828	.837	.886	.881	.690	.611	.688	19	0.2	1.0	1.4	1.4	3.8	9.0	7.8	7.6	5.6	1.0	1.0			
20	.739	.597	.673	.761	.726	.861	.892	.858	.843	.726	.617	.739	20	3.0	0.8	1.8	0.6	2.4	8.4	10.0	8.0	3.8	6.0	0.6			
21	.586	.728	.712	.797	.752	.890	.895	.816	.834	.725	.627	.593	21	4.8	0.4	..	0.2	2.8	10.0	10.0	8.0	5.4	1.6	1.0			
22	.619	.713	.741	.805	.777	.912	.884	.839	.818	.698	.627	.642	22	3.4	0.6	1.6	0.2	1.4	10.0	9.4	7.2	2.6	1.4	..			
23	.668	.608	.760	.785	.771	.856	.938	.870	.854	.601	.584	.566	23	..	..	0.6	0.2	1.0	9.2	10.0	9.6	4.4	2.8	..			
24	.649	.648	.762	.769	.723	.828	.916	.834	.862	.580	.556	.578	24	..	..	0.4	1.0	3.4	8.0	10.0	9.2	4.4	1.8	..			
25	.671	.707	.798	.762	.741	.833	.940	.827	.842	.616	.604	.594	25	..	0.4	..	1.0	6.0	8.0	10.0	8.0	4.2	1.4	..			
26	.705	.706	.732	.787	.730	.895	.890	.811	.855	.710	.563	.639	26	..	1.2	..	2.0	3.4	9.8	9.6	6.0	2.4	1.0	..			
27	.701	.753	.754	.790	.721	.879	.860	.822	.860	.608	.485	.637	27	..	1.2	..	3.0	4.0	10.0	8.6	5.0	4.4	1.4	..			
28	.668	.708	.786	.773	.725	.826	.898	.813	.818	.601	.557	.619	28	..	5.4	0.6	1.0	3.6	6.8	9.6	6.0	1.6	0.6	0.2			
29	.648	.708	.805	.770	.710	.813	.914	.820	.828	.656	.584	.659	29	..	..	2.2	2.2	3.8	4.2	8.8	6.0	3.4	2.0	0.2			
30	.729	.810	.810	.780	.698	.817	.952	.808	.817	.626	.643	.621	30	..	..	3.6	1.4	4.4	4.8	10.0	4.6	1.4	2.4	..			
31	.762	.800	.800	.698	.698	.810	.957	.810	.810	.647	..	.629	31	..	..	3.2	..	4.2	10.0	5.8	..	3.0	..	..			
Monthly Mean	0.679	0.684	0.784	0.747	0.735	0.802	0.866	0.856	0.850	0.726	0.661	0.661	Monthly Mean	1.5	1.4	1.0	1.5	3.1	6.6	8.8	7.8	6.5	3.1	2.6	2.0		
Annual Variation.	—0.075	—0.070	+0.030	—0.007	—0.019	+0.048	+0.112	+0.102	+0.096	—0.028	—0.093	—0.093	Annual Variation.	—2.3	—2.4	—2.8	—2.3	—0.7	+2.8	+5.0	+4.0	+2.7	—0.7	—1.2	—1.8		

In.

Annual Mean .

For the days which have no entry, 0.0 is to be understood.

Mean of the months from January to April, November and December . . . 1.7
Mean of the months from May to October . . . 6.0
Mean for the year . . . 3.8

TABLE X.—Five-day Means, 1914.

Number of Five-day Period.	Barometric Pressure.	Tempera- ture of the air.	Pressure of Vapour.	Additional Capacity of the air.	* Rainfall.	North or South Component of Wind.	East or West Component of Wind.	Number of five-day Period.	Barometric Pressure.	Tempera- ture of the air.	Pressure of Vapour.	Additional Capacity of the air.	* Rainfall.	North or South Component of Wind.	East or West Component of Wind.
	In.	°	In.	In.	In.	Miles.	Miles.		In.	°	In.	In.	In.	Miles.	Miles.
1	30.058	74.8	0.638	0.230		2.3 N	0.5 E	38	29.627	83.1	0.959	0.173	1.91	1.2 S	14.1 W
2	..	76.7	.633	.292		2.9 N	1.3 E	39	..	83.1	.960	.174	1.35	2.5 S	11.7 W
3	..	76.0	.615	.290		2.8 N	0.8 E	40	..	82.4	.940	..	3.04	3.7 S	14.7 W
4	29.976	76.4	.670	.247		1.7 N	0.6 E	41	..	80.0	.927	.097	10.97	2.4 S	11.7 W
5	..	75.5	.590	.299		3.4 N	0.1 W	42	..	79.2	.902	.098	8.77	1.8 S	12.4 W
6	..	75.0	.630	.244		3.5 N	1.4 W	43	..	79.3	.915	.087	6.23	3.2 S	8.5 W
7	..	74.3	.618	.235		5.3 N	1.8 W	44	..	80.4	.917	.119	1.93	2.3 S	8.8 W
8	..	75.6	.601	.287		5.6 N	2.4 W	45	..	80.3	.911	.125	3.32	1.9 S	5.7 W
9	..	75.5	.643	.246		2.3 N	1.4 W	46	..	80.6	.905	..	3.04	1.0 N	6.2 W
10	..	73.0	.580	.235	0.08	3.3 N	1.4 W	47	..	80.3	.888	.146	1.73	0.8 S	9.6 W
11	..	75.7	.612	.282		4.6 N	3.0 W	48	..	81.2	.882	.184	0.66	1.0 S	9.4 W
12	..	75.3	.649	.233		1.3 N	2.4 W	49	..	82.0	.894	.202	0.33	2.4 S	5.0 W
13	..	76.2	.649	.260		4.6 N	3.1 W	50	..	81.5	.882	.193	0.54	1.4 S	3.8 W
14	..	76.4	.707	.205		3.7 N	3.8 W	51	..	81.2	.905	.163	3.84	1.4 S	5.9 W
15	..	76.5	.571	.348		5.1 N	2.3 W	52	..	79.0	.922	.070	15.17	2.8 S	6.7 W
16	..	75.4	.644	.240		3.4 N	3.4 W	53	..	80.5	.897	.145	0.81	2.2 S	3.7 W
17	..	77.2	.726	.211		3.0 N	3.5 W	54	..	81.1	.917	.147	0.63	2.3 N	1.3 W
18	..	80.0	.825	.203		0.2 N	3.0 W	55	..	82.7	.929	.191	0.01	0.6 N	0.9 W
19	..	79.3	.777	.230		1.9 N	3.8 W	56	..	82.8	.927	.196	..	3.5 N	1.8 W
20	..	79.6	.728	.285	0.07	1.5 N	3.9 W	57	..	83.9	.881	.283	..	3.1 N	0.5 W
21	..	79.5	.736	.275		2.4 N	5.3 W	58	..	83.3	.883	.260	..	1.4 N	0.3 E
22	..	80.8	.799	.255		2.2 N	4.5 W	59	..	84.1	.857	.320	..	2.2 N	0.8 E
23	..	82.5	.892	.223		0.5 N	4.0 W	60	..	83.2	.738	.405	..	2.7 N	1.1 E
24	..	83.6	.923	.231		0.2 N	4.0 W	61	..	83.4	.744	.404	..	2.5 N	0.8 E
25	..	84.6	.923	.269		2.7 S	3.3 W	62	..	82.6	.810	.312	0.18	2.4 N	1.9 E
26	..	85.7	.900	.335		3.4 S	4.3 W	63	..	83.5	.895	.258	..	2.1 N	0.3 E
27	..	85.3	.927	.292		4.6 N	6.6 W	64	..	83.0	.788	..	..	3.3 N	0.4 W
28	..	85.4	.934	.290		0.6 N	5.2 W	65	..	81.3	.717	.357	..	3.4 N	0.1 E
29	..	85.2	.939	.277		2.2 N	5.7 W	66	..	79.7	.623	.398	..	3.7 N	1.6 E
30	..	86.3	.921	.335		0.6 S	5.5 W	67	..	78.8	.623	.369	..	3.7 N	3.1 E
31	..	86.5	.932	.335	0.14	0.9 S	6.4 W	68	..	79.3	.639	.350	..	3.1 N	2.5 E
32	..	86.9	.965	.319	0.17	3.3 S	6.5 W	69	..	76.8	.623	.304	..	4.2 N	0.6 W
33	..	85.2	.962	.255	1.55	0.3 S	1.6 W	70	..	75.3	.642	..	..	2.6 N	1.1 W
34	..	82.5	.936	.176	2.17	7.9 S	0.8 E	71	..	76.2	.651	.258	..	4.7 N	0.9 W
35	..	81.7	.948	.137	9.53	6.0 S	3.5 W	72	..	74.3	.587	..	..	3.6 N	0.7 E
36	..	83.2	.973	.167	3.09	1.4 S	10.1 W	73	..	75.0	.573	.302	..	4.0 N	0.7 E
37	..	84.5	.972	.215	0.35	3.9 S	7.0 W	..	..	..	..	..	..	..	..

* Five-day sums, not means.

Barometric Pressure, 1915.

TABLE Ia.—Daily and Monthly Means.

TABLE Ib.—Mean diurnal inequality for each month of the year and for the whole year.

Height of the Barometer above mean Sea-level=37 feet.

Unity=0.001 inch.

1915.	Month.												1915.	Month.																						
Date.	January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		Year.											
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.													
1	29.969	29.930	29.905	29.873	29.799	29.720	29.667	29.587	29.796	29.795	29.799	29.954	H. m.	0	7	+	4	+	10	+	9	+	3	+	6	+	9	+	8	+	2	+	1	+	5	
2	963	957	907	884	798	757	679	809	767	826	961		1	7	-	8	-	5	-	8	-	9	-	10	-	8	-	7	-	17	-	11	-	10	-	9
3	955	932	917	886	749	766	674	810	724	850	947		2	7	-	22	-	20	-	20	-	23	-	25	-	22	-	21	-	28	-	22	-	22	-	21
4	968	894	962	879	731	759	657	801	707	828	944		3	7	-	15	-	18	-	18	-	23	-	25	-	22	-	23	-	28	-	22	-	27	-	21
5	955	955	956	889	720	710	694	814	714	779	936		2	7	-	25	-	25	-	25	-	25	-	25	-	25	-	26	-	31	-	25	-	27	-	24
6	30.002	970	892	898	707	729	755	724	791	684	733		3	7	-	24	-	27	-	25	-	20	-	23	-	23	-	31	-	26	-	22	-	23	-	24
7	932	910	907	901	691	740	773	749	729	688	705		4	7	-	23	-	23	-	23	-	20	-	23	-	23	-	31	-	25	-	22	-	23	-	24
8	29.990	928	30.008	886	686	748	774	718	676	737	784		5	7	-	15	-	17	-	13	-	11	-	9	-	9	-	21	-	15	-	11	-	11	-	14
9	940	970	904	856	684	704	777	704	630	773	887		6	7	+	2	+	0	+	4	+	7	+	5	+	9	+	3	+	10	+	6	+	8	+	3
10	955	960	962	886	697	694	773	754	625	754	887		7	7	+	23	+	20	+	25	+	30	+	25	+	24	+	5	+	20	+	27	+	29	+	22
11	981	915	962	895	688	685	811	790	675	762	862		7	7	+	47	+	41	+	48	+	49	+	38	+	36	+	26	+	40	+	49	+	53	+	41
12	977	875	980	848	705	674	801	811	712	803	858		8	7	+	63	+	58	+	62	+	61	+	45	+	39	+	36	+	34	+	48	+	59	+	53
13	990	873	974	811	766	670	791	814	751	853	872		9	7	+	62	+	61	+	62	+	56	+	44	+	37	+	38	+	38	+	47	+	55	+	51
14	983	888	936	838	790	691	728	782	785	853	959		9	7	+	47	+	41	+	48	+	49	+	38	+	36	+	26	+	40	+	49	+	53	+	41
15	971	903	930	887	770	684	666	776	788	821	830		10	7	+	62	+	61	+	62	+	56	+	44	+	37	+	38	+	38	+	47	+	55	+	41
16	999	958	950	872	739	686	629	779	779	809	841		10	7	+	42	+	47	+	47	+	44	+	36	+	29	+	32	+	32	+	35	+	36	+	42
17	30.024	930	963	861	732	696	600	775	797	833	836		11	7	+	11	+	23	+	21	+	22	+	21	+	13	+	19	+	19	+	14	+	11	+	16
18	940	910	970	800	752	706	684	752	812	819	852		12	7	+	20	+	5	+	7	+	6	+	0	+	3	+	3	+	5	+	10	+	15	+	16
19	920	947	983	747	799	629	673	743	802	828	886		12	7	+	11	+	23	+	21	+	22	+	21	+	13	+	19	+	19	+	14	+	11	+	16
20	29.963	950	937	759	819	539	573	766	774	840	922		13	7	+	41	+	32	+	33	+	34	+	22	+	19	+	12	+	12	+	31	+	24	+	30
21	942	903	889	791	796	520	510	722	771	828	898		14	7	+	52	+	45	+	49	+	49	+	37	+	34	+	12	+	12	+	31	+	24	+	30
22	964	913	802	759	795	536	537	700	755	809	848		15	7	+	48	+	46	+	53	+	56	+	47	+	37	+	12	+	12	+	31	+	24	+	30
23	994	921	864	795	794	566	625	723	770	802	858		15	7	+	48	+	45	+	49	+	49	+	37	+	34	+	12	+	12	+	31	+	24	+	30
24	963	917	900	780	815	602	700	710	778	810	861		16	7	+	41	+	45	+	49	+	49	+	37	+	34	+	12	+	12	+	31	+	24	+	30
25	952	925	916	789	808	579	698	699	760	810	861		17	7	+	41	+	45	+	49	+	49	+	37	+	34	+	12	+	12	+	31	+	24	+	30
26	963	930	863	818	804	545	703	722	733	806	829		17	7	+	41	+	45	+	49	+	49	+	37	+	34	+	12	+	12	+	31	+	24	+	30
27	963	912	843	800	804	539	715	742	722	823	836		18	7	+	28	+	28	+	36	+	35	+	30	+	27	+	15	+	25	+	21	+	23	+	26
28	958	912	881	786	809	589	656	718	687	821	879		18	7	+	8	+	11	+	18	+	15	+	13	+	8	+	4	+	7	+	2	+	1	+	7
29	932	906	881	786	809	589	656	718	687	821	879		19	7	+	10	+	6	+	1	+	2	+	5	+	7	+	8	+	10	+	12	+	16	+	12
30	970	892	898	818	812	626	621	698	702	851	921		20	7	+	22	+	18	+	15	+	17	+	16	+	18	+	18	+	23	+	28	+	24	+	19
31	873	878	898	805	766	648	593	720	765	872	954		21	7	+	22	+	18	+	15	+	17	+	16	+	18	+	18	+	23	+	28	+	24	+	19
Monthly Mean.	29.970	29.924	29.924	29.836	29.760	29.658	29.681	29.725	29.753	29.794	29.847		23	7	+	14	+	15	+	19	+	20	+	17	+	17	+	22	+	23	+	20	+	12	+	17
Annual Variation.	+ .152	+ .106	+ .106	+ .018	- .058	- .160	- .137	- .093	- .065	- .024	+ .029		Range.	115	107	115	117	92	82	75	67	96	106	119	122	99										

Annual Mean In. .29.818

Temperature of the Air, 1915.

TABLE IIa.—Daily and Monthly Means.

TABLE IIb.—Mean diurnal inequality for each month of the year and for the whole year.

1915.	Month.												1915.	Month.												Year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	Date.													Bombay Civil Time.	Month.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.		December.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
1	76.5	76.6	77.3	80.7	84.1	87.1	81.8	81.9	82.1	81.3	79.7	80.2	H. m.	0	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

Annual Mean

80.2

Temperature of the Air, 1915.

TABLE IIc.—Showing the maximum Temperature of the Air on each day during the year 1915. TABLE IIId.—Showing the minimum Temperature of the Air on each day during the year 1915.

1915.	Month.												1915.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1	86.1	84.0	84.0	87.2	91.4	93.4	84.4	84.4	86.5	86.1	87.7	87.9	1
2	85.1	83.9	84.0	87.5	92.2	93.6	85.5	85.5	86.3	86.0	88.5	87.7	2
3	84.2	81.9	82.3	87.1	90.7	93.2	85.8	84.7	86.2	86.0	89.9	86.0	3
4	82.5	78.5	83.0	88.0	91.2	93.4	87.4	82.3	86.5	87.0	88.3	85.2	4
5	82.5	78.5	84.0	87.6	90.5	92.7	88.1	81.1	87.0	85.8	87.5	84.1	5
6	81.3	81.3	85.6	87.5	91.4	92.5	88.1	83.8	83.0	83.3	86.1	83.2	6
7	80.3	81.8	85.4	89.2	91.7	93.5	88.2	84.5	85.6	84.6	87.3	83.1	7
8	80.2	80.4	85.2	90.2	90.9	93.0	88.1	85.3	82.1	83.6	87.3	83.6	8
9	83.9	82.7	84.1	90.2	91.4	93.4	88.1	86.0	79.6	85.4	86.3	83.6	9
10	87.1	82.1	84.0	89.0	91.3	93.0	85.8	86.0	84.2	85.1	88.1	82.8	10
11	85.9	81.4	84.0	90.8	91.2	94.0	84.7	86.5	83.9	82.5	91.7	83.0	11
12	87.2	84.5	84.8	89.6	91.1	94.0	86.5	86.4	85.8	85.6	88.1	83.1	12
13	84.6	84.3	82.9	90.4	92.2	94.0	88.0	87.0	86.3	84.1	88.0	82.1	13
14	83.9	85.0	84.1	93.0	92.3	93.4	89.1	86.2	86.2	84.8	86.1	81.8	14
15	83.8	84.1	84.5	89.4	92.9	93.6	85.3	85.8	86.7	84.3	87.1	82.1	15
16	81.9	81.9	85.2	89.9	91.0	94.0	85.6	86.3	86.3	83.2	87.8	83.0	16
17	83.1	79.3	86.4	92.8	92.0	86.3	86.0	86.4	87.1	86.5	86.3	86.5	17
18	83.1	79.3	86.4	92.8	92.0	86.3	86.0	86.4	87.1	86.5	86.3	86.5	18
19	83.2	80.8	87.5	91.7	92.2	83.9	88.1	87.4	87.5	87.3	88.0	85.9	19
20	84.1	86.9	92.2	91.7	91.5	87.0	89.1	82.2	81.5	88.2	88.1	85.5	20
21	84.2	82.2	92.0	90.5	91.4	88.4	89.1	83.1	87.5	89.6	90.4	84.8	21
22	81.1	81.2	88.5	90.6	91.5	89.3	85.3	82.0	87.3	90.9	90.6	84.2	22
23	82.9	81.2	87.1	92.0	94.0	85.3	87.2	85.5	87.4	89.1	90.8	82.9	23
24	83.1	82.0	87.5	91.0	93.6	81.6	87.1	79.2	87.2	89.2	90.4	83.1	24
25	80.8	83.4	88.6	89.7	94.2	80.4	86.2	85.6	86.3	88.6	88.2	77.3	25
26	82.3	83.0	91.4	89.9	93.0	80.9	83.4	86.5	86.1	88.4	87.2	84.0	26
27	82.1	83.1	87.1	90.9	93.2	80.4	79.7	86.3	85.1	90.9	87.0	84.0	27
28	82.6	88.1	88.1	91.2	93.4	81.3	86.1	86.0	84.1	91.0	88.1	84.0	28
29	87.2	87.3	87.3	92.9	92.2	84.7	82.3	85.2	84.0	91.1	86.9	83.1	29
30	83.1		87.3		93.3		85.0	84.0		88.0		83.4	30
31													31
Monthly Mean	83.4	82.2	86.2	90.1	92.0	89.5	86.4	84.9	85.5	86.8	88.1	83.9	Monthly Mean.

Annual Mean .. 86.6
The greatest maximum temperature recorded during the year (that of 26th May) was .. 94.2
Annual Mean .. 76.0
The least minimum temperature recorded during the year (that of 9th January) was .. 62.3

Pressure of Vapour, 1915.

TABLE IIIa.—Daily and Monthly Means.

TABLE IIIb.—Mean diurnal inequality for each month of the year and for the whole year.

Unity=0.001 inch.

Date.	1915.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	0.636	0.753	0.766	0.839	0.922	0.941	0.955	0.929	0.928	0.925	0.729	0.691	3
2	.590	.743	.716	.790	.914	.931	.938	.945	.906	.924	.758	.573	4
3	.504	.633	.699	.754	.896	.918	.951	.918	.895	.936	.767	.492	5
4	.573	.596	.706	.801	.927	.909	.938	.910	.884	.936	.697	.504	6
5	.524	.533	.731	.811	.930	.917	.954	.904	.874	.941	.686	.549	7
6	.563	.534	.709	.839	.923	.923	.933	.905	.853	.941	.676	.557	8
7	.403	.610	.764	.748	.934	.940	.925	.919	.874	.961	.767	.617	9
8	.387	.674	.798	.765	.907	.929	.918	.916	.894	.927	.873	.605	10
9	.461	.694	.694	.715	.894	.896	.900	.904	.890	.774	.878	.649	11
10	.566	.600	.672	.752	.894	.885	.904	.896	.925	.767	.933	.645	12
11	.545	.409	.667	.775	.915	.903	.887	.889	.920	.814	.856	.648	13
12	.547	.580	.701	.767	.913	.917	.923	.899	.911	.873	.776	.685	14
13	.613	.669	.570	.766	.960	.904	.920	.862	.869	.831	.762	.686	15
14	.645	.685	.572	.782	.980	.914	.928	.863	.837	.753	.663	.667	16
15	.505	.622	.633	.865	.976	.937	.933	.878	.861	.810	.730	.658	17
16	.421	.620	.663	.820	.957	.966	.935	.884	.862	.862	.716	.655	18
17	.525	.482	.696	.871	.905	1.004	.942	.886	.890	.830	.746	.617	19
18	.657	.483	.755	.867	.965	0.954	.949	.871	.896	.825	.728	.566	20
19	.682	.394	.763	.808	.927	.951	.959	.875	.862	.821	.766	.612	21
20	.680	.397	.833	.876	.922	.943	.989	.885	.902	.847	.802	.626	22
21	.646	.451	.799	.964	.940	.948	.983	.873	.905	.894	.839	.613	23
22	.680	.608	.744	.968	.908	.949	1.003	.881	.925	.952	.866	.598	24
23	.755	.613	.907	.954	.918	.967	0.969	.889	.925	.987	.868	.643	25
24	.717	.639	.829	.879	.942	.948	.967	.900	.921	1.029	.860	.656	26
25	.606	.668	.829	.851	.986	.932	.940	.864	.937	.993	.903	.677	27
26	.561	.681	.824	.849	.997	.931	.933	.911	.937	.901	.909	.725	28
27	.580	.694	.673	.840	.954	.943	.919	.913	.936	.909	.859	.732	29
28	.460	.737	.772	.941	.932	.943	.897	.891	.913	.868	.843	.714	30
29	.443	.824	.942	.936	.936	.946	.935	.899	.899	.787	.837	.697	31
30	.529	.813	.866	.912	.912	.947	.911	.890	.901	.764	.794	.626	
31	.688	.845		.925	.925		.929	.897	.759			.620	
Monthly Mean.	0.571	0.600	0.741	0.836	0.932	0.933	0.937	0.896	0.898	0.876	0.796	0.632	
Annual Variation.	-.233	-.204	-.063	+.032	+.128	+.129	+.133	+.092	+.094	+.072	-.008	-.172	51

In.

0.804

Annual Mean

..

..

In.

Additional Capacity of the Air, 1915.

TABLE IVa.—Daily and Monthly Means.

TABLE IVb.—Mean diurnal inequality for each month of the year and for the whole year.

Unity=0.001 inch.

1915.	Month.												1915.	Month.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	H. m.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1	In. 0.283	In. 0.168	In. 0.174	In. 0.211	In. 0.254	In. 0.351	In. 0.130	In. 0.161	In. 0.168	In. 0.146	In. 0.289	In. 0.343	0 2	0 2	-72	-71	-69	-78	-86	-54	-39	-26	-29	-41	-65	-82	-59
2	.. 0.302	.. 0.171	.. 0.208	.. 0.249	.. 0.267	.. 0.337	.. 0.187	.. 0.162	.. 0.185	.. 0.150	.. 0.273	.. 0.440	1 2	1 2	-64	-71	-80	-77	-91	-56	-37	-26	-31	-48	-73	-89	-62
3	.. 0.354	.. 0.235	.. 0.177	.. 0.270	.. 0.252	.. 0.343	.. 0.180	.. 0.164	.. 0.184	.. 0.141	.. 0.268	.. 0.457	2 2	2 2	-66	-73	-97	-78	-94	-61	-37	-27	-38	-61	-78	-96	-67
4	.. 0.268	.. 0.125	.. 0.198	.. 0.225	.. 0.269	.. 0.335	.. 0.206	.. 0.136	.. 0.217	.. 0.169	.. 0.323	.. 0.410	3 2	3 2	-70	-79	-101	-87	-97	-59	-37	-21	-37	-69	-90	-98	-70
5	.. 0.286	.. 0.203	.. 0.196	.. 0.233	.. 0.281	.. 0.338	.. 0.206	.. 0.100	.. 0.227	.. 0.137	.. 0.338	.. 0.328	4 2	4 2	-68	-85	-116	-91	-96	-66	-37	-33	-46	-69	-87	-101	-75
6	.. 0.238	.. 0.261	.. 0.239	.. 0.224	.. 0.296	.. 0.343	.. 0.211	.. 0.146	.. 0.159	.. 0.105	.. 0.309	.. 0.291	5 2	5 2	-63	-85	-113	-94	-98	-68	-38	-31	-54	-73	-84	-100	-75
7	.. 0.372	.. 0.203	.. 0.222	.. 0.342	.. 0.293	.. 0.338	.. 0.232	.. 0.139	.. 0.191	.. 0.122	.. 0.304	.. 0.227	6 2	6 2	-77	-94	-112	-97	-100	-71	-41	-32	-55	-78	-87	-98	-78
8	.. 0.324	.. 0.181	.. 0.236	.. 0.354	.. 0.332	.. 0.380	.. 0.239	.. 0.198	.. 0.088	.. 0.246	.. 0.191	.. 0.216	7 2	7 2	-83	-92	-104	-64	-66	-49	-27	-32	-50	-75	-78	-89	-67
9	.. 0.294	.. 0.271	.. 0.245	.. 0.331	.. 0.345	.. 0.394	.. 0.179	.. 0.208	.. 0.141	.. 0.229	.. 0.140	.. 0.221	8 2	8 2	-55	-60	-54	-12	-27	-19	-25	-22	-44	-48	-55	-57	-40
10	.. 0.356	.. 0.370	.. 0.272	.. 0.340	.. 0.321	.. 0.393	.. 0.157	.. 0.204	.. 0.139	.. 0.182	.. 0.280	.. 0.201	9 2	9 2	-5	-3	-16	-52	-23	-12	-20	-5	-22	-20	-2	-24	-2
11	.. 0.370	.. 0.281	.. 0.339	.. 0.341	.. 0.322	.. 0.369	.. 0.168	.. 0.217	.. 0.174	.. 0.185	.. 0.281	.. 0.175	10 2	10 2	-47	-48	-48	-89	-75	-41	-8	-10	-7	-18	-49	-26	-39
12	.. 0.288	.. 0.230	.. 0.330	.. 0.341	.. 0.309	.. 0.382	.. 0.224	.. 0.247	.. 0.208	.. 0.167	.. 0.287	.. 0.179	11 2	11 2	-99	-89	-100	-118	-108	-79	-36	-24	-31	-59	-131	-102	-81
13	.. 0.262	.. 0.239	.. 0.341	.. 0.421	.. 0.315	.. 0.391	.. 0.246	.. 0.235	.. 0.225	.. 0.253	.. 0.316	.. 0.178	12 2	12 2	-149	-123	-145	-121	-153	-101	-48	-42	-57	-99	-188	-172	-116
14	.. 0.361	.. 0.284	.. 0.305	.. 0.329	.. 0.314	.. 0.369	.. 0.095	.. 0.204	.. 0.192	.. 0.146	.. 0.276	.. 0.214	13 2	13 2	-172	-144	-164	-136	-157	-116	-56	-52	-75	-106	-195	-207	-132
15	.. 0.193	.. 0.297	.. 0.226	.. 0.337	.. 0.352	.. 0.341	.. 0.148	.. 0.166	.. 0.152	.. 0.162	.. 0.205	.. 0.245	14 2	14 2	-129	-124	-158	-126	-162	-118	-53	-61	-74	-108	-164	-210	-124
16	.. 0.381	.. 0.244	.. 0.280	.. 0.324	.. 0.279	.. 0.350	.. 0.095	.. 0.204	.. 0.192	.. 0.146	.. 0.276	.. 0.214	15 2	15 2	-108	-118	-149	-124	-149	-111	-58	-56	-81	-99	-129	-191	-124
17	.. 0.197	.. 0.362	.. 0.186	.. 0.368	.. 0.334	.. 0.126	.. 0.146	.. 0.152	.. 0.162	.. 0.205	.. 0.245	.. 0.337	16 2	16 2	-74	-105	-128	-100	-116	-82	-55	-46	-59	-81	-77	-121	-87
18	.. 0.234	.. 0.374	.. 0.322	.. 0.262	.. 0.301	.. 0.137	.. 0.179	.. 0.113	.. 0.131	.. 0.185	.. 0.250	.. 0.324	17 2	17 2	-32	-67	-96	-58	-69	-52	-45	-25	-46	-50	-17	-55	-51
19	.. 0.280	.. 0.211	.. 0.205	.. 0.314	.. 0.301	.. 0.050	.. 0.214	.. 0.095	.. 0.110	.. 0.173	.. 0.211	.. 0.215	18 2	18 2	-12	-23	-41	-2	-12	-1	-1	-8	-24	-22	-11	-5	-11
20	.. 0.270	.. 0.223	.. 0.239	.. 0.269	.. 0.301	.. 0.047	.. 0.184	.. 0.165	.. 0.129	.. 0.214	.. 0.186	.. 0.188	19 2	19 2	-26	-2	-4	-19	-27	-25	-10	-2	-12	-8	-37	-22	-10
21	.. 0.345	.. 0.164	.. 0.302	.. 0.223	.. 0.345	.. 0.046	.. 0.071	.. 0.178	.. 0.102	.. 0.268	.. 0.204	.. 0.252	20 2	20 2	-26	-17	-21	-38	-47	-37	-0	-12	-2	-4	-42	-40	-24
22	.. 0.362	.. 0.244	.. 0.244	.. 0.232	.. 0.337	.. 0.066	.. 0.173	.. 0.168	.. 0.093	.. 0.335	.. 0.243	.. 0.212	21 2	21 2	-32	-29	-38	-48	-55	-46	-17	-12	-8	-12	-55	-54	-34
23	.. 0.319	.. 0.203	.. 0.207	.. 0.309	.. 0.353	.. 0.120	.. 0.122	.. 0.182	.. 0.128	.. 0.302	.. 0.260	.. 0.239	22 2	22 2	-39	-40	-57	-61	-69	-51	-25	-22	-20	-25	-59	-67	-45
24	.. 0.203	.. 0.203	.. 0.207	.. 0.309	.. 0.353	.. 0.120	.. 0.178	.. 0.158	.. 0.158	.. 0.268	.. 0.268	.. 0.239	23 2	23 2	-44	-56	-60	-72	-73	-56	-26	-12	-25	-32	-54	-59	-47
Monthly Mean.	0.283	0.242	0.250	0.297	0.315	0.255	0.172	0.171	0.157	0.194	0.258	0.265			255	238	280	233	262	189	99	94	136	186	285	311	210
Annual Variation.	+0.045	+0.004	+0.012	+0.059	+0.077	+0.017	-0.066	-0.067	-0.081	-0.044	+0.020	+0.027	Range.														

Inch.
0.238

Annual Mean

Rainfall, 1915.

TABLE Va.—Total fall of rain (in inches) as measured by F. Chambers's self-registering gauge, the funnel of which is 28 feet above the ground. TABLE Vb.—Total fall of rain (in inches) as measured by Newman's gauge, placed 4½ feet above the ground.

1915.	Month.												1915.
	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	1	..	..	..	..	..	..	..	..	..	..	..	In. ..
2	2	..	..	..	..	..	..	..	..	..	..	..	In. ..
3	3	..	..	..	..	..	..	..	..	..	..	..	In. ..
4	4	..	..	..	..	..	..	..	..	..	..	..	In. ..
5	5	..	..	..	..	..	..	..	..	..	..	..	In. ..
6	6	..	..	..	..	..	..	..	..	..	..	..	In. ..
7	7	..	..	..	..	..	..	..	..	..	..	..	In. ..
8	8	..	..	..	..	..	..	..	..	..	..	..	In. ..
9	9	..	..	..	..	..	..	..	..	..	..	..	In. ..
10	10	..	..	..	..	..	..	..	..	..	..	..	In. ..
11	11	..	..	..	..	..	..	..	..	..	..	..	In. ..
12	12	..	..	..	..	..	..	..	..	..	..	..	In. ..
13	13	..	..	..	..	..	..	..	..	..	..	..	In. ..
14	14	..	..	..	..	..	..	..	..	..	..	..	In. ..
15	15	..	..	..	..	..	..	..	..	..	..	..	In. ..
16	16	..	..	..	..	..	..	..	..	..	..	..	In. ..
17	17	..	..	..	..	..	..	..	..	..	..	..	In. ..
18	18	..	..	..	..	..	..	..	..	..	..	..	In. ..
19	19	..	..	..	..	..	..	..	..	..	..	..	In. ..
20	20	..	..	..	..	..	..	..	..	..	..	..	In. ..
21	21	..	..	..	..	..	..	..	..	..	..	..	In. ..
22	22	..	..	..	..	..	..	..	..	..	..	..	In. ..
23	23	..	..	..	..	..	..	..	..	..	..	..	In. ..
24	24	..	..	..	..	..	..	..	..	..	..	..	In. ..
25	25	..	..	..	..	..	..	..	..	..	..	..	In. ..
26	26	..	..	..	..	..	..	..	..	..	..	..	In. ..
27	27	..	..	..	..	..	..	..	..	..	..	..	In. ..
28	28	..	..	..	..	..	..	..	..	..	..	..	In. ..
29	29	..	..	..	..	..	..	..	..	..	..	..	In. ..
30	30	..	..	..	..	..	..	..	..	..	..	..	In. ..
31	31	..	..	..	..	..	..	..	..	..	..	..	In. ..
Monthly Total.		..	0.25	0.65	0.05	0.31	38.99	13.77	8.67	9.95	2.33	0.01	0.05
Number of rainy days.		..	1	3	2	4	13	25	24	13	8	1	1

Ins. Total fall of rain in the year .. 75.03
Total number of rainy days in the year .. 95
The greatest daily fall of rain in the year (that of 25th June) was .. 11.12
No rain fell in the month of January nor on any of the days left blank in the above table.

Ins. Total fall of rain in the year .. 77.68
Total number of rainy days in the year .. 100
The greatest daily fall of rain in the year (that of 25th June) was .. 11.41
No rain fell in the month of January nor on any of the days left blank in the above table.

Velocity of Wind, 1915.

ROBINSON BECKLEY'S ANEMOGRAPH.

TABLE VIa.—Mean Velocity of the Wind in miles per hour, without regard to TABLE VIb.—Showing the Mean diurnal inequality of the Velocity of the the Direction from which it blew for each day of Bombay Civil Time; also Wind in miles per hour for each month of the year 1915, and for the the Mean Monthly Velocity and its variation from the Mean of the year. whole year.

1915.	Month.												Month.												1915.	Bombay Civil Time Hourly Intervals	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.															
Date.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.														
1	4.8	4.9	2.8	5.3	4.6	6.1	8.9	12.4	7.1	7.9	5.5	7.0	0 to 1	1.8	2.0	1.8	0.1	1.0	0.4	0.1	0.2	1.3	0.6	1.8	1.9	1.0													
2	6.2	4.6	5.1	6.6	4.3	7.3	10.3	9.7	6.7	5.4	6.0	7.5	1	2	2.1	1.0	1.7	1.0	1.3	0.1	0.1	0.2	1.3	0.9	1.2	1.6	1.0												
3	7.0	5.3	6.4	8.5	5.0	8.2	8.2	13.5	9.1	4.3	6.8	7.8	2	3	2.1	1.4	1.5	1.6	1.2	0.4	0.4	0.1	1.5	0.9	1.3	1.1	1.0												
4	5.8	7.9	5.1	8.9	5.2	6.7	8.1	15.5	10.5	5.6	7.8	7.3	3	4	1.6	1.5	1.6	2.0	1.4	1.5	0.2	0.1	1.2	0.3	1.0	0.4	1.0												
5	5.8	7.2	5.8	9.5	5.9	5.3	6.1	15.4	8.6	5.3	7.8	5.4	4	5	1.2	1.1	1.2	2.2	1.2	1.9	0.1	0.3	1.0	0.1	0.5	0.1	0.9												
6	5.3	6.2	6.0	9.1	5.3	4.4	5.8	11.9	5.9	13.4	6.8	5.3	5	6	1.0	1.0	1.3	2.9	1.2	1.9	0.7	0.0	1.1	0.7	0.5	0.6	0.9												
7	8.9	3.8	3.7	9.7	6.5	5.1	6.3	12.2	8.6	7.3	4.6	5.1	6	7	1.0	1.2	1.4	3.3	1.2	2.1	0.0	0.4	0.7	0.1	0.7	0.7	0.7												
8	10.3	3.7	5.2	8.7	6.0	4.4	6.1	13.4	11.9	7.0	3.7	4.0	7	8	1.1	1.1	0.7	3.0	1.0	1.6	0.3	0.3	0.5	0.6	0.4	0.5	0.7												
9	6.4	5.6	7.2	5.9	6.5	5.1	5.4	9.6	7.0	4.0	4.3	5.5	8	9	0.6	1.0	0.1	2.3	0.7	1.5	0.3	0.2	0.5	0.6	0.3	1.0	0.4												
10	7.4	8.1	4.8	6.6	5.9	5.6	6.5	9.2	7.1	4.5	4.1	6.7	9	10	0.8	1.1	0.6	1.8	0.1	0.2	0.3	0.8	0.6	0.4	0.4	0.4	0.6												
11	6.6	8.0	5.1	8.7	4.9	5.9	10.2	10.4	6.0	3.4	5.9	5.3	10	11	1.2	1.0	0.8	0.3	0.1	0.3	0.7	0.4	0.8	1.6	0.3	0.7	0.2												
12	6.7	5.6	4.6	10.9	4.0	5.9	6.4	6.7	5.4	5.0	3.4	5.1	11	12	1.7	0.0	0.3	0.8	0.6	0.7	0.1	0.2	0.3	0.1	2.1	1.5	0.2												
13	4.4	5.5	8.1	12.3	4.3	6.4	4.8	7.5	5.3	5.1	5.9	5.1	12	13	0.9	1.2	1.2	1.7	1.5	1.7	0.2	1.0	0.9	0.2	0.8	1.3	0.5												
14	4.7	3.9	8.3	3.8	4.9	6.2	5.9	7.0	4.2	4.4	5.4	5.3	13	14	0.7	2.0	2.3	3.0	2.1	1.8	0.5	0.8	1.8	0.8	0.4	0.5	1.3												
15	7.8	7.9	7.4	4.8	6.6	6.7	6.1	7.8	6.4	4.8	5.0	5.4	14	15	2.1	2.5	2.9	3.6	2.3	1.5	0.3	0.7	2.3	1.4	1.8	0.4	1.8												
16	8.9	11.0	4.8	4.4	6.6	6.7	6.8	7.1	5.1	5.6	5.4	5.6	15	16	2.9	2.7	3.4	3.8	2.4	1.5	0.4	0.9	2.9	1.2	2.4	1.4	2.2												
17	5.8	9.3	5.2	6.8	7.9	7.5	6.8	7.1	5.1	5.6	5.4	7.1	16	17	3.5	2.9	3.3	3.4	2.3	1.6	0.3	0.3	2.3	0.7	2.4	1.8	2.1												
18	4.2	8.0	5.3	7.0	7.0	5.6	7.5	7.6	4.9	5.5	5.7	6.2	17	18	3.4	2.3	2.5	2.5	1.8	1.2	0.7	0.4	1.7	0.4	2.3	1.9	1.8												
19	4.3	8.1	5.9	9.2	7.0	6.5	5.6	5.9	6.5	5.3	4.7	7.6	18	19	3.5	2.1	1.5	1.5	0.9	0.5	0.1	0.4	0.5	0.4	2.5	1.8	1.2												
20	4.9	9.3	5.6	7.8	6.9	11.7	6.5	5.3	6.0	6.5	5.2	7.8	19	20	3.3	1.5	0.1	0.4	0.1	0.1	0.1	0.4	0.3	0.1	1.8	1.6	0.7												
21	5.7	7.2	4.1	4.2	7.1	16.2	8.0	6.6	3.4	5.3	4.7	7.4	20	21	2.1	0.4	0.7	0.4	0.7	0.5	0.0	0.2	0.1	0.5	0.8	0.6	0.1												
22	4.3	3.7	6.0	5.3	5.4	15.7	8.2	3.7	3.6	5.5	5.5	7.4	21	22	0.2	0.6	1.2	0.3	1.2	0.3	0.9	0.1	0.4	1.0	0.7	1.2	0.6												
23	4.8	3.8	3.9	7.0	4.3	7.5	8.0	5.3	5.1	4.9	4.9	4.4	22	23	1.5	1.4	1.4	0.3	1.1	0.3	0.7	0.4	0.9	1.2	1.5	1.8	1.0												
24	7.8	3.7	3.8	7.3	5.4	6.7	10.7	9.2	5.6	2.4	5.0	5.1	23	24	2.2	1.8	1.8	0.1	1.0	0.0	0.1	0.3	1.2	1.3	1.8	2.1	1.1												
25	9.2	4.3	4.5	5.8	9.5	10.9	10.9	7.3	5.7	4.4	4.3	3.8	24	25	3.4	2.3	2.5	2.5	1.8	1.2	0.7	0.4	1.7	0.4	2.3	1.9	1.8												
26	7.1	5.5	5.7	5.5	7.3	11.9	10.8	8.9	3.1	6.4	3.8	3.3	25	26	3.5	2.1	1.5	1.5	0.9	0.5	0.1	0.4	0.5	0.4	2.5	1.8	1.2												
27	8.1	6.0	7.7	6.6	6.5	9.7	13.2	8.2	3.6	7.3	4.8	5.9	26	27	2.1	0.4	0.7	0.4	0.7	0.5	0.0	0.2	0.1	0.5	0.8	0.6	0.1												
28	9.5	4.3	4.0	6.8	6.5	8.0	12.5	6.2	4.3	5.3	4.4	6.9	27	28	0.2	0.6	1.2	0.3	1.2	0.3	0.9	0.1	0.4	1.0	0.7	1.2	0.6												
29	8.2	5.6	4.5	8.1	6.0	9.3	13.6	5.7	9.9	5.6	4.0	6.6	28	29	1.5	1.4	1.4	0.3	1.1	0.3	0.7	0.4	0.9	1.2	1.5	1.8	1.0												
30	7.3	5.7	5.7	5.6	5.6	10.5	16.9	6.7	8.6	5.4	5.1	4.8	29	30	2.2	1.8	1.8	0.1	1.0	0.0	0.1	0.3	1.2	1.3	1.8	2.1	1.1												
31	4.9		6.1		6.2		13.3	8.4					30	31	2.2	1.8	1.8	0.1	1.0	0.0	0.1	0.3	1.2	1.3	1.8	2.1	1.1												
Monthly Mean.	6.6	6.2	5.4	7.2	5.9	7.8	8.3	8.8	6.4	5.6	5.2	6.0																											
Annual Variation.	0.0	0.4	1.2	0.6	0.7	1.2	1.7	2.2	0.2	1.0	1.4	0.6	Range.	5.7	4.9	5.2	7.1	3.8	3.9	2.2	1.8	4.4	2.7	4.6	4.0	3.3													

Miles.

The mean velocity for June to August .. 8.3
The mean velocity for September to May .. 6.1
The mean velocity for the year .. 6.6

MEAN DAILY VELOCITIES OF THE NORTH AND EAST COMPONENTS OF THE WIND, 1915.

TABLE VIc.—Showing the Mean Velocities of the North or South and East or West Components of the Winds which blew on each day of the year 1915.

In Miles per Hour.

Date.	Month.											
	January.		February.		March.		April.		May.		June.	
	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.	N.	E.
1	1.6	1.4	1.6	1.5	0.5	0.5	2.2	3.6	0.2	4.2	0.1	6.1
2	4.1	1.0	1.9	0.6	0.1	0.1	2.2	5.2	0.7	3.7	2.7	6.7
3	5.8	1.6	2.9	3.5	2.4	2.4	5.1	5.8	1.0	3.9	4.0	6.9
4	4.1	1.6	0.7	2.2	0.7	0.7	6.0	5.6	1.7	4.0	2.3	5.1
5	4.9	1.6	0.7	2.2	0.7	0.7	6.0	5.6	1.7	4.0	2.3	5.1
6	3.8	1.1	0.7	0.6	0.1	0.1	7.1	5.9	1.8	3.1	0.5	5.0
7	7.5	1.1	1.9	1.2	0.1	0.1	7.1	5.9	1.8	3.1	0.5	5.0
8	9.0	2.1	0.3	1.0	0.6	0.6	6.6	4.0	2.2	5.6	1.2	4.4
9	4.9	0.1	0.4	0.0	5.3	3.1	3.9	2.9	2.4	5.9	0.4	5.0
10	4.2	2.8	6.1	2.8	1.0	1.0	3.1	3.6	2.6	5.5	0.3	5.6
11	3.4	1.4	6.8	2.8	0.8	0.8	5.4	4.0	1.9	4.5	1.4	5.6
12	3.9	1.8	4.0	1.5	1.0	1.0	8.2	5.3	1.9	3.4	1.2	5.5
13	1.4	0.2	3.7	1.3	5.4	5.4	10.0	6.5	3.2	1.2	0.2	5.6
14	2.9	0.3	2.5	1.8	6.6	6.6	2.4	0.9	3.7	2.1	1.0	5.6
15	7.0	1.8	6.4	3.7	5.4	4.0	0.1	1.4	3.0	3.7	3.3	6.4
16	7.4	1.3	9.2	4.2	2.5	2.5	0.8	2.0	3.8	5.1	4.5	6.7
17	4.5	1.0	7.8	4.2	0.5	0.5	0.2	3.3	2.6	7.3	3.1	6.7
18	2.3	0.4	6.4	4.1	1.5	1.5	5.6	3.9	3.6	5.9	0.4	6.7
19	2.6	0.5	7.8	3.4	3.6	3.6	7.6	3.7	2.8	5.5	4.2	6.7
20	2.6	0.5	7.8	3.4	3.6	3.6	2.1	2.6	2.0	6.5	6.3	6.7
21	4.0	0.3	4.8	0.4	2.3	2.3	1.7	2.6	1.4	6.8	13.0	6.9
22	2.9	0.7	0.4	1.5	3.4	3.4	1.6	4.2	1.3	5.2	12.5	5.9
23	2.8	1.3	1.1	1.6	2.6	2.6	2.6	3.8	1.3	4.0	6.2	5.0
24	6.1	3.8	0.5	1.4	0.4	0.4	4.0	5.5	1.5	4.9	2.8	4.2
25	7.8	4.4	0.9	0.8	0.2	0.2	1.9	3.1	4.5	8.1	0.7	9.4
26	5.6	3.0	0.4	0.8	2.4	2.4	2.3	4.6	1.2	6.8	0.5	10.5
27	6.5	3.2	2.8	3.2	4.5	4.5	3.4	5.1	1.7	6.0	5.9	8.1
28	8.1	3.4	1.6	3.0	0.3	0.3	3.5	4.8	2.1	6.1	5.4	7.8
29	6.3	1.1	1.1	3.0	0.1	0.1	1.0	4.7	0.9	5.8	4.3	7.8
30	3.9	0.8	0.8	0.8	1.5	1.5	2.3	2.5	0.5	5.4	3.4	9.7
31	3.2	0.1	0.1	0.1	3.3	3.3	3.6	5.9	1.2	5.9	2.9	12.8
Monthly Mean.	1.2	0.9	3.0	1.7	1.7	1.7	3.3	4.1	1.3	5.0	1.7	4.0
Annual Variation.	0.5	2.1	2.3	1.3	1.0	1.0	2.6	1.1	2.0	2.0	2.4	1.0

The Velocities of the Mean Components for the year are 0.7 N and 3.0 W.

In miles per hour.

1915.	Months.																								Year.				
	January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.						
	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.	N. or S.	E. or W.					
Bombay Civil Time																													
Hourly Intervals.																													
0 to 1	1.4	S 1.8	E 1.3	S 2.0	E 0.4	S 2.1	E 0.4	S 2.1	E 0.3	N 0.8	E 0.3	N 0.7	E 0.1	S 1.0	E 0.5	S 0.4	E 0.4	S 0.1	W 0.6	S 0.5	E 0.6	S 0.9	E 0.9	S 1.5	E 0.1	S 1.4	E 0.5	S 1.1	E
1 "	1.8	S 2.1	E 0.8	S 2.5	E 0.2	S 2.1	E 0.1	N 1.6	E 0.5	N 1.0	E 0.1	N 0.7	E 0.9	S 1.0	E 0.7	S 0.4	E 0.0	S 0.2	W 0.5	S 0.7	E 0.6	S 1.1	E 1.2	S 2.3	E 1.0	S 2.3	E 0.6	S 1.4	E
2 "	2 "	2.3	E 1.1	S 2.5	E 0.4	S 1.6	E 0.5	S 2.6	E 0.6	N 0.8	E 0.4	N 1.0	E 0.7	S 0.4	E 0.0	S 0.4	E 0.0	S 0.5	W 0.6	S 0.7	E 0.4	S 1.4	E 1.0	S 2.3	E 0.9	S 3.0	E 0.5	S 1.5	E
3 "	4 "	1.2	S 2.3	E 1.0	S 3.1	E 0.2	N 1.7	E 0.7	S 3.2	E 0.3	N 1.4	E 0.7	N 1.3	E 0.4	S 0.4	E 0.6	N 0.7	W 0.5	S 0.4	E 1.0	S 1.9	E 0.8	S 2.9	E 1.0	S 3.8	E 0.4	S 1.8	E	
4 "	5 "	0.6	S 2.6	E 0.7	S 3.4	E 0.1	S 2.7	E 0.1	S 1.5	E 0.1	S 1.5	E 0.1	N 0.9	E 0.1	S 0.7	E 0.1	N 0.2	E 0.2	S 1.8	E 0.5	S 2.1	F 0.6	S 3.6	E 0.6	S 4.4	E 0.3	S 2.3	E	
5 "	6 "	0.7	S 3.4	E 1.2	S 4.3	E 0.4	S 3.2	E 0.5	S 4.6	E 0.4	S 1.9	E 1.2	N 2.4	E 0.4	S 1.0	E 0.1	S 0.4	E 0.5	S 1.9	E 1.3	S 2.9	E 0.4	S 3.7	E 0.5	S 4.8	E 0.4	S 2.8	E	
6 "	7 "	0.8	S 3.7	E 1.1	S 4.3	E 1.0	S 4.3	E 0.7	S 4.8	E 0.6	S 2.2	E 1.1	N 2.8	E 0.4	S 1.3	E 0.1	S 0.3	E 0.4	S 2.6	E 1.7	S 4.2	E 0.4	S 4.2	E 1.1	S 4.8	E 0.6	S 3.3	E	
7 "	8 "	1.4	S 3.7	E 1.4	S 4.7	E 1.5	S 5.6	E 0.7	S 4.5	E 0.1	S 1.8	E 1.2	N 3.2	E 0.4	S 1.6	E 0.1	N 0.9	E 0.6	S 3.0	E 1.7	S 3.9	E 0.7	S 4.8	E 1.5	S 4.8	E 0.7	S 3.5	E	
8 "	9 "	1.5	S 4.5	E 1.2	S 4.7	E 1.4	S 5.9	E 0.5	S 4.3	E 0.3	S 1.4	E 1.2	N 2.9	E 0.6	S 1.5	E 0.1	S 1.0	E 0.7	S 3.4	E 1.4	S 3.8	E 0.9	S 4.7	E 1.4	S 5.6	E 0.7	S 3.6	E	
9 "	10 "	1.5	S 4.3	E 1.4	S 3.4	E 1.4	S 4.5	E 1.0	S 3.1	E 0.4	S 0.7	E 0.5	N 1.8	E 0.5	S 1.2	E 0.2	N 1.3	E 0.9	S 2.1	E 1.5	S 2.5	E 1.3	S 4.2	E 1.9	S 5.1	E 0.9	S 2.8	E	
10 "	11 "	2.0	S 2.8	E 1.6	S 2.0	E 0.9	S 1.0	E 0.4	S 0.3	W 0.4	S 0.1	W 0.4	S 1.3	E 0.1	N 1.1	E 0.4	S 1.0	E 0.7	S 0.6	E 1.1	S 1.2	E 1.7	S 3.2	E 2.0	S 3.7	E 1.0	S 1.5	E	
11 "	12 "	2.3	S 1.0	E 0.4	S 2.0	W 0.7	S 2.0	W 0.1	S 2.6	W 0.5	S 0.7	W 0.3	S 0.3	W 0.4	S 0.1	W 0.4	S 0.0	S 0.2	S 1.2	W 0.7	S 1.0	W 1.5	S 0.5	E 1.8	S 0.7	E 0.8	S 0.6	W	
12 "	13 "	1.6	S 1.8	W 0.1	N 3.4	W 0.5	S 3.3	W 0.1	S 3.6	W 0.6	S 1.6	W 1.2	S 1.8	W 0.0	0.2	W 0.4	S 1.0	W 0.6	N 1.8	W 0.3	S 1.8	W 1.0	S 2.2	W 1.1	S 0.7	W 0.5	S 1.9	W	
13 "	14 "	1.2	S 4.5	W 0.2	N 4.8	W 0.1	S 4.3	W 0.4	N 4.8	W 0.5	S 2.3	W 1.3	S 2.1	W 0.1	N 1.2	W 0.2	S 0.7	W 1.2	N 3.1	W 0.1	N 2.8	W 0.6	S 4.3	W 0.5	S 3.4	W 0.2	S 3.2	W	
14 "	15 "	0.1	N 5.9	W 0.9	N 5.3	W 0.2	N 5.1	W 1.0	N 5.4	W 0.4	S 2.5	W 0.9	S 2.3	W 0.4	N 1.5	W 0.2	N 0.9	W 1.1	N 3.4	W 0.5	N 3.7	W 0.1	S 6.4	W 0.1	N 6.0	W 0.3	N 4.0	W	
15 "	16 "	1.7	N 5.7	W 0.7	N 5.5	W 1.1	N 5.4	W 1.4	N 5.4	W 0.1	S 2.7	W 0.6	S 3.2	W 0.4	N 1.6	W 0.6	N 1.0	W 1.6	N 4.0	W 1.0	N 3.7	W 1.1	N 6.3	W 0.7	N 6.9	W 0.8	N 4.3	W	
16 "	17 "	2.6	N 5.5	W 1.5	N 5.4	W 1.2	N 5.4	W 1.5	N 5.0	W 0.2	N 2.7	W 0.1	S 2.8	W 1.0	N 2.3	W 0.0	0.6	W 1.1	N 3.4	W 1.3	N 3.4	W 1.8	N 5.9	W 1.2	N 7.2	W 1.1	N 4.1	W	
17 "	18 "	3.2	N 4.8	W 1.7	N 4.8	W 1.8	N 4.3	W 1.6	N 3.8	W 0.4	N 2.3	W 0.3	S 2.6	W 1.1	N 1.9	W 0.2	N 0.3	E 1.2	N 2.1	W 1.6	N 2.9	W 2.4	N 5.3	W 2.3	N 6.0	W 1.4	N 3.4	W	
18 "	19 "	3.9	N 4.1	W 2.2	N 3.7	W 1.5	N 3.3	W 1.2	N 2.7	W 0.2	N 1.3	W 0.3	S 2.0	W 1.0	N 1.2	W 0.4	N 0.2	W 0.9	N 1.3	W 2.1	N 2.6	W 3.3	N 3.7	W 3.1	N 5.2	W 1.6	N 2.6	W	
19 "	20 "	4.2	N 3.3	W 2.4	N 2.6	W 1.1	N 2.1	W 1.0	N 1.1	W 0.3	N 0.3	W 0.1	S 1.5	W 0.8	N 1.0	W 0.2	N 0.1	W 0.8	N 0.5	W 1.8	N 2.0	W 3.0	N 3.2	W 3.4	N 4.6	W 1.6	N 1.9	W	
20 "	21 "	3.3	N 2.0	W 2.1	N 0.7	W 1.1	N 0.7	W 0.4	N 0.1	W 0.5	N 0.1	E 0.4	S 0.5	W 0.2	N 0.4	W 0.3	S 0.0	0.3	S 0.2	E 1.5	N 1.2	W 2.0	N 1.8	W 3.1	N 3.1	W 1.1	N 0.8	W	
21 "	22 "	1.3	N 0.3	E 1.5	N 0.1	E 0.7	N 0.1	W 0.5	S 0.2	E 0.3	N 0.8	E 0.5	S 0.8	W 0.3	N 0.1	E 0.0	0.1	W 0.9	S 1.0	E 1.3	N 0.8	W 0.8	N 0.3	W 1.6	N 1.2	W 0.5	N 0.1	W	
22 "	23 "	0.4	S 1.5	E 0.3	N 0.3	E 0.4	N 0.4	E 0.8	S 0.4	E 0.1	S 0.8	E 0.4	S 0.0	0.2	N 0.5	E 0.1	N 0.1	E 1.0	S 0.8	E 0.9	N 0.3	W 0.3	S 0.4	E 0.7	N 0.0	0.0	0.4	E	
23 "	24 "	1.5	S 1.5	E 0.1	N 0.8	E 0.1	N 1.0	E 0.8	S 0.6	E 0.1	N 0.7	E 0.4	S 0.5	E 0.1	N 0.2	E 0.5	S 0.4	E 0.7	S 1.0	E 0.6	N 0.7	E 0.5	S 0.7	E 0.0	0.7	E 0.3	S 0.7	E	

TABLE VIe.—Showing for the year 1915 the sums of the Velocities, in miles per hour, of the Winds which blew in each Month, from each of the sixteen Principal Directions and also the number of Hourly Observations which those sums comprise; the latter numbers indicating the Relative Frequency of the same Wind (as to direction) in the several Months, and of different Winds during the same Month.

1915.	N.			N. N. E.			N. E.			E. N. E.			E.			E. S. E.			S. E.			S. S. E.		
Month.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.
January	514	98	5.2	47	74	3.4	129	63	4.4	571	101	5.7	59	15	3.9	28	3.2	25	8.3	3	8.3	44	6	7.3
February	274	54	5.1	152	39	3.9	286	33	8.6	286	54	5.3	41	9	4.6	274	49	5.6	153	27	5.7	11	3	3.7
March	169	42	4.0	157	44	3.6	107	17	3.5	107	22	4.9	37	11	3.4	281	44	6.4	183	42	4.4	43	12	3.6
April	224	43	5.2	178	38	4.7	86	24	3.6	87	23	3.8	23	5	4.6	9	3	3.0	15	4	3.7	66	8	8.2
May	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	7	1	7.0	12	2	6.0	57	9	6.3
June	2	1	2.0	3	1	3.0	0	0	0.0	19	3	6.3	28	5	5.6	469	33	14.2	234	18	13.0	366	29	12.6
July	15	3	5.0	58	14	4.1	21	5	4.2	32	10	3.2	15	4	3.7	73	15	4.9	63	6	10.5	417	38	11.0
August	0	0	0.0	4	2	2.0	7	2	3.5	14	3	4.7	15	0	0.0	86	13	6.6	51	9	5.7	48	12	4.0
September	102	25	4.1	80	29	2.8	69	19	3.6	188	40	4.7	15	5	3.0	185	27	6.9	73	15	4.9	180	18	10.0
October	68	19	3.6	84	26	3.2	29	7	4.1	219	47	4.7	143	29	4.9	144	22	6.5	226	33	6.8	486	50	9.7
November	154	38	4.1	245	70	3.5	154	42	3.7	732	135	5.4	251	56	4.5	101	27	3.7	91	23	4.0	41	12	3.4
December	143	31	4.6	369	103	3.6	65	15	4.3	1,088	178	6.1	507	87	5.8	298	45	6.6	0	0	0.0	0	0	0.0
Year.	1,665	354	4.7	1,676	440	3.8	894	227	3.9	3,343	616	5.4	1,119	226	5.0	2,018	307	6.6	1,126	182	6.2	1,759	197	8.9

1915.	S.			S. S. W.			S. W.			W. S. W.			W.			W. N. W.			N. W.			N. N. W.			Number of Observations.
Month.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Sum of Velocities.	Number of Ob.	Mean Velocity.	Variable.
January	13	3	4.3	3	1	3.0	0	0	0.0	48	13	3.7	41	7	5.9	368	62	5.9	1,133	124	9.1	1,341	146	9.2	0
February	38	11	3.5	37	13	2.8	24	10	2.4	193	45	4.3	269	60	4.5	472	85	5.6	1,177	116	10.1	759	104	7.3	0
March	169	18	9.4	124	23	5.4	43	9	4.8	144	31	4.6	362	56	6.5	1,015	161	6.3	856	116	7.4	347	63	5.5	0
April	38	8	4.7	257	55	4.7	405	85	4.8	1,879	308	6.1	938	143	6.6	1,231	148	8.3	1,710	185	9.2	730	99	7.4	0
May	419	39	10.7	259	37	6.1	729	94	7.8	1,585	213	7.4	1,083	176	6.2	692	108	6.4	93	22	5.2	52	7	3.1	0
June	177	24	7.4	142	26	5.5	312	55	5.7	2,631	312	8.4	1,556	125	12.4	355	56	6.3	139	18	7.7	209	33	6.3	0
July	2	1	2.0	6	1	6.0	134	23	5.8	2,072	349	8.5	2,934	284	10.3	214	34	6.3	36	9	4.0	6	2	3.0	0
August	124	22	5.6	23	7	3.3	22	6	3.7	414	67	6.2	1,149	153	7.5	801	128	6.3	934	113	8.3	237	44	5.4	0
September	277	46	6.0	225	49	4.6	246	51	4.8	328	72	4.6	317	59	5.4	571	97	5.9	550	78	7.1	281	58	4.8	0
October	9	2	4.5	4	1	4.0	4	2	2.0	0	11	3.6	86	16	5.4	661	108	6.1	564	79	7.1	603	96	6.3	0
November	0	0	0.0	0	0	0.0	4	1	4.0	0	0	0.0	89	16	5.6	597	93	6.4	687	86	8.0	604	89	6.8	0
December	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	89	16	5.6	597	93	6.4	687	86	8.0	604	89	6.8	0
Year	1,274	175	7.3	1,052	214	4.9	1,473	284	5.2	9,499	1,330	7.1	9,821	1,217	8.1	8,060	1,256	6.4	8,007	967	8.3	5,191	750	6.9	0

Velocity of Wind, 1915.

DINES' ANEMOGRAPH.

TABLE VI f.—Mean Velocity of Wind in miles per hour for each day of Bombay Civil Time; also the Mean Monthly Velocity and its variation from the mean of the year.

TABLE VI g.—Showing the Mean diurnal inequality of the Velocity of the Wind in miles per hour for each month of the year 1915 and for the whole year.

1915.	Month.												1915.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time Hourly Intervals.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Date.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	Miles.	
1	4.2	4.1	2.2	4.4	4.0	5.4	7.3	10.6	6.0	8.9	4.8	6.8	0 to	1	1.8	1.5	1.5	0.1	1.0	0.2	0.2	0.3	1.3	1.6	1.8	
2	5.5	3.7	4.4	6.0	4.0	6.4	8.0	8.5	5.5	5.3	5.5	7.3	1 "	2	1.8	1.2	1.4	0.8	0.9	0.4	0.3	0.1	1.2	1.1	1.3	
3	6.1	4.3	5.8	7.8	4.8	7.5	6.5	11.7	7.9	3.7	6.0	6.8	2 "	3	1.9	1.0	1.3	1.3	0.9	0.3	0.1	0.1	1.6	0.8	1.2	
4	4.7	7.0	4.6	8.1	5.0	6.2	6.5	13.4	9.2	4.5	5.4	5.0	3 "	4	1.6	1.1	1.2	1.7	1.0	1.3	0.2	0.0	1.3	0.4	0.7	
5	4.7	6.3	5.2	8.5	5.4	4.7	4.8	13.2	7.7	5.7	7.3	5.0	4 "	5	1.3	1.1	1.0	2.1	0.9	1.6	0.2	0.3	1.0	0.1	0.6	
6	4.4	5.3	5.5	8.1	5.2	4.0	5.2	10.3	5.5	15.5	6.3	5.0	5 "	6	1.1	0.9	1.2	2.6	1.0	1.6	0.6	0.1	1.3	0.4	0.6	
7	7.7	3.1	3.0	8.8	5.5	4.5	5.6	10.4	8.1	6.4	4.2	4.8	6 "	7	1.1	0.9	1.1	3.1	0.9	1.8	0.1	0.1	0.6	0.5	0.0	
8	8.9	2.8	4.4	7.9	5.0	3.9	5.6	11.1	10.9	5.9	3.5	3.5	7 "	8	1.1	1.2	0.6	2.7	0.8	1.6	0.1	0.1	0.6	0.6	0.3	
9	5.5	4.5	6.5	5.1	5.6	4.7	5.2	8.1	6.2	3.3	3.7	5.2	8 "	9	0.7	1.1	0.2	2.4	0.4	1.2	0.0	0.0	0.6	0.6	0.2	
10	6.2	7.3	4.3	5.9	5.1	5.2	6.9	7.8	6.2	4.3	3.7	6.2	9 "	10	1.0	1.0	0.5	1.7	0.2	0.2	0.2	0.5	0.3	0.0	0.3	
11	5.4	7.5	4.5	8.1	4.2	5.2	11.7	8.6	5.2	2.9	5.5	4.9	10 "	11	1.3	1.1	1.0	0.5	0.1	0.2	0.6	0.5	0.4	0.7	1.8	
12	5.5	5.3	4.2	10.2	3.5	5.3	6.7	5.7	4.7	5.1	3.0	4.6	11 "	12	1.7	0.1	0.1	0.5	0.4	0.6	0.1	0.1	0.4	0.1	1.9	
13	3.6	5.0	7.6	11.5	4.2	5.5	4.4	6.5	4.5	4.2	5.6	5.4	12 "	13	0.8	1.0	1.9	1.5	1.2	1.5	0.1	0.7	1.0	0.3	0.9	
14	4.0	3.5	7.7	3.5	4.6	5.3	5.5	6.0	4.3	4.2	4.7	4.3	13 "	14	0.6	1.6	2.0	2.5	1.8	1.8	0.1	0.5	1.7	0.8	0.3	
15	6.8	7.2	6.7	4.5	4.5	5.4	5.7	6.0	6.2	4.3	4.3	4.9	14 "	15	1.7	2.1	2.5	3.3	1.9	1.4	0.1	0.5	2.2	1.0	1.4	
16	7.9	10.1	4.4	4.1	5.9	5.6	6.1	6.6	6.2	4.3	6.2	5.2	15 "	16	2.8	2.5	3.3	3.3	1.9	1.5	0.2	0.8	2.2	1.0	2.2	
17	4.6	8.5	4.7	6.7	7.0	6.5	6.7	6.2	4.9	5.1	5.1	6.8	16 "	17	3.3	2.4	2.8	3.1	1.8	1.7	0.8	0.2	2.4	0.7	2.3	
18	3.2	7.4	4.7	6.9	6.0	4.9	7.8	6.6	4.7	4.8	5.5	5.7	17 "	18	3.0	2.2	2.2	2.2	1.4	1.2	0.7	0.3	1.9	0.3	2.4	
19	3.7	7.5	5.3	8.6	5.7	6.7	5.6	5.2	6.3	4.6	4.4	7.0	18 "	19	3.4	1.9	1.2	1.5	0.7	0.3	0.2	0.3	0.8	0.4	2.6	
20	4.3	8.7	5.2	7.9	5.7	11.1	6.2	4.7	5.7	5.8	5.0	7.2	19 "	20	3.2	1.5	0.3	0.3	0.2	0.0	0.2	0.2	0.5	0.4	2.0	
21	4.9	6.7	3.7	4.2	5.7	16.2	8.0	6.1	3.1	4.5	4.9	7.2	20 "	21	1.7	1.8	0.5	0.1	0.6	0.5	0.0	0.2	0.0	0.2	1.1	
22	3.6	3.5	5.4	5.1	4.5	15.9	3.1	3.7	3.2	5.0	5.2	6.9	21 "	22	0.2	0.5	1.0	0.0	1.2	0.0	0.6	0.1	0.3	0.6	0.6	
23	4.0	3.5	3.8	7.0	3.8	7.0	8.2	5.0	5.0	4.1	4.6	3.9	22 "	23	1.4	1.3	1.3	0.0	1.1	0.2	0.6	0.2	0.7	1.0	1.5	
24	6.8	3.1	3.5	6.7	5.0	6.2	9.3	8.1	5.3	2.0	4.7	4.6	23 "	24	1.9	1.5	1.5	0.3	0.9	0.1	0.2	0.5	1.1	0.9		
25	8.2	4.1	4.3	5.1	8.7	9.4	9.5	6.8	5.4	3.7	4.2	3.5	24 "													
26	6.5	4.9	5.3	5.0	6.7	9.8	9.7	7.9	3.2	5.9	3.7	3.1	Range.	5.3	4.0	4.8	6.4	3.1	3.6	1.4	1.3	4.0	2.0	4.5		
27	7.5	5.5	7.0	5.9	5.8	9.2	11.7	7.1	2.8	6.5	4.4	5.1														
28	8.6	3.8	3.6	6.1	5.8	7.2	11.3	5.3	4.2	4.7	4.2	6.2														
29	7.4	4.0	4.0	7.6	5.3	7.6	12.1	5.0	10.4	5.0	3.8	6.0														
30	6.7	5.1	5.0	5.0	5.2	8.6	15.0	5.6	9.5	5.5	5.0	4.4														
31	4.2		5.3		5.4		11.5	7.1		4.5		4.4														
Monthly Mean.	5.7	5.5	4.9	6.7	5.3	7.0	7.7	7.6	5.9	5.2	4.8	5.5														
Annual Variation.	- 0.3	- 0.5	- 1.1	+ 0.7	- 0.7	+ 1.0	+ 1.7	+ 1.6	- 0.1	- 0.8	- 1.2	- 0.5														

Miles.

The mean velocity for June to August
The mean velocity for September to May
The mean velocity for the year

.. 7.4
.. 5.5
.. 6.0

Temperature of the Ground, 1915.

TABLE VIIa.—Showing for each month the Mean Temperature of the Ground in the Thermometer Shed and its Annual Variation at the respective depths of 1, 9, 20, 60 and 132 inches below the surface.

TABLE VIIb.—Showing for each of the five observation hours and for the mean of the day, the Temperature of the Ground exposed to the direct rays of the Sun at the depths of 1 inch and 8 inches below the surface.

Depth.	1 inch.		9 inches.		20 inches.		60 inches.		132 inches.		Depth from surface.		* 1 inch.					8 inches.				
	Mean Temperature.	Excess over the yearly Mean.	Mean Temperature.	Excess over the yearly Mean.	Mean Temperature.	Excess over the yearly Mean.	Mean Temperature.	Excess over the yearly Mean.	Mean Temperature.	Excess over the yearly Mean.	Month.	Mean of five observation hours.	Observation Hours.					Observation Hours.				
													6	10	14	16	22	6	10	14	16	22
January ..	76.7	-5.4	76.6	-5.4	80.2	-4.1	83.2	-1.4	82.9	-0.5	January ..	69.9	84.9	111.8	98.4	76.7	88.3	78.0	77.3	78.1	79.0	79.5
February ..	76.3	-5.8	76.2	-5.8	79.5	-4.8	82.2	-2.4	82.3	-1.1	February ..	70.5	85.8	113.8	109.4	77.6	91.4	79.2	78.3	79.3	80.2	81.2
March ..	80.8	-1.3	79.3	-2.7	80.9	-3.4	82.3	-2.3	82.2	-1.2	March ..	77.9	90.3	121.8	118.1	84.6	98.6	86.1	85.3	87.0	88.9	89.8
April ..	85.0	+2.9	83.0	+1.0	84.0	-0.3	83.5	-1.1	82.7	-0.7	April ..	84.0	97.7	130.3	124.7	90.6	105.4	94.2	93.3	95.1	96.9	97.9
May ..	87.7	+5.6	85.9	+3.9	86.8	+2.5	85.0	+0.4	83.2	-0.2	May ..	88.2	100.2	129.5	124.2	93.2	107.1	99.8	98.6	100.9	102.5	103.6
June ..	86.3	+4.2	86.4	+4.4	88.5	+4.2	86.7	+2.1	83.9	+0.5	June ..	85.9	94.8	114.1	111.0	89.3	99.0	96.6	95.6	96.9	98.2	99.0
July ..	83.8	+1.7	84.2	+2.2	86.6	+2.3	86.8	+2.2	84.0	+0.6	July ..	80.2	86.0	95.3	93.5	82.2	87.4	85.7	85.2	86.6	87.7	88.2
August ..	82.6	+0.5	83.1	+1.1	85.5	+1.2	85.7	+1.1	83.9	+0.5	August ..	79.9	85.3	94.2	91.6	82.2	86.6	85.1	85.1	86.5	87.3	87.8
September ..	82.7	+0.6	83.0	+1.0	85.3	+1.0	85.2	+0.6	84.0	+0.6	September ..	79.6	86.8	100.1	96.8	83.3	89.3	85.3	84.9	86.6	87.7	88.5
October ..	83.0	+0.9	83.4	+1.4	85.3	+1.0	85.0	+0.4	84.1	+0.7	October ..	79.9	87.6	97.6	95.2	83.2	88.7	84.3	83.8	85.1	86.0	86.7
November ..	82.7	+0.6	83.1	+1.1	85.5	+1.2	84.9	+0.3	83.9	+0.5	November ..	79.2	95.7	115.5	103.3	85.4	95.8	84.7	84.0	85.3	86.0	86.7
December ..	78.1	-4.0	79.4	-2.6	83.6	-0.7	84.6	0.0	83.5	+0.1	December ..	72.5	85.7	110.2	95.6	77.9	88.4	79.4	78.7	79.6	80.3	80.8
Year.	82.1		82.0		84.3		84.6		83.4		Year.	79.0	90.1	111.2	105.1	83.8	93.8	86.5	85.8	87.2	88.4	89.0
																						87.4

* From the beginning of 1915 a new thermometer No. 3426 by Munro has been read in place of an old one No. 122 by Newman which was in use from April 1909 to December 1914.

Maxima and Minima of different Meteorological Elements, 1915.

TABLE VIII. -In which are collected the individual observations in each month of the year which showed the greatest and the least values of the following elements, viz., Height of Barometer corrected for Temperature, Temperature of Air, Pressure of Vapour and Additional Capacity of Air, and Ground Temperatures, 1 inch and 8 inches deep.

1915. Month.	Height of Barometer.			Temperature of Air.			Pressure of Vapour.			Additional Capacity.			Ground Thermometer 1 inch deep.			Ground Thermometer 8 inches deep.		
	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.	Greatest.	Least.	Range.
January	In. 30.112	In. 29.813	In. 0.299	° 85.9	° 63.7	° 22.2	In. 0.826	In. 0.306	In. 0.520	In. 0.763	In. 0.066	In. 0.697	° 119.0	° 63.2	° 55.8	° 84.3	° 73.9	° 10.4
February	° 0.055	° 0.820	° 0.235	° 84.9	° 64.0	° 20.9	° 0.794	° 0.296	° 0.498	° 0.869	° 0.056	° 0.813	° 123.5	° 62.2	° 61.3	° 86.2	° 75.1	° 11.1
March	° 0.065	° 0.717	° 0.348	° 90.1	° 70.2	° 19.9	° 0.960	° 0.463	° 0.497	° 0.799	° 0.036	° 0.763	° 132.2	° 73.0	° 59.2	° 95.1	° 81.8	° 13.3
April	° 29.982	° 0.669	° 0.313	° 90.6	° 76.0	° 14.6	° 1.036	° 0.616	° 0.420	° 0.689	° 0.097	° 0.542	° 135.0	° 80.8	° 54.2	° 101.7	° 90.3	° 11.4
May	° 0.874	° 0.610	° 0.264	° 92.5	° 79.6	° 12.9	° 0.045	° 0.806	° 0.239	° 0.556	° 0.103	° 0.453	° 134.5	° 83.0	° 51.5	° 106.6	° 90.3	° 16.3
June	° 0.821	° 0.464	° 0.357	° 93.0	° 77.3	° 15.7	° 0.041	° 0.845	° 0.196	° 0.668	° 0.013	° 0.655	° 136.0	° 77.0	° 59.0	° 107.2	° 79.8	° 27.4
July	° 0.863	° 0.439	° 0.424	° 88.4	° 76.2	° 12.2	° 0.089	° 0.809	° 0.280	° 0.363	° 0.025	° 0.338	° 111.5	° 77.0	° 34.5	° 94.0	° 80.7	° 13.3
August	° 0.854	° 0.549	° 0.305	° 86.0	° 75.8	° 10.2	° 0.995	° 0.769	° 0.226	° 0.358	° 0.045	° 0.313	° 109.0	° 77.0	° 32.0	° 93.2	° 81.8	° 11.4
September	° 0.872	° 0.573	° 0.299	° 86.3	° 75.9	° 10.4	° 1.011	° 0.788	° 0.223	° 0.366	° 0.036	° 0.330	° 111.5	° 72.5	° 39.0	° 93.2	° 81.2	° 12.0
October	° 0.950	° 0.641	° 0.309	° 89.3	° 75.3	° 14.0	° 0.069	° 0.549	° 0.520	° 0.830	° 0.057	° 0.773	° 118.5	° 76.3	° 42.2	° 90.6	° 81.9	° 8.7
November	° 30.024	° 0.644	° 0.380	° 91.0	° 73.3	° 17.7	° 0.039	° 0.466	° 0.573	° 0.692	° 0.056	° 0.636	° 118.7	° 74.9	° 43.8	° 89.5	° 82.2	° 7.3
December	° 0.087	° 0.830	° 0.257	° 87.4	° 68.2	° 19.2	° 0.795	° 0.401	° 0.394	° 0.849	° 0.048	° 0.801	° 115.4	° 69.0	° 46.4	° 85.3	° 77.4	° 7.9
Year.	30.112	29.439	0.673	93.0	63.7	29.3	1.089	0.296	0.793	0.869	0.013	0.856	136.0	62.2	73.8	107.2	73.9	33.3

Relative Humidity of the Air, 1915.

Extent of cloudy sky, 1915.

TABLE IXa.—Daily and Monthly Means of Observations taken at 6, 10, 14, 16 and 22 hours daily. TABLE IXb.—Daily and Monthly Means of Observations taken at 6, 10, 14, 16 and 22 hours daily, the whole sky being reckoned as 10·0.

Complete Saturation=1·000.

1915.		Month.												1915.		Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
1	0.665	0.803	0.816	0.784	0.759	0.710	0.873	0.845	0.847	0.848	0.710	0.658	1	..	1.6	6.4	2.4	3.0	3.6	9.6	10.0	6.2	3.0	..	..		
2	·651	·798	·761	·740	·745	·719	·837	·845	·823	·848	·718	·529	2	..	7.4	8.0	1.0	2.2	1.4	9.0	8.4	5.4	2.0	..	..		
3	·587	·706	·788	·714	·766	·706	·842	·843	·829	·869	·715	·485	3	..	2.8	3.6	1.8	5.0	2.0	8.8	9.6	6.6	6.0	..	..		
4	·675	·825	·765	·765	·744	·713	·821	·873	·803	·837	·618	·516	4	0.6	5.0	1.2	0.4	4.0	5.2	7.0	10.0	7.4	5.8	1.4	..		
5	·637	·723	·769	·768	·749	·708	·809	·896	·793	·864	·640	·634	5	0.8	..	1.2	2.6	4.0	3.4	7.0	10.0	9.2	6.0	2.6	..		
6	·676	·671	·710	·771	·742	·709	·814	·859	·849	·915	·684	·636	6	0.4	..	0.4	4.0	4.0	5.0	6.0	9.6	8.0	8.6	4.6	..		
7	·495	·748	·760	·642	·743	·718	·784	·844	·816	·877	·733	·700	7	0.8	0.8	0.8	2.6	3.8	3.2	6.0	8.2	8.8	7.6	7.4	..		
8	·524	·776	·784	·681	·721	·709	·774	·851	·889	·872	·795	·665	8	0.2	0.2	4.4	3.0	4.0	5.0	4.2	10.0	9.8	7.4	2.6	..		
9	·571	·779	·723	·641	·710	·680	·778	·821	·945	·741	·824	·743	9	0.2	1.4	3.2	2.4	4.6	5.6	5.6	9.0	10.0	4.2	3.0	..		
10	·658	·647	·722	·676	·707	·676	·846	·801	·868	·765	·873	·732	10	..	2.0	2.0	0.2	3.8	1.6	8.0	8.6	8.0	2.0	4.0	..		
11	·603	·622	·694	·685	·729	·674	·838	·809	·869	·830	·765	·757	11	..	0.2	0.8	2.8	3.6	2.8	6.0	6.8	9.0	8.4	2.6	..		
12	·593	·653	·752	·675	·722	·700	·829	·783	·832	·812	·707	·784	12	3.0	..	4.0	1.2	2.8	2.4	4.0	5.2	7.6	6.0	2.4	..		
13	·651	·761	·627	·678	·747	·683	·798	·782	·797	·821	·694	·802	13	2.6	0.2	5.2	5.0	3.4	3.8	3.8	7.6	4.0	8.2	4.4	..		
14	·715	·746	·609	·666	·742	·693	·773	·780	·778	·742	·660	·798	14	2.4	1.0	6.6	4.4	2.8	4.0	3.8	6.4	2.4	2.8	..	0.6		
15	·548	·650	·687	·700	·744	·700	·889	·794	·814	·805	·739	·759	15	3.4	1.6	1.2	5.6	3.6	4.0	10.0	8.4	2.8	2.2	1.2	1.6		
16	·506	·696	·722	·707	·766	·739	·903	·803	·807	·852	·707	·737	16	1.2	0.6	..	8.0	5.6	5.0	9.4	9.2	2.6	7.8	1.6	1.0		
17	·645	·570	·720	·755	·704	·752	·881	·825	·829	·785	·759	·629	17	0.6	0.4	0.4	6.0	3.8	8.2	8.0	9.2	5.0	4.8	4.6	0.6		
18	·762	·579	·762	·686	·704	·846	·869	·783	·825	·796	·669	·612	18	0.4	1.2	3.6	6.0	4.8	9.6	8.4	7.0	3.8	2.6	2.4	7.0		
19	·766	·506	·747	·643	·723	·856	·839	·781	·798	·773	·740	·626	19	1.2	2.4	2.2	4.0	5.2	9.6	8.4	8.2	2.4	3.6	1.4	1.8		
20	·733	·517	·789	·708	·722	·894	·862	·842	·849	·789	·752	·612	20	1.8	0.8	0.8	1.8	5.2	9.4	8.6	9.2	6.0	1.8	3.4	4.0		
21	·713	·569	·711	·780	·739	·854	·840	·876	·882	·811	·762	·636	21	0.4	..	1.0	2.0	4.2	8.2	8.4	9.0	10.0	3.8	5.0	1.0		
22	·747	·728	·642	·790	·714	·809	·890	·863	·873	·839	·771	·618	22	7.6	..	0.2	3.2	3.0	5.2	6.6	10.0	6.8	2.8	3.0	0.6		
23	·830	·723	·819	·781	·723	·808	·905	·888	·838	·824	·769	·718	23	9.6	..	1.2	3.2	2.6	7.4	9.0	9.4	6.0	3.4	1.2	0.2		
24	·776	·750	·788	·721	·721	·870	·831	·827	·854	·884	·772	·715	24	4.8	0.4	1.6	0.2	4.0	10.0	5.8	8.0	7.4	4.8	2.0	..		
25	·639	·756	·780	·715	·749	·950	·825	·925	·895	·849	·810	·745	25	3.0	2.2	0.8	..	4.0	10.0	8.4	10.0	7.2	4.0	2.0	4.4		
26	·712	·750	·765	·746	·753	·958	·838	·838	·868	·798	·807	·841	26	4.2	2.0	4.0	2.0	5.0	10.0	9.6	7.4	4.6	3.4	2.2	8.4		
27	·701	·793	·561	·733	·732	·949	·858	·818	·887	·818	·791	·792	27	1.2	0.8	1.0	2.8	5.0	10.0	10.0	7.0	6.8	4.0	1.4	1.0		
28	·565	·803	·706	·796	·720	·948	·915	·835	·888	·751	·801	·729	28	1.0	2.2	1.4	4.4	3.2	10.0	10.0	7.4	8.6	2.2	1.0	0.4		
29	·539	..	·755	·793	·729	·933	·842	·848	·892	·688	·762	·740	29	..	..	2.2	4.8	4.0	10.0	9.4	7.6	9.8	0.2	1.0	1.0		
30	·661	..	·756	·733	·714	·865	·893	·831	·870	·675	·754	·699	30	0.2	..	2.0	5.6	3.6	10.0	10.0	9.2	8.0	..	0.2	..		
31	·793	..	·793	..	·711	·852	·852	·854	..	·745	..	·705	31	1.8	..	2.0	..	3.2	10.0	10.0	8.6	..	..	..	..		
Monthly Mean.	0.656	0.698	0.735	0.722	0.732	0.784	0.843	0.835	0.847	0.810	0.744	0.689	Monthly Mean.	1.7	1.3	2.4	3.1	3.9	6.1	7.7	8.5	6.7	4.2	2.3	1.1		
Annual Variation.	— 102	— 060	— 023	— 036	— 026	+ 026	+ 085	+ 077	+ 089	+ 052	— 014	— 069	Annual Variation.	— 2.4	— 2.8	— 1.7	— 1.0	— 0.2	+ 2.0	+ 3.6	+ 4.4	+ 2.6	+ 0.1	— 1.8	— 3.0		

Annual Mean

..0·758

For the days which have no entry 0·0 is to be understood.
 Means of the months from January to April, November and December .. 2·0
 Mean of the months from May to October .. 0·6·2
 Mean for the year .. 4·1

Meteorological Data, 1915.

Table X.—Five-day Means, 1915.

Number of Five-day Period.	Barometric Pressure.	Tempera- ture. of the Air.	Pressure of Vapour.	Additional Capacity of the Air.	Rainfall.*	North or South Com- ponent of Wind.	East or West Component of Wind.	Number of Five-day Period.	Barometric Pressure.	Tem- perature of the Air.	Pressure of Vapour.	Additional Capacity of the Air.	Rainfall.*	North or South Com- ponent of Wind.	East or West Component of Wind.
	In.	°	In.	In.	In.	Miles.	Miles.		In.	°	In.	In.	In.	Miles.	Miles.
1	29.967	74.6	0.565	0.299		4.1 N	0.5 W	38	29.755	83.6	0.926	0.226	0.20	2.6 S	5.3 W
2	984	72.1	.476	.320		5.9 N	0.3 W	39	.781	82.3	.912	.195	0.73	4.1 S	1.7 W
3	980	75.8	.571	.327		3.7 N	0.3 E	40	.650	81.6	.944	.137	2.64	0.1 N	1.8 W
4	30.009	73.6	.593	.242		3.7 N	1.2 W	41	.589	82.9	.952	.147	1.74	2.5 S	3.8 W
5	29.963	76.1	.681	.222		4.7 N	2.1 W	42	.679	81.6	.925	.158	7.39	0.0	11.7 W
6	933	73.1	.515	.305		6.1 N	2.0 W	43	.604	81.7	.926	.157	2.02	2.5 S	12.7 W
7	918	74.6	.683	.180	0.30	0.6 S	0.2 E	44	.694	80.7	.911	.136	1.66	1.1 S	13.4 W
8	947	72.8	.609	.204		1.8 N	0.4 W	45	.775	82.4	.893	.215	0.02	3.3 S	8.0 W
9	902	74.7	.589	.278		4.6 N	2.0 W	46	.773	81.9	.876	.214	0.08	2.0 S	6.9 W
10	930	73.2	.520	.303		7.8 N	4.3 W	47	.731	79.9	.881	.142	2.98	0.7 S	2.6 W
11	921	72.8	.542	.273		2.6 N	1.5 W	48	.718	80.8	.896	.156	2.46	0.2 N	7.3 W
12	916	76.0	.709	.191		0.7 N	1.6 W	49	.759	81.5	.904	.172	1.25	2.3 S	6.4 W
13	927	76.5	.712	.204	0.64	0.9 N	0.5 W	50	.789	81.4	.876	.196	0.58	1.8 N	7.5 W
14	969	77.7	.719	.236		1.0 N	2.1 W	51	.664	80.3	.908	.130	5.16	1.5 N	6.6 W
15	954	76.8	.628	.299	0.05	3.8 N	2.9 W	52	.780	81.1	.864	.197		3.1 N	3.1 W
16	948	79.5	.769	.247		2.3 N	2.3 W	53	.783	80.8	.898	.156	0.13	3.1 N	1.7 W
17	869	81.1	.827	.241		0.6 N	2.8 W	54	.753	81.0	.931	.130	2.27	1.7 N	0.7 W
18	879	81.3	.785	.287		1.8 N	3.8 W	55	.743	80.3	.912	.124	1.91	5.3 S	1.9 E
19	882	80.3	.799	.238		4.4 N	5.2 W	56	.703	81.5	.843	.135	2.11	5.4 S	2.0 W
20	885	81.5	.764	.314		5.5 N	4.3 W	57	.766	80.1	.831	.197	0.09	0.6 S	2.4 W
21	856	83.3	.791	.354		5.2 N	3.6 W	58	.834	79.6	.817	.195	0.38	2.0 S	1.1 W
22	808	84.7	.848	.347	0.02	2.4 N	3.1 W	59	.825	81.3	.868	.204		3.2 N	1.6 W
23	783	84.6	.923	.267		0.0	3.8 W	60	.810	83.3	.964	.178		2.4 N	2.2 W
24	805	83.5	.888	.263	0.04	2.5 N	4.3 W	61	.834	81.3	.781	.292		2.6 N	0.4 E
25	759	84.5	.924	.265		1.3 S	3.8 W	62	.803	79.5	.711	.302		3.8 N	0.7 E
26	689	85.5	.910	.318		2.6 S	5.2 W	63	.825	81.7	.865	.222	0.02	0.8 N	0.1 W
27	744	86.5	.949	.316		2.7 S	3.0 W	64	.851	79.5	.729	.283		2.3 N	0.5 E
28	768	86.2	.923	.329	0.36	3.0 S	6.3 W	65	.879	80.4	.776	.268		3.1 N	0.5 W
29	802	86.4	.939	.324		0.4 N	5.8 W	66	.849	82.3	.881	.229		2.6 N	0.3 W
30	799	86.8	.946	.331		1.1 N	6.0 W	67	.909	80.9	.805	.252		2.4 N	0.7 W
31	749	86.4	.920	.344		1.6 N	6.4 W	68	.940	76.5	.535	.385		3.0 N	2.1 E
32	726	86.7	.921	.352		0.1 S	4.5 W	69	.959	74.4	.633	.226		2.6 N	0.5 E
33	683	87.1	.905	.386		0.4 N	5.6 W	70	.970	74.4	.670	.187		3.5 N	1.2 W
34	680	85.6	.962	.271	2.36	8.2 S	3.9 W	71	.974	76.9	.607	.323		2.7 N	2.7 E
35	553	82.6	.949	.169	4.22	8.2 S	3.3 E	72	.925	75.5	.660	.299	0.07	1.3 N	1.0 E
36	576	79.1	.939	.053	33.03	3.1 S	6.1 W	73	.928	76.1	.678	.226		3.8 N	0.2 W
37	665	82.5	.946	.165	0.87	3.3 S	8.4 W								

* Five-day sums, not means.

TABLES OF DISTURBANCES

REGISTERED BY

MILNE'S SEISMOGRAPH, COLABA SEISMOGRAPHS, OMORI
" EWING SEISMOGRAPH AND COLABA VERTICAL
MOVEMENT (TILT) SEISMOGRAPH.

1911—1915.

NOTE ON THE LIST OF SEISMIC DISTURBANCES RECORDED BY THE DIFFERENT
SEISMOGRAPHS AT COLABA.

As already remarked in the Introduction where a brief description of the several instruments in use has been given, seismographic work commenced in this Observatory in 1898 when Milne's Seismograph was received and installed in September 1898 in connection with the international scheme of seismographic work initiated by the British Association for the Advancement of Science. Two other horizontal pendulums designed locally in 1900, which from time to time had to be modified for experimental and investigational purposes, were added to the installation from April 1900, and a vertical motion (tilt) seismograph, which was ordered out from England, the detail specification and design of which were also conceived locally, was installed from May 1902. An Omori-Ewing horizontal pendulum was supplemented in November 1907.

Thus the seismographic data and results of investigations have accumulated at the Observatory slowly during the last twenty years. It is proposed to publish the full data and their discussion in a special volume which it is hoped will be completed and issued at an early date. For this and other reasons the charts of the principal disturbances which usually accompanied the tables in these volumes, have not been included this time, as it is intended that the whole work may be embodied in one special volume indicating all the seismographic work done at this Observatory since its inception in 1898.

TABLE I.—*List of Principal Disturbances registered by Milne's Seismograph at Colaba, Bombay.*

1911.

Observatory number.	Date.	Time of Disturbance in G. M. T.			Amplitude or half the complete range of maximum motion.	Remarks.
		Beginning.	Maximum.	End.		
		H. M.	H. M.	H. M.	mm.	
2	1911 January 1	10 21.9	10 30.7	11 1.2	8.3	Linear magnification 1 to 9. End lost in shifting time.
3	" " 1	15 8.7	15 11.6		1.4	
5	" " 2-3	23 14.5	23 53.3	0 17.5	0.3	
8	" " 3	7 47.3	7 56.6	8 11.5	0.3	Traces overlap due to intensity of the disturbance and hence maximum phase cannot be ascertained.
9	" " 3-4	23 31.2		3 33.9		
13	" " 4	9 49.6	9 52.0	10 7.2	1.3	
18	" " 7	2 25.8	2 54.8	3 30.6	0.9	Traces overlap due to intensity of the disturbance and hence maximum phase cannot be ascertained.
21	" " 14	18 4.1	18 6.7	18 24.3	0.5	
24	" " 16	9 9.4	9 28.8	9 45.2	0.4	
62	" February 18	18 46.0		20 35.4		
70	" " 23	11 30.8	11 45.9	12 9.6	0.5	
164	" April 7	7 7.3	7 33.9	8 24.8	0.7	
196	" " 18	18 19.3	18 29.1	19 44.7	14.8	
212	" " 29	5 29.3	5 42.8	6 7.9	0.5	
216	" May 4	13 42.2	13 51.8	14 25.0	0.7	
217	" " 4-5	23 48.3	0 23.3	1 56.7	2.3	
220	" " 11	4 25.0	4 32.9	4 58.9	0.5	
261	" June 7	11 24.3	12 39.7	14 31.4	5.0	
262	" " 8	0 9.1	0 24.3	0 34.9	0.5	
284	" " 15	14 35.1	14 58.6	17 39.9	6.9	
287	" " 17	5 39.7	5 41.2	5 57.1	0.3	
321	" July 4	13 37.3	13 41.4	15 25.8	4.4	
322	" " 5	2 20.1	2 24.1	2 37.2	1.2	
325	" " 5	18 50.0	18 56.6	19 30.3	0.4	
342	" " 12	4 16.5	4 42.9	6 53.2	6.5	End mixed up in the beginning of the following disturbance.
347	" " 19	20 39.8	20 57.5	21 8.5	0.5	
387	" August 16	22 52.3	23 25.6		2.7	

1911—continued.

Observatory number.	Date.	Time of Disturbance in G. M. T.			Amplitude or half the complete range of maximum motion.	Remarks.
		Beginning.	Maximum.	End.		
388	1911 August 17	H. M.	H. M.	H. M.	mm.	Beginning mixed up in the end of the preceding disturbance.
		..	1 30.2	2 30.6	1.0	
393	" " 18	3 29.2	3 30.2	3 38.8	0.3	
398	" " 21	16 55.8	17 9.3	18 4.2	0.2	
401	" " 23	16 55.5	16 56.5	17 14.5	0.3	
423	" September 6	1 13.2	1 17.3	1 38.0	0.2	
426	" " 8	23 23.3	23 30.4	23 44.5	0.4	
432	" " 15	13 39.8	14 35.3	15 27.7	1.0	
434	" " 17	3 44.9	4 16.4	6 39.1	3.6	
442	" " 22	5 53.6	5 54.8	6 21.2	0.4	
444	" " 26	14 16.6	14 23.7	14 39.6	0.4	
447	" October 6	11 28.8	11 41.2	12 16.7	0.4	
449	" " 13	3 10.6	3 19.1	3 36.3	0.3	
450	" " 14	6 48.7	6 55.7	7 4.1	0.6	
451	" " 14	13 3.7	13 11.4	13 24.7	1.1	
452	" " 14-15	23 29.1	23 31.2	0 6.8	14.8	
453	" " 15	12 28.5	12 36.0	12 52.2	0.6	
459	" " 17	12 8.1	12 38.7	13 32.5	0.9	
476	" November 13	16 36.1	17 0.8	17 41.9	5.7	
481	" " 30	23 44.3	23 45.0	23 49.7	0.4	
485	" December 11	11 11.6	11 18.0	12 16.6	1.4	
488	" " 13	9 3.3	9 9.8	9 16.3	0.5	
492	" " 16	19 35.9	20 43.4	21 44.5	3.3	
497	" " 20	6 19.2	6 46.4	7 12.9	1.4	
504	" " 29	16 18.2	16 23.3	16 33.7	0.3	
507	" " 31	6 28.4	6 53.2	7 13.1	0.4	

1912.

4	1912 January 4	16 10.9	16 40.7	17 13.2	0.9	Linear magnification 1 to 9.
18	" " 26	14 50.7	14 59.2	15 8.8	0.4	
24	" " 31	..	21 15.5	..	0.5	
82	" March 24	12 29.0	12 35.5	12 47.8	0.3	Beginning and end mixed up in tremors.
89	" April 1	5 19.1	5 23.1	5 30.3	0.4	
116	" " 23	21 52.4	21 59.6	22 10.7	0.5	
119	" " 25	10 34.7	10 35.9	10 42.4	0.2	Beginning and end mixed up in tremors.
141	" May 6	19 21.1	19 44.5	20 52.5	1.9	
147	" " 11	17 36.7	17 40.5	18 13.9	1.1	
149	" " 15	..	0 34.8	..	0.3	Beginning and end mixed up in tremors.
157	" " 21	8 38.1	8 44.6	9 26.9	1.0	
161	" " 23	2 28.9	..	4 42.7	..	
						S at 2h 33.6m. Traces over lap due to intensity of the disturbance, and hence maximum phase cannot be ascertained.
183	" June 7	10 42.9	10 49.2	..	1.1	End merged into the beginning of the following disturbance. Beginning merged into the end of the preceding disturbance.
184	" " 7	..	11 30.5	11 55.3	0.5	
185	" " 7	12 59.7	13 8.1	13 30.0	0.4	
187	" " 7	18 56.9	19 12.5	19 51.4	1.0	

1912—continued.

Observatory number.	Date.		Time of Disturbance in G. M. T.			Amplitude or half the complete range of maximum motion.	Remarks.
			Beginning.	Maximum.	End.		
194	1912 June	8 ..	H. M. 7 40.3	H. M. 8 29.1	H. M. ..	mm. 1.8	End merged into the beginning of the following disturbance.
195	" "	8 ..	..	9 45.0	..	1.3	Beginning merged into the end of the preceding disturbance.
196	" "	8 ..	..	11 26.9	12 21.0	0.5	End mixed with the beginning of the following disturbance.
197	" "	8 ..	13 45.7	13 52.6	14 29.4	1.3	Beginning mixed with the end of the preceding disturbance.
201	" "	10 ..	16 39.4	16 59.8	17 44.3	2.5	
206	" "	12 ..	7 53.8	7 58.8	8 14.9	0.5	
217	" "	17 ..	11 58.0	12 1.9	12 17.4	0.7	
220	" "	18 ..	12 16.4	12 50.2	13 49.5	1.0	
227	" "	26 ..	17 2.3	17 9.5	17 26.0	0.6	
241	" July	7 ..	8 21.3	8 56.2	11 11.0	5.8	
255	" "	24 ..	12 9.0	12 18.7	..	0.7	End mixed with the beginning of the following disturbance.
256	" "	24 ..	..	13 27.0	13 49.9	0.5	Beginning mixed with the end of the preceding disturbance.
258	" "	25-26 ..	23 19.5	23 59.2	0 40.9	0.5	
274	" August	6 ..	13 33.1	13 41.9	14 20.1	1.5	
279	" "	9 ..	1 37.3	..	5 1.8	..	Traces overlap due to intensity of the disturbance and hence maximum phase cannot be ascertained.
296	" "	17 ..	19 21.1	19 34.6	21 24.5	4.4	
302	" "	21 ..	17 48.8	18 4.8	18 19.4	0.4	
306	" "	23 ..	14 6.6	14 12.2	14 45.6	1.3	
307	" "	23 ..	21 48.4	21 48.8	22 31.6	1.1	
316	" "	31 ..	23 5.4	23 10.9	23 36.2	0.7	
325	" September	11 ..	0 58.8	1 5.5	1 47.1	2.5	
331	" "	13 ..	23 45.4	23 58.7	..	1.0	Beginning doubtful as it is mixed up in tremors. End mixed up in tremors.
342	" "	26 ..	19 42.5	19 44.4	19 51.2	0.5	
346	" "	29 ..	21 2.9	21 34.6	22 47.8	1.5	
347	" "	29-30 ..	23 21.7	23 41.0	0 2.4	0.5	
359	" October	12 ..	16 3.1	16 12.7	16 44.6	0.5	
372	" "	18 ..	12 25.8	12 41.3	13 15.0	2.3	
387	" "	31 ..	17 43.5	18 7.6	18 32.0	0.2	
399	" November	7 ..	8 5.0	8 41.6	9 25.1	2.6	
426	" "	28 ..	21 2.3	..	..	..	Very small disturbance. Phases ill defined.
447	" December	9 ..	..	0 28.9	..	1.0	Beginning and end mixed up in tremors.
448	" "	9 ..	8 54.0	10 10.9	10 58.7	0.5	
468	" "	24 ..	0 7.5	0 31.6	..	0.3	End mixed up in tremors.
470	" "	24 ..	18 26.5	18 35.7	18 51.6	0.3	
476	" "	28 ..	8 6.9	8 34.6	9 9.4	0.8	

1913.

Observatory number.	Date.	Time of disturbance in G. M. T.						Amplitude or half the complete ranges of maximum motion.	Remarks.		
		Beginning.		Maximum.		End.					
			H.	M.	H.	M.	H.	M.	mm.		
19	1913 January	7	..	23	5.6	23	19.6	...		0.6	Linear magnification 1 to 9.
27	" "	11	..	13	26.7	13	52.2	..		3.5	End mixed up in tremors.
											End lost in shifting time.
											S at 13h 34.1m; L at 13h 48.2m.
38	" "	19	..	17	9.7	17	17.1	} 18 56.6	{	15.4	S at 17h 13.7m; L at 17h 15.7m.
						17	18.4			15.4	
77	" February	20	..	9	18.4	9	38.6	} 10 10.0	{	0.7	S at 9h 29.7m; L at 9h 38.0m.
						9	42.0			0.7	
110	" March	6	..	..		2	16.6	..		2.7	Beginning and end mixed up in tremors.
111	" "	6	..	11	10.2	11	11.9	11	57.7	11.0	
123	" "	10	..	19	15.0	19	15.2	19	19.7	0.4	
132	" "	14	..	8	54.4	9	22.7	12	36.8	7.0	S at 9h 1.6m; L at 9h 8.2m.
133	" "	14	..	18	11.6	18	12.9	18	21.7	0.3	
158	" "	23	..	20	58.2	21	9.3	21	57.9	0.5	
160	" "	24	..	10	43.0	10	48.5	11	0.8	0.2	
165	" "	27	..	3	20.9	3	31.5	3	50.1	0.3	
173	" "	31	..	4	3.4	4	38.0	6	55.9	2.1	
193	" April	7	..	14	1.9	14	31.0	15	9.1	0.4	
200	" "	9	..	18	18.2	18	53.9	19	29.4	0.4	
214	" "	13	..	6	53.2	7	19.8	7	50.8	1.5	
218	" "	14	..	8	4.8	8	19.8	8	35.0	0.2	
227	" "	18	..	13	37.4	13	46.5	13	59.9	0.4	
228	" "	18	..	19	11.2	19	36.5	20	20.3	1.1	
240	" "	24	..	10	24.0	10	51.3	11	39.5	0.6	
241	" "	24	..	12	31.7	12	51.6	13	15.8	0.2	
245	" "	25	..	18	6.0	18	34.1	..		3.0	End mixed up in tremors.
247	" "	26	..	4	27.1	4	56.0	5	17.5	0.3	
250	" "	28	..	3	49.5	4	4.0	4	12.7	0.1	
252	" "	28	..	18	55.3	19	13.6	19	38.8	0.2	
253	" "	29	..	3	28.2	3	42.4	4	5.2	0.1	
256	" "	30	..	11	59.9	12	32.8	13	35.6	0.7	
287	" May	16	..	12	36.6	12	45.9	12	58.1	0.2	
291	" "	18	..	..		2	55.5	4	3.0	0.5	Beginning mixed up in tremors.
300	" "	24	..	..		19	8.1	..		0.5	Beginning and end mixed up in tremors.
301	" "	24	..	..		20	43.7	..		0.5	Do. do.
302	" "	25	..	..		0	51.1	..		0.6	Do. do.
309	" "	29	..	13	43.2	13	59.3	14	29.6	0.1	
313	" "	30	..	11	56.3	12	39.3	..		1.0	End mixed up in tremors.
330	" June	4	..	..		10	55.2	11	23.7	0.3	Beginning mixed up in tremors.
358	" "	14	..	9	43.6	10	7.9	11	18.8	0.9	Beginning doubtful.
370	" "	20	..	18	43.0	19	4.1	..		0.5	End mixed up in tremors.
376	" "	22	..	..		14	44.4	..		2.0	Beginning and end mixed up in tremors.
391	" "	26	..	5	17.1	5	26.8	} 8 15.7	{	2.5	
						6	9.8			3.6	
419	" July	6	..	16	33.0	16	52.1	17	16.8	0.4	
421	" "	7	..	17	58.5	18	28.3	19	11.7	0.3	
443	" "	12	..	10	42.8	11	6.0	11	22.6	0.5	Beginning doubtful.
484	" "	22	..	6	52.5	7	29.1	8	16.1	0.2	
507	" "	28	..	12	4.8	12	52.6	13	47.3	0.5	
518	" August	1	..	17	22.5	17	55.6	19	55.2	1.5	
528	" "	6-7	..	22	34.1	23	40.4	1	25.7	9.2	

1913—continued.

Observatory number.	Date.	Time of disturbance in G. M. T.			Amplitude or half the complete ranges of maximum motion.	Remarks.
		Beginning.	Maximum.	End.		
530	1913 August 7	H. M. 3 22.7	H. M. 3 39.9	H. M. 4 14.7	mm. 0.4	
535	" " 13	4 33.1	4 49.7	5 22.0	1.6	
540	" " 15	19 23.7	19 45.9	20 5.5	0.3	
557	" " 30-31	23 26.3	0 4.8	0 40.8	0.5	Beginning doubtful.
568	" September 3	21 13.6	21 20.0	22 30.9	0.5	
588	" " 16	12 17.2	12 20.7	12 30.6	1.2	Beginning doubtful.
611	" October 2	5 43.0	5 59.3	6 37.5	0.4	Do.
618	" " 11	1 56.1	2 26.8	3 17.2	0.4	
619	" " 11	4 4.4	5 7.1	7 0.9	0.5	
620	" " 11	9 27.3	9 50.3	10 37.6	1.1	
626	" " 14	8 32.2	9 13.9	10 16.9	1.1	Do.
646	" " 29	4 44.1	4 51.0	5 23.2	0.7	
666	" November 10	..	22 14.7	..	0.6	Beginning and end mixed in tremors.
670	" " 14	20 57.7	21 2.3	21 4.7	0.2	
678	" " 19	3 30.3	3 57.1	4 30.6	1.1	
682	" " 23	21 59.4	22 8.3	22 23.6	1.0	
692	" December 2	20 7.6	20 9.0	20 13.5	0.2	
698	" " 10	7 4.6	7 9.1	7 38.9	0.1	
703	" " 18	7 28.8	7 31.0	7 39.4	0.3	
707	" " 21	15 49.3	15 56.8	17 35.4	2.5	

1914.

14	1914 January 12	9 49.6	10 0.2	10 28.9	0.5	Linear magnification 1 to 9.
23	" " 20	12 7.2	12 49.5	13 17.8	1.1	
34	" " 30	3 55.4	5 5.1	6 12.7	3.9	
35	" " 30	8 49.5	9 6.6	9 39.9	0.2	
47	" February 6	11 45.5	11 51.4	12 5.7	1.0	
69	" " 22	..	21 34.4	..	0.4	Beginning and end mixed in tremors.
74	" " 26	5 17.8	6 23.7	6 47.8	0.8	
85	" March 6	19 23.7	19 50.0	20 35.6	0.6	
86	" " 6	20 45.9	21 3.8	21 29.8	0.4	
99	" " 14	20 18.9	20 34.9	..	0.9	Beginning doubtful as it is mixed in tremors, end mixed in tremors.
104	" " 18	4 42.7	5 12.6	5 40.9	1.4	
105	" " 18	6 56.0	7 9.6	7 54.8	0.6	
121	" " 27	1 36.9	1 46.0	2 5.1	0.5	
122	" " 28	10 50.2	11 6.0	11 41.1	1.3	
126	" " 30	..	2 45.5	..	0.5	Beginning and end mixed in tremors.
142	" April 11	16 53.7	17 42.7	18 34.4	1.2	
156	" " 20	13 53.9	15 9.7	15 44.9	1.1	
164	" " 27	2 21.9	2 27.8	2 38.9	0.2	
169	" May 1	6 8.3	6 22.8	6 39.9	0.2	
200	" " 21	8 32.9	8 38.6	8 52.0	0.5	
208	" " 26	2 54.8	2 56.8	3 8.2	0.3	
209	" " 26	14 33.3	15 8.1	..	9.1	End lost in shifting time.
213	" " 29	4 54.4	5 6.8	6 36.9	1.8	
249	" June 20	7 38.9	8 30.9	9 8.2	0.6	
259	" " 25	19 13.2	19 29.8	20 51.0	7.6	

1914—continued.

Observatory number.	Date.	Time of disturbance in G. M. T.			Amplitude or half the complete ranges of maximum motion.	Remarks.
		Beginning.	Maximum.	End.		
		H. M.	H. M.	H. M.	mm.	
273	1914 July 4	17 58.0	18 5.3	18 35.9	0.3	
275	" " 5	..	0 19.0	..	0.4	Beginning and end mixed in tremors.
293	" " 14	3 20.1	3 32.7	4 34.7	1.5	
352	" August 4-5	22 48.0	22 58.2	0 54.9	6.5	
354	" " 5	10 52.5	10 52.8	11 6.9	0.5	
358	" " 6	..	4 35.9	5 3.1	0.5	Beginning mixed in tremors.
399	" " 28	9 39.1	9 48.5	10 9.1	0.6	
427	" September 26	5 14.7	5 18.7	5 25.8	0.8	L at 5 ^h 17.5 ^m .
438	" October 3	17 42.9	18 37.6	19 44.2	1.6	
439	" " 3	22 15.0	22 35.1	23 54.0	7.3	Sat 22 ^h 23.0 ^m ; L at 22 ^h 29.9 ^m .
444	" " 6	20 4.1	20 21.3	20 41.9	0.4	
447	" " 9	2 45.0	2 47.0	3 17.2	4.4	
450	" " 11	16 21.2	16 28.2	16 42.0	0.3	
465	" " 23	6 28.7	6 55.7	8 29.4	3.1	S at 6 ^h 36.3 ^m .
487	" November 4	11 14.2	11 16.2	11 32.3	0.5	
489	" " 4	16 38.7	16 56.9	17 4.1	0.9	
498	" " 10	7 34.8	7 41.0	7 55.2	0.4	
507	" " 18	10 57.1	11 12.7	11 44.2	0.5	
512	" " 22	8 35.3	9 18.7	9 27.4	0.3	
515	" " 24	12 3.7	12 27.2	14 4.7	1.6	
521	" " 28	10 55.4	11 23.5	11 58.4	1.4	

1915.

8	1915 January 5	..	..	16 4.6	..	Linear magnification 1 to 9. Beginning and maximum lost in shifting time.
10	" " 5-6	..	23 58.9	..	1.5	Beginning and end mixed in tremors.
..	" " 13	..	..	..	..	Disturbance lost (room being whitewashed).
58	" February 8	11 9.1	11 12.3	11 17.9	0.3	
82	" " 21	..	5 43.1	5 48.5	0.4	Beginning uncertain.
..	" " 21	..	..	..	..	Disturbance lost in shifting time.
93	" " 28	19 7.9	19 30.3	20 31.1	1.5	
101	" March 7	21 21.2	..	..	..	Local shock.
104	" " 8	15 49.1	16 12.3	16 34.2	0.5	
115	" " 12	..	15 19.2	15 48.4	1.2	Beginning lost in shifting time.
128	" " 17	19 3.5	19 4.5	19 33.4	0.3	
147	" " 30	..	9 30.9	..	0.3	Beginning and end mixed in tremors.
160	" April 3	..	14 1.3	..	0.5	Do.
204	" " 22	19 6.0	19 11.7	19 24.3	0.5	
225	" " 28	3 28.4	3 36.0	3 50.6	0.5	
236	" May 1	5 9.7	..	..	..	Traces overlap due to intensity of the disturbance and hence maximum phase cannot be determined.
238	" " 1	..	9 27.8	..	0.4	End lost in shifting time. Beginning and end mixed in tremors.

1915—continued.

Observatory number.	Date.		Time of disturbance in G. M. T.			Amplitude or half the complete ranges of maximum motion.	Remarks.
			Beginning.	maximum.	End.		
			H. M.	H. M.	H. M.	mm.	
239	1915 May	2	4 36.4	4 41.2	5 4.4	0.4	
241	" "	3	3 35.7	3 54.9	5 37.9	0.8	
244	" "	5	11 31.7	11 51.9	12 23.8	0.2	
245	" "	5	15 22.3	15 28.2	15 41.3	0.4	Beginning doubtful.
256	" "	12	10 45.7	11 22.3	12 17.7	1.3	
259	" "	14	7 12.8	7 22.3	7 46.2	0.3	
274	" "	21	..	4 44.0	5 17.8	1.7	Beginning mixed in tremors.
296	" June	1	..	15 29.0	15 49.7	0.4	Beginning lost in shifting time.
302	" "	3	..	8 18.9	..	0.3	Beginning and end mixed in tremors.
309	" "	6-7	21 49.0	22 53.9	0 5.2	3.9	
337	" "	17-18	23 48.8	0 2.7	0 12.7	0.5	
352	" "	22	4 43.6	4 48.7	5 4.1	0.4	
462	" July	31	1 42.6	2 20.0	4 35.7	5.9	
471	" August	3	13 8.3	13 47.1	14 24.4	0.5	
484	" "	6	13 32.6	14 0.6	14 45.6	0.6	
492	" "	7	..	15 24.0	16 2.1	0.4	Beginning lost in shifting time.
496	" "	11	..	9 40.1	9 55.4	0.1	Beginning uncertain; maximum doubtful.
498	" "	12	7 44.6	8 7.7	8 39.3	0.5	
499	" "	12	9 22.3	9 30.1	9 58.0	1.5	
503	" "	16	..	1 50.4	2 10.6	0.4	Beginning uncertain.
535	" "	31	20 55.7	21 11.3	21 33.7	0.2	
537	" September	1	..	1 15.5	..	0.7	Beginning and end mixed in tremors.
554	" "	7	1 40.8	2 50.9	4 29.7	2.6	S at 1 ^h 55.0m.
561	" "	12	..	0 17.7	0 38.8	0.2	Beginning uncertain.
570	" "	23	8 24.4	8 27.0	8 49.7	0.2	
582	" October	3	7 15.4	8 4.4	9 38.4	2.3	
610	" November	1	7 34.5	8 5.3	..	3.0	End mixed in the beginning of the following disturbance.
611	" "	1	..	9 43.0	10 31.9	0.7	Beginning mixed in the end of the preceding disturbance.
626	" "	18	4 19.9	4 45.7	5 8.0	0.6	
627	" "	18	..	20 50.2	21 8.2	0.5	Beginning uncertain.
630	" "	21	1 13.7	1 32.9	2 14.2	0.5	
636	" "	30	20 8.1	20 9.8	20 13.4	0.3	
640	" December	3	..	2 52.3	..	4.5	Beginning and end mixed in tremors.
654	" "	17	7 14.7	7 20.2	7 41.3	0.7	
659	" "	19	20 22.2	20 31.8	20 47.7	0.5	

TABLE IIa.—List of principal Disturbances registered by Colaba (E.—W.) Seismograph at Bombay (1911—1915).

Observatory number.	Date.	Time of Disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
		Beginning.	Maximum.			
		H. M.	H. M.	Mm.		
1	1911 January 1	10 21.8	10 29.5	7.1	0".26	Linear magnification 1 to 8.
2	" " 1	15 7.8	15 10.7	1.4	0".26	
3	" " 2-3	..	..	..	..	Disturbance lost owing to the smoked paper being destroyed.
4	" " 2-3	7 47.5	..	..	0".22	Maximum not well marked.
5	" " 2-3	23 31.0	Boom stopped by thread guards.	>53.0	0".22	L at 23h.35.4m.
6	" " 4	9 47.0	..	..	0".20	Maximum not well marked.
7	" " 7	2 25.6	..	..	0".20	Do. do.
8	" " 14	18 4.0	..	..	0".23	Do. do.
9	" " 16	..	..	..	..	Movements very small.
10	" February 18	18 45.4	18 51.9	9.9	0".23	L at 18h.51.2m.
11	" " 23	11 30.5	..	..	0".20	Maximum not well marked.
12	" April 7	..	..	..	..	Movements very small.
13	" " 18	18 18.8	18 27.4	8.5	0".20	L at 18h.25.8m.
14	" " 29	5 33.2	..	..	0".19	Maximum not well marked.
15	" May 4	13 42.3	..	..	0".19	Do. do.
16	" " 4-5	23 48.0	0 22.1	2.3	0".19	
17	" " 11	4 24.0	..	..	0".18	Maximum not well marked.
18	" June 7	11 23.8	12 28.7	5.6	0".17	
19	" " 8	0 9.7	0 17.9	0.4	0".17	
20	" " 15	14 34.8	14 52.9	11.0	0".22	
21	" " 17	..	..	..	..	Movements very small.
22	" July 4	13 37.3	13 43.2	3.9	0".20	
23	" " 5	2 20.4	2 23.9	0.7	0".20	
24	" " 5	18 50.2	..	..	0".19	Maximum not well marked.
25	" " 12	4 15.6	4 38.4	11.6	0".20	
26	" " 19	..	..	..	..	Movements very small.
27	" August 16	22 52.4	23 17.7	2.0	0".23	
28	" " 16	..	..	..	..	Movements very small.
29	" " 18	..	..	..	..	Do. do.
30	" " 21	16 55.4	..	..	0".27	Maximum not well marked.
31	" " 23	16 56.4	..	..	0".30	Do. do.
32	" September 6	..	..	..	..	Movements very small.
33	" " 8	23 22.1	..	..	0".32	Maximum not well marked.
34	" " 15	13 33.2	14 29.4	0.9	0".24	
35	" " 17	..	4 16.0	1.9	0".24	Commencement lost in shifting time.
36	" " 22	..	..	..	..	Movements very small.
37	" " 26	14 18.1	14 24.8	0.3	0".24	
38	" October 13	3 11.2	..	..	0".27	Maximum not well marked.
39	" " 14	..	..	..	..	Beginning lost in shifting time ; maximum uncertain.
40	" " 14	13 2.8	..	..	0".28	Maximum uncertain.
41	" " 14	23 29.6	23 31.7	6.7	0".28	
42	" " 15	12 28.0	..	..	0".27	Maximum not well marked.
43	" " 17	..	..	..	..	Movements very small.
44	" November 13	..	..	..	0".23	Beginning uncertain ; maximum not well marked ; S at 16h.54.1m.
45	" December 11	11 10.5	..	..	0".19	Maximum not well marked.
46	" " 13	..	..	..	..	Movements very small.
47	" " 16	..	..	..	..	Beginning uncertain ; maximum not well marked.

The record in the case of this instrument was taken on smoked paper from 1st January to 5th October 1911, from 1st August to 5th December 1912, and from 22nd July to 31st December 1915. It was taken with pen and ink from 6th October 1911 to 22nd April 1912 and from 11th December 1912 to 21st July 1915.

1912.

Observatory number	Date.	Time of Disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
		Beginning.	Maximum.			
1	1912 January 4 ..	H. m. ..	H. m. 16 40.5	Mm. 0.2	0".20	Linear magnification 1 to 8. Beginning uncertain.
2	" " 26 ..	" ..	" 13 40.2	" 0.9	0".22	Movements very small. Beginning uncertain.
3	" August 6 ..	1 37.5	1 58.9	30.4	0".36	
4	" " 9 ..	19 21.3	19 34.3	3.2	0".41	
5	" " 17 ..	14 6.4	14 11.3	0.7	0".57	
6	" " 23 ..	21 45.5	21 48.9	0.5	0".57	
7	" " 23 ..	" ..	" ..	" ..	" ..	Movements very small.
8	" September 1 ..	0 58.1	1 3.6	0.9	0".71	
9	" " 11 ..	23 46.1	0 0.5	0.4	0".52	
10	" " 13-14 ..	" ..	" ..	" ..	" ..	Disturbance lost as the papers were destroyed.
11	" " 26 ..	21 1.8	22 27.2	0.7	0".57	
12	" " 29 ..	" ..	" ..	" ..	" ..	Commencement doubtful; maximum not well marked.
13	" " 30 ..	" ..	" ..	" ..	" ..	Do. do.
14	" October 12 ..	12 17.2	12 40.3	0.7	0".71	
15	" " 18 ..	17 42.8	" ..	" ..	0".71	Maximum not well marked.
16	" " 31 ..	8 4.2	8 40.1	1.4	0".71	
17	" November 7 ..	21 2.2	" ..	" ..	0".71	Maximum not well marked.
18	" " 28 ..	" ..	" ..	" ..	0".71	Disturbance lost as the instrument was under adjustment.
19	" December 9 ..	" ..	0 29.7	0.2	0".47	Commencement not well marked.
20	" " 23-24 ..	" ..	" ..	" ..	" ..	Movements very small.
21	" " 24 ..	" ..	" ..	" ..	" ..	Do. do.
22	" " 28 ..	" ..	" ..	" ..	" ..	

1913.

1	1913 January 7 ..	" ..	" ..	" ..	" ..	Linear magnification 1 to 8. Movements very small.
2	" " 11 ..	13 26.2	" ..	" ..	0".47	Maximum not well marked.
3	" " 19 ..	17 10.5	17 17.9	8.0	0".57	S at 17h.14.5m; L at 17h.16.9m.
4	" February 20 ..	" ..	" ..	" ..	" ..	Movements very small.
5	" March 14 ..	8 53.2	9 7.4	5.4	0".36	S at 9h.1.0m.
6	" " 23 ..	" ..	" ..	" ..	" ..	Movements very small.
7	" " 27 ..	" ..	" ..	" ..	" ..	Do. do.
8	" " 31 ..	4 4.5	4 34.4	0.5	0".38	
9	" April 13 ..	" ..	" ..	" ..	" ..	Beginning uncertain; maximum not well marked.
10	" " 14 ..	" ..	" ..	" ..	" ..	Movements very small.
11	" " 18 ..	" ..	" ..	" ..	" ..	Do. do.
12	" " 18 ..	" ..	" ..	" ..	" ..	Beginning uncertain; maximum not well marked.
13	" " 24 ..	" ..	" ..	" ..	" ..	Do. do.
14	" " 24 ..	" ..	" ..	" ..	" ..	Do. do.
15	" " 25 ..	18 6.0	18 32.8	0.8	0".57	
16	" " 26 ..	" ..	" ..	" ..	" ..	Movements very small.
17	" " 30 ..	" ..	12 31.9	0.2	0".44	Beginning uncertain.
18	" May 16 ..	" ..	" ..	" ..	" ..	Movements very small.
19	" " 18 ..	" ..	2 46.3	0.2	0".47	Beginning uncertain.
20	" " 25 ..	" ..	" ..	" ..	" ..	Movements very small.

The instrument was dismantled from 22nd April to 1st August 1912 as the old room in which the instrument was located was demolished and a new one was being constructed in its place during the period.

1913—continued.

Observatory number.	Date.		Time of Disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
			Beginning.	Maximum.			
			H. m.	H. m.	Mm.		
21	1913 May	30	12 9.9	12 31.2	0.4	0" .36	
22	" June	14	9 48.6	..	..	0" .36	Maximum uncertain.
23	" "	22	..	14 43.4	0.3	0" .44	Beginning uncertain.
24	" "	26	5 16.8	6 4.1	1.5	0" .47	
25	" July	12	..	..	..	..	Movements very small.
26	" August	1	..	17 55.2	0.7	0" .23	Beginning not well marked.
27	" "	6	22 34.3	23 39.5	2.7	0" .25	
28	" "	13	4 33.4	4 47.9	0.4	0" .21	
29	" September	3	21 14.0	..	..	0" .18	Maximum not well marked.
30	" "	16	12 17.3	..	..	0" .18	Do. do.
31	" October	2	..	..	..	..	Movements very small.
32	" "	11	..	..	..	..	Do. do.
33	" "	11	..	9 49.5	0.2	0" .24	Beginning uncertain.
34	" "	14	8 32.3	8 58.8	0.5	0" .23	
35	" "	29	4 45.8	4 52.4	0.2	0" .19	
36	" November	10	..	..	..	..	Movements very small.
37	" "	14	..	..	..	..	Do. do.
38	" "	19	..	..	..	..	Lost owing to stoppage of clock.
39	" "	23	..	..	..	..	Movements very small.
40	" December	21	15 48.4	15 56.9	0.5	0" .19	

1914.

1	1914 January	12	..	..	..	..	Linear magnification 1 to 8.
2	" "	20	..	..	..	..	Movements very small.
3	" "	30	3 55.8	4 55.7	0.7	0" .20	Do. do.
4	" "	30	..	..	..	..	Movements very small.
5	" February	6	..	11 50.2	0.4	0" .20	Beginning uncertain.
6	" "	22	..	..	..	..	Movements very small.
7	" "	26	..	6 21.8	0.3	0" .20	Beginning uncertain.
8	" March	6	..	..	..	..	Movements very small.
9	" "	14	..	..	..	..	Do. do.
10	" "	18	..	..	..	..	Beginning uncertain ; maximum not well marked.
11	" "	..	..	..	..	..	Movements very small.
12	" "	27	..	..	..	..	Do. do.
13	" "	28	10 49.9	11 0.3	0.4	0" .20	
14	" "	30	..	..	..	..	Movements very small.
15	" April	11	16 56.9	17 18.0	0.2	0" .22	
16	" "	20	..	..	..	..	Beginning uncertain ; maximum not well marked.
17	" "	30	..	..	..	..	Movements very small.
18	" May	1	..	..	..	..	Do. do.
19	" "	21	8 33.3	8 38.5	0.3	0" .20	
20	" "	26	14 33.1	15 2.5	30.9	0" .20	S at 14h.42.3m.
21	" "	29	4 58.7	5 1.8	1.3	0" .20	
22	" June	20	..	..	..	..	Movements very small.
23	" "	25	19 14.6	19 30.3	6.9	0" .25	
24	" July	14	..	3 31.1	0.3	0" .27	Commencement uncertain.
25	" August	4	..	22 57.9	3.9	0" .36	Beginning cannot be determined owing to faint record.
26	" "	5	10 52.0	10 52.2	0.1	0" .32	
27	" "	6	4 26.2	..	..	0" .32	Maximum not well marked.

1914—continued.

Observatory number.	Date.	Time of Disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
		Beginning.	Maximum.			
		H. m.	H. m.	Mm.		
28	1914 September 26			..	..	Movements very small.
29	" October 3		18 37.5	0.1	0" .30	Beginning uncertain.
30	" " 3	.. 22 18.9	22 33.8	4.1	0" .30	S at 22h.21.2m; L at 22h.30.2m.
31	" " 9	.. 2 45.1	2 47.3	..	0" .32	Maximum doubtful; amplitude cannot be determined owing to loss of record.
32	" " 11	.. 16 21.7	16 25.6	0.2	0" .28	
33	" " 23		6 48.3	0.9	0" .27	Beginning lost in shifting time, maximum doubtful.
34	" November 4	.. 11 13.8	11 16.3	0.1	0" .27	
35	" " 24	.. 12 3.5		..	0" .25	Maximum not well marked.
36	" " 28			..	..	S at 12h.12.0m. Movements very small.

1915.

1	1915 January 5			..	..	Linear magnification 1 to 8.
2	" " 5	.. 23 34.8		..	0" .26	Movements very small.
3	" " 13			..	..	Maximum not well marked.
4	" February 21	.. 15 1.4		..	0" .25	Movements very small.
5	" " 28			..	..	Maximum not well marked.
6	" March 3	.. 1 49.9		..	0" .28	Movements very small.
7	" " 7	.. 21 21.2		..	0" .28	Maximum not well marked.
8	" " 12			..	..	Local shock.
9	" " 17	.. 19 3.5		..	0" .28	Movements very small.
10	" April 3			..	..	Maximum not well marked.
11	" " 22			..	..	Movements very small.
12	" " 28			..	..	Do. do.
13	" " 30	.. 2 3.4		..	0" .27	Beginning and maximum not well marked.
14	" May 1	.. 5 11.4	5 44.8	59.0	0" .26	Maximum not well marked.
15	" " 1			..	..	S at 5h.20.7m; L at 5h.38.7m.
16	" " 2			..	..	Movements very small.
17	" " 3			..	..	Do. do.
18	" " 5			..	..	Do. do.
19	" " 12			..	..	Do. do.
20	" " 21			..	..	Do. do.
21	" June 6	.. 21 52.4	22 55.7	0.3	0" .27	
22	" August 3			..	..	Beginning uncertain; maximum not well marked.
23	" " 6			..	..	Movements very small.
24	" " 7		15 24.3	0.1	0" .11	Beginning uncertain.
25	" " 11			..	..	Movements very small.
26	" " 12		8 5.8	0.4	0" .11	Beginning uncertain.
27	" " 12	.. 9 21.8	9 28.7	0.6	0" .11	
28	" " 16		1 49.0	0.2	0" .10	Beginning uncertain.
29	" " 31			..	..	Movements very small.
30	" September 1		1 15.5	0.1	0" .10	Beginning uncertain.
31	" " 1			..	..	Movements very small.
32	" " 7	.. 1 40.6	2 37.6	4.7	0" .10	
33	" " 12			..	..	Movements very small.
34	" " 23			..	..	Do. do.
35	" October 3	.. 7 12.7	7 56.2	3.9	0" .10	
36	" November 1	.. 7 33.8	8 2.8	1.3	0" .09	

1915—continued.

Observatory number.	Date.	Time of disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
		Beginning	Maximum.			
37	1915 November 1 ..	H. m. ..	H. m. 9 37.7	Mm. 0.3	0" .09	Beginning mixed with the end of the previous disturbance.
38	" " 18 ..	..	..	..	..	Beginning uncertain ; maximum not well marked.
39	" " 18 ..	..	..	..	..	Movements very small.
40	" " 21 ..	..	1 26.6	0.2	0" .09	Beginning uncertain.
41	" " 30 ..	20 8.3	..	..	0" .09	Maximum not well marked.
42	" December 3 ..	2 44.3	2 52.1	3.5	0" .08	
43	" " 17 ..	7 14.4	7 19.6	0.4	0" .08	
44	" " 17 ..	..	..	..	..	Movements very small.
45	" " 19 ..	..	..	..	..	Do. do.
46	" " 31 ..	..	..	..	..	Do. do.

TABLE IIb.—*List of principal Disturbances registered by Colaba (N.—S.) Seismograph at Bomay (1911—1915).*

Observatory number.	Date.	Time of Disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
		Beginning.	Maximum.			
		H. m.	H. m.	Mm.		
1	1911 January 1	10 22.7	10 29.9	3.4	0".09	Linear magnification 1 to 7.5.
2	" " 1	15 9.2	15 11.2	0.4	0".09	
3	" " 2-3	..	..	..	..	Disturbance lost owing to the smoked paper being destroyed.
4	" " 2-3	23 31.1	Boom stopped by thread guards.	> 57.0	0".09	L at 23h 35.5m;
5	" " 4	9 46.2	..	..	0".09	Maximum not well marked.
6	" " 7	..	..	..	..	Movements very small.
7	" " 16	..	..	..	..	Do. do.
8	" February 18	18 45.1	18 52.6	7.0	0".09	L at 18h 51.4m;
9	" " 23	11 30.7	..	..	0".09	Maximum not well marked.
10	" April 7	..	..	..	..	Movements very small.
11	" " 18	18 18.1	18 25.0	12.2	0".09	L at 18h 23.7m.
12	" " 29	..	..	..	..	Movements very small.
13	" May 4	13 42.1	..	..	0".09	Maximum not well marked.
14	" " 4-5	23 48.6	0 19.0	2.1	0".09	
15	" " 11	4 26.1	..	..	0".09	Maximum not well marked.
16	" June 7	11 22.3	12 27.2	5.1	0".09	
17	" " 8	0 9.7	0 20.4	0.9	0".09	
18	" " 15	14 34.9	14 54.7	39.7	0".09	
19	" " 17	..	..	..	..	Movements very small.
20	" July 4	13 36.6	13 43.3	6.5	0".09	
21	" " 5	2 20.9	..	..	0".09	Maximum not well marked.
22	" " 5	18 55.7	..	..	0".09	Do. do.
23	" " 12	4 17.0	4 36.7	11.1	0".09	
24	" " 19	..	..	..	..	Movements very small.
25	" August 16	22 52.4	23 14.0	2.8	0".09	
26	" " 17	..	..	..	..	Movements very small.
27	" " 21	16 55.7	..	..	0".09	Maximum not well marked.
28	" " 23	..	..	..	..	Movements very small.
29	" September 6	..	..	..	..	Do. do.
30	" " 8	23 20.9	..	..	0".09	Maximum not well marked.
31	" " 15	..	..	..	..	Commencement not well marked.
32	" " 17	..	..	..	..	Maximum uncertain.
33	" " 22	..	..	..	..	Disturbance lost in shifting time.
34	" " 26	..	..	..	..	Beginning and maximum uncertain.
35	" October 13	3 11.1	3 19.1	0.2	0".11	Do. do.
36	" " 14	..	..	..	..	Disturbance lost in shifting time.
37	" " 14	13 2.8	..	..	0".10	Maximum uncertain.
38	" " 14	23 29.5	23 31.5	2.0	0".10	
39	" November 13	..	..	..	..	Movements very small.
40	" December 11	..	..	..	..	Do. do.
41	" " 16	..	20 44.2	0.5	0".08	Beginning uncertain.

The record in the case of this instrument was taken on smoked paper from 1st January to 5th October 1911, from 3rd August 1912 to 12th January 1913, and from 31st July to 31st December 1915. It was taken with pen and ink from 6th October 1911 to 22nd April 1912 and from 14th January 1913 to 30th July 1915.

1912.

Observatory number.	Date.			Time of disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
				Beginning.	Maximum.			
1	1912 January	4	..	H. m.	H. m.	Mm.	..	Linear magnification 1 to 7.5. Movements very small.
2	" "	26	..	..	..	..	..	Do. do.
3	" August	6	..	..	..	..	..	Beginning uncertain ; maximum not well marked.
4	" "	9	..	1 37.8	1 58.1	24.5	0".22	Beginning not well marked. Traces intermingled owing to shift of zero.
5	" "	17	..	..	19 37.6	2.8	0".17	
6	" "	23	..	..	..	..	..	
7	" "	23	..	21 45.5	21 49.0	0.3	0".24	Movements very small.
8	" "	31	..	..	..	..	..	
9	" September	11	..	0 58.0	1 1.5	0.5	0".21	
10	" "	13	..	23 46.1	23 58.2	0.2	0".21	Disturbance lost as the papers were destroyed.
11	" "	26	..	..	..	..	..	
12	" "	29	..	..	21 22.5	0.4	0".34	
13	" October	12	..	..	..	..	..	Beginning doubtful.
14	" "	18	..	..	12 39.6	0.3	0".31	Movements very small.
15	" "	31	..	..	..	..	..	Beginning uncertain.
16	" November	7	..	8 4.0	8 40.4	1.2	0".39	Movements very small.
17	" "	28	..	21 2.0	..	..	0".31	Maximum not well marked.
18	" December	9	..	..	0 29.4	0.1	0".34	Beginning not well marked.
19	" "	9	..	..	..	..	..	Disturbance lost as the papers were destroyed.
20	" "	24	..	..	..	..	..	Beginning uncertain ; maximum not well marked.
21	" "	24	..	..	18 33.9	0.1	0".31	Beginning uncertain.
22	" "	28	..	..	..	..	..	Movements very small.

1913.

1	1913 January	8	..	..	..	..	..	Linear magnification 1 to 7.5. Movements very small.
2	" "	11	..	..	..	..	..	Traces intermingled owing to shift of zero.
3	" "	19	..	17 10.7	17 17.8	1.1	0".31	S at 17h.14.4m ; L at 17h.16.7m.
4	" February	20	..	..	..	..	..	Movements very small.
5	" March	6	..	2 11.8	2 16.8	0.3	..	Maximum not well marked. Movements very small.
6	" "	6	..	11 9.6	..	..	..	
7	" "	10	..	..	..	..	..	
8	" April	13	..	..	..	..	..	Beginning uncertain ; maximum not well marked.
9	" "	18	..	..	..	..	..	Movements very small.
10	" "	24	..	..	..	..	..	Do. do.
11	" "	25	..	18 6.0	18 29.8	0.4	0".62	Beginning uncertain. Movements very small.
12	" "	30	..	..	12 29.6	0.2	0".52	
13	" May	16	..	..	..	..	..	
14	" "	18	..	..	..	..	..	Do. do.
15	" "	29	..	..	..	..	..	Do. do.
16	" "	30	..	12 9.6	12 29.9	0.6	0".31	Beginning uncertain.
17	" June	14	..	9 48.5	10 2.9	0.2	0".34	
18	" "	22	..	..	14 42.4	0.2	0".31	
19	" "	26	..	..	6 0.2	1.1	0".52	Do. do.

The instrument was dismantled from 22nd April to 1st August 1912 as the old room in which the instrument was located was demolished and a new one was being constructed in its place during the period.

1913—continued.

Observatory number.	Date.	Time of disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
		Beginning.	Maximum.			
		H. m.	H. m.	Mm.		
20	1913 August 1	17 22.3	17 54.9	0.5	0".17	
21	" " 13	..	4 48.9	0.6	0".18	Beginning uncertain.
22	" September 3	21 14.2	..	..	0".15	Maximum not well marked.
23	" " 16	..	..	..	..	Movements very small.
24	" October 2	..	..	..	..	Do. do.
25	" " 11	..	..	..	..	Do. do.
26	" " 11	..	9 50.1	0.2	0".34	Beginning uncertain.
27	" " 14	8 32.8	8 58.9	0.2	0".17	
28	" " 29	4 45.5	..	..	0".18	Maximum not well marked.
29	" November 14	..	..	..	..	Movements very small.
30	" " 19	3 31.5	..	..	0".16	Maximum not well marked.
31	" " 23	..	..	..	..	Movements very small.
32	" December 2	..	..	..	..	Do. do.
33	" " 21	15 49.0	15 54.7	1.6	0".16	

1914.

1	1914 January 12	..	..	..	..	Linear magnification 1 to 7.5. Movements very small.
2	" " 20	..	..	..	..	Traces intermingled owing to shift of zero.
3	" " 30	3 54.6	4 59.6	0.8	0".21	
4	" " 30	..	..	..	..	Movements very small.
5	" February 6	..	..	..	..	Do. do.
6	" " 26	..	..	..	..	Do. do.
7	" March 6	..	..	..	..	Do. do.
8	" " 14	20 10.5	20 37.2	0.2	0".17	
9	" " 18	..	..	..	..	Beginning uncertain ; maximum not well marked.
10	" " 18	..	7 5.0	0.1	0".24	Beginning uncertain.
11	" " 27	..	..	..	..	Movements very small.
12	" " 28	10 53.9	10 58.3	1.0	0".31	
13	" " 30	..	..	..	..	Beginning uncertain ; maximum not well marked.
14	" April 11	..	17 33.3	0.2	0".24	Beginning uncertain.
15	" " 20	..	..	..	..	Beginning uncertain ; maximum not well marked.
16	" " 30	..	..	..	..	Movements very small.
17	" May 1	..	..	..	..	Do. do.
18	" " 21	8 33.3	..	..	0".22	Maximum not well marked.
19	" " 26	..	14 59.0	16.3	0".24	S at 14h.42.5m; Beginning uncertain.
20	" " 29	4 58.6	5 1.5	1.1	0".24	
21	" June 20	..	7 29.0	0.2	0".26	Beginning uncertain.
22	" " 25	19 14.6	19 28.7	9.0	0".18	
23	" July 14	..	..	..	..	Beginning uncertain ; maximum not well marked.
24	" August 4	22 52.4	23 0.0	3.5	0".24	
25	" " 5	..	..	..	..	Movements very small.
26	" " 6	4 26.3	..	..	0".31	Maximum not well marked.
27	" September 26	..	..	..	..	Movements very small.
28	" October 3	..	18 36.7	0.1	0".26	Beginning uncertain.
29	" " 3	..	22 39.5	1.6	0".26	Beginning uncertain ; S at 22h.21.2
30	" " 9	2 45.4	2 47.1	5.3	0".26	
31	" " 9	..	..	..	..	Movements very small.

1914—continued.

Observatory number.	Date.		Time of Disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
			Beginning.	Maximum.			
32	1914 October	11	H. m. 16 21.5	H. m. 16 25.9	Mm. 0.2	0" .22	Disturbance lost in shifting time.
33	" "	23	" "	" "	" "	" "	
34	" November	4	11 14.3	11 16.0	0.1	0" .18	S at 12 ^h 12.2 ^m ; maximum not well marked.
35	" "	24	12 3.9	" "	" "	0" .26	
36	" "	28	" "	" "	" "	" "	Movements very small.
37	" December	15	" "	" "	" "	" "	Do. do.

1915.

1	1915 January	5	" "	" "	" "	" "	Linear magnification 1 to 7.5. Movements very small.
2	" "	5	23 35.0	23 46.6	0.5	0" .34	L at 23 ^h 41.5 ^m .
3	" "	13	" "	" "	" "	" "	Movements very small.
4	" February	8	" "	" "	" "	" "	Do. do.
5	" "	21	15 1.2	" "	" "	0" .19	Maximum not well marked.
6	" "	28	19 14.3	19 27.6	0.3	0" .21	Movements very small.
7	" March	3	" "	" "	" "	" "	
8	" "	7	21 21.2	" "	" "	0" .26	Local shock.
9	" April	22	" "	" "	" "	" "	Movements very small.
10	" "	28	" "	" "	" "	" "	Beginning and maximum not well marked.
11	" "	30	2 1.6	" "	" "	0" .24	Maximum not well marked.
12	" May	1	5 11.5	Curve passed out of range of paper		0" .22	S at 5 ^h 20.8 ^m ; L at 5 ^h 38.5 ^m ; Maximum lost.
13	" "	1	" "	" "	" "	" "	Movements very small.
14	" "	2	" "	" "	" "	" "	Do. do.
15	" "	3	" "	" "	" "	" "	Do. do.
16	" "	5	" "	" "	" "	" "	Do. do.
17	" "	12	" "	" "	" "	" "	Do. do.
18	" "	21	" "	" "	" "	" "	Do. do.
19	" June	6	21 52.4	22 55.1	0.4	0" .17	Maximum not well marked.
20	" "	22	4 44.8	" "	" "	0" .21	
21	" July	31	" "	2 15.3	1.5	0" .26	S at 1 ^h 52.7 ^m . Beginning uncertain.
22	" August	3	" "	" "	" "	" "	Beginning uncertain; maximum not well marked.
23	" "	6	" "	" "	" "	" "	Do. do.
24	" "	7	" "	" "	" "	" "	Do. do.
25	" "	11	" "	" "	" "	" "	Movements very small.
26	" "	12	" "	" "	" "	" "	Beginning uncertain; maximum not well marked.
27	" "	12	" "	9 27.9	1.7	0" .16	Beginning uncertain.
28	" "	16	" "	1 50.2	0.2	0" .15	Do. do.
29	" "	31	" "	" "	" "	" "	Movements very small.
30	" September	1	" "	1 14.8	0.1	0" .15	Beginning uncertain.
31	" "	1	" "	" "	" "	" "	Movements very small.
32	" "	7	1 40.5	2 41.9	11.8	0" .15	Movements very small.
33	" "	12	" "	" "	" "	" "	
34	" "	23	" "	" "	" "	" "	Do. do.
35	" October	3	7 13.4	8 3.3	1.7	0" .17	Movements very small.
36	" November	1	7 34.3	8 2.5	1.7	0" .16	

1915—continued.

Observatory number.	Date.	Time of disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Sensibility to tilt value of 1 mm.	Remarks.
		Beginning.	Maximum.			
37	1915 November 1	H. m.	H. m.	Mm.		Beginning mixed in the end of the previous disturbance ; maximum not well marked.
38	" " 18	4 21.4	4 42.7	0.5	0".31	Movements very small.
39	" " 18	" "	" "	" "	" "	Beginning uncertain.
40	" " 21	" "	1 33.5	0.4	0".16	Movements very small.
41	" " 30	" "	" "	" "	" "	
42	" December 3	2 44.2	2 50.6	6.6	0".15	Beginning doubtful.
43	" " 17	7 10.2	7 19.8	0.7	0".16	Movements very small.
44	" " 17	" "	" "	" "	" "	Beginning not well marked.
45	" " 19	" "	20 30.0	0.2	0".15	Movements very small.
46	" " 30	" "	" "	" "	" "	Do. do.
47	" " 31	" "	" "	" "	" "	

TABLE III—List of principal Disturbances registered by Omori-Ewing Seismograph.

1911.

Observatory number.	Date.			Time of Disturbances in G. M. T.		Amplitude or half the complete range of maximum motion.	Remarks.
				Beginning.	Maximum.		
				H. m.	H. m.	Mm.	
1	1911 January	1	..	10 22.2	10 31.0	37.3	Magnification 1 to 20.
2	" "	1	..	15 3.9	15 10.9	2.1	
3	" "	2-3	..	..	..	..	Disturbance lost owing to the smoked papers being destroyed.
4	" "	3	..	23 30.8	Boom stopped by thread guards.	>70.0	L at 23h.35.0m.
5	" "	4	..	9 46.4	9 50.2	1.9	
6	" "	7	..	2 25.3	..	..	Maximum not well marked.
7	" "	14	..	18 4.3	..	..	Do. do.
8	" "	16	..	9 9.0	..	..	Do. do.
9	" February	18	..	18 45.2	18 52.9	42.4	L at 18h.50.8m.
10	" "	23	..	11 30.5	..	..	Maximum not well marked.
11	" April	18	..	18 18.4	18 27.3	>56.5	L at 18h.24.8m.
12	" "	29	..	5 33.4?	..	..	Maximum not well marked.
13	" May	4	..	13 42.7	..	..	Do. do.
14	" "	4	..	23 48.4	..	..	Do. do.
15	" June	7	..	11 22.4	12 35.1	20.0	
16	" "	8	..	..	..	..	Movements very small.
17	" "	15	..	14 34.9	14 43.5	25.5	
18	" "	17	..	..	..	..	Do. do.
19	" July	4	..	13 37.3	13 41.6	15.7	
20	" "	5	..	2 19.7	..	..	Maximum uncertain.
21	" "	12	..	4 17.1	4 43.4	21.2	
22	" "	19	..	..	..	..	Movements very small.
23	" August	16	..	22 51.8	23 0.8	3.9	
24	" "	17	..	..	..	..	Movements very small.
25	" "	21	..	16 49.4	..	..	Maximum not well marked.
26	" "	23	..	16 56.4	..	..	Do. do.
27	" September	6	..	..	..	..	Movements very small.
28	" "	8	..	23 23.7	23 30.7	0.2	
29	" "	15	..	13 29.6	14 31.9	0.4	
30	" "	17	..	3 40.1	4 17.9	6.0	
31	" "	26	..	14 18.3	..	..	Maximum not well marked.
32	" October	13	..	3 10.9	3 19.9	3.0	
33	" "	14	..	6 47.9	6 56.2	0.2	
34	" "	14	..	13 2.2	13 12.8	3.6	
35	" "	14	..	23 27.2	23 31.5	49.2	S at 23h.29.7m; L at 23h.31.4m.
36	" "	15	..	12 27.7	12 36.1	0.2	
37	" "	17	..	..	..	..	Movements very small.
38	" November	13	..	16 35.8	17 0.9	14.9	S at 16h.55.1m; L at 16h.59.2m.
39	" "	30	..	23 43.2	..	..	Maximum not well marked.
40	" December	11	..	11 5.3	11 16.6	1.6	Sat 11h.9.7m; L at 11h.12.9m.
					11 31.1	1.5	
41	" "	13	..	9 4.0	..	..	Maximum not well marked.
42	" "	16	..	19 34.1	20 43.4	3.3	
43	" "	20	..	6 13.4	6 45.3	0.6	
44	" "	29	..	16 19.0	..	..	Maximum not well marked.
45	" "	31	..	6 27.5	..	..	Do. do.

1912.

Observatory number.	Date.		Time of disturbance in G. M. T.		Amplitude or half the complete range of maximum motion.	Remarks.
			Beginning.	Maximum.		
1	1912 January	4	H. m. ..	H. m. 16 40.6	Mm. 1.0	Magnification 1 to 20. Beginning uncertain.
2	" "	26	14 50.5	14 58.5	0.5	
3	" "	31	..	..	..	Movements very small.
4	" March	24	..	..	..	Movements very small.
5	" April	23	21 50.6	..	..	Maximum not well marked.
6	" "	25	10 31.8	..	..	Beginning doubtful; maximum not well marked
7	" May	6	19 21.3	..	..	Maximum not well marked.
8	" "	11	17 32.6	17 42.1	4.8	S at 17h.36.6m; L at 17h.40.3m.
9	" "	21	..	..	..	Exact times cannot be determined as time marks have failed.
10	" "	22	23 12.2	..	..	Maximum not well marked.
11	" "	23	2 28.9	..	..	Maximum lost as the pen was lifted.
12	" June	7	10 46.3	..	..	Maximum not well marked.
13	" "	7	..	..	..	Movements very small.
14	" "	7	..	..	..	Do. do.
15	" "	7	..	..	..	Do. do.
16	" "	8	7 40.4	8 29.2	6.7	
17	" "	8	..	..	..	Beginning uncertain; maximum not well marked
18	" "	8	..	..	..	Movements very small.
19	" "	8	13 48.8	13 52.8	0.4	
20	" "	10	..	17 3.2	1.2	Beginning uncertain.
21	" "	17	11 58.1	..	..	Maximum not well marked.
22	" "	18	12 16.8	..	..	Do. do.
23	" "	26	17 2.6	..	..	Do. do.
24	" July	7	8 21.6	8 53.7	14.8	
25	" "	24	12 9.5	12 14.3	0.7	
26	" "	24	..	..	..	Movements very small.
27	" "	25	23 19.5	..	..	Maximum not well marked.
28	" August	6	13 32.5	13 40.4	0.2	
29	" "	9	1 37.4	..	..	Maximum uncertain owing to shift of zero.
30	" "	17	19 21.3	19 33.8	4.2	
31	" "	23	14 6.1	14 11.5	3.5	
32	" "	23	21 45.6	21 49.0	3.5	
33	" September	11	..	..	..	Beginning uncertain; maximum not well marked
34	" "	13	..	..	..	Movements very small:
35	" "	26	..	..	..	Disturbance lost as the papers were destroyed.
36	" "	29	21 2.2	..	..	Maximum not well marked.
37	" October	18	12 17.2	..	..	Do. do.
38	" November	7	8 4.8	..	..	Do. do.
39	" "	28	21 2.1	..	..	Do. do.
40	" December	9	..	..	..	Disturbance lost as the papers were destroyed.
41	" ".....	24	..	..	..	Beginning uncertain; maximum not well marked

1913.

1	1913 January	7	..	..	..	Magnification 1 to 20. Movements very small:
2	" "	11	13 26.2	..	..	Maximum not well marked.
3	" "	19	17 10.4	17 17.4	11.2	} S at 17h.14.1m; L at 17h.16.6m.
4	" February	20	..	17 18.7	12.2	
5	" March	6	2 12.7	2 17.0	3.8	Movements very small.
6	" "	"	11 7.4	11 11.6	32.5	
7	" "	10	19 16.0	19 16.7	0.4	

1913—continued.

Observatory number.	Date.		Time of Disturbances in G. M. T.		Amplitude or half the complete range of maximum motion.	Remarks.
			Beginning.	Maximum.		
			H. m.	H. m.	Mm.	
8	1913 March	14			..	Record faulty.
9	" "	24			..	Movements very small.
10	" "	31	.. 4 4.4	.. 4 36.6	0.3	
11	" April	13			..	Movements very small.
12	" "	25			..	Beginning uncertain; maximum not well marked.
13	" May	16			..	Movements very small.
14	" "	18			..	Do. do.
15	" "	30	.. 12 9.7		..	Maximum not well marked.
16	" June	14	.. 9 48.3		..	Maximum uncertain.
17	" "	22			..	Movements very small.
18	" "	26	.. 5 17.3	.. 6 3.8	1.0	
19	" July	7	.. 17 59.2		..	Maximum not well marked.
20	" "	12			..	Movements very small.
21	" "	22			..	Do. do.
22	" August	1		.. 17 55.3	0.4	Beginning not well marked.
23	" "	6	.. 22 34.3	.. 23 39.7	1.5	
24	" "	13	.. 4 33.3	.. 4 47.8	0.4	
25	" September	3	.. 21 14.1		..	Maximum not well marked.
26	" "	16			..	Movements very small.
27	" October	11			..	Do. do.
28	" "	14	.. 8 32.4	.. 8 58.6	0.5	
29	" "	29	.. 4 45.0		..	Maximum not well marked.
30	" November	19	.. 3 31.2		..	Do. do.
31	" "	23			..	Movements very small.
32	" December	2			..	Do. do.
33	" "	21	.. 15 48.5	.. 15 57.4	0.8	

1914.

1	1914 January	20		.. 12 46.9	0.3	Magnification 1 to 20.
2	" "	30	.. 3 55.6	.. 5 0.6	1.1	Beginning uncertain.
3	" "	30			..	Movements very small.
4	" February	6	.. 11 44.9	.. 11 50.4	0.6	
5	" "	26			..	Beginning uncertain; maximum not well marked.
6	" March	6			..	Movements very small.
7	" "	14	.. 20 10.4	.. 20 40.6	0.2	
8	" "	18		.. 5 8.6	0.5	Beginning uncertain.
9	" "	18			..	Movements very small.
10	" "	28	.. 10 49.7	.. 11 0.5	1.0	Do. do.
11	" "	30			..	Beginning uncertain; maximum not well marked.
12	" April	11	.. 16 50.9	.. 17 21.7	0.3	
13	" "	20			..	Movements very small.
14	" "	30			..	Do. do.
15	" May	1			..	Do. do.
16	" "	21	.. 8 32.8	.. 8 38.5	0.4	
17	" "	26	.. 14 33.6	.. 15 5.4	21.7	S at 14 ^h .42.6 ^m .
18	" "	29	.. 4 58.8	.. 5 1.5	1.1	Beginning and maximum doubtful.
19	" June	20	.. 7 38.0		..	Maximum not well marked.
20	" "	25	.. 19 14.6	.. 19 31.1	39.5	
21	" July	14			..	Lost in shifting time.
22	" August	4	.. 22 47.9	.. 22 57.9	15.6	
23	" "	5	.. 10 46.9	.. 10 52.5	0.1	
24	" "	6	.. 4 25.8	.. 4 30.5	0.3	

1914—continued.

Observatory number.	Date.	Time of Disturbances in G. M. T.		Amplitude or half the complete range of maximum motion.	Remarks.
		Beginning.	Maximum.		
		H. m.	H. m.	Mm.	
25	1914 August 28	..	..	..	Movements very small.
26	„ September 26	5 13.1	..	..	Maximum not well marked.
27	„ October 3	..	18 37.6	0.2	Beginning uncertain.
28	„ „ 3	22 15.0	22 33.9	7.9	S at 22h.21.4m.
		2 45.1			
29	„ „ 9	2 42.9	2 47.2	8.8	
30	„ „ 9	..	..	..	Lost in shifting time.
31	„ „ 11	..	..	..	Movements very small.
32	„ „ 11	16 21.6	16 25.6	0.6	
33	„ „ 23	6 28.4	6 48.2	2.3	S at 6h 36.0m.
34	„ November 4	11 13.7	11 16.3	0.3	
35	„ „ 18	10 56.6	..	..	Maximum not well marked.
36	„ „ 24	12 3.8	..	..	S at 12h 12.2m; maximum not well marked.
37	„ „ 28	..	..	..	Movements very small.
38	„ December 15	..	..	..	Movements very small.

1915.

1	1915 January 5	..	..	..	Magnification 1 to 20. Movements very small.
2	„ „ 5	23 34.9	23 46.5	0.2	L at 23h 41.5m.
3	„ „ 13	..	..	..	Movements very small.
4	„ February 8	11 8.8	..	..	Maximum not well marked.
5	„ „ 21	5 (?) 38.9	..	..	Do. do.
6	„ „ 21	15 1.5	..	..	Do. do.
7	„ „ 28	19 14.6	19 27.9	0.4	
8	„ March 3	1 49.9	..	..	Do. do.
9	„ „ 7	21 21.2	..	..	Local shock.
10	„ „ 12	..	..	..	Movements very small.
11	„ „ 17	19 3.5	..	..	Maximum not well marked.
12	„ April 3	..	..	..	Movements very small.
13	„ „ 28	..	..	..	Partially lost in shifting time.
14	„ „ 30	2 3.6	..	..	Maximum not well marked.
15	„ May 1	5 11.4	curve passed out of range of paper.	..	S at 5h 20.7m; L at 5h 37.5m.
16	„ „ 2	..	..	..	Movements very small.
17	„ „ 5	15 22.5	15 28.8	0.3	
18	„ „ 12	..	..	..	Movements very small.
19	„ „ 21	..	..	..	Lost as the instrument was dismantled.
20	„ June 1	15 3.3	15 31.2	0.2	
21	„ „ 3	8 12.6	8 (?) 18.0	0.1	
22	„ „ 6	21 48.8	22 54.6	1.9	
23	„ „ 17-18	..	..	..	Movements very small.
24	„ „ 22	..	..	..	Do. do.
25	„ July 7	6 51.8	..	..	Maximum not well marked.
26	„ „ 31	1 43.3	2 17.7	13.8	S at 1h 52.8m; L at 2h 9.3m.
27	„ August 3	..	..	..	Beginning uncertain; maximum not well marked.
28	„ „ 6	..	..	..	Movements very small.
29	„ „ 7	..	..	..	Beginning uncertain; maximum not well marked.
30	„ „ 11	..	..	..	Movements very small.
31	„ „ 12	7 45.4	..	..	Maximum not well marked.
32	„ „ 12	..	9 29.6	0.9	Commencement uncertain as it is mixed in the hourly mark.
33	„ „ 16	..	..	..	Movements very small.

1915—continued.

Observatory number.	Date.	Time of Disturbances in G. M. T.		Amplitude or half the complete range of maximum motion.	Remarks.
		Beginning.	Maximum.		
		H. M.	H. M.	Mm.	
34	1915 August 31	..	..	..	Movements very small.
35	" September 1	..	1 16.8	0.3	Beginning uncertain.
36	" " 1	..	..	..	Movements very small.
37	" " 7	1 40.4	2 37.9	19.5	
38	" " 12	..	..	..	Movements very small.
39	" " 23	..	..	..	Do. do.
40	" October 3	7 12.7	7 56.5	10.1	
41	" November 1	7 34.2	8 3.3	3.2	
42	" " 1	..	9 39.8	0.4	Beginning mixed in the end of the previous disturbance.
43	" " 18	..	4 42.3	0.2	Beginning uncertain.
44	" " 21	..	..	..	Movements very small.
45	" " 26	..	..	..	Do. do.
46	" " 30	..	..	..	Do. do.
47	" December 3	2 44.3	2 52.4	14.2	
48	" " 17	7 10.3	7 19.6	0.9	Commencement not well defined.
49	" " 17	..	..	..	Movements very small.
50	" " 19	..	..	..	Disturbance lost owing to stoppage of clock.
51	" " 30	2 41.0	..	..	Maximum not well marked.

TABLE IV.—List of principal Disturbances registered by the Colaba Vertical Movement (Tilt) Seismograph.

1911.

Observatory number.	Date.		Time of Disturbances in G. M. T.			Amplitude or half the complete range of maximum motion.	Remarks.
			Beginning.	Maximum.	End.		
			H. m.	H. m.	H. m.	Mm.	
1	1911 January	1	10 22.1	* ..	10 52.1	..	Optical magnification 1 to 103. † Whenever the times are marked thus (†) it should be inferred that the trace is more or less disturbed by tremor movements and the times given, though they are tabulated with care, may not be quite accurate.
2	" "	1	15 3.9	* ..	15 25.9	..	
3	" "	3-4	23 31.0	* ..	0 39.0	..	
4	" "	4	9 43.0	9 50.7	10 5.0	4.0	
5	" "	7	2 25.6	2 32.7	2 40.6	0.7	
6	" "	14	17 59.7	* ..	18 24.7	..	
7	" "	16	9 1.7	* ..	9 20.7	..	
8	" February	18	18 43.9	* ..	19 5.9	..	
9	" "	23	11 23.2	movements very small	11 41.2	movements very small	
10	" April	18	18 18.7	18 23.1	18 48.7	10.0	S at 18 ^h 22.2m.
11	" "	29	lost	in shifting time.	..	..	
12	" May	4	13 36.0	13 42.3	13 49.0	4.0	S at 13 ^h 42.2m.
13	" "	4-5	23 47.9	23 58.2	0 25.9	3.6	S at 23 ^h 57.0m.
14	" June	7	11 19.6	11 26.6	12 43.5	2.5	S at 11 ^h 33.5m.
15	" "	8	0 6.7	† ..	†0 12.7	..	
16	" "	15	14 34.6	* ..	†15 10.6	..	
17	" July	4	13 37.3	* ..	14 13.3	..	
18	" "	5	2 16.6	2 24.3	2 35.6	4.7	
19	" "	"	18 48.0	18 55.7	19 1.0	2.0	* Whenever the maximum is marked thus (*) it should be inferred that the trace is either too faint and the maximum uncertain or owing to rapidity of movement no impression is left on the photographic film indicating a true maximum.
20	" "	12	4 16.7	* ..	4 41.7	..	
21	" "	19	†20 30.1	20 32.7	†20 40.1	1.5	
22	" August	16	22 50.4	* ..	23 12.4	..	
23	" "	21	†16 49.5	16 55.4	17 3.5	1.9	
24	" September	6	1 4.1	1 14.3	1 21.1	2.0	
25	" "	15	†13 29.6	13 30.1	13 40.6	2.5	
26	" "	17	3 40.1	3 54.2	4 18.1	2.0	
27	" "	26	14 13.8	14 23.5	14 33.8	1.2	
28	" October	14	23 27.2	* ..	23 57.2	..	
29	" November	13	16 25.7	16 36.3	16 40.7	2.2	
30	" "	30-Dec. 1	23 42.9	* ..	0 5.9	..	
31	" December	11	†11 6.2	11 21.6	11 33.2	2.0	
32	" "	16	†19 33.6	19 38.3	20 59.6	1.5	

1912.

1	1912 January	4	15 59.6	..	16 14.6	..	Optical magnification 1 to 103. Movements very small.
2	" "	26	14 50.8	14 52.1	15 1.8	1.1	
3	" February	1	..	..	..	..	
4	" March	24	12 24.4	..	12 29.4	..	Movements very small.
5	" April	1	..	..	..	..	Do. do. do.
6	" "	23	21 48.9	* ..	22 4.9	..	Lost in shifting time.
7	" "	25	10 29.6	* ..	10 53.6	..	
8	" May	6	19 10.5	19 21.1	20 0.5	0.8	
9	" "	11	17 32.1	17 32.5	17 47.1	4.5	
10	" "	21	8 33.5	8 39.2	8 54.5	3.7	Commencement doubtful as it occurs at the time of hourly break.
11	" "	22	23 12.1	23 16.2	23 33.0	7.0	
12	" "	23	2 29.0	..	4 9.0	..	

1912—continued.

Observatory number.	Date.		Time of Disturbances in G. M. T.			Amplitude or half the complete range of maximum motion.	Remarks.
			Beginning.	Maximum.	End.		
			H. m.	H. m.	H. m.	Mm.	
13	1912 June	7	.. 18 48.7	18 52.8	19 13.7	0.7	
14	" "	26	.. 17 2.6	17 3.0	17 15.6	3.6	
15	" July	7	.. 8 10.8	8 21.7	9 10.8	3.1	S at 8h 21.3m (?).
16	" "	24	.. † 12 10.0	† ..	12 32.0	..	
17	" August	6	.. 13 30.0	..	14 1.0	..	Commencement doubtful as the hourly breaks have failed.
18	" "	9	.. † 1 37.5	1 45.6	2 37.5	4.8	S at 1h 44.1m.
19	" "	17	.. 19 21.0	19 29.4	20 2.0	4.5	S at 19h 28.7m.
20	" "	23	.. 14 5.9	14 7.9	14 22.9	4.4	
21	" "	23	.. 21 45.5	21 51.5	22 7.5	22.7	
22	" September	11	.. 0 53.3	1 0.6	1 17.3	3.4	
23	" "	13	.. 23 41.0	23 41.7	24 1.0	1.5	
24	" "	29	.. 21 3.0	..	21 36.0	..	Commencement doubtful as the hourly breaks have failed.
25	" October	18	.. † 12 7.0	12 17.4	12 47.0	2.2	
26	" November	7	.. 7 53.9	8 5.7	8 46.9	11.5	S at 8h 4.8m.
27	" "	28	.. 20 59.3	21 2.2	21 20.3	16.0	S at 21h 2.7m
28	" December	8-9	.. 23 59.5	0 8.7	0 15.5	3.0	
29	" "	9	.. 8 51.9	8 55.8	9 17.9	1.3	
30	" "	24	.. 0 3.5	0 7.6	0 36.5	2.5	
31	" "	24	.. 18 15.5	18 16.0	18 34.5	1.1	
32	" "	28	.. 8 3.9	8 4.2	8 16.9	1.5	

1913.

1	1913 January	7	.. 22 59.0	22 59.6	23 25.4	4.8	Optical magnification 1 to 103.
2	" "	11	.. 13 25.6	13 33.2	13 54.3	5.0	S at 23h 5.7m.
3	" "	19	.. 17 10.3	17 17.5	17 45.1	>22.5*	S at 13h 32.7m.
4	" "	19-20	.. 23 58.7	0 7.7	0 20.3	3.5	Not recorded in any other seismographs.
5	" February	20	.. † 9 9.4	9 18.9	9 25.0	..	Beginning approximate as it occurs at the time of the hourly break.
6	" March	6	.. 2 12.7	* ..	2 38.2	..	
7	" "	"	.. 11 7.9	* ..	11 33.0	..	Commencement doubtful as it occurs at the time of hourly break.
8	" "	10	.. 19 14.7	19 17.3	19 27.5	>7.5*	
9	" "	14	.. 8 54.1	* ..	9 44.3	..	S at 9h 1.2m.
10	" "	14	.. 18 8.0	18 9.0	18 18.2	2.1	
11	" "	23	.. 20 57.9	21 7.6	21 16.9	1.5	
12	" "	24	.. 10 38.6	10 38.6	10 57.9	6.0	
13	" "	27	.. 3 18.9	3 21.0	3 32.2	1.6	
14	" "	28	.. 17 17.1	17 19.7	17 28.3	2.6	S at 17h 19.1m.
15	" "	31	.. 3 54.1	4 5.1	4 17.2	9.7	Not recorded in any other seismographs.
16	" April	7	.. 13 58.7	..	..	..	Movements very small.
17	" "	9	.. 18 11.8	18 12.1	18 13.9	3.2	
18	" "	13	.. 6 50.2	6 57.2	7 4.6	0.6	
19	" "	14	.. 7 52.9	7 57.4	8 5.7	1.5	
20	" "	18	.. 19 11.5	19 11.7	19 27.9	2.3	
21	" "	24	.. 10 24.7	10 32.2	10 39.2	1.2	

1913—continued.

Observatory number.	Date.		Time of Disturbances in G. M. T.			Amplitude or half the complete range of maximum motion,	Remarks.
			Beginning.	Maximum.	End.		
			H. m.	H. m.	H. m.	Mm.	
22	1913 April	24	12 25.9	12 27.0	12 37.2	0.7	
23	" "	25	18 5.9 *	..	18 18.9	..	
24	" "	28	18 48.9	18 50.4	19 0.6	0.4	
25	" "	30	11 47.7	11 59.1	12 2.2	1.2	
26	" May	16	12 32.8 *	..	12 54.1	4.0*	
27	" "	18	2 19.9	2 30.5	2 38.0	1.5	
28	" "	24	23 44.3	23 44.6	23 53.5	3.0	Not recorded in any other seismographs.
29	" "	29	13 37.2	13 43.9	13 59.7	1.5	
30	" "	30	11 57.9	12 3.6	12 20.2	2.5	
31	" June	14	9 41.9	9 45.6	9 54.3	2.7	
32	" "	22	† ..	14 14.1	14 20.7	6.0	
33	" July	8	† ..	22 31.2	† ..	3.5	Not recorded in any other seismographs.
34	" "	12	† ..	10 43.5	† ..	2.0	
35	" "	22	† ..	6 57.4	† ..	3.0	
36	" August	1	17 20.8	17 27.9	17 48.9	2.0	
37	" "	6	22 33.9 *		† ..	..	
38	" "	13	4 33.2	4 39.8	4 57.5	5.8	
39	" "	15	† ..	19 22.1	† ..	1.8	
40	" September	3	21 3.9	21 14.0	† ..	4.5	
41	" "	16	12 10.9	12 11.3	† ..	1.3	
42	" "	22	20 41.1	20 41.6	20 48.8	1.1	Not recorded in any other seismographs.
43	" October	11	4 3.3	4 19.2	† ..	1.4	
44	" "	11	9 18.4	9 21.4	† ..	1.3	
45	" "	13	13 19.6	13 20.0	† ..	2.0	Not recorded in any other seismographs.
46	" "	14	8 25.8	8 27.4	† ..	3.3	
47	" "	29	4 38.4	4 46.3	..	1.5	End lost in shifting time.
48	" November	10	21 29.3	21 31.2	21 46.2	1.1	
49	" "	14	20 54.0	20 59.6	21 1.9	1.1	
50	" "	19	3 29.7	3 32.1	4 7.1	1.1	
51	" "	30	17 34.3	17 36.7	17 46.1	2.1	S at 17 ^h 36.1m. Not recorded in any other seismographs.
52	" December	2	20 3.6	20 3.7	20 18.1	2.5	
53	" "	18	7 24.5	7 24.9	† ..	6.0	
54	" "	21	15 43.7	15 50.5	16 6.0	3.8	S at 15 ^h 48.5m.

1914.

1	1914 January	20	12 2.2	12 13.0	12 50.8	1.0	Optical magnification 1 to 103.
2	"	30	3 55.6	3 55.8	4 15.8	8.9	
3	"	30	7 54.8	7 55.5	8 29.1	4.0	Not recorded in any other seismographs.
4	February	31	13 20.3	13 26.7	13 38.9	1.0	Do. do.
5	"	6	11 44.6	11 49.2	12 15.4	>18.0*	S at 11 ^h 46.8m.
6	"	22	21 15.8	21 28.1	21 40.4	2.2	
7	"	26	5 17.0	5 19.0	5 40.7	3.5	S at 5 ^h 30.8m.
8	March	6	19 17.2	19 29.1	19 46.7	1.0	
9	"	6	20 40.2	20 55.8	21 9.1	2.9	
10	"	14	20 10.5	20 10.8	20 58.8	3.0	

1914—continued.

Observatory number.	Date.		Time of Disturbances G. M. T.			Amplitude or half the complete range of maximum motion.	Remarks.
			Beginning.	Maximum.	End.		
11	1914 March	16	H. m. 22 52.5	H. m. 23 0.7	H. m. 23 9.1	Mm. 2.0	S at 22 ^h 59.7m. Not recorded in any other seismographs.
12	" "	18	" 4 31.8	" 5 6.7	" ..	5.0	End lost in shifting time.
13	" "	28	" 10 50.0	" 11 2.2	" 11 22.0	14.0	S at 10 ^h 54.1m.
14	" "	28	" 13 20.9	" 13 28.1	" 13 38.4	2.5	Not recorded in any other seismographs.
15	" "	30	" 1 0.4	" 1 5.0	" ..	0.5	End uncertain.
16	" April	8	" 0 45.3	" 0 50.4	" 1 2.9	5.0	Not recorded in any other seismographs.
17	" "	11	" 16 43.9	" 16 55.1	" 17 6.0	1.0	S at 0 ^h 48.1m.
18	" "	20	" 13 49.4	" 13 54.0	" 14 6.0	0.9	S at 16 ^h 54.9m.
19	" "	21	" 23 29.9	" 23 34.3	" 23 48.6	1.9	S at 23 ^h 34.2m.
20	" "	25	" 20 43.3	" 20 43.9	" 20 54.8	3.0	Not recorded in any other seismographs.
21	" "	27	" 2 11.4	" 2 11.7	" 2 27.1	0.9	S at 20 ^h 44.3m.
22	" "	30	" 22 23.0	" 22 25.0	" 22 33.2	>11.0*	Not recorded in any other seismographs.
23	" May	1	" 6 9.1	" 6 10.7	" 6 12.7	3.3	S at 22 ^h 24.3m.
24	" "	21	" 8 31.8	" 8 34.4	" 8 53.8	>8.5*	
25	" "	26	" 2 49.6	" 2 50.2	" 2 58.6	3.0	
26	" "	26	" 14 33.5	" 14 36.5	" 15 50.7	12.0	S at 14 ^h 42.5m.
27	" "	29	" 4 52.4	" ..	" 5 41.5	..	Maximum lost in shifting time.
28	" June	20	" † ..	" 7 41.9	" † ..	1.5	
29	" "	25	" 19 14.6	" *	" † ..	..	
30	" July	4	" † ..	" 17 59.3	" † ..	1.7	
31	" "	4	" † ..	" 23 56.8	" † ..	2.2	
32	" "	14	" † ..	" 3 19.8	" † ..	1.6	
33	" August	4	" 22 48.1	" *	" † ..	..	
34	" "	5	" † ..	" 10 48.1	" † ..	2.5	
35	" "	6	" † ..	" * 4 26.1	" † ..	..	
36	" "	27	" † ..	" 14 48.9	" † ..	2.6	Not recorded in any other seismographs.
37	" September	26	" ..	" ..	" ..	..	Lost in shifting time.
38	" October	3	" 17 41.5	" 17 44.5	" 18 7.1	1.0	
39	" "	3	" 22 14.9	" 22 23.4	" 22 59.9	3.5	
40	" "	9	" 2 42.5	" *	" 3 17.9	..	S at 2 ^h 45.2m.
41	" "	9	" 3 39.1	" 3 40.9	" 3 56.8	7.5	
42	" "	11	" 1 31.7	" 1 33.3	" 1 46.6	3.5	Not recorded in any other seismographs.
43	" "	11	" 16 21.7	" *	" 16 49.7	..	S at 1 ^h 33.3m.
44	" "	23	" 6 28.2	" 6 31.7	" 7 9.2	5.5	S at 16 ^h 25.4m.
45	" November	4	" 11 10.8	" *	" 11 39.5	..	S at 6 ^h 35.9m.
46	" "	22	" 8 33.1	" 8 40.0	" 8 54.8	1.0	S at 11 ^h 14.1m.
47	" "	24	" 12 3.7	" *	" 13 0.0	..	
48	" "	28	" 10 54.9	" 10 55.1	" 11 13.9	2.5	S at 12 ^h 12.3m.
49	" December	15	" 10 26.8	" 10 30.7	" 10 40.4	1.6	

1915.

Observatory number.	Date.		Time of Disturbances in G. M. T.			Amplitude or half the complete range of maximum motion.	Remarks.
			Beginning.	Maximum.	End.		
			H. m.	H. m.	H. m.	Mm.	
1	1915 January	5	14 46.8	14 52.2	15 6.6	2.5	Optical magnification 1 to 103.
2	" "	5-6	23 34.8	* ..	0 14.8	..	
3	" "	13	7 2.3	7 10.5	7 42.5	1.7	
4	" February	8	11 9.0	11 13.3	11 25.1	3.8	S at 7h 10.0m.
5	" "	21	5 37.9	5 43.7	6 7.1	2.2	
6	" "	21	15 0.9	15 4.0	15 26.1	11.0	
7	" "	28	† ..	19 15.3	† ..	1.5	Local shock.
8	" March	3	1 49.4	1 49.9	2 2.1	3.7	
9	" "	7	21 21.3	..	..	..	
10	" "	8	15 49.0	15 49.4	15 50.4	1.4	
11	" "	12	14 57.4	14 57.9	† ..	2.0	
12	" "	17	19 3.6	19 3.7	19 12.8	2.2	
13	" April	3	13 53.2	13 57.6	14 2.0	1.2	Not recorded in any other seismographs.
14	" "	23	15 47.6	15 47.8	15 58.9	3.5	
15	" "	28	3 25.5	3 30.5	3 40.5	3.5	
16	" "	30	1 59.9	..	2 10.7	..	Movements very small. S at 5h 20.8m (?).
17	" May	1	5(?) 10.5	5 12.3	6 54.8	5.7	
18	" "	5	15 17.9	15 23.0	15 30.7	2.8	
19	" "	21	4 26.9	4 27.2	4 48.2	1.2	
20	" June	3	8 12.6	8 16.4	8 30.2	4.6	
21	" "	6	21 49.2	* ..	† ..	4.4	
22	" "	17	† ..	23 49.9	† ..	2.2	
23	" July	7	6 52.5	6 54.2	† ..	4.5	
24	" "	31	1 43.4	1 54.5	† ..	5.7	
25	" August	11	† ..	9 28.1	† ..	1.9	S at 7h 52.5m.
26	" "	12	7 45.0	7 53.1	† ..	4.0	
27	" "	12	9 21.8	9 30.4	† ..	5.5	
28	" "	31	20 52.2	20 59.4	† ..	3.7	Times approximate as there are no hourly breaks. Do. do. Do. do.
29	" September	1	1 11.3	1 11.8	† ..	2.5	
30	" "	1	2 6.8	2 6.9	† ..	1.7	
31	" "	7	..	..	..	..	Disturbance lost owing to the smoking of chimney.
32	" "	12	0 7.5	0 7.5	† ..	4.0	
33	" "	23	8 21.5	8 22.8	8 35.5	2.3	
34	" October	3	† ..	† ..	† ..	..	Not recorded in any other seismographs. Do. do.
35	" "	12	21 39.7	21 48.9	21 54.1	1.4	
36	" "	26	22 15.4	22 15.9	22 29.8	2.1	
37	" November	1	7 34.3	7 43.5	† ..	6.5	S at 7h 42.9m. S at 9h 18.7m. End lost in shifting time.
38	" "	1	9 10.6	9 20.1	10 1.8	2.5	
39	" "	18	4 12.9	4 22.1	..	2.1	
40	" "	18	20 27.8	20 34.4	20 39.9	1.7	
41	" "	26	20 8.7	20 15.1	20 26.2	3.5	
42	" "	30	20 4.3	20 4.8	20 16.1	1.4	
43	" December	3	2 44.0	2 51.5	3 14.4	..	S at 2h 47.9m. Maximum motion passed out of paper.
44	" "	17	7 10.3	7 18.3	7 31.8	10.0	
45	" "	17	19 11.2	19 19.4	19 29.0	2.6	
46	" "	19	20 19.5	20 27.8	20 42.0	2.2	Not recorded in any other seismographs.
47	" "	28-29	23 58.6	23 59.0	0 22.4	2.9	
48	" "	30	2 40.7	2 44.5	2 53.7	1.6	
49	" "	31	19 1.7	19 2.4	19 10.1	1.4	
50	" "	31	23 13.6	23 18.8	23 34.1	1.9	

TABLES OF RESULTS

DERIVED FROM

ABSOLUTE MAGNETIC OBSERVATIONS

AND FROM

THE CONTINUOUS REGISTRATIONS OF THE
MAGNETOGRAPHS

AT

ALIBAG.

1911—1915.

Absolute Magnetical Observations, Alibag—Table Ia.

Observations of Vibration and Deflection, taken with Magnetometer No. 7 (T. Cooke and Sons) for the determination of Absolute Horizontal Force.

1911.

1911	Vibration Magnet.				Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection of Magnet marked 7.			Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.	Values of H.				*Observed monthly Mean Values of H.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.	Tem- per- ature.		Ordinate.	Thermo- meter.	Distance.		Temper- ature.	Ordinate.	Thermo- meter.		Values of m.	From Deflection at distance.	Difference.	Mean.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
								22.5 cms.	30.0 cms.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
																			H. m.	S.	Sec. div.	°	s.	Cms.	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°	'	"	°

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

1911.	Calculated Results in C. G. S. Unit.																			
	Date.	Vibration Magnet.			Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection of Magnet marked 7.			Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.	Values of H.					*Observed monthly Mean Values of H.		
		Civil Time, Mean.	Time of one Vibration.	Effect of 90° Torsion.	Tem- per- ature.	Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.		Distance.		Temper- ature.		Ordi- nate.	Thermo- meter.	Values of m.	From Deflection at distance.			Difference.	Mean.
							Ordinate.	Thermometer.	22.5 cms.	30.0 cms.						22.5 cms. (H _{22.5}).	30.0 cms. (H _{30.0}).			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
APRIL	5	12 19	2-7066	1.41	27.8	-0.3	8.442	85.0526	38	40.10	50	16	8.330	85.05 G. S. J.	938.81	0.36878	0.36878	.00000	0.36878	0.368594
"	"	15 14	2-7078	1.44	28.0	-0.2	7.833	85.0526	38	38.10	50	23	7.983	85.05 G. S. J.	938.62	.36858	.36854	+.00004	.36856	
"	"	12 18	2-7075	1.44	28.3	-0.2	8.071	85.3726	38	12.10	50	8	7.920	85.37 G. S. J.	938.75	.36865	.36863	+.00002	.36864	
"	"	14 47	2-7084	1.45	28.7	-0.1	7.525	85.3526	38	46.10	50	23	7.574	85.35 G. S. J.	938.77	.36848	.36845	+.00003	.36846	
"	"	19 12 24	2-7087	1.44	29.7	-0.1	7.525	85.9126	37	52.10	49	53	7.537	85.91 G. S. J.	938.84	.36853	.36854	-.00001	.36853	0.368545
"	"	15 14	2-7099	1.45	30.2	-0.4	7.070	85.9526	37	38.10	49	57	7.423	85.95 G. S. J.	938.62	.36839	.36837	+.00002	.36838	
"	"	26 12 21	2-7082	1.43	30.0	-0.4	8.136	86.6526	36	11.0	49	12	8.137	86.65 G. S. J.	938.66	.36878	.36879	-.00001	.36878	
"	"	15 15	2-7092	1.46	30.8	"	7.696	86.7026	36	16.10	49	29	7.842	86.70 G. S. J.	938.73	.36865	.36860	+.00005	.36862	
MAY	3	12 43	2-7087	1.43	30.5	-0.2	7.750	87.4026	36	21.10	49	17	7.770	87.40 G. S. J.	938.71	.36871	.36873	-.00002	.36872	0.368545
"	"	15 17	2-7092	1.43	30.5	"	7.482	87.4026	36	41.10	49	25	7.622	87.40 G. S. J.	938.73	.36857	.36860	-.00003	.36858	
"	"	10 12 39	2-7089	1.43	30.4	0.0	7.698	88.2226	35	48.10	49	14	7.508	88.22 G. S. J.	938.69	.36867	.36865	+.00002	.36866	
"	"	14 29	2-7098	1.44	31.2	"	7.188	88.3026	35	58.10	49	21	7.357	88.30 G. S. J.	938.66	.36858	.36854	+.00004	.36856	
"	"	17 12 49	2-7098	1.43	30.2	-0.2	6.830	89.2526	38	22.10	50	6	6.810	89.25 G. S. J.	938.71	.36836	.36837	-.00001	.36836	0.368545
"	"	15 18	2-7104	1.40	30.3	"	6.537	89.2026	38	8.10	50	10	6.595	89.20 G. S. J.	938.69	.36826	.36821	+.00005	.36823	
"	"	22 16 5	2-7104	1.33	31.2	0.0	6.943	89.5026	36	30.10	49	39	7.011	89.50 S. B.	938.73	.36843	.36835	+.00008	.36839	
"	"	24 15 5	2-7096	1.42	31.6	0.0	7.282	89.7026	35	47.10	49	11	7.149	89.70 G. S. J.	938.90	.36860	.36859	+.00001	.36859	
"	"	26 14 46	2-7103	1.38	31.7	+0.3	7.348	90.0526	35	21.10	49	9	7.162	90.05 S. B.	938.49	.36860	.36855	+.00005	.36857	0.368545
"	"	29 14 13	2-7098	1.43	32.2	+0.1	7.336	90.2526	34	56.10	48	46	7.226	90.25 G. S. J.	938.79	.36867	.36869	-.00002	.36868	
"	"	31 14 50	2-7096	1.39	31.9	0.0	7.263	90.3726	36	21.10	49	12	6.666	90.37 S. B.	938.86	.36864	.36868	-.00004	.36866	
"	"	2 14 15	2-7088	1.44	30.9	-0.5	7.152	90.7526	35	51.10	49	7	7.138	90.75 G. S. J.	938.86	.36870	.36871	-.00001	.36870	
"	"	5 14 32	2-7103	1.35	31.7	-0.3	6.406	91.0526	36	47.10	49	34	6.430	91.05 S. B.	938.92	.36843	.36841	+.00002	.36842	0.368680
"	"	7 15 2	2-7097	1.44	31.9	-0.2	7.065	91.2026	35	17.10	49	32	6.943	91.20 G. S. J.	938.90	.36860	.36860	+.00004	.36862	
"	"	9 15 27	2-7094	1.40	30.9	+0.2	7.225	91.1726	35	45.10	49	22	6.968	91.17 S. B.	938.69	.36865	.36859	+.00006	.36862	
"	"	12 16 4	2-7096	1.25	28.4	+0.2	6.612	90.8526	38	10.10	50	0	6.447	90.85 G. S. J.	937.99	.36838	.36838	-.00002	.36839	
"	"	16 14 46	2-7088	1.20	28.5	-0.3	7.172	90.1226	36	54.10	49	42	7.000	90.12 G. S. J.	938.10	.36861	.36857	+.00004	.36859	0.368680
"	"	19 14 34	2-7091	1.19	29.5	-0.2	7.410	89.7526	35	51.10	49	17	7.264	89.75 S. B.	938.19	.36869	.36865	+.00004	.36867	
"	"	21 14 54	2-7081	1.22	30.2	-0.1	7.785	89.7026	34	41.10	48	46	7.595	89.70 G. S. J.	938.51	.36894	.36893	+.00001	.36893	
"	"	23 14 40	2-7097	1.21	30.9	-0.2	7.223	89.6026	34	35.10	49	0	7.125	89.60 S. B.	938.32	.36873	.36864	+.00009	.36868	
"	"	26 14 17	2-7082	1.26	30.3	-0.4	7.815	89.4026	34	25.10	48	49	7.646	89.40 G. S. J.	938.45	.36896	.36890	+.00006	.36893	0.368680
"	"	28 14 43	2-7087	1.28	30.1	-0.2	7.709	89.4226	35	15.10	49	7	7.391	89.42 S. B.	938.40	.36881	.36876	+.00005	.36878	
"	"	30 14 11	2-7091	1.26	30.9	-0.1	7.603	89.5026	34	28.10	48	42	7.400	89.50 G. S. J.	938.36	.36884	.36882	+.00002	.36883	
"	"	3 14 25	2-7104	1.24	31.8	-0.4	7.137	89.6026	34	44.10	48	49	6.995	89.60 S. B.	938.45	.36862	.36860	+.00002	.36861	
JULY	5	15 19	2-7102	1.27	30.1	-0.5	6.866	89.8226	36	1.10	49	10	6.823	89.82 G. S. J.	937.99	.36853	.36854	-.00001	.36853	0.368680
"	"	7 14 23	2-7087	1.26	28.8	-0.5	7.020	89.9026	37	17.10	49	46	6.755	89.90 S. B.	938.32	.36860	.36858	+.00002	.36859	
"	"	10 15 59	2-7070	1.25	26.8	-0.3	7.386	89.3726	38	50.10	50	16	7.060	89.37 G. S. J.	938.32	.36869	.36871	-.00002	.36870	
"	"	12 15 2	2-7087	1.28	29.0	+0.1	7.045	89.3026	36	5.10	49	20	6.982	89.30 S. B.	938.08	.36873	.36871	+.00002	.36872	
"	"	14 14 48	2-7085	1.25	28.6	+0.3	7.305	88.8726	37	5.10	49	36	7.207	88.87 G. S. J.	938.17	.36866	.36867	-.00001	.36866	0.368680
"	"	17 14 38	2-7079	1.23	29.8	0.0	8.316	88.5226	33	50.10	48	32	8.200	88.52 S. B.	938.17	.36907	.36903	+.00004	.36905	
"	"	19 14 51	2-7103	1.25	30.0	-0.1	6.953	88.5026	36	30.10	49	27	6.947	88.50 G. S. J.	938.08	.36847	.36845	+.00002	.36846	
"	"	21 14 43	2-7082	1.25	29.2	-0.1	7.297	88.2226	36	5.10	49	21	7.182	88.22 S. B.	938.53	.36872	.36870	+.00002	.36871	
"	"	24 14 14	2-7099	1.27	29.7	+0.1	8.005	87.9526	35	6.10	48	59	7.738	87.95 G. S. J.	938.45	.36894	.36891	+.00003	.36892	0.368680
"	"	26 15 16	2-7085	1.24	30.1	-0.0	7.208	87.9726	35	20.10	48	56	7.137	87.97 S. B.	937.95	.36866	.36866	-.00001	.36865	
"	"	28 14 14	2-7085	1.22	30.4	+0.2	7.700	88.2026	35	17.10	48	56	7.430	88.20 G. S. J.	938.49	.36885	.36885	+.00000	.36885	
"	"	31 14 58	2-7083	1.23	27.8	+0.7	6.836	87.9026	37	54.10	49	47	6.755	87.90 S. B.	938.12	.36858	.36862	-.00004	.36860	

[illegible]

The mean *observed value of the Horizontal Force for the year 1911=0.368592

*The monthly and annual means corrected for diurnal variation appear in Table VIII.

Absolute Magnetical Observations, Alibag—Table Ib.

Observations of *Vibration and Deflection*, taken with *Magnetometer No. 3* (Cambridge Scientific Instrument Co.) for the determination of *Absolute Horizontal Force*.

1911.

1911. Date.	Vibration Magnet.			Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.			Angle of Deflection.			Corresponding Mean Reading of H. F. Magnetograph.			Ob- serv- er.	Calculated Results in C. G. S. Unit.				*Observed monthly Mean Values of H.		
	Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.		Ordi- nate.	Thermo- meter.	Distance.	Temper- ature.	Ordi- nate.	Thermo- meter.	Values of m.	From Deflection at distance.			Difference.	Mean.					
												23 cms. (H ₂₃).	30 cms. (H ₃₀).				H ₂₃ - H ₃₀ .	$\frac{H_{23} + H_{30}}{2}$.			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
JAN.	2	12 48	2.8680	1.63	25.7	+0.3	8.942	83.00.23	50.37	10 30 35	25.6	8.687	83.00.00	G. S. J.	916.94	0.36870	0.36866	+ .00004	0.36868	0.368520	
"	"	15 17	2.8689	1.62	25.8	"	8.476	83.10.23	50.39	10 30 25	25.7	8.566	83.10.00	G. S. J.	916.64	0.36857	0.36859	- .00002	0.36858		
"	"	9 13	2.8702	1.62	26.6	+0.4	8.026	82.75.23	51.20	10 30 49	26.7	7.967	82.75.00	G. S. J.	916.90	0.36831	0.36830	+ .00001	0.36830		
"	"	14 58	2.8700	1.62	26.7	"	8.418	82.80.23	50.25	10 30 28	26.7	8.152	82.80.00	G. S. J.	916.71	0.36845	0.36843	+ .00002	0.36844		
"	"	16 12	2.8693	1.65	27.0	+0.4	8.624	82.85.23	50.27	10 30 25	26.9	8.265	82.85.00	G. S. J.	917.00	0.36854	0.36854	+ .00000	0.36854		
"	"	15 18	2.8706	1.74	27.3	"	7.918	82.90.23	49.45	10 30 10	27.4	8.140	82.90.00	G. S. J.	916.56	0.36843	0.36842	+ .00001	0.36842		
"	"	23 12	2.8701	1.92	28.8	-0.2	8.592	83.17.23	48.20	10 30 35	28.7	8.552	83.17.00	V. N.	916.87	0.36866	0.36865	+ .00001	0.36865		
"	"	15 21	2.8706	2.03	28.9	"	8.600	83.25.23	47.35	10 30 25	28.8	8.621	83.25.00	V. N.	916.58	0.36870	0.36863	+ .00007	0.36866		
"	"	30 12	2.8683	1.87	25.1	0.0	8.577	82.70.23	51.25	10 30 44	25.2	8.360	82.70.00	V. N.	916.77	0.36854	0.36855	- .00001	0.36854		
"	"	14 41	2.8693	1.86	25.6	"	8.110	82.70.23	52.11	10 30 55	25.2	8.215	82.70.00	V. N.	916.71	0.36837	0.36841	- .00004	0.36839		
FEB.	6	12 33	2.8676	2.02	25.0	0.0	8.762	81.85.23	51.51	10 30 45	25.0	8.662	81.85.00	V. N.	916.85	0.36866	0.36864	+ .00002	0.36865	0.368504	
"	"	14 34	2.8689	2.04	25.6	"	8.373	81.90.23	50.56	10 30 46	25.4	8.642	81.90.00	V. N.	916.64	0.36852	0.36847	+ .00005	0.36849		
"	"	13 17	2.8698	2.09	27.4	-0.4	8.717	81.55.23	48.12	10 30 37	27.7	8.600	81.55.00	V. N.	916.41	0.36868	0.36864	+ .00004	0.36866		
"	"	14 37	2.8706	2.08	27.4	"	8.221	81.55.23	49.24	10 30 4	27.4	8.310	81.55.00	V. N.	916.43	0.36846	0.36843	+ .00003	0.36844		
"	"	20 12	2.8697	2.05	27.3	-0.3	8.703	81.90.23	49.40	10 30 7	27.3	8.510	81.90.00	V. N.	916.73	0.36854	0.36854	+ .00000	0.36854		
"	"	14 32	2.8699	2.07	27.4	"	8.283	81.90.23	49.26	10 30 1	27.2	8.407	81.90.00	V. N.	916.58	0.36857	0.36855	+ .00002	0.36856		
"	"	27 12	2.8703	2.07	28.2	-0.5	8.315	82.70.23	50.71	10 30 15	27.3	8.136	82.70.00	V. N.	916.85	0.36849	0.36849	+ .00000	0.36849		
"	"	14 32	2.8715	2.08	27.8	"	7.687	82.70.23	50.47	10 30 35	27.5	7.900	82.70.00	V. N.	916.64	0.36821	0.36820	+ .00001	0.36820		
MAR.	6	12 19	2.8690	2.06	27.7	-0.1	8.642	82.90.23	48.24	10 29 42	27.6	8.605	82.90.00	V. N.	916.79	0.36880	0.36876	+ .00004	0.36878		0.368480
"	"	14 39	2.8704	2.11	27.8	"	7.872	82.90.23	49.49	10 30 16	27.7	8.047	82.90.00	V. N.	916.77	0.36844	0.36841	+ .00003	0.36842		
"	"	13 11	2.8680	2.09	26.6	-0.2	8.265	83.30.23	47.24	10 29 14	26.8	9.260	83.30.00	V. N.	916.37	0.36903	0.36899	+ .00004	0.36901		
"	"	15 2	2.8686	2.01	26.6	"	8.477	83.25.23	48.40	10 29 41	26.2	8.650	83.25.00	V. N.	916.41	0.36885	0.36884	+ .00001	0.36884		
"	"	20 12	2.8700	1.63	28.0	-0.2	8.488	83.60.23	49.17	10 29 57	27.5	8.303	83.60.00	V. N.	916.79	0.36863	0.36862	+ .00001	0.36862		
"	"	14 27	2.8736	1.55	27.8	"	6.432	83.55.23	50.39	10 30 35	27.6	7.546	83.55.00	V. N.	916.05	0.36798	0.36794	+ .00004	0.36796		
"	"	27 12	2.8729	1.50	28.9	-0.3	7.454	84.25.23	50.16	10 30 25	28.7	7.164	84.25.00	V. N.	916.68	0.36811	0.36809	+ .00002	0.36810		
"	"	14 20	2.8730	1.52	28.8	"	6.981	84.25.23	50.11	10 30 15	28.7	7.096	84.25.00	V. N.	916.49	0.36811	0.36811	+ .00000	0.36811		

APRIL	3	12	23	2.8694	1.40	28.9	-0.5	8.720	85.0023	47	3510	29	17	28.1	8.557	85.00G	S	J.	916.85	0.36895	+	0.0002	0.36893	0.36894
"	"	15	13	2.8717	1.49	28.7	-0.1	7.718	85.0023	48	410	29	27	28.5	8.089	85.00G	S	J.	916.28	0.36854	+	0.0002	0.36853	0.36853
"	"	10	12	2.8712	1.43	28.2	-0.1	7.755	85.4023	49	4910	30	8	27.3	7.441	85.40G	S	J.	916.58	0.36846	+	0.0000	0.36846	0.36846
"	"	14	30	2.8724	1.38	27.9	-0.2	7.022	85.4023	49	5210	30	18	27.3	7.326	85.40G	S	J.	916.83	0.36827	+	0.0003	0.36824	0.36824
"	"	17	15	2.8720	1.39	28.5	-0.2	7.190	85.7023	50	5710	30	43	27.5	6.697	85.70G	S	J.	916.83	0.36822	+	0.0002	0.36821	0.36821
"	"	15	17	2.8727	1.38	27.8	-0.2	6.862	85.7023	50	5610	30	35	27.5	6.915	85.70G	S	J.	916.41	0.36808	+	0.0001	0.36808	0.36808
"	"	24	12	2.8713	1.52	29.1	-0.2	7.757	86.4023	48	2610	29	28	28.3	7.730	86.40G	S	J.	916.49	0.36859	+	0.0003	0.36860	0.36860
"	"	15	18	2.8734	1.39	29.1	"	6.830	86.4723	48	5210	29	53	28.2	7.327	86.47G	S	J.	916.03	0.36828	+	0.0003	0.36826	0.36826
MAY	1	12	38	2.8715	1.46	30.2	-0.2	8.051	87.2523	47	1010	29	9	29.3	7.942	87.25G	S	J.	916.60	0.36873	+	0.0003	0.36871	0.36871
"	"	15	17	2.8718	1.46	29.0	-0.2	7.454	87.2523	47	4710	29	17	28.8	7.571	87.25G	S	J.	916.28	0.36856	+	0.0000	0.36856	0.36856
"	"	8	13	2.8726	1.75	30.4	-0.2	6.923	88.0523	48	2210	29	27	29.8	6.956	88.05G	S	J.	916.64	0.36838	+	0.0003	0.36839	0.36839
"	"	14	58	2.8731	1.83	30.4	-0.2	6.923	88.0523	48	410	29	26	29.9	6.963	88.05G	S	J.	916.45	0.36835	+	0.0006	0.36834	0.36834
"	"	15	12	2.8737	1.92	31.3	-0.2	6.707	88.9523	48	2510	29	21	30.9	6.381	88.95G	S	J.	916.08	0.36821	+	0.0001	0.36821	0.36821
"	"	14	50	2.8745	1.89	30.9	-0.2	6.229	89.0023	48	3210	29	38	30.9	6.220	89.00G	S	J.	916.47	0.36807	+	0.0001	0.36806	0.36806
"	"	23	11	2.8731	1.98	31.3	0.0	7.847	89.6223	44	2310	28	30	30.5	7.818	89.62G	S	J.	915.86	0.36882	+	0.0019	0.36872	0.36872
"	"	25	12	2.8712	2.51	31.2	+0.1	7.778	89.8523	45	4410	28	16	30.8	7.729	89.85G	S	J.	916.56	0.36882	+	0.0005	0.36884	0.36884
"	"	27	11	2.8715	2.24	31.8	+0.2	7.728	90.1023	45	110	28	21	31.2	7.684	90.10G	S	J.	916.64	0.36880	+	0.0006	0.36887	0.36887
"	"	30	12	2.8708	2.35	31.4	0.0	8.227	90.2723	43	2710	27	32	31.5	8.176	90.27G	S	J.	916.37	0.36914	+	0.0002	0.36913	0.36913
JUNE	1	12	11	2.8719	2.38	32.2	-0.2	7.248	90.5223	45	5210	28	55	30.8	7.010	90.52G	S	J.	916.81	0.36881	+	0.0012	0.36875	0.36875
"	"	6	11	2.8710	2.52	30.8	-0.2	7.560	91.1523	44	5910	28	45	30.4	7.375	91.15G	S	J.	916.49	0.36894	+	0.0018	0.36885	0.36885
"	"	8	12	2.8706	2.56	30.7	0.0	7.600	91.2823	46	1610	28	40	29.9	7.499	91.28G	S	J.	916.64	0.36887	+	0.0000	0.36887	0.36887
"	"	10	11	2.8707	2.48	30.2	+0.2	7.300	91.1723	45	2110	28	45	29.8	7.152	91.17G	S	J.	916.37	0.36894	+	0.0014	0.36887	0.36887
"	"	13	12	2.8710	2.11	28.1	0.0	6.856	90.6523	48	710	29	28	28.2	7.007	90.65G	S	J.	916.22	0.36854	+	0.0001	0.36854	0.36854
"	"	15	11	2.8715	2.24	29.1	-0.2	7.317	90.5023	46	3110	28	47	29.0	7.327	90.50G	S	J.	915.93	0.36868	+	0.0000	0.36868	0.36868
"	"	17	11	2.8700	2.08	28.7	-0.3	7.477	90.2223	47	410	29	3	28.6	7.410	90.22G	S	J.	916.45	0.36882	+	0.0001	0.36881	0.36881
"	"	20	11	2.8704	2.16	29.6	-0.1	8.225	89.7723	45	1210	28	36	28.8	8.196	89.77G	S	J.	916.09	0.36905	+	0.0011	0.36899	0.36899
"	"	24	12	2.8702	2.16	29.6	-0.3	7.663	89.5723	45	3010	28	30	29.8	7.586	89.57G	S	J.	916.41	0.36895	+	0.0004	0.36893	0.36893
"	"	27	12	2.8701	2.21	29.9	-0.3	8.070	89.3523	45	3410	28	29	29.5	7.955	89.35G	S	J.	916.41	0.36900	+	0.0003	0.36897	0.36897
"	"	29	11	2.8708	2.19	30.0	-0.1	7.782	89.5023	45	4410	28	35	29.2	7.747	89.50G	S	J.	916.18	0.36892	+	0.0004	0.36890	0.36890
JULY	1	12	6	2.8702	2.35	30.0	-0.2	7.913	89.4223	45	4710	28	31	29.5	7.748	89.42G	S	J.	916.45	0.36897	+	0.0002	0.36896	0.36896
"	"	4	11	2.8715	2.22	30.8	-0.4	7.515	89.7523	45	4010	28	37	29.9	7.422	89.75G	S	J.	916.33	0.36886	+	0.0007	0.36882	0.36882
"	"	6	12	2.8712	2.38	30.3	-0.5	7.577	89.8523	46	4810	28	45	29.0	7.545	89.85G	S	J.	916.30	0.36878	+	0.0004	0.36880	0.36880
"	"	8	12	2.8695	2.31	28.0	-0.5	7.485	89.7523	48	1510	29	27	27.3	7.400	89.75G	S	J.	916.45	0.36878	+	0.0001	0.36879	0.36879
"	"	11	11	2.8695	2.44	27.9	-0.1	7.180	89.4023	47	3510	29	21	27.7	7.102	89.40G	S	J.	916.37	0.36882	+	0.0005	0.36879	0.36879
"	"	13	12	2.8695	2.36	29.2	+0.2	7.943	89.4023	46	4010	28	42	28.8	7.766	89.40G	S	J.	916.52	0.36894	+	0.0003	0.36895	0.36895
"	"	15	12	2.8687	2.38	28.6	+0.2	8.128	88.7223	46	810	28	38	28.5	7.997	88.72G	S	J.	916.47	0.36908	+	0.0001	0.36907	0.36907
"	"	18	12	2.8702	2.35	29.0	0.0	7.297	88.5723	46	710	28	42	28.9	7.365	88.57G	S	J.	916.30	0.36894	+	0.0004	0.36892	0.36892
"	"	20	12	2.8702	2.44	29.0	-0.1	7.545	88.2723	47	610	28	59	28.6	7.476	88.27G	S	J.	916.37	0.36880	+	0.0000	0.36880	0.36880
"	"	22	11	2.8691	2.38	28.3	0.0	7.476	88.0023	47	3410	29	17	28.1	7.360	88.00G	S	J.	916.64	0.36887	+	0.0003	0.36885	0.36885
"	"	25	11	2.8706	2.36	28.9	0.0	7.234	87.9723	47	2710	29	10	28.5	7.333	87.97G	S	J.	916.35	0.36871	+	0.0000	0.36871	0.36871
"	"	29	12	2.8710	2.40	29.6	+0.4	7.151	88.0723	48	210	29	16	28.9	6.837	88.07G	S	J.	916.58	0.36861	+	0.0004	0.36863	0.36863
Aug.	1	11	22	2.8690	2.41	27.8	+0.5	7.536	87.8523	47	1210	29	13	27.7	7.488	87.85G	S	J.	916.41	0.36893	+	0.0006	0.36890	0.36890
"	"	3	12	2.8691	2.38	27.9	+0.3	7.688	87.7723	47	4710	29	18	27.8	7.385	87.77G	S	J.	916.54	0.36883	+	0.0000	0.36883	0.36883
"	"	5	11	2.8692	2.44	26.3	+0.2	7.348	87.3023	47	5510	29	16	26.6	7.350	87.30G	S	J.	915.90	0.36877	+	0.0003	0.36878	0.36878
"	"	8	12	2.8698	2.43	27.4	-0.1	7.778	87.0023	47	610	29	6	27.3	7.786	87.00G	S	J.	916.18	0.36894	+	0.0003	0.36892	0.36892
"	"	10	11	2.8678	2.41	27.8	-0.1	8.391	86.8023	45	4110	28	41	27.6	8.367	86.80G	S	J.	916.35	0.36927	+	0.0008	0.36923	0.36923
"	"	12	12	2.8688	2.42	28.0	-0.7	7.941	86.6523	47	110	29	0	27.7	7.888	86.65G	S	J.	916.39	0.36899	+	0.0002	0.36897	0.36897
"	"	15	12	2.8690	2.10	28.2	+1.5	8.013	86.4723	46	4510	28	57	27.8	7.973	86.47G	S	J.	916.41	0.36903	+	0.0004	0.36901	0.36901
"	"	19	12	2.8695	1.58	27.3	+1.0	7.500	85.9723	47	4010	29	17	27.3	7.433	85.97G	S	J.	916.26	0.36886	+	0.0001	0.36885	0.36885
"	"	22	12	2.8695	2.21	28.3	+0.9	7.508	86.1023	48	1110	29	23	27.3	7.472	86.10G	S	J.	916.49	0.36882	+	0.0003	0.36883	0.36883
"	"	24	11	2.8717	2.10	28.8	+0.9	6.443	85.8023	48	2610	29	32	27.9	6.547	85.80G	S	J.	916.16	0.36851	+	0.0001	0.36851	0.36851
"	"	26	12	2.8706	2.11	28.6	+0.9	7.445	85.8023	48	3710	29	16	28.3	7.333	86.17G	S	J.	916.33	0.36871	+	0.0002	0.36870	0.36870
"	"	31	12	2.8697	2.22	27.6	+0.6	7.270	86.1723	48	3510	29	32	27.0	7.225	86.17G	S	J.	916.33	0.36872	+	0.0003	0.36873	0.36873
SEPT.	2	13	11	2.8691	2.23	28.5	+0.8	7.931	86.2223	47	1210	29	7	27.8	7.873	86.22G	S	J.	916.41	0.36892	+	0.0002	0.36891	0.36891
"	"	5	12	2.8698	2.29	28.5	+1.0	7.692	86.2223	47	210	29	3	28.0	7.600	86.22G	S	J.	916.30	0.36888	+	0.0001	0.36887	0.36887
"	"	7	11	2.8700	2.25	28.8	+1.3	7.686	86.2023	46	4810	28	57	28.2	7.730	86.20G	S	J.	916.30	0.36890	+	0.0002	0.36889	0.36889
"	"	9	12	2.8702	2.27	28.6	+1.7	7.437	86.322															

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

1911. Date.	Vibration Magnet.			Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection.		Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.		Values of H.				*Observed monthly Mean Values of H.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.	Rate of Chrono- meter.	S.	Sec. div.	°	°	°	°	°	Values of m.		Difference.	Mean.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
												Thermo- meter.	Thermo- meter.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
																	23 cms.	30 cms.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1	2	3	4	5	6.	7	8	9	10	11	12	13	14	15	16	17	18	19	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Oct.	3	11 56	2.8716	1.93	29.8	-0.3	6.837	88.0023	47	35 10	29	11	28.9	6.793	88.00	G. S. J.	916.41	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.36864	0.3

The mean *observed value of the Horizontal Force for the year 1911 = 0.368680

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

Absolute Magnetical Observations, Alibag—Table IIa.

OBSERVATIONS OF ABSOLUTE DECLINATION, 1911.

Taken with Magnetometer No. 7 (T. Cooke and Sons.)

1911.	MEAN READINGS.				TORSION.				MONTHLY MEAN.			
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to		Mean.	Effect of 90°.	Observer.	Corres-ponding Reading of Declination Magnetograms.	Absolute Easterly Declination corrected for Torsion.	Corre-ponding Reading of Declination Magnetograms.	*Observed absolute Easterly Declination.
		Scale apparently		Scale of Collimator Magnet.	Kennery Light House.							
		Erect.	Inverted.									
1	2	3	4	5	6	7	8	9	10	11	12	13
	H. m.	Sec. div.	Sec. div.	° ' "	° ' "	°	Sec. div.		Cms.	° ' "	Cms.	° ' "
JAN.	5 12 8	55.6	..	85 25 0	222 23 15	0	..	G. S. J.	5.807	0 55 10	5.855	0 55 34
"	12 12 2	55.6	..	85 26 0	222 23 0	0	..	G. S. J.	5.925	0 56 25		
"	19 11 58	55.6	..	85 25 5	222 22 40	0	..	V. V. N.	5.877	0 55 50		
"	26 11 40	55.6	..	85 24 25	222 23 0	0	..	V. V. N.	5.810	0 54 50		
FEB.	2 11 53	55.6	..	85 25 35	222 22 50	0	..	V. V. N.	5.915	0 56 10	5.884	0 55 52
"	9 11 38	55.6	..	85 25 20	222 22 55	0	..	V. V. N.	5.900	0 55 50		
"	16 12 13	55.6	..	85 25 5	222 23 5	0	..	V. V. N.	5.860	0 55 25		
"	23 11 57	55.6	..	85 25 30	222 22 50	0	..	V. V. N.	5.860	0 56 5		
MARCH	2 12 12	55.6	..	85 26 30	222 22 50	0	..	V. V. N.	6.000	0 57 5	5.888	0 55 55
"	9 11 57	55.6	..	85 24 55	222 22 50	0	..	V. V. N.	5.825	0 55 30		
"	17 12 31	55.6	..	85 25 50	222 22 50	0	..	V. V. N.	5.900	0 56 25		
"	23 11 25	55.6	..	85 25 30	222 23 20	0	..	V. V. N.	5.890	0 55 35		
"	31 11 10	55.6	..	85 24 35	222 23 0	0	..	G. S. J.	5.827	0 55 0	5.692	0 53 47
APRIL	0 11 48	55.6	..	85 23 40	222 23 0	0	..	G. S. J.	5.732	0 54 5		
"	13 11 57	55.6	..	85 25 25	222 23 5	0	..	G. S. J.	5.887	0 55 45		
"	20 12 2	55.6	..	85 23 10	222 23 5	0	..	G. S. J.	5.662	0 53 30		
"	27 11 53	55.6	..	85 21 30	222 23 5	0	..	G. S. J.	5.487	0 51 50	5.687	0 53 50
MAY	4 12 9	55.6	..	85 22 15	222 23 5	0	..	G. S. J.	5.582	0 52 35		
"	11 11 52	55.6	..	85 22 50	222 23 5	0	..	G. S. J.	5.655	0 53 10		
"	18 12 17	55.6	..	85 23 15	222 23 0	0	..	G. S. J.	5.657	0 53 40		
"	22 13 47	55.6	..	85 23 30	222 22 55	0	..	S. B. B.	5.707	0 54 0	5.659	0 53 43
"	24 14 1	55.6	..	85 24 50	222 22 45	0	..	G. S. J.	5.845	0 55 30		
"	26 13 44	55.6	..	85 24 40	222 22 45	0	..	S. B. B.	5.787	0 55 20		
"	29 13 45	55.6	..	85 23 5	222 22 30	0	..	G. S. J.	5.695	0 54 0		
"	31 13 45	55.6	..	85 22 35	222 22 45	0	..	S. B. B.	5.567	0 53 15	5.642	0 53 10
JUNE	2 13 45	55.6	..	85 22 55	222 22 45	0	..	G. S. J.	5.635	0 53 35		
"	5 13 45	55.6	..	85 23 5	222 22 40	0	..	S. B. B.	5.690	0 53 50		
"	7 14 17	55.6	..	85 23 10	222 22 30	0	..	G. S. J.	5.685	0 54 5		
"	9 13 52	55.6	..	85 23 30	222 22 40	0	..	S. B. B.	5.695	0 54 15	5.642	0 53 10
"	12 15 20	55.6	..	85 24 25	222 22 30	0	..	G. S. J.	5.785	0 55 20		
"	14 13 45	55.6	..	85 22 30	222 22 0	0	..	S. B. B.	5.620	0 53 15		
"	16 13 53	55.6	..	85 22 55	222 22 40	0	..	G. S. J.	5.610	0 53 40		
"	19 13 45	55.6	..	85 23 5	222 22 45	0	..	S. B. B.	5.660	0 53 45	5.642	0 53 10
"	21 13 45	55.6	..	85 22 20	222 22 55	0	..	G. S. J.	5.590	0 52 50		
"	23 13 45	55.6	..	85 23 40	222 23 15	0	..	S. B. B.	5.725	0 53 50		
"	26 13 43	55.6	..	85 22 30	222 22 45	0	..	G. S. J.	5.640	0 53 10		
"	28 13 43	55.6	..	85 22 45	222 22 40	0	..	S. B. B.	5.595	0 53 30	5.642	0 53 10
"	30 13 38	55.6	..	85 22 35	222 22 50	0	..	G. S. J.	5.640	0 53 19		
JULY	3 13 42	55.6	..	85 23 0	222 23 0	0	..	S. B. B.	5.650	0 53 25		
"	5 14 26	55.6	..	85 23 40	222 22 50	0	..	S. B. B.	5.730	0 54 15	5.642	0 53 10
"	7 13 25	55.6	..	85 22 40	222 22 20	0	..	S. B. B.	5.615	0 52 45		
"	10 13 58	55.6	..	85 23 0	222 22 40	0	..	G. S. J.	5.665	0 53 45		
"	12 14 5	55.6	..	85 22 30	222 22 55	0	..	S. B. B.	5.652	0 53 0	5.642	0 53 10
"	14 14 4	55.6	..	85 22 15	222 22 40	0	..	G. S. J.	5.635	0 53 0		
"	17 13 45	55.6	..	85 22 0	222 23 0	0	..	S. B. B.	5.555	0 52 25		
"	19 13 45	55.6	..	85 22 25	222 23 0	0	..	G. S. J.	5.630	0 52 50		
"	21 13 45	55.6	..	85 23 5	222 23 25	0	..	S. B. B.	5.692	0 53 5	5.642	0 53 10
"	24 13 36	55.6	..	85 22 40	222 23 0	0	..	G. S. J.	5.600	0 53 5		
"	26 14 19	55.6	..	85 24 10	222 23 55	0	..	S. B. B.	5.685	0 53 40		
"	28 13 37	55.6	..	85 21 50	222 23 5	0	..	G. S. J.	5.545	0 52 10		
"	31 14 6	55.6	..	85 23 15	222 23 0	0	..	S. B. B.	5.690	0 53 40	5.642	0 53 10

† As the Kennery Lighthouse was not visible the known azimuth of a fixed mark in the niche of the wall has been made use of.

1911.		MEAN READINGS.						TORSION.		Observer.	Corre- sponding Reading of Declina- tion Magnetograms.	Absolute Easterly Declina- tion corrected for Torsion.	MONTHLY MEAN.				
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to				Mean.	Effect of 90°.				Corre- sponding Reading of Declina- tion Magnetograms.	Absolute Easterly Declina- tion corrected for Torsion.	Corre- sponding Reading of Declina- tion Magnetograms.	*Observed absolute Easterly Declina- tion.	
		Scale apparently		Scale of Collimator Magnet.	Kennery Light House.												
		Erect.	Inverted.														
1	2	3	4	5	6	7	8	9	10	11	12	13					
		H. m. Sc. div.	Sc. div.						Sc. div.		Cms.						
Aug.	2	14 5	55.6	..	85	22	25	222	23	0	0	..	G. S. J.	5.640	0	52	50
"	4	13 45	55.6	..	85	23	50	222	23	30	0	..	S. B. B.	5.740	0	53	45
"	7	13 45	55.6	..	85	22	15	222	23	10	0	..	G. S. J.	5.632	0	52	30
"	11	13 45	55.6	..	85	22	20	222	23	10	0	..	G. S. J.	5.650	0	52	35
"	14	14 9	55.6	..	85	23	0	222	24	20	0	..	S. B. B.	5.640	0	52	5
"	16	13 45	55.6	..	85	23	30	222	23	0	0	..	G. S. J.	5.762	0	53	55
"	18	13 45	55.6	..	85	22	50	222	23	25	0	..	S. B. B.	5.627	0	52	50
"	21	13 45	55.6	..	85	22	40	222	23	5	0	..	G. S. J.	5.672	0	53	0
"	23	13 46	55.6	..	85	22	40	222	23	40	0	..	S. B. B.	5.610	0	52	25
"	25	13 52	55.6	..	85	23	35	222	23	15	0	..	G. S. J.	5.732	0	53	45
"	30	13 45	55.6	..	85	21	50	222	23	20	0	..	G. S. J.	5.567	0	51	55
SEPT.	1	13 24	55.6	..	85	21	45	222	23	30	0	..	S. B. B.	5.505	0	51	40
"	4	13 45	55.6	..	85	21	55	222	23	0	0	..	G. S. J.	5.590	0	52	20
"	6	13 45	55.6	..	85	21	50	222	23	10	0	..	S. B. B.	5.535	0	52	5
"	8	13 45	55.6	..	85	21	50	222	23	0	0	..	G. S. J.	5.605	0	52	15
"	11	13 45	55.6	..	85	21	0	222	23	5	0	..	S. B. B.	5.490	0	51	20
"	15	13 45	55.6	..	85	22	45	222	23	35	0	..	S. B. B.	5.630	0	52	35
"	20	14 57	55.6	..	85	24	10	222	23	25	0	..	S. B. B.	5.745	0	54	10
"	22	14 8	55.6	..	85	22	55	222	23	15	0	..	G. S. J.	5.665	0	53	5
"	25	13 46	55.6	..	85	21	40	222	23	25	0	..	S. B. B.	5.520	0	51	40
"	27	13 41	55.6	..	85	21	10	222	23	20	0	..	G. S. J.	5.500	0	51	15
"	29	14 12	55.6	..	85	22	30	222	23	15	0	..	G. S. J.	5.645	0	52	40
OCT.	4	13 46	55.6	..	85	21	50	222	23	25	0	..	S. B. B.	5.510	0	51	50
"	6	13 44	55.6	..	85	22	55	222	23	10	0	..	G. S. J.	5.637	0	53	10
"	9	14 28	55.6	..	85	24	35	222	23	50	0	..	S. B. B.	5.750	0	54	10
"	11	13 44	55.6	..	85	23	40	222	23	35	0	..	G. S. J.	5.690	0	53	30
"	13	13 48	55.6	..	85	23	30	222	24	10	0	..	S. B. B.	5.595	0	52	45
"	16	14 32	55.6	..	85	23	55	222	23	30	0	..	G. S. J.	5.715	0	53	50
"	18	13 30	55.6	..	85	24	0	222	24	0	0	..	S. B. B.	5.710	0	53	55
"	20	13 44	55.6	..	85	24	15	222	23	45	0	..	G. S. J.	5.735	0	53	55
"	25	13 45	55.6	..	85	23	30	222	24	5	0	..	G. S. J.	5.635	0	52	50
"	27	13 22	55.6	..	85	24	40	222	24	0	0	..	S. B. B.	5.745	0	54	5
"	30	13 44	55.6	..	85	23	50	222	23	50	0	..	G. S. J.	5.680	0	53	25
Nov.	1	13 52	55.6	..	85	24	45	222	24	0	0	..	S. B. B.	5.702	0	54	10
"	3	14 12	55.6	..	85	24	45	222	23	50	0	..	G. S. J.	5.735	0	54	20
"	6	14 13	55.6	..	85	25	15	222	24	10	0	..	S. B. B.	5.755	0	54	30
"	8	14 18	55.6	..	85	24	20	222	23	45	0	..	G. S. J.	5.710	0	54	0
"	10	14 32	55.6	..	85	23	40	222	24	10	0	..	A.	5.640	0	52	0
"	13	13 45	55.6	..	85	24	15	222	23	40	0	..	G. S. J.	5.720	0	54	0
"	15	13 44	55.6	..	85	23	40	222	23	35	0	..	A.	5.650	0	53	30
"	17	13 45	55.6	..	85	24	10	222	23	35	0	..	G. S. J.	5.705	0	54	0
"	20	14 16	55.6	..	85	24	20	222	23	30	0	..	A.	5.725	0	54	15
"	22	13 44	55.6	..	85	23	30	222	23	15	0	..	G. S. J.	5.670	0	53	40
"	24	14 24	55.6	..	85	23	40	222	23	25	0	..	A.	5.700	0	53	40
"	27	13 44	55.6	..	85	23	15	222	22	50	0	..	G. S. J.	5.710	0	53	50
"	29	13 50	55.6	..	85	23	0	222	23	5	0	..	A.	5.670	0	53	20
DEC.	1	13 44	55.6	..	85	22	45	222	22	55	0	..	G. S. J.	5.640	0	53	15
"	4	13 1	55.6	..	85	23	45	222	23	20	0	..	A.	5.680	0	53	50
"	6	13 44	55.6	..	85	22	10	222	23	0	0	..	G. S. J.	5.600	0	52	35
"	8	13 38	55.6	..	85	23	15	222	23	25	0	..	A.	5.670	0	53	15
"	11	13 44	55.6	..	85	26	25	222	23	5	0	..	G. S. J.	6.020	0	56	45
"	13	13 44	55.6	..	85	22	50	222	23	0	0	..	A.	5.657	0	53	15
"	15	13 45	55.6	..	85	23	35	222	23	10	0	..	G. S. J.	5.737	0	53	50
"	18	13 50	55.6	..	85	23	10	222	23	35	0	..	A.	5.680	0	53	0
"	20	13 44	55.6	..	85	23	10	222	23	0	0	..	G. S. J.	5.740	0	53	35
"	22	13 43	55.6	..	85	22	45	222	23	15	0	..	A.	5.630	0	52	55
"	27	14 0	55.6	..	85	22	55	222	23	10	0	..	A.	5.680	0	53	10
"	29	13 44	55.6	..	85	21	45	222	22	45	0	..	G. S. J.	5.620	0	52	25

The mean * observed Declination for the year 1911 = 0° 53' 59".

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

Absolute Magnetical Observations, Alibag—Table IIb.

OBSERVATIONS OF ABSOLUTE DECLINATION, 1911.

Taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.)

1911.		MEAN READINGS.								TORSION.		MONTHLY MEAN.			
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to				Mean.	Effect of 90°.	Observer.	Corresponding Reading of Declination Magnetograms.	Absolute Easterly Declination corrected for Torsion.	Corresponding Reading of Declination Magnetograms.	*Observed absolute Easterly Declination.	
		Scale apparently		Scale of Collimator Magnet.		Kennery Light House.									
		Erect.	Inverted.												
1	2	3	4	5	6	7	8	9	10	11	12	13			
	H.	m.	Sec. div.	Sec. div.			Sec. div.		Cms.		Cms.				
JAN.	5	12	55	34.05	33.37	276	24	53	23	5					
"	12	12	41	34.00	33.52	276	23	53	22	20					
"	19	13	0	34.02	33.70	276	24	53	22	30					
"	26	12	35	34.00	33.75	276	22	50	53	22	25				
FEB.	2	12	29	34.00	33.70	276	23	30	53	22	10				
"	9	12	12	33.95	33.77	276	23	40	53	22	15				
"	16	13	3	33.95	34.27	276	24	50	53	22	45				
"	23	12	25	34.00	34.30	276	24	20	53	22	30				
MARCH	2	12	44	34.00	34.60	276	25	30	53	22	30				
"	9	12	29	34.00	34.37	276	19	55	53	19	40				
"	17	12	52	34.00	34.12	276	20	10	53	19	0				
"	31	11	43	34.00	33.92	276	23	40	53	23	15				
APRIL	6	12	27	33.92	33.95	276	22	50	53	23	10				
"	13	12	40	33.95	34.15	276	25	10	53	22	55				
"	20	12	46	33.92	34.12	276	23	25	53	23	15				
"	27	12	33	33.95	34.17	276	21	5	53	22	30				
MAY	4	12	51	34.05	33.95	276	21	40	53	22	35				
"	11	12	36	34.02	34.25	276	22	55	53	22	40				
"	18	13	3	34.00	34.25	276	22	45	53	22	40				
"	23	10	37	34.00	34.35	276	24	30	53	23	30				
"	25	11	3	34.00	34.17	276	22	25	53	23	10				
"	27	10	27	34.00	34.40	276	23	5	53	22	50				
"	30	11	5	33.95	34.20	276	21	15	53	22	40				
JUNE	1	10	35	34.02	33.92	276	22	25	53	22	55				
"	6	10	32	34.00	34.20	276	24	5	53	22	50				
"	8	11	5	33.97	34.15	276	2	55	53	23	10				
"	10	10	34	34.00	34.15	276	22	15	53	22	35				
"	15	10	37	33.90	34.12	276	23	55	53	23	10				
"	17	10	35	34.00	34.10	276	22	35	53	23	0				
"	20	10	29	33.95	34.15	276	22	10	53	23	0				
"	24	11	12	34.00	34.05	276	22	15	53	22	30				
"	27	10	51	34.00	34.10	276	23	40	53	23	5				
"	29	10	41	33.90	34.32	276	23	25	53	23	0				
JULY	1	10	51	33.82	34.17	276	25	15	53	23	15				
"	4	10	47	33.90	34.39	276	23	10	53	22	35				
"	6	11	6	33.85	34.15	276	22	40	53	22	40				
"	8	11	25	34.00	34.10	276	22	50	53	23	15				
"	11	10	29	34.00	34.15	276	22	50	53	23	15				
"	13	10	31	33.80	34.30	276	22	55	53	23	30				
"	15	11	26	33.92	34.07	276	22	50	53	23	15				
"	18	11	13	33.97	34.30	276	22	40	53	23	25				
"	20	10	34	33.90	34.15	276	23	50	53	23	35				
"	22	10	42	34.00	34.11	276	22	10	53	23	10				
"	25	10	47	33.90	34.05	276	23	45	53	23	10				
"	27	10	42	33.95	34.47	276	23	10	53	23	15				
"	29	11	6	34.00	34.42	276	23	55	53	23	20				
AUG.	1	10	11	33.99	34.20	276	23	55	53	23	5				
"	3	11	5	34.05	33.97	276	21	40	53	23	15				
"	5	10	48	34.05	34.34	276	22	35	53	23	30				
"	8	11	4	33.77	34.55	276	23	5	53	22	50				
"	10	10	44	33.75	34.45	276	22	20	53	23	17				
"	12	11	11	33.70	34.37	276	22	25	53	23	15				
"	15	10	34	33.80	34.35	276	22	20	53	23	15				
"	19	11	4	33.80	33.97	276	21	30	53	23	15				

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

1911.		MEAN READINGS.								TORSION.		MONTHLY MEAN.				
Date.	Alibag Civil Time.	Collimator Mag. et.		Horizontal Circle with Telescope pointed to						Mean.	Effect of 90°.	Observer.	Corres-ponding Reading of Declination Magneto-grams.	Absolute Easterly Declination corrected for Torsion.	Corres-ponding Reading of Declination Magneto-grams.	*Observed absolute Easterly Declination.
		Scale apparently		Scale of Collimator Magnet.		Kennery Light House.										
		Erect.	Inverted.													
1	2	3	4.	5	6	7	8.	9	10	11	12	13				
		H. m. Sc. div.	Sc. div.	"	"	"	"	Sc. div.	Cms.	"	Cms.	"				
AUG.	22	10 56	34.05	33.97	276 21 55	53 23 15	0	..	G. S. J.	5.656	0 52 10	}				
"	24	10 23	33.97	34.05	276 22 55	53 23 30	0	..	S. B. B.	5.721	0 52 45					
"	26	10 52	33.85	34.29	276 21 35	53 23 10	0	..	G. S. J.	5.579	0 51 31					
"	31	10 57	33.95	34.00	276 22 20	53 23 10	0	..	G. S. J.	5.690	0 52 33					
SEPT.	2	12 15	34.07	33.82	276 20 15	53 23 10	0	..	S. B. B.	5.442	0 50 44	}				
"	5	10 59	33.95	34.05	276 21 15	53 23 5	0	..	G. S. J.	5.626	0 51 9					
"	7	10 50	33.99	34.12	276 21 40	53 23 10	0	..	S. B. B.	5.660	0 51 48					
"	9	11 21	34.00	34.00	276 21 35	53 23 30	0	..	G. S. J.	5.640	0 51 30					
"	14	10 21	33.80	34.60	276 23 35	53 23 25	0	..	S. B. B.	5.712	0 52 49	}				
"	16	10 32	34.00	34.05	276 21 35	53 23 10	0	..	S. B. B.	5.600	0 51 48					
"	19	11 3	33.96	34.07	276 22 15	53 23 35	0	..	G. S. J.	5.610	0 51 59					
"	21	12 8	34.05	34.07	276 22 5	53 23 20	0	..	S. B. B.	5.647	0 52 9					
"	23	11 41	34.12	34.10	276 21 35	53 23 40	0	..	G. S. J.	5.627	0 51 21	}				
"	26	10 21	34.05	34.20	276 23 5	53 23 30	0	..	S. B. B.	5.795	0 52 52					
"	28	10 28	34.20	33.90	276 23 25	53 23 30	0	..	G. S. J.	5.812	0 53 36					
"	30	10 11	33.80	34.15	276 22 25	53 23 40	0	..	S. B. B.	5.620	0 51 51					
OCT.	3	10 50	33.94	34.15	276 22 45	53 23 0	0	..	G. S. J.	5.680	0 52 29	}				
"	5	10 33	33.77	34.30	276 22 55	53 23 30	0	..	S. B. B.	5.720	0 52 20					
"	7	11 9	34.00	34.00	276 22 25	53 23 30	0	..	G. S. J.	5.643	0 52 20					
"	10	10 18	33.80	34.60	276 22 45	53 23 20	0	..	S. B. B.	5.678	0 52 4					
"	12	11 17	33.95	34.10	276 22 15	53 23 30	0	..	G. S. J.	5.631	0 52 2	}				
"	14	10 54	34.00	34.22	276 22 35	53 23 25	0	..	S. B. B.	5.685	0 52 22					
"	17	10 55	33.97	34.45	276 21 45	53 23 30	0	..	G. S. J.	5.565	0 51 12					
"	19	11 4	34.10	33.92	276 21 45	53 23 30	0	..	S. B. B.	5.612	0 51 50					
"	26	10 23	34.00	34.27	276 22 20	53 23 40	0	..	G. S. J.	5.638	0 51 50	}				
"	28	10 58	34.12	34.00	276 21 35	53 22 35	0	..	S. B. B.	5.642	0 52 32					
"	31	10 58	33.97	34.10	276 21 25	53 23 30	0	..	G. S. J.	5.585	0 51 13					
NOV.	2	11 10	33.90	34.30	276 20 45	53 23 30	0	..	S. B. B.	5.502	0 50 17		}			
"	4	11 35	33.95	33.72	276 22 0	53 23 50	12 E	1.19	G. S. J.	5.565	0 51 30					
"	7	10 54	34.07	34.27	276 20 30	53 23 30	0	..	A.	5.507	0 50 14					
"	9	11 8	34.07	33.99	276 22 15	53 23 35	0	..	G. S. J.	5.630	0 52 10					
"	11	11 48	34.00	33.87	276 21 40	53 23 30	0	..	A.	5.625	0 51 42	}				
"	14	10 50	33.97	34.10	276 22 25	53 23 50	0	..	G. S. J.	5.642	0 51 53					
"	16	10 54	34.00	34.42	276 21 50	53 23 20	0	..	A.	5.602	0 51 31					
"	18	10 59	33.97	34.17	276 20 55	53 23 15	0	..	G. S. J.	5.520	0 50 34					
"	21	10 50	34.02	34.12	276 20 35	53 23 10	0	..	A.	5.530	0 50 44	}				
"	23	11 12	34.07	34.12	276 20 45	51 23 15	0	..	G. S. J.	5.517	0 50 53					
"	25	11 14	34.00	34.10	276 20 35	53 23 0	0	..	A.	5.522	0 50 54					
"	28	11 14	33.92	34.40	276 21 20	53 22 55	0	..	G. S. J.	5.595	0 51 22					
"	30	11 28	34.05	34.35	276 21 10	53 23 5	0	..	A.	5.520	0 51 13					
DEC.	2	11 43	33.95	34.22	276 22 30	53 23 5	0	..	G. S. J.	5.666	0 52 35	}				
"	5	11 12	34.20	33.90	276 20 50	53 23 40	0	..	A.	5.506	0 50 52					
"	9	11 20	33.97	34.22	276 20 35	53 23 20	0	..	A.	5.515	0 50 26					
"	14	11 10	34.02	34.07	276 20 10	53 22 40	0	..	A.	5.590	0 50 53					
"	16	11 34	33.95	34.05	276 20 35	53 23 5	0	..	G. S. J.	5.566	0 50 49	}				
"	19	11 29	33.97	33.82	276 19 55	53 22 50	0	..	A.	5.480	0 50 28					
"	21	11 11	33.95	34.20	276 20 5	53 23 10	0	..	G. S. J.	5.513	0 50 6					
"	23	11 24	33.92	34.32	276 21 35	53 23 0	0	..	A.	5.688	0 51 37					
"	26	11 22	34.02	34.17	276 21 35	53 23 35	0	..	G. S. J.	5.602	0 51 17	}				
"	28	10 30	33.90	34.37	276 20 45	53 23 45	0	..	A.	5.525	0 49 59					
"	30	11 37	34.02	34.07	276 19 45	53 23 10	0	..	G. S. J.	5.470	0 49 58					

* The Mean observed Declination for the year 1911=0° 52' 59".

* The Mean observed Declination for the year 1911 = 0° 52' 59".

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

Absolute Magnetical Observations, Alibag—Table IIIa.

OBSERVATIONS OF INCLINATION.

Taken with Inductor No. 41 by Schulze and Galvanometer No. 200 by Plath.

1911.		Alibag Civil Time (0 to 24 hours)				Observers.	Face of Circle.				Mean Inclination.	*Monthly mean Inclination.		
Date.	At commence- ment.		At conclu- sion.		East.		West.							
	H.	m.	H.	m.										
JAN.	7	12	47	13	25	G. S. J. and B. P.	23	42-57	23	43-00	23	42-78	23	44.01
"	14	12	27	12	50	B. P. and G. S. J.	23	44-10	23	44-53	23	44-31		
"	21	12	45	13	31	W. V. N. and B.P.	23	43-50	23	43-78	23	43-64		
"	28	12	55	13	37	B.P. and W. V. N.	23	45-21	23	45-41	23	45-31		
FEB.	4	12	44	13	15	W. V. N. and B.P.	23	44-45	23	43-76	23	44-10	23	44.88
"	11	12	45	13	25	B.P. and W. V. N.	23	43-96	23	44-54	23	44-25		
"	18	12	54	13	33	W. V. N. and B.P.	23	45-15	23	45-60	23	45-37		
"	25	12	38	13	9	B.P. and W. V. N.	23	45-42	23	46-16	23	45-79		
MARCH	3	14	53	15	26	W. V. N. and B.P.	23	46-68	23	46-73	23	46-70	23	45.08
"	7	12	43	13	6	B.P. and W. V. N.	23	44-78	23	44-62	23	44-70		
"	10	14	37	15	3	B.P. and W. V. N.	23	45-38	23	45-55	23	45-46		
"	15	12	46	13	7	W. V. N. and B.P.	23	45-05	23	44-12	23	44-58		
"	17	14	20	14	47	W. V. N. and B.P.	23	45-26	23	44-88	23	45-07		
"	21	12	55	13	30	B.P. and W. V. N.	23	45-23	23	46-86	23	46-04		
"	24	15	12	15	45	W. V. N. and B.P.	23	46-62	23	44-65	23	45-53		
"	29	13	17	13	44	B.P. and W. V. N.	23	44-14	23	44-39	23	44-26		
"	31	15	15	15	43	G. S. J. and B. P.	23	43-56	23	43-27	23	43-41		
APRIL	4	12	30	12	48	B. P. and G. S. J.	23	43-50	23	44-24	23	43-87	23	44.87
"	7	14	32	15	11	G. S. J. and B. P.	23	43-58	23	42-71	23	43-14		
"	14	14	46	15	15	B. P. and G. S. J.	23	46-28	23	45-47	23	45-87		
"	15	12	37	13	10	G. S. J. and B. P.	23	43-61	23	43-03	23	43-32		
"	18	12	47	13	11	B. P. and G. S. J.	23	45-77	23	45-61	23	45-69		
"	21	14	28	15	4	G. S. J. and B. P.	23	46-74	23	46-65	23	46-69		
"	25	12	45	13	14	B. P. and G. S. J.	23	44-10	23	44-28	23	44-19		
"	28	14	50	15	24	G. S. J. and B. P.	23	45-69	23	46-72	23	46-20		
MAY	2	12	47	13	15	B. P. and G. S. J.	23	45-64	23	46-30	23	45-97	23	45.90
"	5	14	36	15	6	G. S. J. and B. P.	23	45-24	23	45-62	23	45-43		
"	9	12	53	13	22	B. P. and G. S. J.	23	46-00	23	46-62	23	46-31		
"	12	14	30	14	56	G. S. J. and B. P.	23	45-61	23	45-70	23	45-65		
"	16	12	39	13	8	B. P. and G. S. J.	23	46-06	23	46-41	23	46-23		
"	19	13	22	13	51	G. S. J. and B. P.	23	46-14	23	46-25	23	46-19		
"	20	13	27	14	6	G.S.J. and S.B.B.	23	46-21	23	46-29	23	46-25		
"	22	11	52	12	24	G. S. J. and B. P.	23	44-74	23	45-41	23	45-07		
"	23	14	52	15	21	G.S.J. and S.B.B.	23	46-78	23	46-94	23	46-86		
"	24	11	58	12	16	B. P. and S. B. B.	23	44-53	23	44-81	23	44-67		
"	25	15	12	15	46	S.B.B. and G.S.J.	23	46-52	23	46-72	23	46-62		
"	26	12	4	12	32	B. P. and G. S. J.	23	44-21	23	44-32	23	44-26		
"	27	14	47	15	16	G.S.J. and S.B.B.	23	47-57	23	48-18	23	47-87		
"	29	13	9	13	36	G.S.J. and S.B.B.	23	44-63	23	45-18	23	44-90		
"	30	15	1	15	28	G.S.J. and S.B.B.	23	46-60	23	46-70	23	46-65		
"	31	12	4	12	29	B. P. and G. S. J.	23	45-32	23	45-64	23	45-48		
JUNE	1	14	53	15	27	G.S.J. and S.B.B.	23	48-62	23	49-28	23	48-95	23	46.93
"	2	12	55	13	21	G.S.J. and S.B.B.	23	46-57	23	46-56	23	46-56		
"	3	14	45	15	22	S.B.B. and G.S.J.	23	46-74	23	48-46	23	47-60		
"	5	12	7	12	42	G. S. J. and B. P.	23	46-26	23	46-61	23	46-43		
"	6	14	46	15	17	G.S.J. and S.B.B.	23	48-11	23	48-82	23	48-46		
"	7	12	25	12	54	S. B. B. and B. P.	23	45-70	23	44-86	23	45-28		
"	8	14	58	15	23	G.S.J. and S.B.B.	23	49-21	23	48-48	23	48-84		
"	9	12	30	13	2	G. S. J. and B. P.	23	45-90	23	46-47	23	46-18		
"	10	14	40	15	4	G.S.J. and S.B.B.	23	47-42	23	48-27	23	47-84		
"	12	13	45	14	26	S. B. B. and B. P.	23	44-32	23	50-06	23	47-19		
"	13	14	48	15	26	G.S.J. and S.B.B.	23	47-80	23	48-90	23	48-35		
"	14	11	43	12	27	G. S. J. and B. P.	23	45-39	23	45-44	23	45-41		
"	15	14	35	15	6	G.S.J. and S.B.B.	23	47-09	23	48-41	23	47-75		
"	16	11	44	12	18	S. B. B. and B. P.	23	45-81	23	45-97	23	45-89		
"	17	14	23	14	50	G.S.J. and S.B.B.	23	47-91	23	48-45	23	48-18		
"	19	12	8	12	43	G.S.J. and S.B.B.	23	44-81	23	46-46	23	45-63		
"	20	14	27	15	0	G.S.J. and S.B.B.	23	47-25	23	48-29	23	47-77		
"	21	11	22	12	8	S. B. B. and B. P.	23	45-01	23	45-13	23	45-07		
"	22	10	26	10	41	B. P. and S. B. B.	23	45-93	23	46-65	23	46-29		
"	23	11	22	11	57	G. S. J. and B. P.	23	45-30	23	46-47	23	45-88		
"	24	14	20	14	43	G.S.J. and S.B.B.	23	46-93	23	48-78	23	47-85		
"	26	13	0	13	24	G.S.J. and S.B.B.	23	46-33	23	48-01	23	47-17		
"	27	14	8	14	41	S.B.B. and G.S.J.	23	45-83	23	46-75	23	46-29		
"	28	11	24	11	50	G. S. J. and B. P.	23	44-45	23	45-33	23	44-89		
"	29	14	13	14	47	G.S.J. and S.B.B.	23	48-19	23	48-54	23	48-36		
"	30	12	56	13	25	G.S.J. and S.B.B.	23	44-53	23	47-40	23	45-96		

*The monthly and annual means corrected for diurnal variation appear in Table VIII.

The temporary pillar on which the Inductor was mounted was a wooden one and not isolated from the floor of the observation room. The somewhat large differences occasionally noted during this year, in the results for face East and face West, are probably in the main due to level changes on this account.

1911.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.*		Mean Inclination.	*Monthly mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.					
JULY	1	14 13	14 35	S.B.B. and G.S.J.	23 45.22	23 46.66	23 45.94	3 47.94
"	3	11 15	11 41	G. S. J. and B. P.	23 46.00	23 46.18	23 46.09	
"	4	14 7	14 35	G.S.J. and S.B.B.	23 46.15	23 48.12	23 47.13	
"	5	11 45	11 35	S. B. B. and B. P.	23 44.72	23 46.04	23 45.38	
"	6	14 28	14 52	S. B. B. and B. P.	23 47.43	23 49.76	23 48.09	
"	7	11 7	11 31	G.S.J. and S.B.B.	23 45.75	23 46.73	23 46.24	
"	8	14 36	15 2	G. S. J. and B. P.	23 48.86	23 49.21	23 49.03	
"	10	11 50	12 13	S. B. B. and B. P.	23 47.06	23 46.94	23 47.00	
"	11	14 21	15 7	G.S.J. and S.B.B.	23 48.06	23 54.26	23 51.13	
"	12	11 42	12 20	G. S. J. and B. P.	23 54.36	23 47.15	23 50.75	
"	13	14 1	14 35	G.S.J. and S.B.B.	23 47.86	23 49.88	23 48.87	
"	14	11 34	11 58	S. B. B. and B. P.	23 46.02	23 46.09	23 46.05	
"	15	13 56	14 22	G.S.J. and S.B.B.	23 46.73	23 48.27	23 47.51	
"	17	11 33	12 10	G. S. J. and B. P.	23 45.47	23 46.40	23 45.93	
"	18	14 10	14 43	G.S.J. and S.B.B.	23 50.11	23 52.05	23 51.08	
"	19	11 6	11 31	S. B. B. and B. P.	23 46.83	23 48.42	23 47.62	
"	20	13 50	14 22	G.S.J. and S.B.B.	23 49.74	23 49.84	23 49.79	
"	21	11 10	11 38	G. S. J. and B. P.	23 47.67	23 48.30	23 47.98	
"	22	13 57	14 38	G.S.J. and S.B.B.	23 50.72	23 50.85	23 50.78	
"	24	12 54	13 20	G.S.J. and S.B.B.	23 47.13	23 48.60	23 47.86	
"	25	13 53	14 19	G.S.J. and S.B.B.	23 49.08	23 49.06	23 49.07	
"	26	11 28	12 1	G. S. J. and B. P.	23 46.58	23 47.82	23 47.20	
"	27	14 0	14 31	G.S.J. and S.B.B.	23 46.62	23 48.72	23 47.67	
"	28	12 53	13 23	G.S.J. and S.B.B.	23 46.50	23 46.49	23 46.49	
"	29	13 53	14 11	G.S.J. and S.B.B.	23 49.45	23 48.94	23 49.19	
"	31	11 22	11 50	G.S.J. and S.B.B.	23 46.39	23 46.93	23 46.66	
AUG.	1	14 29	14 55	G.S.J. and S.B.B.	23 48.35	23 50.72	23 49.53	23 47.23
"	2	11 31	11 51	S. B. B. and B. P.	23 47.38	23 49.34	23 48.36	
"	3	13 54	14 19	G.S.J. and S.B.B.	23 46.45	23 49.06	23 47.75	
"	4	11 37	12 3	G. S. J. and B. P.	23 45.55	23 47.84	23 46.69	
"	5	13 58	14 28	G.S.J. and S.B.B.	23 49.82	23 50.18	23 50.00	
"	7	11 36	11 57	S. B. B. and B. P.	23 47.15	23 46.19	23 46.67	
"	8	13 43	14 3	G.S.J. and S.B.B.	23 46.93	23 49.07	23 48.00	
"	9	10 48	11 16	G.S.J. and S.B.B.	23 45.27	23 45.32	23 45.29	
"	10	15 4	15 42	G.S.J. and S.B.B.	23 50.41	23 50.62	23 50.51	
"	11	11 34	11 57	S. B. B. and B. P.	23 44.61	23 44.64	23 44.62	
"	12	13 55	14 19	G.S.J. and S.B.B.	23 48.07	23 48.70	23 48.38	
"	14	11 33	11 52	G. S. J. and B. P.	23 46.27	23 46.20	23 46.23	
"	15	13 58	14 27	G.S.J. and S.B.B.	23 46.22	23 46.46	23 46.34	
"	16	11 33	11 53	S. B. B. and B. P.	23 46.10	23 47.63	23 46.86	
"	17	10 32	10 59	S. B. B. and B. P.	23 44.66	23 44.80	23 44.73	
"	18	11 10	11 43	G.S.J. and S.B.B.	23 44.88	23 45.95	23 45.41	
"	19	14 1	14 42	G.S.J. and S.B.B.	23 45.70	23 48.32	23 47.01	
"	21	10 40	10 59	S. B. B. and B. P.	23 43.99	23 44.23	23 44.11	
"	22	13 57	14 29	G.S.J. and S.B.B.	23 46.44	23 48.68	23 47.56	
"	23	12 4	12 38	G. S. J. and B. P.	23 44.23	23 45.03	23 44.63	
"	24	13 58	14 33	G.S.J. and S.B.B.	23 49.16	23 47.61	23 48.38	
"	25	11 13	11 45	G.S.J. and S.B.B.	23 45.78	23 46.13	23 45.95	
"	26	14 1	14 28	G.S.J. and S.B.B.	23 48.67	23 51.02	23 49.84	
"	28	11 58	12 16	S. B. B. and B. P.	23 48.85	23 48.68	23 48.76	
"	31	14 36	14 59	G.S.J. and S.B.B.	23 48.66	23 49.75	23 49.20	
SEPT.	1	11 22	11 53	G. S. J. and B. P.	23 47.44	23 50.29	23 48.86	23 49.01
"	2	14 28	14 54	G.S.J. and S.B.B.	23 48.35	23 49.85	23 49.10	
"	4	10 45	11 8	S. B. B. and B. P.	23 47.85	23 47.71	23 47.78	
"	5	13 52	14 18	G.S.J. and S.B.B.	23 48.10	23 48.33	23 48.21	
"	6	11 35	12 10	G. S. J. and B. P.	23 46.73	23 48.52	23 47.62	
"	7	14 2	14 43	G.S.J. and S.B.B.	23 47.06	23 48.32	23 47.69	
"	8	11 6	11 27	S. B. B. and B. P.	23 46.92	23 49.07	23 47.99	
"	9	14 6	15 3	G.S.J. and S.B.B.	23 48.99	23 50.16	23 49.57	
"	11	11 39	12 7	G. S. J. and B. P.	23 46.74	23 49.35	23 48.04	
"	12	12 10	12 28	S. B. B. and B. P.	23 47.97	23 46.54	23 47.25	
"	13	13 33	14 1	S. B. B. and B. P.	23 47.63	23 47.87	23 47.75	
"	14	13 12	13 44	S. B. B. and B. P.	23 46.53	23 50.10	23 48.31	
"	15	11 50	12 21	G. S. J. and B. P.	23 47.03	23 49.19	23 48.11	
"	16	13 58	14 24	G.S.J. and S.B.B.	23 52.10	23 53.16	23 52.63	
"	18	11 6	11 34	G.S.J. and S.B.B.	23 47.20	23 49.38	23 48.29	
"	19	16 26	16 48	G.S.J. and S.B.B.	23 49.87	23 50.23	23 50.05	
"	20	12 26	13 41	G. S. J. and B. P.	23 50.13	23 54.64	23 52.38	
"	21	14 35	15 7	G.S.J. and S.B.B.	23 55.82	23 54.27	23 55.04	
"	22	12 31	12 48	S. B. B. and B. P.	23 51.51	23 49.59	23 50.55	
"	23	13 56	14 15	G.S.J. and S.B.B.	23 51.48	23 52.83	23 52.15	
"	25	11 53	12 19	G. S. J. and B. P.	23 46.46	23 50.43	23 48.44	
"	26	13 57	14 36	G.S.J. and S.B.B.	23 47.16	23 50.05	23 48.60	
"	27	11 33	12 5	S. B. B. and B. P.	23 45.83	23 46.20	23 46.01	
"	28	14 8	14 29	G.S.J. and S.B.B.	23 49.34	23 47.88	23 48.61	
"	29	10 46	11 3	S. B. B. and B. P.	23 46.56	23 48.66	23 47.61	
"	30	14 18	14 44	G.S.J. and S.B.B.	23 47.54	23 47.89	23 47.71	

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

1911.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	*Monthly mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.					
Oct.	2	12 10	12 31	G.S.J. and S.B.B.	23 46.47	23 44.49	23 45.48	
"	3	13 53	14 22	G.S.J. and S.B.B.	23 48.99	23 49.45	23 49.22	
"	4	11 32	11 57	G. S. J. and B. P.	23 54.14	23 47.63	23 50.88	
"	5	14 1	14 23	G.S.J. and S.B.B.	23 46.17	23 47.33	23 46.75	
"	6	10 56	11 20	S. B. B. and B. P.	23 48.01	23 47.14	23 47.57	
"	7	13 58	14 26	G.S.J. and S.B.B.	23 46.49	23 50.40	23 48.44	
"	9	12 14	12 46	G.S.J. and S.B.B.	23 46.92	23 48.65	23 47.78	
"	10	13 52	14 23	G.S.J. and S.B.B.	23 46.43	23 49.26	23 47.84	
"	11	11 40	12 1	S. B. B. and B. P.	23 47.87	23 47.81	23 47.84	
"	12	13 53	14 18	G.S.J. and S.B.B.	23 46.07	23 48.22	23 47.14	
"	13	12 12	12 40	G. S. J. and B. P.	23 46.77	23 45.53	23 46.15	
"	14	13 52	14 22	G.S.J. and S.B.B.	23 46.49	23 48.31	23 47.40	
"	16	10 44	11 5	S. B. B. and B. P.	23 47.41	23 47.31	23 47.36	23 47.72
"	17	14 1	14 42	G.S.J. and S.B.B.	23 49.57	23 49.74	23 49.65	
"	18	11 30	11 51	G. S. J. and B. P.	23 47.97	23 47.61	23 47.79	
"	19	14 2	14 26	G.S.J. and S.B.B.	23 48.60	23 49.02	23 48.81	
"	20	11 50	12 23	S. B. B. and B. P.	23 45.98	23 45.69	23 45.83	
"	21	12 36	12 55	G.S.J. and S.B.B.	23 48.06	23 48.28	23 48.17	
"	23	10 52	11 25	S. B. B. and B. P.	23 46.95	23 46.58	23 46.76	
"	24	12 8	12 22	G.S.J. and S.B.B.	23 47.50	23 48.64	23 48.07	
"	25	11 3	11 22	S. B. B. and B. P.	23 46.16	23 47.88	23 47.02	
"	26	13 52	14 8	G.S.J. and S.B.B.	23 49.37	23 51.07	23 50.22	
"	27	11 16	11 39	G. S. J. and B. P.	23 46.42	23 46.74	23 46.58	
"	28	14 14	14 54	G.S.J. and S.B.B.	23 47.41	23 48.20	23 47.80	
"	30	11 44	12 2	S. B. B. and B. P.	23 50.12	23 46.20	23 48.16	
"	31	14 6	14 22	G.S.J. and S.B.B.	23 45.16	23 46.64	23 45.90	
Nov.	1	11 45	12 23	G. S. J. and B. P.	23 45.30	23 46.67	23 45.98	
"	2	14 26	15 8	G.S.J. and S.B.B.	23 45.97	23 46.69	23 46.33	
"	3	11 40	12 8	S. B. B. and B. P.	23 49.97	23 50.06	23 50.01	
"	4	14 15	14 31	G.S.J. and S.B.B.	23 48.95	23 49.71	23 49.33	
"	6	12 7	12 31	G. S. J. and A.	23 49.57	23 51.89	23 50.73	
"	7	14 12	14 40	G. S. J. and A.	23 50.04	23 49.97	23 50.00	
"	8	12 7	12 30	B. P. and A.	23 49.13	23 49.79	23 49.46	
"	9	14 3	14 31	G. S. J. and A.	23 47.58	23 50.03	23 48.80	
"	10	11 37	12 1	G. S. J. and B. P.	23 48.82	23 49.35	23 49.08	
"	11	14 38	15 2	G. S. J. and A.	23 49.79	23 52.11	23 50.95	
"	13	11 22	11 52	B. P. and A.	23 50.82	23 50.30	23 50.56	
"	14	14 18	14 51	G. S. J. and A.	23 50.01	23 52.13	23 51.07	
"	15	11 24	11 47	G. S. J. and B. P.	23 52.75	23 50.36	23 51.55	23 49.81
"	16	13 56	14 19	G. S. J. and A.	23 50.16	23 51.10	23 50.63	
"	17	11 49	12 19	B. P. and A.	23 50.60	23 51.72	23 51.16	
"	18	13 56	14 15	G. S. J. and A.	23 49.98	23 50.58	23 50.28	
"	20	12 1	12 27	G. S. J. and B. P.	23 50.56	23 50.66	23 50.61	
"	21	14 0	14 26	G. S. J. and A.	23 50.77	23 50.42	23 50.59	
"	22	11 24	11 45	B. P. and A.	23 49.97	23 49.69	23 49.83	
"	23	13 50	14 7	G. S. J. and A.	23 49.55	23 50.07	23 49.81	
"	24	10 54	11 8	G. S. J. and B. P.	23 48.33	23 48.00	23 48.16	
"	25	13 54	14 20	G. S. J. and A.	23 49.92	23 50.62	23 50.27	
"	27	11 40	11 58	B. P. and A.	23 49.92	23 49.55	23 49.73	
"	28	13 53	14 19	G. S. J. and A.	23 49.91	23 51.26	23 50.58	
"	29	11 25	11 54	G. S. J. and B. P.	23 48.65	23 49.80	23 49.22	
"	30	14 2	14 26	G. S. J. and A.	23 50.13	23 50.71	23 50.42	
Dec.	1	11 56	12 12	B. P. and A.	23 49.47	23 50.84	23 50.15	
"	2	14 11	14 36	G. S. J. and A.	23 50.46	23 51.62	23 51.04	
"	4	10 56	11 19	G. S. J. and B. P.	23 49.33	23 51.24	23 50.28	
"	5	13 55	14 28	G. S. J. and A.	23 50.91	23 52.81	23 51.86	
"	6	11 37	12 3	B. P. and A.	23 48.78	23 50.57	23 49.67	
"	7	11 17	11 38	G. S. J. and B. P.	23 49.85	23 51.37	23 50.61	
"	8	11 27	11 46	G. S. J. and B. P.	23 50.36	23 50.75	23 50.55	
"	9	13 54	14 19	G. S. J. and A.	23 51.66	23 53.15	23 52.40	
"	11	11 39	11 58	B. P. and A.	23 53.08	23 55.10	23 54.09	
"	12	14 17	14 34	G. S. J. and A.	23 52.64	23 53.31	23 52.97	
"	13	10 52	11 21	G. S. J. and B. P.	23 50.27	23 51.48	23 50.87	
"	14	13 57	14 24	G. S. J. and A.	23 51.41	23 52.94	23 52.17	
"	15	11 36	12 16	B. P. and A.	23 50.79	23 52.76	23 51.77	
"	16	14 17	14 42	G. S. J. and A.	23 51.00	23 53.67	23 52.33	23 51.34
"	18	11 44	12 9	G. S. J. and B. P.	23 50.98	23 51.65	23 51.31	
"	19	13 55	14 23	G. S. J. and A.	23 51.88	23 53.59	23 52.73	
"	20	10 56	11 14	B. P. and A.	23 50.12	23 50.55	23 50.33	
"	21	13 53	14 8	G. S. J. and A.	23 51.44	23 50.77	23 51.10	
"	22	11 28	11 46	G. S. J. and B. P.	23 50.01	23 50.53	23 50.27	
"	23	13 54	14 17	G. S. J. and A.	23 51.43	23 52.26	23 51.84	
"	25	12 17	12 47	G. S. J. and A.	23 49.81	23 51.31	23 50.56	
"	26	13 46	14 3	G. S. J. and A.	23 50.52	23 51.05	23 50.78	
"	27	12 3	12 35	G. S. J. and B. P.	23 51.09	23 51.93	23 51.51	
"	28	14 2	14 22	G. S. J. and A.	23 52.12	23 52.19	23 52.15	
"	29	11 13	11 36	B. P. and A.	23 50.58	23 50.56	23 50.57	
"	30	13 58	14 17	G. S. J. and A.	23 50.73	23 51.27	23 51.00	

* The mean observed Inclination for the year 1911 = 23° 47' 06"

*The monthly and annual means corrected for diurnal variation appear in Table VIII.

Absolute Magnetical Observations, Alibag—Table IIIb.

OBSERVATIONS OF INCLINATION, 1911.

*Taken with Dip Circle No. 160 (Cambridge Scientific Instrument Co.) and
two 3½ inch Needles Nos. 1 and 2 by Dover.*

1911.		Alibag Civil Time (0 to 24 hours)		End of Needle Dipping.								Mean Dip.	Monthly Mean for each Needle.	Monthly Mean.
Date.	At com- mence- ment.	At conclu- sion.	Ob- server.	Needle marked.	A.		B.							
					Face of Circle.		Face of Circle.							
					East.	West.	East.	West.						
	H.	m.	H.	m.										
JAN	3	11 50	12 45	G. S. J.	1	23 40.6	23 49.1	23 32.9	23 36.6	23 39.8	No. 1 23 40.9	23 41.1		
"	3	12 52	13 38	G. S. J.	2	23 37.9	23 47.4	23 31.9	23 43.5	23 40.2				
"	6	13 53	14 41	G. S. J.	1	23 45.2	23 47.0	23 27.4	23 41.2	23 40.2				
"	6	14 49	15 34	G. S. J.	2	23 37.6	23 49.0	23 32.2	23 45.9	23 41.2				
"	10	11 58	12 48	G. S. J.	1	23 45.9	23 52.1	23 31.2	23 36.9	23 41.5				
"	10	12 56	13 48	G. S. J.	3	23 42.6	23 48.7	23 30.1	23 46.8	23 42.0				
"	13	13 51	14 38	G. S. J.	1	23 48.4	23 50.7	23 35.6	23 34.6	23 42.3				
"	13	14 46	15 35	G. S. J.	2	23 43.1	23 48.6	23 34.7	23 42.2	23 42.1				
"	17	11 44	12 35	G. S. J.	1	23 44.4	23 48.6	23 30.1	23 33.6	23 39.2				
"	17	12 42	13 30	G. S. J.	2	23 37.5	23 45.6	23 34.0	23 40.5	23 39.4				
"	20	13 54	14 42	G. S. J.	1	23 46.6	23 51.2	23 32.7	23 34.6	23 41.3				
"	20	14 49	15 33	G. S. J.	2	23 40.4	23 47.2	23 35.6	23 40.0	23 40.8				
"	24	11 47	12 40	W. V. N.	1	23 45.0	23 51.5	23 32.7	23 34.6	23 40.9				
"	24	12 51	13 50	W. V. N.	2	23 40.6	23 49.6	23 32.4	23 43.0	23 41.4				
"	27	13 55	14 55	W. V. N.	1	23 48.0	23 51.2	23 31.6	23 34.5	23 41.3				
"	27	15 10	15 50	W. V. N.	2	23 41.6	23 49.5	23 31.6	23 45.4	23 42.0				
"	31	11 50	12 45	W. V. N.	1	23 47.6	23 48.1	23 33.4	23 36.1	23 41.3				
"	31	12 55	13 49	W. V. N.	2	23 40.2	23 50.0	23 32.9	23 45.6	23 42.2				
FEB.	3	13 52	14 45	W. V. N.	1	23 47.5	23 48.9	23 35.1	23 40.6	23 43.0				
"	3	14 58	15 48	W. V. N.	2	23 34.6	23 46.4	23 43.1	23 48.6	23 43.2				
"	7	11 58	13 1	W. V. N.	1	23 47.2	23 52.4	23 35.1	23 37.5	23 43.0				
"	7	13 12	13 55	W. V. N.	2	23 41.6	23 51.9	23 35.4	23 46.5	23 43.6				
"	10	13 52	14 42	W. V. N.	1	23 48.1	23 49.7	23 34.4	23 38.5	23 42.7				
"	10	14 50	15 45	W. V. N.	2	23 43.6	23 51.5	23 37.1	23 45.7	23 44.5				
"	14	12 3	12 52	W. V. N.	1	23 45.6	23 52.4	23 34.7	23 38.4	23 42.8				
"	14	13 1	13 46	W. V. N.	2	23 43.1	23 51.2	23 37.9	23 44.9	23 44.3				
"	17	13 55	14 48	W. V. N.	1	23 47.1	23 55.5	23 31.2	23 39.2	23 43.2				
"	17	14 59	15 45	W. V. N.	2	23 42.4	23 52.7	23 35.0	23 42.1	23 43.0				
"	21	11 45	12 40	W. V. N.	1	23 44.1	23 53.9	23 28.1	23 37.5	23 40.9				
"	21	12 52	13 48	W. V. N.	2	23 39.2	23 47.6	23 35.9	23 44.1	23 41.7				
"	24	13 52	14 50	W. V. N.	1	23 46.0	23 52.7	23 33.0	23 39.9	23 42.9				
"	24	15 0	15 49	W. V. N.	2	23 41.7	23 51.4	23 37.7	23 43.2	23 43.2				
"	28	12 5	12 55	W. V. N.	1	23 44.0	23 51.6	23 32.5	23 41.5	23 42.4				
"	28	13 3	13 50	W. V. N.	2	23 43.2	23 50.7	23 40.7	23 40.9	23 43.9				
MARCH	3	13 50	16 5	W. V. N.	2	23 40.5	23 50.9	23 42.0	23 44.7	23 44.5				
"	4	11 43	13 25	W. V. N.	1	23 43.7	23 54.4	23 32.0	23 40.1	23 42.5				
"	4	12 10	12 58	W. V. N.	2	23 38.1	23 47.4	23 40.0	23 43.7	23 42.3				
"	7	11 40	13 40	W. V. N.	1	23 45.1	23 54.4	23 31.9	23 38.2	23 42.4				
"	10	13 45	15 46	W. V. N.	2	23 39.2	23 50.7	23 39.5	23 44.0	23 43.3				
"	11	12 2	13 46	W. V. N.	1	23 42.5	23 51.4	23 32.1	23 41.0	23 41.7				
"	11	12 28	13 13	W. V. N.	2	23 40.9	23 50.1	23 37.9	23 40.7	23 42.4				
"	12	12 10	12 56	W. V. N.	1	23 43.5	23 53.5	23 30.5	23 41.2	23 42.9				
"	12	12 22	12 41	W. V. N.	2	23 39.2	23 48.1	23 41.2	23 42.0	23 42.6				
"	13	9 28	10 13	W. V. N.	1	23 45.6	23 53.5	23 34.5	23 43.5	23 44.3				
"	13	9 38	10 0	W. V. N.	2	23 41.0	23 51.1	23 40.7	23 42.7	23 43.9				
"	13	16 23	17 2	W. V. N.	1	23 45.4	23 52.1	23 33.0	23 44.0	23 43.6				
"	13	16 35	16 51	W. V. N.	2	23 40.0	23 54.7	23 39.2	23 41.2	23 43.8				
"	14	9 1	9 37	W. V. N.	1	23 47.0	23 52.4	23 31.7	23 42.0	23 43.3				
"	14	9 10	9 28	W. V. N.	2	23 42.1	23 52.5	23 39.7	23 42.0	23 44.1				
"	15	12 0	13 40	W. V. N.	1	23 44.6	23 54.2	23 32.7	23 40.7	23 43.0				
"	17	13 38	15 15	W. V. N.	2	23 42.1	23 48.7	23 39.2	23 40.2	23 42.5				
"	18	11 59	13 20	W. V. N.	1	23 46.2	23 58.2	23 30.5	23 38.2	23 43.3				
"	18	12 17	12 55	W. V. N.	2	23 41.5	23 52.6	23 36.7	23 42.9	23 43.4				
"	21	12 10	14 0	W. V. N.	1	23 45.5	23 56.0	23 35.0	23 47.0	23 45.9				
"	22	12 30	13 17	W. V. N.	1	23 45.4	23 55.0	23 30.9	23 45.6	23 44.2				
"	22	12 42	13 6	W. V. N.	2	23 40.1	23 50.0	23 40.4	23 43.5	23 43.5				
"	22	13 25	14 9	W. V. N.	1	23 33.7	23 46.0	23 45.6	23 54.2	23 44.9				
"	22	13 36	14 0	W. V. N.	2	23 41.0	23 44.2	23 42.0	23 53.4	23 45.1				
"	22	15 33	16 23	W. V. N.	1	23 46.9	23 57.5	23 33.5	23 46.2	23 46.0				
"	22	15 45	16 11	W. V. N.	2	23 44.7	23 53.6	23 40.7	23 45.0	23 46.0				
"	22	16 25	17 13	W. V. N.	1	23 33.5	23 46.7	23 46.9	23 58.2	23 46.3				
"	22	16 36	17 2	W. V. N.	2	23 41.7	23 45.2	23 44.0	23 56.9	23 46.5				
"	24	14 0	16 15	W. V. N.	2	23 41.2	23 54.2	23 41.0	23 44.7	23 45.3				
"	25	12 37	13 40	W. V. N.	1	23 45.0	23 52.2	23 32.4	23 48.4	23 44.5				
"	25	12 46	13 16	W. V. N.	2	23 41.5	23 54.2	23 38.2	23 44.0	23 44.5				
"	29	12 30	14 10	W. V. N.	1	23 42.2	23 55.5	23 30.7	23 44.5	23 43.5				
"	31	14 5	16 10	G. S. J.	2	23 39.1	23 46.2	23 38.7	23 43.4	23 41.8				

1911.	Alibag Civil Time (0 to 24 hours).				End of Needle Dipping.								Mean Dip.	Monthly Mean for each Needle.	Monthly Mean.	
Date.	At com- mence- ment.	At conclu- sion.	Ob- server.	Needle marked.	A.		B.									
					Face of Circle.		Face of Circle.									
					East.	West.	East.	West.								
	H.	m.	H.	m.												
APRIL .	1	11 56	13 27	G. S. J.	1	23 40.7	23 49.8	23 29.6	23 38.9	23 39.7	No. 1 23 42.8	23 43.3				
"	1	12 18	13 3	G. S. J.	2	23 38.4	23 47.0	23 36.1	23 41.4	23 40.7						
"	4	11 34	13 18	G. S. J.	1	23 39.4	23 55.0	23 28.4	23 45.4	23 42.0						
"	7	13 40	15 36	G. S. J.	2	23 43.2	23 48.2	23 37.9	23 43.4	23 43.2						
"	8	11 57	13 25	G. S. J.	1	23 46.2	23 54.2	23 33.9	23 40.4	23 43.7						
"	8	12 17	13 7	G. S. J.	2	23 41.6	23 54.7	23 41.2	23 44.4	23 45.5						
"	11	10 50	13 21	G. S. J.	1	23 47.1	23 52.9	23 30.9	23 47.0	23 44.5						
"	11	12 13	13 2	G. S. J.	2	23 45.7	23 48.5	23 40.9	23 44.3	23 44.8						
"	14	13 48	15 44	G. S. J.	2	23 42.5	23 51.2	23 40.7	23 47.1	23 45.4						
"	15	11 40	13 37	G. S. J.	1	23 43.4	23 55.1	23 32.9	23 44.5	23 44.0						
"	18	11 45	13 36	G. S. J.	1	23 42.5	23 53.9	23 32.7	23 47.5	23 44.1	No. 2 23 43.8	23 43.5				
"	21	13 35	15 38	G. S. J.	2	23 40.3	23 49.7	23 40.5	23 45.5	23 44.0						
"	22	12 42	13 48	G. S. J.	1	23 45.8	23 55.1	23 33.9	23 42.2	23 44.2						
"	22	12 35	13 25	G. S. J.	2	23 42.4	23 52.1	23 39.1	23 45.4	23 44.7						
"	25	11 48	13 38	G. S. J.	1	23 42.1	23 52.7	23 30.6	23 43.1	23 42.1						
"	28	13 52	15 51	G. S. J.	2	23 41.9	23 50.9	23 42.7	23 45.0	23 45.1						
"	29	11 45	13 18	G. S. J.	1	23 40.9	23 48.4	23 37.8	23 36.1	23 40.8						
"	29	12 8	12 56	G. S. J.	2	23 38.7	23 48.2	23 37.8	23 39.2	23 41.0						
MAY	2	11 50	13 48	G. S. J.	1	23 46.6	23 52.0	23 34.8	23 42.1	23 43.9			No. 1 23 42.8	23 43.5		
"	5	13 40	15 34	G. S. J.	2	23 39.7	23 49.5	23 41.5	23 41.7	23 43.1						
"	6	11 58	13 40	G. S. J.	1	23 47.6	23 47.0	23 37.4	23 40.3	23 43.1						
"	6	12 22	13 16	G. S. J.	2	23 39.6	23 46.2	23 35.9	23 39.6	23 40.3						
"	9	11 56	13 51	G. S. J.	1	23 41.3	23 48.9	23 34.4	23 45.0	23 42.4						
"	12	13 34	15 25	G. S. J.	2	23 43.3	23 50.9	23 42.2	23 41.9	23 44.6						
"	13	13 56	15 29	G. S. J.	1	23 45.2	23 56.9	23 30.6	23 40.5	23 43.3						
"	13	14 17	15 7	G. S. J.	2	23 43.6	23 53.4	23 36.4	23 42.2	23 43.9						
"	16	11 40	13 34	G. S. J.	1	23 45.2	23 52.2	23 32.8	23 44.9	23 43.8						
"	19	12 12	14 20	G. S. J.	2	23 36.2	23 51.9	23 42.9	23 45.6	23 44.1						
"	20	12 8	14 40	S. B. B.	1	23 44.2	24 0.2	23 35.4	23 43.9	23 45.9	No. 2 23 44.3	23 43.5				
"	22	11 2	13 1	G. S. J.	1	23 41.7	24 0.0	23 29.4	23 40.4	23 42.9						
"	23	13 57	15 53	G. S. J.	2	23 42.6	23 49.6	23 40.9	23 43.6	23 44.2						
"	24	10 50	12 45	S. B. B.	1	23 43.0	23 59.9	23 28.2	23 44.2	23 43.8						
"	25	13 52	16 25	S. B. B.	2	23 43.0	23 49.2	23 39.7	23 46.2	23 44.5						
"	26	11 8	13 4	G. S. J.	1	23 38.8	24 1.3	23 21.1	23 39.5	23 40.2						
"	27	13 55	15 48	G. S. J.	2	23 42.4	23 49.9	23 46.8	23 47.6	23 46.7						
"	29	10 30	11 23	S. B. B.	1	23 40.4	24 1.5	23 24.0	23 36.4	23 40.6						
"	30	13 56	15 59	S. B. B.	2	23 39.7	23 58.1	23 46.4	23 43.9	23 47.0						
"	31	11 15	13 3	G. S. J.	1	23 42.3	23 56.6	23 25.7	23 40.5	23 41.3						
JUNE	1	13 50	15 54	G. S. J.	2	23 43.9	23 50.4	23 41.5	23 44.5	23 45.1	No. 1 23 42.9	23 44.4				
"	2	10 31	11 23	S. B. B.	1	23 46.5	23 57.0	23 31.9	23 39.0	23 43.6						
"	5	11 8	13 20	G. S. J.	1	23 45.9	23 53.3	23 30.5	23 44.9	23 43.6						
"	6	13 54	15 51	G. S. J.	2	23 41.9	23 55.7	23 38.7	23 46.7	23 45.7						
"	7	11 5	13 30	S. B. B.	1	23 44.1	23 55.8	23 29.7	23 42.2	23 42.9						
"	8	13 53	16 5	S. B. B.	2	23 44.1	23 55.3	23 35.6	23 48.9	23 46.0						
"	9	11 21	13 30	G. S. J.	1	23 40.7	23 54.3	23 33.4	23 43.7	23 43.0						
"	10	13 49	15 32	G. S. J.	2	23 42.9	23 51.6	23 41.1	23 45.2	23 45.2						
"	12	10 24	15 2	S. B. B.	1	23 40.1	23 55.4	23 33.2	23 45.5	23 43.5						
"	13	13 30	15 58	S. B. B.	2	23 46.1	23 50.8	23 40.2	23 44.4	23 45.4						
"	14	10 48	13 4	G. S. J.	1	23 47.9	23 46.9	23 29.4	23 35.8	23 40.0	No. 2 23 46.1	23 44.4				
"	15	13 36	15 37	G. S. J.	2	23 45.6	23 53.6	23 38.5	23 46.4	23 46.0						
"	16	10 47	12 50	S. B. B.	1	23 45.2	23 53.5	23 33.7	23 38.8	23 42.8						
"	17	13 30	15 30	S. B. B.	2	23 46.6	23 55.3	23 39.7	23 44.1	23 46.4						
"	19	11 14	13 17	G. S. J.	1	23 42.1	23 55.0	23 32.6	23 41.0	23 42.7						
"	20	13 34	15 33	G. S. J.	2	23 43.1	23 54.7	23 41.6	23 45.5	23 46.2						
"	21	10 30	12 40	S. B. B.	1	23 41.9	23 56.4	23 35.6	23 38.6	23 43.1						
"	23	12 15	13 4	G. S. J.	1	23 48.2	23 51.0	23 35.2	23 41.1	23 43.9						
"	24	15 13	15 55	G. S. J.	2	23 45.8	23 52.4	23 43.6	23 42.3	23 46.0						
"	26	10 25	11 16	S. B. B.	1	23 44.8	23 54.4	23 32.6	23 40.8	23 43.1						
"	27	14 55	15 37	S. B. B.	2	23 51.4	23 55.7	23 43.2	23 42.1	23 48.1						
"	28	12 16	13 5	G. S. J.	1	23 46.7	23 49.4	23 32.1	23 41.4	23 42.4						
"	29	15 11	15 55	G. S. J.	2	23 43.0	23 54.9	23 43.6	23 48.2	23 47.4						
"	30	10 32	11 19	S. B. B.	1	23 48.2	23 51.9	23 29.6	23 42.9	23 43.1						

1911.	Alibag Civil Time (0 to 24 hours).		Ob- server.	Needle marked.	End of Needle Dipping.				Mean Dip.	Monthly Mean for each Needle.	Monthly Mean.
Date.	At com- mence- ment.	At conclu- sion.			A.		B.				
					Face of Circle.		Face of Circle.				
					East.	West.	East.	West.			
	H. m.	H. m.									
JULY	1 14 55	15 42	S. B. B.	2	23 43.5	23 59.5	23 41.5	23 45.9	23 47.6	No. 1 23 44.8	23 46.3
"	3 12 22	13 8	G. S. J.	1	23 50.5	23 56.4	23 34.0	23 40.2	23 45.3		
"	4 14 57	15 40	G. S. J.	2	23 45.6	23 57.6	23 40.8	23 45.4	23 47.3		
"	5 11 52	13 0	S. B. B.	1	23 51.2	23 57.2	23 38.6	23 42.7	23 47.4		
"	6 15 5	15 48	S. B. B.	2	23 45.1	23 57.6	23 41.0	23 47.7	23 47.8		
"	7 12 12	12 58	G. S. J.	1	23 49.1	23 56.1	23 32.1	23 40.6	23 44.5		
"	8 15 18	16 0	G. S. J.	2	23 42.7	23 55.6	23 42.4	23 47.6	23 47.1		
"	10 12 25	13 7	S. B. B.	1	23 45.2	23 58.0	23 29.8	23 46.0	23 44.7		
"	11 15 31	16 12	G. S. J.	2	23 44.2	23 56.1	23 42.6	23 49.1	23 48.0		
"	12 12 38	13 22	G. S. J.	1	23 47.2	23 56.6	23 32.2	23 41.7	23 44.4		
"	13 14 55	15 46	G. S. J.	2	23 46.1	23 57.9	23 42.2	23 47.3	23 48.4		
"	14 12 12	12 57	S. B. B.	1	23 47.9	23 55.2	23 30.6	23 40.9	23 43.6	23 46.3	
"	15 14 36	15 20	S. B. B.	2	23 50.9	23 54.4	23 42.3	23 46.3	23 48.5		
"	17 12 30	13 16	G. S. J.	1	23 47.2	23 52.7	23 29.7	23 37.7	23 41.8		
"	18 15 6	15 51	G. S. J.	2	23 46.5	23 56.2	23 43.7	23 47.7	23 48.5		
"	19 11 50	12 50	S. B. B.	1	23 51.1	23 55.6	23 36.7	23 46.2	23 47.4		
"	20 14 37	15 22	S. B. B.	2	23 41.7	23 58.0	23 44.1	23 51.4	23 48.8		
"	21 12 23	13 9	G. S. J.	1	23 50.9	23 55.7	23 34.6	23 40.1	23 45.3		
"	22 14 57	15 39	G. S. J.	2	23 41.9	23 58.5	23 41.4	23 49.5	23 47.8		
"	24 10 27	11 12	S. B. B.	1	23 54.0	23 52.7	23 31.9	23 42.6	23 45.3		
"	25 14 35	15 17	S. B. B.	2	23 44.7	24 2.7	23 36.7	23 48.2	23 48.1		
"	26 12 21	13 8	G. S. J.	1	23 45.4	23 49.7	23 36.7	23 43.4	23 43.8		
"	27 14 54	15 38	G. S. J.	2	23 46.1	23 59.2	23 38.3	23 46.5	23 47.5		
"	28 10 14	10 58	S. B. B.	1	23 44.1	23 55.2	23 35.1	23 42.9	23 44.3		
"	29 14 25	15 10	S. B. B.	2	23 42.8	24 2.6	23 38.5	23 42.2	23 46.5		
"	31 12 15	13 0	G. S. J.	1	23 48.9	23 55.1	23 32.4	23 40.9	23 44.3	No. 2 23 47.8	23 46.7
AUG.	1 15 14	15 57	G. S. J.	2	23 42.7	23 54.1	23 43.8	23 46.7	23 46.8		
"	2 12 12	13 5	S. B. B.	1	23 57.3	24 0.9	23 33.0	23 44.8	23 49.0		
"	3 14 31	15 14	S. B. B.	2	23 41.1	23 54.6	23 45.4	23 48.6	23 47.4		
"	4 12 26	13 14	G. S. J.	1	23 48.6	23 52.3	23 37.6	23 43.8	23 45.6		
"	5 14 47	15 30	G. S. J.	2	23 42.7	23 58.8	23 41.1	23 49.2	23 47.9		
"	7 12 7	12 52	S. B. B.	1	23 43.5	23 58.5	23 36.4	23 43.9	23 45.6		
"	8 14 37	15 22	S. B. B.	2	23 45.0	23 56.0	23 44.9	23 41.9	23 46.9		
"	10 15 56	16 34	G. S. J.	2	23 47.0	23 55.5	23 39.0	23 41.6	23 45.8		
"	11 12 18	12 58	S. B. B.	1	23 47.9	23 48.7	23 40.0	23 44.2	23 45.2		
"	12 14 35	15 15	S. B. B.	2	23 53.9	23 47.9	23 46.5	23 49.1	23 49.3		
"	14 12 28	13 10	G. S. J.	1	23 43.2	23 54.3	23 31.1	23 42.2	23 42.7		
"	15 14 46	15 30	G. S. J.	2	23 42.7	23 55.2	23 42.7	23 50.1	23 47.7	23 46.7	
"	16 12 5	12 43	S. B. B.	1	23 50.6	23 56.4	23 37.4	23 40.2	23 46.1		
"	18 12 26	13 11	G. S. J.	1	23 47.3	23 52.5	23 32.9	23 44.3	23 44.2		
"	19 15 0	15 49	G. S. J.	2	23 48.2	23 58.6	23 43.5	23 48.7	23 49.7		
"	21 11 10	11 50	S. B. B.	1	23 47.4	23 51.1	23 35.8	23 44.1	23 44.6		
"	22 14 50	15 34	S. B. B.	2	23 48.4	23 56.2	23 47.8	23 42.9	23 48.8		
"	23 12 54	13 34	G. S. J.	1	23 44.7	23 52.9	23 34.9	23 49.6	23 45.5		
"	24 14 56	15 38	G. S. J.	2	23 43.1	23 59.1	23 43.2	23 50.6	23 49.0		
"	25 12 20	13 0	S. B. B.	1	23 48.6	23 53.3	23 34.7	23 46.8	23 45.8		
"	26 14 42	15 22	S. B. B.	2	23 51.5	24 3.5	23 37.3	23 42.6	23 48.7		
"	30 11 20	12 2	S. B. B.	1	23 49.0	23 50.7	23 37.7	23 40.6	23 44.5		
"	31 15 18	15 59	S. B. B.	2	23 43.8	23 53.7	23 42.9	23 45.9	23 46.6	No. 2 23 47.9	23 46.7
SEPT.	1 12 9	12 55	G. S. J.	1	23 43.2	23 54.2	23 35.4	23 46.4	23 44.8		
"	2 15 11	15 52	G. S. J.	2	23 44.2	23 54.2	23 45.1	23 46.9	23 47.6		
"	4 11 33	12 28	S. B. B.	1	23 44.1	23 53.6	23 36.9	23 44.4	23 44.7		
"	5 14 32	15 14	S. B. B.	2	23 45.2	23 52.2	23 42.9	23 50.4	23 47.7		
"	6 12 30	13 20	G. S. J.	1	23 40.9	23 49.1	23 34.2	23 45.7	23 42.5		
"	7 15 0	15 46	G. S. J.	2	23 48.8	23 57.7	23 41.5	23 46.7	23 48.7		
"	8 11 36	12 32	S. B. B.	1	23 45.2	23 56.2	23 35.6	23 42.0	23 44.7		
"	9 15 20	15 59	S. B. B.	2	23 42.2	23 56.1	23 43.6	23 44.5	23 46.6		
"	11 12 35	13 20	G. S. J.	1	23 46.1	23 55.2	23 33.3	23 42.4	23 44.2		
"	14 14 47	15 30	G. S. J.	2	23 42.4	23 57.2	23 43.8	23 48.6	23 48.0		
"	15 12 40	13 25	G. S. J.	1	23 40.6	23 56.1	23 33.7	23 42.7	23 43.3		
"	16 14 43	15 29	G. S. J.	2	23 44.0	23 58.7	23 42.7	23 48.6	23 48.5	23 47.1	
"	19 17 9	17 46	S. B. B.	2	23 46.4	23 58.9	23 43.7	23 47.4	23 49.1		
"	20 14 0	14 36	G. S. J.	2	23 42.8	23 58.9	23 44.5	23 51.4	23 49.4		
"	21 15 27	16 14	G. S. J.	2	23 45.4	24 0.7	23 42.7	23 51.6	23 50.1		
"	22 13 0	13 40	S. B. B.	2	23 45.1	23 58.2	23 45.9	23 47.2	23 49.1		
"	23 14 33	15 13	S. B. B.	2	23 47.6	23 57.7	23 43.4	23 49.6	23 49.6		
"	25 12 39	13 25	G. S. J.	2	23 37.6	23 55.2	23 39.2	23 48.2	23 45.0		
"	26 14 54	15 36	G. S. J.	2	23 42.4	23 59.1	23 41.9	23 50.1	23 48.4		
"	27 12 6	12 47	S. B. B.	2	23 46.6	23 55.7	23 38.2	23 49.2	23 47.4		
"	28 14 46	15 30	S. B. B.	2	23 50.2	24 2.4	23 39.1	23 44.6	23 49.1		
"	29 11 12	11 58	S. B. B.	2	23 40.1	23 45.6	23 48.6	23 49.0	23 45.8		
"	30 15 7	15 51	G. S. J.	2	23 45.2	23 55.2	23 43.5	23 47.7	23 47.9	No. 2 23 48.1	23 47.1
"											
"											
"											
"											
"											
"											
"											
"											
"											

* Needle marked 1 was rejected for observations from 16th September.

1911. Date.	Alibag Civil Time (0 to 24 hours).		Ob- server.	Needle marked.	End of Needle Dipping.				Mean Dip.	Monthly Mean for each Needle.	*Monthly Mean.
	At com- mence- ment.	At conclu- sion:			A.		B.				
					Face of Circle.		Face of Circle.				
					East.	West.	East.	West.			
	H.	m.	H.	m.							
Oct.	3	14 37	15 19	S. B. B.	2	23 49.7	23 54.6	23 43.2	23 48.9	23 49.1	} 23 47.8
"	4	12 14	12 56	G. S. J.	2	23 42.1	23 56.4	23 43.1	23 46.6	23 47.0	
"	5	14 40	15 25	G. S. J.	2	23 45.2	23 55.5	23 42.9	23 47.2	23 47.7	
"	6	11 30	12 14	S. B. B.	2	23 47.5	23 55.5	23 42.5	23 44.2	23 47.4	
"	7	14 48	15 25	S. B. B.	2	23 49.9	23 56.7	23 41.7	23 44.5	23 48.2	
"	9	13 3	13 54	G. S. J.	2	23 42.9	23 57.1	23 41.6	23 46.9	23 47.1	
"	10	14 42	15 23	G. S. J.	2	23 43.2	23 57.1	23 42.7	23 49.4	23 48.1	
"	11	12 12	12 52	S. B. B.	2	23 51.5	23 57.6	23 35.0	23 45.5	23 47.4	
"	12	14 31	15 12	S. B. B.	2	23 49.1	23 56.8	23 40.9	23 47.4	23 48.5	
"	13	12 55	13 34	G. S. J.	2	23 46.4	24 2.0	23 36.5	23 44.7	23 47.4	
"	14	14 40	15 25	G. S. J.	2	23 43.8	23 59.5	23 38.2	23 50.4	23 48.0	
"	16	11 12	11 53	S. B. B.	2	23 48.5	23 57.5	23 39.7	23 47.2	23 48.2	
"	17	14 55	15 36	S. B. B.	2	23 47.9	23 56.5	23 41.0	23 46.2	23 47.9	
"	18	12 7	12 47	G. S. J.	2	23 43.5	23 59.9	23 42.5	23 49.1	23 48.7	
"	19	14 45	15 26	G. S. J.	2	23 44.3	23 58.7	23 42.2	23 49.3	23 48.6	
"	20	12 30	13 12	S. B. B.	2	23 46.7	23 58.5	23 41.0	23 46.5	23 48.2	
"	25	11 29	12 11	S. B. B.	2	23 46.7	23 59.7	23 38.9	23 45.0	23 47.6	
"	26	14 22	15 6	S. B. B.	2	23 46.7	23 59.7	23 41.1	23 45.7	23 48.3	
"	27	12 0	12 41	G. S. J.	2	23 42.7	23 59.1	23 37.5	23 46.5	23 46.4	
"	28	15 14	15 53	G. S. J.	2	23 44.4	23 58.4	23 39.2	23 46.8	23 47.2	
"	30	12 16	13 0	S. B. B.	2	23 48.5	24 2.4	23 37.5	23 42.9	23 47.8	
"	31	14 38	15 28	S. B. B.	2	23 44.7	23 58.5	23 41.9	23 45.7	23 47.7	
Nov.	1	12 45	13 32	G. S. J.	2	23 44.2	24 0.4	23 39.4	23 46.9	23 47.7	} 23 49.1
"	2	15 26	16 4	G. S. J.	2	23 42.8	23 56.9	23 41.2	23 45.7	23 46.6	
"	3	12 29	13 26	S. B. B.	2	23 50.2	24 3.0	23 43.6	23 42.2	23 49.7	
"	4	14 55	15 49	S. B. B.	2	23 52.1	24 5.5	23 37.5	23 46.0	23 50.3	
"	6	12 51	13 30	G. S. J.	2	23 47.6	23 59.2	23 40.6	23 45.4	23 48.2	
"	7	14 55	15 37	G. S. J.	2	23 42.0	24 0.8	23 39.1	23 51.6	23 48.4	
"	8	13 2	14 2	A.	2	23 51.2	24 0.5	23 41.1	23 47.5	23 50.1	
"	9	14 54	15 40	A.	2	23 49.2	24 5.2	23 40.3	23 48.4	23 50.8	
"	10	12 18	12 58	G. S. J.	2	23 46.2	24 3.9	23 37.2	23 46.6	23 48.5	
"	11	15 21	16 0	G. S. J.	2	23 49.9	24 3.9	23 37.6	23 51.0	23 49.8	
"	13	12 7	12 48	A.	2	23 43.7	24 3.4	23 38.7	23 48.4	23 48.5	
"	14	15 2	15 45	A.	2	23 49.9	23 56.4	23 40.4	23 56.7	23 50.8	
"	15	12 7	12 57	G. S. J.	2	23 46.8	24 0.1	23 43.9	24 0.7	23 52.9	
"	16	14 39	15 26	G. S. J.	2	23 48.7	24 0.1	23 42.9	23 44.7	23 49.1	
"	17	12 37	13 26	A.	2	23 49.6	24 1.6	23 43.9	23 43.2	23 49.6	
"	18	14 30	15 8	A.	2	23 43.2	23 57.2	23 44.9	23 47.0	23 48.1	
"	20	12 45	13 24	G. S. J.	2	23 47.4	24 0.7	23 41.9	23 44.7	23 48.7	
"	21	14 41	15 21	G. S. J.	2	23 49.1	24 2.8	23 41.7	23 46.7	23 50.1	
"	22	12 1	12 52	A.	2	23 48.6	23 59.7	23 46.0	23 46.2	23 50.1	
"	23	14 25	15 6	A.	2	23 45.0	24 0.4	23 41.4	23 47.9	23 48.7	
"	24	11 30	12 12	G. S. J.	2	23 43.4	23 54.9	23 39.2	23 51.4	23 47.2	
"	25	14 42	15 25	G. S. J.	2	23 43.1	24 6.0	23 40.2	23 51.8	23 50.3	
"	27	12 10	12 58	A.	2	23 43.5	24 3.2	23 38.0	23 44.9	23 47.4	
"	28	14 35	15 18	A.	2	23 43.2	24 3.2	23 43.1	23 47.7	23 49.3	
"	29	12 40	13 22	G. S. J.	2	23 43.1	24 1.1	23 40.3	23 47.7	23 48.0	
"	30	14 44	15 28	G. S. J.	2	23 45.9	23 59.7	23 42.5	23 46.7	23 48.7	
Dec.	1	12 31	13 21	A.	2	23 48.2	23 58.9	23 47.0	23 49.2	23 50.8	} 23 50.1
"	2	14 50	15 31	A.	2	23 51.1	24 2.4	23 40.9	23 51.2	23 51.4	
"	4	11 36	12 17	G. S. J.	2	23 44.6	24 1.7	23 44.2	23 44.9	23 48.8	
"	5	14 46	15 26	G. S. J.	2	23 53.7	23 56.3	23 45.2	23 46.5	23 50.4	
"	6	12 16	12 58	A.	2	23 48.2	23 55.5	23 51.1	23 43.6	23 49.6	
"	8	12 4	12 47	G. S. J.	2	23 47.2	23 56.5	23 45.5	23 53.7	23 50.7	
"	9	14 40	15 20	G. S. J.	2	23 46.2	24 1.2	23 46.2	23 48.2	23 50.4	
"	11	12 12	12 56	A.	2	23 49.6	24 2.6	23 50.6	23 52.0	23 53.7	
"	13	11 49	12 31	G. S. J.	2	23 46.8	23 58.9	23 40.2	23 45.4	23 47.8	
"	14	14 44	15 29	G. S. J.	2	23 46.6	24 6.2	23 38.6	23 44.8	23 49.0	
"	15	12 34	13 18	A.	2	23 47.4	23 56.0	23 49.5	23 47.4	23 50.1	
"	16	14 55	15 40	A.	2	23 52.2	24 0.5	23 46.5	23 43.1	23 50.6	
"	18	12 27	13 9	G. S. J.	2	23 48.1	23 56.7	23 46.1	23 44.2	23 48.8	
"	19	14 44	15 25	G. S. J.	2	23 43.0	24 4.5	23 38.9	23 54.1	23 50.1	
"	20	11 27	12 10	A.	2	23 41.7	24 1.7	23 50.2	23 49.6	23 50.8	
"	21	14 20	15 1	A.	2	23 43.4	24 2.0	23 47.4	23 47.9	23 50.2	
"	22	12 5	12 48	G. S. J.	2	23 46.5	23 53.8	23 46.4	23 48.0	23 48.7	
"	23	14 38	15 20	G. S. J.	2	23 45.0	23 54.9	23 48.4	23 44.9	23 48.3	
"	26	14 10	14 52	A.	2	23 49.0	23 55.1	23 47.1	23 48.7	23 50.0	
"	27	13 0	13 38	G. S. J.	2	23 47.4	23 56.9	23 49.6	23 50.2	23 51.0	
"	28	14 40	15 24	G. S. J.	2	23 47.5	23 54.1	23 49.6	23 48.9	23 50.0	
"	29	11 45	12 27	A.	2	23 46.9	23 58.0	23 48.0	23 50.4	23 50.8	
"	30	14 25	15 6	A.	2	23 50.6	24 0.9	23 46.2	23 47.1	23 51.2	
The mean * observed Dip for the year 1911 = 23 45.5											

*The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

Absolute Magnetical Observations, Alibag—Table Ia.

Observations of Vibration and Deflection, taken with Magnetometer No. 7 (T. Cooke and Sons) for the determination of Absolute Horizontal Force.

1912.

1912. Date.	Vibration Magnet.			Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.			Angle of Deflection of Magnet marked 7.			Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.	Values of m.			Calculated Results in C. G. S. Unit.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.		Temp- er- ature	Thermo- meter.	Ordinate.	Thermo- meter.	Distance.	Temp- er- ature.	Ordinate.	Thermo- meter.		Values of H.			From Deflection at distance.	Difference.	Mean.	*Observed monthly Mean Values of H.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
														22.5 cms. (H _{2.5}).	30.0 cms. (H _{3.0}).	H _{2.5} + H _{3.0} 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	H. m.	S.	Sec. div.	°	S.	cms.	°	° ' "	° ' "	°	cms.	°																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										</

1912.	Vibration Magnet.				Rate of Chronometer.	Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection of Magnet marked 7.				Corresponding Mean Reading of H. F. Magnetograph.		Observer.	Values of m.	Calculated Results in C. G. S. Unit.					*Observed monthly Mean Values of H.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	Date.	Civil Time, Mean.	Time of one Vibration.	Effect of 90° Torsion.		Temperature.	Distance.	Temperature.	Ordinate.	Thermometer.	Ordinate.	Thermometer.	Values of H.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
													From Deflection at distance.			Difference.	Mean.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																			22.5 cms. (H _{22.5}).	30.0 cms. (H _{30.0}).		H _{22.5} - H _{30.0}	$\frac{H_{22.5} + H_{30.0}}{2}$																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
SEPT.	5	13 48	2 7077	1.66	29.3	-1.3	5.980	86.8026	35	26.10	49	1	29.3	5.820	86.8026	35	26.10	49	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890	0.36890

The mean *observed value of the Horizontal Force for the year 1912 = 0.368795

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

Absolute Magnetical Observations, Alibag—Table Ib.

Observations of Vibration and Deflection, taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.) for the determination of Absolute Horizontal Force.

1912.

1912. Date.	Vibration Magnet.				Corresponding Mean Reading of H. F. Magnetograph.				Angle of Deflection.				Corresponding Mean Reading of H. F. Magnetograph.				Calculated Results in C. G. S. Unit.				*Observed monthly Mean Values of H.
	Civil Time, Mean.	Time of one Vibration.	Effect of 90° Torsion.	Tem- per- ature.	Rate of Chrono- meter.	Ordinate.	Thermo- meter.	Distance.		Ordinate.	Thermo- meter.	Ob- server.	Values of m.	From Deflection at distance.	Difference.	Mean.	Values of H.				
								23 cms.	30 cms.								H ₂₃ —H ₃₀ .	H ₂₃ +H ₃₀ .			
																			23 cms. (H ₂).	30 cms. (H ₃).	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
JAN.	4	12 24	2.8695	2.06	27.7	—0.2	6.945	86.1023	47 40 10	29 10	27.5	86.10 G. S. J.	916.28	0.36883	0.36886	—0.0003	0.36884				
"	6	12 10	2.8691	2.06	27.2	—0.1	6.875	85.8523	48 26 10	29 35	26.8	85.85 A. J.	916.41	36881	36880	+0.0001	36880				
"	9	12 45	2.8672	2.03	26.4	0.0	7.270	85.5523	48 0 10	29 25	26.6	85.55 G. S. J.	916.68	36905	36904	+0.0001	36904				
"	11	12 34	2.8693	1.99	25.5	0.0	6.550	85.3023	49 45 10	29 59	25.8	85.30 A. J.	916.11	36857	36860	—0.0003	36858				
"	13	12 46	2.8692	2.06	25.7	+0.2	6.500	84.9023	49 25 10	29 50	25.8	84.90 G. S. J.	916.09	36865	36868	—0.0003	36866				
"	16	12 14	2.8679	2.02	25.6	+0.2	7.055	84.4023	49 27 10	30 7	25.2	84.40 A. J.	916.47	36886	36882	+0.0004	36884				
"	18	12 32	2.8691	2.07	26.6	+0.3	7.041	84.3023	48 12 10	29 30	26.7	84.30 G. S. J.	916.20	36880	36878	+0.0002	36884				
"	20	12 26	2.8694	2.04	28.4	+0.3	7.287	84.2523	45 27 10	28 16	29.7	84.25 A. J.	916.30	36898	36899	—0.0001	36898				
"	23	12 36	2.8704	2.12	27.9	+0.3	6.757	84.3023	47 59 10	29 26	27.8	84.30 G. S. J.	916.26	36866	36865	+0.0001	36865				
"	25	12 49	2.8692	2.06	27.7	+0.3	7.172	84.1723	47 54 10	29 26	27.5	84.17 A. J.	916.52	36885	36882	+0.0003	36883				
"	27	12 37	2.8699	2.06	28.8	+0.1	7.205	84.3023	46 32 10	28 43	28.6	84.30 G. S. J.	916.30	36891	36892	—0.0001	36891				
"	30	12 39	2.8695	2.11	27.5	0.0	7.020	84.5023	47 35 10	29 21	27.2	84.50 A. J.	916.20	36885	36880	+0.0005	36882				
FEB.	1	12 55	2.8696	2.11	27.7	—0.2	7.058	84.4523	47 35 10	29 12	27.4	84.45 G. S. J.	916.24	36884	36884	—0.0000	36884				
"	3	12 33	2.8689	2.09	26.2	+0.1	7.267	84.0523	48 36 10	29 42	25.9	84.05 A. J.	916.14	36881	36881	+0.0003	36879				
"	6	12 55	2.8674	2.08	25.6	+0.2	7.437	84.1023	48 46 10	29 43	25.3	84.10 G. S. J.	916.39	36899	36898	+0.0001	36898				
"	8	12 25	2.8682	2.10	26.3	+0.4	7.351	84.0523	47 38 10	29 10	26.5	84.05 A. J.	916.16	36897	36897	—0.0002	36898				
"	10	12 24	2.8696	2.09	27.2	+0.5	6.946	84.1023	47 52 10	29 23	26.8	84.10 A. J.	916.09	36882	36880	+0.0002	36881				
"	13	12 19	2.8686	2.09	26.8	+0.1	6.932	84.0023	47 59 10	29 21	26.7	84.00 A. J.	916.33	36890	36891	—0.0001	36891				
"	15	12 45	2.8687	2.07	27.0	—0.2	6.970	83.9523	48 45 10	29 42	26.2	83.95 G. S. J.	916.45	36885	36885	—0.0000	36885				
"	17	12 33	2.8685	2.09	27.1	—0.4	7.300	83.9723	47 8 10	29 7	27.2	83.97 A. J.	916.30	36900	36897	+0.0003	36898				
"	20	12 35	2.8695	2.13	27.9	—0.3	7.078	84.0023	47 29 10	29 12	27.6	84.00 G. S. J.	916.33	36886	36886	+0.0002	36885				
"	22	12 28	2.8689	2.09	28.6	0.0	7.798	84.1023	44 28 10	27 56	28.6	84.10 A. J.	915.99	36927	36926	+0.0001	36926				
"	24	12 32	2.8703	2.11	28.7	0.0	7.240	84.1723	47 17 10	29 4	27.1	84.17 G. S. J.	916.05	36889	36889	—0.0000	36889				
"	27	12 27	2.8689	2.09	27.5	+0.3	7.055	84.1723	46 47 10	28 42	27.8	84.17 A. J.	916.18	36896	36901	—0.0005	36898				
"	29	11 41	2.8696	2.11	27.6	+0.3	7.146	84.2023	48 9 10	29 24	26.2	84.20 G. S. J.	916.11	36887	36888	—0.0001	36887				
MARCH	5	12 33	2.8685	2.11	26.6	+0.4	7.315	84.1023	47 20 10	29 5	26.5	84.10 G. S. J.	916.07	36899	36900	—0.0001	36899				
"	7	12 38	2.8684	2.10	27.0	+0.4	7.425	84.2223	47 6 10	29 2	27.3	84.22 A. J.	916.30	36899	36899	—0.0000	36899				
"	9	12 44	2.8693	2.21	26.9	+0.2	6.791	84.2023	48 21 10	29 33	26.8	84.20 G. S. J.	916.24	36876	36875	+0.0001	36875				
"	12	13 16	2.8700	2.22	28.5	+0.1	6.932	84.4023	43 12 10	28 35	28.6	84.40 A. J.	916.09	36890	36891	—0.0001	36890				
"	14	12 37	2.8695	2.23	28.7	+0.2	7.347	84.5023	46 6 10	28 32	28.3	84.50 G. S. J.	916.18	36902	36904	—0.0002	36903				
"	16	12 33	2.8688	2.29	28.0	+0.2	7.105	84.6523	46 10 10	28 31	28.1	84.65 A. J.	916.20	36906	36909	—0.0003	36907				
"	18	12 43	2.8688	2.28	28.2	+0.1	7.252	84.8223	46 55 10	28 53	27.5	84.82 G. S. J.	916.35	36904	36905	—0.0001	36904				
"	20	12 45	2.8686	2.26	27.3	0.0	7.312	85.1723	46 47 10	28 48	27.1	85.17 A. J.	916.09	36905	36906	—0.0001	36905				
"	23	12 36	2.8704	2.20	28.7	—0.2	6.812	85.2723	46 15 10	28 40	28.1	85.27 G. S. J.	915.93	36892	36891	+0.0001	36891				
"	26	12 33	2.8692	2.21	28.9	0.0	7.167	85.7023	45 31 10	28 14	29.0	85.70 G. S. J.	916.28	36909	36912	+0.0003	36910				
"	28	13 3	2.8690	2.26	28.3	—0.1	7.222	85.7723	45 46 10	28 29	28.2	85.77 G. S. J.	916.16	36910	36909	+0.0001	36909				
"	30	12 24	2.8713	2.34	29.8	0.0	6.670	85.8023	45 21 10	28 16	29.6	85.80 A. J.	915.90	36886	36885	+0.0001	36885				

* The monthly and annual means corrected for diurnal variations appear in Table Villa.

1912.		Vibration Magnet.				Corresponding Mean Reading of H. F. Magnetograph.				Angle of Deflection.				Corresponding Mean Reading of H. F. Magnetograph.				Values of H.				*Observed monthly Mean Values of H.
Date.	Civil Time, Mean.	Time of one Vibration.	Effect of 90° Torsion.	Temperature.	Rate of Chronometer.	Ordinate.	Thermometer.	Distance.	Temperature.	Ordinate.	Thermometer.	Observer.	Values of m.	From Deflection at distance.	Difference.	Mean.						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
	H. m.	S.	Sec. div.	°	S.	cms.	°	°	°	°	cms.	°										
APRIL	12 4	2.8693	2.32	29.2	0.0	7.420	86.1023	45	1010	28 10	7.216	86.10 G.	S. J.	916.09	0.36918	0.36918	.00000	0.36918				
"	12 23	2.8697	2.40	29.8	-0.4	7.122	86.4023	44	5810	28 7	6.27	86.40 A.	A.	916.26	.36911	.36911	.00000	.36911				
"	9 12	2.8714	2.40	30.9	-1.0	6.690	86.7223	44	5810	28 2	6.632	86.72 A.	A.	916.18	.36891	.36891	.00003	.36891				
"	11 13	2.8713	2.47	29.8	-1.2	6.505	87.0723	45	4110	28 23	6.415	87.07 G.	S. J.	915.95	.36880	.36880	.00001	.36880				
"	13 12	2.8706	2.49	30.0	-1.4	6.361	87.3723	44	4610	27 57	6.236	87.37 A.	A.	916.11	.36894	.36897	.00003	.36895				
"	15 13	2.8733	2.43	30.3	-1.3	5.155	87.7023	48	110	29 30	4.900	87.70 G.	S. J.	916.22	.36829	.36826	.00003	.36827				
"	17 12	2.8708	2.42	30.2	-1.1	6.690	87.8523	45	110	28 6	6.512	87.85 A.	A.	916.07	.36896	.36897	.00001	.36896				
"	20 12	2.8716	2.48	30.8	-0.9	6.457	88.1023	45	410	28 5	6.372	88.10 G.	S. J.	915.99	.36890	.36892	.00002	.36891				
"	23 12	2.8712	2.52	30.7	-1.0	6.357	88.4023	45	510	28 2	6.322	88.40 A.	A.	916.07	.36892	.36895	.00003	.36893				
"	25 12	2.8717	2.53	31.3	-0.9	6.376	88.6723	44	4710	27 52	6.292	88.67 G.	S. J.	916.11	.36888	.36892	.00004	.36890				
"	27 12	2.8705	2.43	30.5	-1.2	6.465	88.8023	44	3710	28 11	6.285	88.80 A.	A.	916.20	.36905	.36899	.00006	.36902				
"	30 13	2.8706	2.21	30.2	-1.1	6.605	89.1023	45	110	28 7	6.456	89.10 G.	S. J.	916.16	.36906	.36900	.00000	.36900				
MAY	2 12	2.8720	2.15	30.8	-1.1	5.921	89.2023	45	1010	28 11	5.910	89.20 A.	A.	916.07	.36880	.36881	.00001	.36880				
"	4 11	2.8720	2.14	31.6	-1.0	6.295	89.4023	44	3110	27 47	6.263	89.40 G.	S. J.	915.93	.36888	.36892	.00004	.36890				
"	7 12	2.8712	2.20	30.9	-1.3	6.536	89.6523	44	4610	27 50	6.427	89.65 A.	A.	916.07	.36899	.36905	.00006	.36902				
"	9 13	2.8712	2.16	30.8	-1.2	6.408	89.9023	44	3510	27 52	6.192	89.90 G.	S. J.	916.11	.36898	.36899	.00001	.36898				
"	11 13	2.8710	2.13	30.1	-1.2	6.390	90.0223	44	2010	27 47	6.315	90.02 A.	A.	915.86	.36900	.36902	.00002	.36901				
"	13 12	2.8717	2.18	30.6	-1.1	5.945	90.2723	45	3610	28 22	5.470	90.27 G.	S. J.	916.18	.36880	.36880	.00000	.36880				
"	20 12	2.8724	2.14	31.8	-1.3	6.127	90.8023	43	5110	27 32	6.057	90.80 G.	S. J.	915.84	.36896	.36899	.00003	.36897				
"	16 22	2.8733	2.09	31.4	"	5.678	90.8223	43	5310	27 40	5.852	90.82 G.	S. J.	915.52	.36880	.36879	.00001	.36879				
"	12 39	2.8731	2.14	31.7	-1.2	5.920	91.6023	43	2610	27 40	5.812	91.60 G.	S. J.	915.63	.36888	.36882	.00006	.36885				
"	14 55	2.8733	2.15	31.6	"	5.597	91.6023	43	3710	27 45	5.630	91.60 G.	S. J.	915.55	.36885	.36878	.00007	.36881				
JUNE	3 13	2.8725	2.16	31.7	-1.5	5.830	92.1023	44	3410	27 46	5.627	92.10 G.	S. J.	915.95	.36885	.36890	.00002	.36887				
"	15 24	2.8735	2.16	31.7	"	5.345	92.1023	43	4910	27 48	5.450	92.10 G.	S. J.	915.63	.36877	.36871	.00005	.36887				
"	13 18	2.8729	2.56	31.9	-1.4	5.737	92.3723	43	2610	27 35	5.669	92.37 G.	S. J.	915.71	.36886	.36877	.00004	.36874				
"	15 26	2.8733	2.52	31.7	"	5.296	92.4023	43	5510	27 58	5.480	92.40 G.	S. J.	915.59	.36875	.36878	.00003	.36884				
"	17 13	2.8708	2.03	28.9	-1.3	6.067	92.5023	44	4510	27 58	6.020	92.50 G.	S. J.	915.57	.36899	.36900	.00001	.36899				
"	15 45	2.8712	1.91	28.8	"	5.592	92.5023	45	1110	28 16	5.776	92.50 G.	S. J.	915.55	.36890	.36888	.00002	.36889				
"	13 19	2.8733	1.87	29.5	-0.7	5.916	91.4023	37	3610	24 56	5.693	91.40 G.	S. J.	911.28	.36893	.36892	.00002	.36892				
"	15 41	2.8705	1.84	29.7	"	5.346	91.4023	37	5410	25 7	5.371	91.40 G.	S. J.	91.09	.36874	.36874	.00000	.36874				

		Mean of the months from July to December												+ .00008											
		911.16																							
JULY	1	13	19	2	2.8785	1.83	29.7	-1.0	6.035	90.50	23	37	16	10	24	56	29.7	5.865	90.50	G. S.	J.	911.23	.36892	.36890	+ .00002
"	"	15	32	2	2.8789	1.82	29.7	"	5.527	90.50	23	37	25	10	25	11	29.7	5.585	90.50	G. S.	J.	911.23	.36885	.36878	+ .00007
"	9	13	36	2	2.8778	1.80	28.4	-1.7	6.002	89.40	23	38	22	10	25	28	28.1	5.8	89.40	G. S.	J.	911.19	.36892	.36888	+ .00004
"	"	15	32	2	2.8771	1.84	27.9	"	5.457	89.40	23	38	41	10	25	41	29.0	6.407	89.20	G. S.	J.	911.13	.36883	.36877	+ .00006
"	15	12	37	2	2.8771	1.80	29.5	-1.7	6.452	89.22	23	36	31	10	25	41	29.0	6.407	89.22	G. S.	J.	911.13	.36924	.36921	+ .00003
"	"	15	45	2	2.8786	1.79	29.5	"	5.672	89.15	23	37	10	10	25	3	29.2	5.922	89.15	G. S.	J.	911.09	.36895	.36888	+ .00007
"	22	13	30	2	2.8781	1.78	26.8	-1.7	6.043	87.82	23	39	29	10	25	53	27.1	5.885	87.82	G. S.	J.	911.51	.36896	.36894	+ .00003
"	"	15	39	2	2.8778	1.80	27.1	"	5.560	87.75	23	39	43	10	26	5	27.1	5.065	87.75	G. S.	J.	911.13	.36873	.36867	+ .00006
"	29	13	29	2	2.8757	1.75	27.1	-1.4	6.612	86.97	23	39	21	25	48	26.5	6.302	86.97	G. S.	J.	911.46	.36914	.36909	+ .00005	
"	"	15	33	2	2.8769	1.79	26.3	"	5.805	86.90	23	39	39	10	26	7	26.2	6.027	86.90	G. S.	J.	911.07	.36887	.36879	+ .00008
AUG.	5	13	28	2	2.8771	1.72	27.7	-1.6	5.925	86.62	23	38	51	10	25	50	27.4	5.805	86.62	G. S.	J.	911.36	.36896	.36888	+ .00008
"	"	15	29	2	2.8775	1.71	27.2	"	5.587	86.60	23	39	47	10	26	5	26.9	5.671	86.60	G. S.	J.	911.21	.36878	.36874	+ .00004
"	12	13	25	2	2.8778	1.71	28.2	-1.6	5.995	86.30	23	38	23	10	25	30	28.2	5.830	86.30	G. S.	J.	911.21	.36889	.36885	+ .00004
"	"	15	25	2	2.8782	1.67	28.0	"	5.545	86.30	23	38	38	10	25	42	28.0	5.660	86.30	G. S.	J.	911.13	.36882	.36874	+ .00008
"	19	12	51	2	2.8777	1.66	28.9	-1.5	5.877	86.32	23	37	47	10	25	23	28.5	5.885	86.32	G. S.	J.	911.32	.36901	.36893	+ .00008
"	15	26	2	2.8787	1.64	28.6	"	5.515	86.32	23	37	51	10	25	32	28.5	5.642	86.32	G. S.	J.	911.05	.36882	.36872	+ .00010	
"	26	13	9	2	2.8781	1.65	28.9	-1.4	5.893	86.75	23	37	15	10	25	16	28.7	5.710	86.75	G. S.	J.	911.13	.36900	.36899	+ .00011
"	"	15	19	2	2.8788	1.64	28.8	"	5.450	86.75	23	38	21	25	27	28.8	5.522	86.75	G. S.	J.	911.11	.36881	.36873	+ .00008	
SEPT.	2	12	39	2	2.8763	1.65	27.9	-1.2	6.382	86.45	23	38	11	10	25	25	27.5	6.267	86.45	G. S.	J.	911.40	.36917	.36911	+ .00006
"	"	14	41	2	2.8775	1.65	27.8	"	5.935	86.45	23	37	58	10	25	20	27.5	6.100	86.45	G. S.	J.	910.94	.36901	.36896	+ .00005
"	9	13	8	2	2.8773	1.62	28.0	-1.7	5.975	86.90	23	37	58	10	25	27	27.9	5.730	86.90	G. S.	J.	910.94	.36901	.36897	+ .00007
"	"	15	16	2	2.8784	1.66	28.1	"	5.525	86.90	23	38	13	10	25	31	28.1	5.497	86.90	G. S.	J.	910.96	.36884	.36877	+ .00007
"	16	13	19	2	2.8792	1.27	29.3	-1.8	5.587	87.30	23	37	46	10	25	25	28.8	5.520	87.30	G. S.	J.	911.09	.36886	.36876	+ .00010
"	"	15	23	2	2.8792	1.65	29.0	"	5.302	87.30	23	38	11	10	25	36	28.8	5.410	87.30	G. S.	J.	911.09	.36876	.36865	+ .00011
"	23	12	58	2	2.8773	1.76	29.2	-1.8	6.205	87.95	23	36	22	10	24	53	29.4	5.652	87.95	G. S.	J.	911.30	.36917	.36905	+ .00012
"	"	15	15	2	2.8780	1.68	29.6	"	5.597	87.95	23	37	11	10	25	7	29.6	5.612	87.95	G. S.	J.	911.44	.36901	.36897	+ .00008
"	30	13	59	2	2.8783	2.01	29.8	-1.6	5.565	88.60	23	36	58	10	24	57	29.6	5.546	88.60	G. S.	J.	911.23	.36899	.36896	+ .00006
"	"	15	35	2	2.8793	1.96	29.8	"	5.252	88.60	23	37	48	10	24	55	29.7	5.435	88.60	G. S.	J.	910.92	.36888	.36881	+ .00007
OCT.	7	13	3	2	2.8774	1.85	29.4	-1.6	5.795	89.10	23	37	41	10	25	0	29.0	5.677	89.10	G. S.	J.	911.38	.36912	.36906	+ .00006
"	"	14	58	2	2.8784	1.82	29.4	"	5.501	89.10	23	37	31	10	25	4	29.2	5.590	89.10	G. S.	J.	911.13	.36899	.36890	+ .00009
"	14	12	45	2	2.8781	1.86	29.6	-1.9	5.386	89.20	23	37	37	10	25	14	29.5	5.073	89.20	G. S.	J.	911.46	.36894	.36888	+ .00006
"	"	15	0	2	2.8794	1.82	29.5	"	4.552	89.20	23	38	20	10	25	31	29.5	4.791	89.20	G. S.	J.	911.26	.36868	.36862	+ .00006
"	28	12	53	2	2.8786	1.80	29.9	-1.8	5.636	89.45	23	36	46	10	24	51	29.9	5.243	89.45	G. S.	J.	911.21	.36898	.36892	+ .00006
"	"	14	37	2	2.8798	1.83	29.8	"	4.956	89.47	23	36	57	10	25	5	29.9	5.023	89.47	G. S.	J.	910.92	.36879	.36868	+ .00011
NOV.	4	13	1	2	2.8781	1.84	29.5	-1.9	5.395	89.00	23	37	27	10	25	7	29.2	5.202	89.00	G. S.	J.	911.30	.36897	.36893	+ .00004
"	"	15	15	2	2.8792	1.83	29.6	"	5.157	89.02	23	37	21	10	25	7	29.5	5.147	89.02	G. S.	J.	911.05	.36883	.36877	+ .00006
"	"	11	13	3	2.8783	1.96	28.6	-1.9	5.160	88.30	23	38	25	10	25	33	28.7	4.945	88.30	G. S.	J.	911.23	.36879	.36874	+ .00005
"	"	14	58	2	2.8794	2.01	28.7	"	4.700	88.32	23	38	33	10	25	42	28.8	4.842	88.32	G. S.	J.	911.00	.36863	.36854	+ .00009
"	18	13	0	2	2.8794	1.91	31.0	-1.9	5.457	88.22	23	36	41	10	24	40	30.7	5.330	88.22	G. S.	J.	911.17	.36897	.36888	+ .00009
"	"	15	18	2	2.8801	1.82	30.7	"	5.062	88.27	23	36	26	10	24	48	30.8	5.147	88.27	G. S.	J.	911.02	.36881	.36872	+ .00009
"	25	13	0	2	2.8769	1.84	26.7	-2.0	5.207	87.80	23	39	22	10	26	1	27.0	5.060	87.80	G. S.	J.	911.23	.36887	.36878	+ .00009
"	"	15	13	2	2.8778	1.87	26.9	"	5.025	87.82	23	39	22	10	25	57	27.1	5.032	87.82	G. S.	J.	910.98	.36875	.36869	+ .00006
DEC.	3	13	54	2	2.8776	2.04	26.8	-2.0	5.325	86.50	23	38	42	10	25	40	27.2	5.235	86.50	G. S.	J.	910.81	.36883	.36877	+ .00006
"	"	15	45	2	2.8774	1.91	27.5	"	5.290	86.55	23	38	34	10	25	45	27.5	5.272	86.55	G. S.	J.	911.11	.36891	.36881	+ .00010
"	"	9	13	21	2.8779	1.92	28.2	-2.2	5.407	86.12	23	38	21	10	25	31	28.4	5.167	86.12	G. S.	J.	911.19	.36885	.36879	+ .00006
"	"	15	19	2	2.8784	1.82	28.3	"	4.987	86.15	23	38	19	10	25	35	28.5	5.120	86.15	G. S.	J.	911.11	.36880	.36871	+ .00009
"	16	13	7	2	2.8769	1.93	27.7	-2.0	4.827	85.52	23	37	49	10	25	21	28.0	5.295	85.52	G. S.	J.	911.19	.36895	.36897	+ .00008
"	"	14	51	2	2.8773	2.22	27.8	"	5.417	85.57	23	37	28	10	25	17	28.4	5.337	85.57	G. S.	J.	911.00	.36898	.36888	+ .00010
"	23	12	46	2	2.8774	1.81	27.5	-2.1	5.365	85.02	23	39	21	25	47	27.8	4.947	85.02	G. S.	J.	911.30	.36883	.36878	+ .00005	
"	"	15	14	2	2.8785	1.98	27.7	"	4.822	85.02	23	39	71	25	51	27.7	4.985	85.02	G. S.	J.	910.96	.36870	.36864	+ .00006	
"	30	14	2	2	2.8768	1.83	27.4	-2.2	5.491	84.47	23	37	54	10	25	17	27.8	5.467	84.47	G. S.	J.	911.11	.36904	.36899	+ .00005
"	"	15	43	2	2.8781	1.91	27.7	"	5.290	84.55	23	37	31	10	25	22	28.1	5.430	84.55	G. S.	J.	910.77	.36891	.36880	+ .00011

January to June 1912

July to December 1912

† The mean* observed value of the Horizontal Force

0.368894

0.368867

=

=

* The monthly and annual means corrected for diurnal variation appear in Table VIIa.

† Change in the magnet conditions was noted on the 18th June due to a mishap. The magnet appears to have received some knock unknown to the observer which has altered the moment, distribution and the zero, *vide* Introduction.

Absolute Magnetical Observations, Alibag—Table IIa.

OBSERVATIONS OF ABSOLUTE DECLINATION, 1912.

Taken with Magnetometer No. 7. (T. Cooke and Sons.)

1912.		MEAN READINGS.						TORSION.		MONTHLY MEAN.				
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to			Mean.	Effect of 90°.	Observer.	Corresponding Reading of Declination Magnetograms.	Absolute Easterly Declination corrected for Torsion.	Corrected Reading of Declination Magnetograms.	*Observed absolute Easterly Declination.	
		Scale apparently.		Scale of Collimator Magnet.	Kennery Light House.									
		Erect.	Inverted.											
1	2	3	4	5	6	7	8	9	10	11	12	13		
		H. m.	Sec. div.	Sec. div.	° ' "	° ' "	°	Sec. div.		cms.	° ' "	cms.	° ' "	
JAN.	3	13 44	55.6	..	85 22 10	222 22 35	0	..	G. S. J.	5.687	0 53 0	..	..	
"	5	13 47	55.6	..	85 23 25	222 22 50	0	..	A.	5.787	0 54 0	..	..	
"	8	13 44	55.6	..	85 23 10	222 22 30	0	..	G. S. J.	5.790	0 54 5	..	..	
"	12	13 37	55.6	..	85 20 45	222 22 30	0	..	G. S. J.	5.547	0 51 40	..	..	
"	15	13 37	55.6	..	85 22 25	222 22 55	0	..	A.	5.680	0 52 55	..	..	
"	17	13 44	55.6	..	85 22 10	222 22 40	0	..	G. S. J.	5.690	0 52 55	..	..	
"	19	14 2	55.6	..	85 22 5	222 22 45	0	..	A.	5.650	0 52 45	5.676	0 52 52	
"	22	13 44	55.6	..	85 22 25	222 22 40	0	..	G. S. J.	5.710	0 53 10	..	..	
"	24	13 44	55.6	..	85 22 5	222 23 0	0	..	A.	5.657	0 52 30	..	..	
"	26	14 0	55.6	..	85 22 5	222 22 35	0	..	G. S. J.	5.660	0 52 55	..	..	
"	29	13 37	55.6	..	85 21 45	222 22 50	0	..	A.	5.625	0 52 20	..	..	
"	31	13 44	55.6	..	85 21 30	222 22 40	0	..	G. S. J.	5.625	0 52 15	..	..	
FEB.	2	13 44	55.6	..	85 21 50	222 22 55	0	..	A.	5.660	0 52 20	..	..	
"	5	14 15	55.6	..	85 21 50	222 22 30	0	..	G. S. J.	5.680	0 52 45	..	..	
"	7	14 10	55.6	..	85 21 45	222 22 40	0	..	A.	5.655	0 52 30	..	..	
"	9	13 44	55.6	..	85 20 55	222 23 0	0	..	G. S. J.	5.560	0 51 20	..	..	
"	12	13 51	55.6	..	85 23 0	222 23 25	0	..	A.	5.675	0 53 0	..	..	
"	14	14 15	55.6	..	85 21 5	222 23 0	0	..	G. S. J.	5.580	0 51 30	5.620	0 51 58	
"	19	13 34	55.6	..	85 21 5	222 23 0	0	..	G. S. J.	5.570	0 51 30	..	..	
"	21	13 44	55.6	..	85 21 55	222 23 25	0	..	A.	5.605	0 51 55	..	..	
"	23	13 44	55.6	..	85 21 10	222 23 10	0	..	G. S. J.	5.590	0 51 25	..	..	
"	26	13 55	55.6	..	85 21 40	222 23 25	0	..	A.	5.610	0 51 40	..	..	
"	28	13 44	55.6	..	85 21 30	222 23 10	0	..	G. S. J.	5.630	0 51 45	..	..	
MARCH	1	13 44	55.6	..	85 21 40	222 23 35	0	..	A.	5.620	0 51 30	..	..	
"	4	14 6	55.6	..	85 21 25	222 23 5	0	..	G. S. J.	5.645	0 51 45	..	..	
"	6	13 44	55.6	..	85 21 15	222 23 15	0	..	A.	5.585	0 51 25	..	..	
"	8	13 44	55.6	..	85 20 25	222 23 10	0	..	G. S. J.	5.525	0 50 40	..	..	
"	11	13 44	55.6	..	85 20 40	222 23 35	0	..	A.	5.530	0 50 30	..	..	
"	13	13 44	55.6	..	85 21 5	222 23 10	0	..	G. S. J.	5.600	0 51 20	..	..	
"	15	11 31	55.6	..	85 22 10	222 23 10	0	..	G. S. J.	5.590	0 52 25	5.557	0 51 4	
"	19	13 21	55.6	..	85 18 40	222 23 0	0	..	G. S. J.	5.350	0 49 5	..	..	
"	21	13 42	55.6	..	85 21 0	222 23 35	0	..	A.	5.500	0 50 50	..	..	
"	22	13 44	55.6	..	85 20 40	222 23 10	0	..	G. S. J.	5.535	0 50 55	..	..	
"	25	13 44	55.6	..	85 21 10	222 23 30	0	..	A.	5.550	0 51 5	..	..	
"	29	13 44	55.6	..	85 21 15	222 23 20	0	..	A.	5.560	0 51 20	..	..	
APRIL	1	13 44	55.6	..	85 19 20	222 23 0	0	..	G. S. J.	5.410	0 49 45	..	..	
"	3	13 44	55.6	..	85 20 30	222 23 35	0	..	A.	5.467	0 50 20	..	..	
"	8	13 44	55.6	..	85 20 45	222 23 30	0	..	A.	5.470	0 50 40	..	..	
"	10	13 44	55.6	..	85 20 30	222 23 0	0	..	G. S. J.	5.495	0 50 55	..	..	
"	12	13 44	55.6	..	85 20 20	222 23 15	0	..	A.	Not available.	0 50 30	..	..	
"	16	13 27	55.6	..	85 21 55	222 22 55	0	..	G. S. J.	5.640	0 52 25	5.466	0 50 45	
"	18	13 44	55.6	..	85 20 35	222 23 0	0	..	A.	5.475	0 51 0	..	..	
"	19	13 44	55.6	..	85 21 25	222 22 55	0	..	G. S. J.	5.560	0 51 55	..	..	
"	22	13 44	55.6	..	85 21 10	222 23 15	0	..	A.	5.500	0 51 20	..	..	
"	24	13 44	55.6	..	85 20 30	222 22 50	0	..	G. S. J.	5.470	0 51 5	..	..	
"	26	13 45	55.6	..	85 19 35	222 23 5	0	..	A.	5.347	0 49 55	..	..	
"	29	13 56	55.6	..	85 18 35	222 22 55	0	..	G. S. J.	5.295	0 49 5	..	..	
MAY	1	14 34	55.6	..	85 20 10	222 22 55	0	..	A.	5.410	0 50 40	..	..	
"	3	13 13	55.6	..	85 18 20	222 22 40	0	..	G. S. J.	5.285	0 49 5	..	..	
"	6	14 41	55.6	..	85 20 35	222 22 55	0	..	A.	5.475	0 51 5	..	..	
"	10	14 57	55.6	..	85 21 30	222 22 55	0	..	A.	5.500	0 52 0	..	..	
"	14	13 36	55.6	..	85 19 40	222 22 45	0	..	G. S. J.	5.380	0 50 20	5.402	0 50 28	
"	15	16 24	55.6	..	85 22 50	222 23 10	0	..	A.	5.680	0 53 5	..	..	
"	16	12 45	55.6	..	85 19 10	222 22 55	0	..	G. S. J.	5.340	0 49 40	..	..	
"	23	12 39	55.6	..	85 17 35	222 23 0	0	..	G. S. J.	5.170	0 48 0	..	..	
"	30	13 45	55.6	..	85 19 35	222 22 45	0	..	G. S. J.	5.375	0 50 15	..	..	
JUNE	6	13 21	55.6	..	85 17 35	222 22 55	0	..	G. S. J.	5.172	0 48 5	..	..	
"	13	12 13	55.6	..	85 18 30	222 22 35	0	..	G. S. J.	5.295	0 49 20	..	..	
"	20	13 45	55.6	..	85 18 20	222 22 50	0	..	G. S. J.	5.285	0 48 55	5.288	0 49 11	
"	27	13 47	55.6	..	85 20 0	222 23 0	0	..	G. S. J.	5.400	0 50 25	..	..	

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

1912.		MEAN READINGS.					TORSION.		Observer.	Corres-ponding Reading of Declination Magnetograms.	Absolute Easterly Declination corrected for Torsion.	MONTHLY MEAN.	
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to			Mean.	Effect of 90°				Corres-pondin Reading of Declination-Magnetograms.	*Observed absolute Easterly Declination.
		Scale apparently		Scale of Collimator Magnet.	Kennery Light House.								
		Erect.	Inverted.										
1	2	3	4	5	6	7	8	9	10	11	12	13	
	H. m. Sc. div.	Sc. div.					Sc. div.		cms.		cms.		
JULY	4 13 7	55.6		85 18 15	222 22 55	0		G. S. J.	5.290	0 48 45	5.323	0 48 54	
"	11 12 29	55.6		85 18 35	222 23 0	0		G. S. J.	5.320	0 49 0			
"	18 11 35	55.6		85 18 20	222 23 0	0		G. S. J.	5.320	0 48 45			
"	25 12 30	55.6		85 18 45	222 23 5	0		G. S. J.	5.362	0 49 5			
AUG.	1 13 8	55.6		85 19 45	222 23 15	0		G. S. J.	5.475	0 49 55	5.372	0 48 39	
"	8 13 36	55.6		85 18 30	222 23 15	0		G. S. J.	5.367	0 48 40			
"	15 11 43	55.6		85 19 5	222 23 30	0		G. S. J.	5.400	0 49 0			
"	22 13 14	55.6		85 18 50	222 23 45	0		G. S. J.	5.365	0 48 30			
"	29 13 46	55.6		85 17 40	222 23 55	0		G. S. J.	5.255	0 47 10			
SEPT.	6 13 30	55.6		85 19 45	222 24 0	0		G. S. J.	5.425	0 49 10	5.350	0 48 21	
"	12 13 11	55.6		85 18 15	222 24 5	0		G. S. J.	5.325	0 47 35			
"	19 13 20	55.6		85 18 25	222 23 55	0		G. S. J.	5.325	0 47 55			
"	26 13 27	55.6		85 19 15	222 23 55	0		G. S. J.	5.350	0 48 45			
OCT.	3 13 10	55.6		85 19 35	222 24 15	0		G. S. J.	5.400	0 48 45	5.416	0 49 18	
"	10 12 6	55.6		85 20 0	222 24 5	0		G. S. J.	5.395	0 49 20			
"	18 12 12	55.6		85 19 55	222 24 5	0		G. S. J.	5.395	0 49 15			
"	24 12 50	55.6		85 19 40	222 23 55	0		G. S. J.	5.402	0 49 10			
"	31 12 53	55.6		85 20 30	222 23 55	0		G. S. J.	5.490	0 50 0			
NOV.	7 13 16	55.6		85 21 30	222 23 40	0		G. S. J.	5.640	0 51 15	5.545	0 50 14	
"	14 13 45	55.6		85 20 20	222 23 40	0		G. S. J.	5.585	0 50 5			
"	21 15 3	55.6		85 19 55	222 23 45	0		G. S. J.	5.465	0 49 35			
"	28 13 46	55.6		85 20 35	222 24 0	0		G. S. J.	5.540	0 50 0			
DEC.	5 12 54	55.6		85 21 15	222 25 5	0		G. S. J.	5.600	0 50 35	5.589	0 50 4	
"	12 13 18	55.6		85 21 25	222 24 25	0		G. S. J.	5.635	0 50 25			
"	19 13 6	55.6		85 20 25	222 24 20	0		G. S. J.	5.515	0 49 30			
"	26 13 27	55.6		85 20 55	222 24 35	0		G. S. J.	5.605	0 49 45			
The Mean * observed Declination for the year 1912 = 0 50 9													

* The monthly and annual mean corrected for diurnal variation appear in Table VIII.

Absolute Magnetical Observations, Alibag—Table IIb.

OBSERVATIONS OF ABSOLUTE DECLINATION, 1912.

Taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.)

1912.		MEAN READINGS.										TORSION.		Observer.	Corres- ponding Reading of Declina- tion Magnetograms.	Absolute Easterly Declina- tion corrected for Torsion.	MONTHLY MEAN.	
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to						Mean.	Effect of 90°.	Corres- ponding Reading of Declina- tion Mag- netograms	*Observed absolute Easterly Declina- tion.					
		Scale apparently		Scale of Collimator Magnet.			Kennery Light House.											
		Erect.	Inverted.															
1	2	3	4.	5			6			7	8	9	10	11	12	13		
	H. m.	Sec. div.	Sec. div.	° ' "			° ' "			°	Sec. div.		cms.	° ' "	cms.	° ' "		
JAN.	4	11 4	33.95	34.22	276	21	25	53	23	25	0		G. S. J.	5.612	0 51 10	5.548 0 50 17		
"	6	11 14	34.00	34.15	276	21	45	53	23	20	0		A.	5.622	0 51 42			
"	9	11 32	33.90	34.30	276	18	30	53	23	30	0		G. S. J.	5.317	0 48 2			
"	11	11 22	33.92	34.15	276	19	45	53	23	15	0		A.	5.485	0 49 42			
"	13	11 29	33.90	34.37	276	21	25	53	23	30	0		G. S. J.	5.602	0 50 54			
"	16	11 20	34.02	33.90	276	21	25	53	23	40	0		A.	5.655	0 51 17			
"	18	11 8	34.00	34.22	276	20	45	53	23	30	0		G. S. J.	5.570	0 50 27			
"	20	11 30	34.00	34.15	276	19	45	53	23	30	0		A.	5.518	0 49 32			
"	23	11 30	34.10	34.17	276	20	10	53	22	55	0		G. S. J.	5.577	0 50 37			
"	25	11 26	34.10	34.09	276	19	5	53	23	25	0		A.	5.460	0 49 5			
"	27	11 24	33.92	34.22	276	20	35	53	23	15	0		G. S. J.	5.591	0 50 28			
"	30	11 25	34.07	34.06	276	20	15	53	23	5	0		A.	5.567	0 50 35			
FEB.	1	11 34	33.90	34.61	276	21	5	53	22	55	0		G. S. J.	5.645	0 50 55	5.557 0 50 8		
"	3	11 26	34.10	34.05	276	21	35	53	23	30	0		A.	5.703	0 51 32			
"	6	11 47	33.97	34.22	276	18	55	53	22	45	0		G. S. J.	5.457	0 49 21			
"	8	11 20	34.05	33.87	276	18	30	53	23	10	0		A.	5.386	0 48 55			
"	10	11 27	33.82	34.15	276	18	40	53	22	55	0		A.	5.412	0 48 52			
"	13	11 27	34.00	34.20	276	18	35	53	22	55	0		A.	5.457	0 48 54			
"	15	11 27	33.90	34.05	276	19	55	53	22	45	0		G. S. J.	5.580	0 50 27			
"	17	11 28	34.02	33.95	276	18	20	53	23	15	0		A.	5.410	0 48 33			
"	20	11 30	34.00	34.02	276	19	45	53	22	55	0		G. S. J.	5.558	0 50 14			
"	22	11 17	34.05	33.72	276	19	5	53	23	10	0		A.	5.530	0 49 38			
"	24	11 24	34.00	34.05	276	20	10	53	22	55	0		G. S. J.	5.602	0 50 38			
"	27	11 21	34.00	33.67	276	21	20	53	22	40	0		A.	5.800	0 52 23			
"	29	10 29	34.12	33.65	276	20	35	53	23	0	0		G. S. J.	5.701	0 51 26			
MAR.	5	11 26	34.05	34.12	276	19	40	53	23	0	0		G. S. J.	5.625	0 50 2	5.672 0 51 7		
"	7	11 27	33.75	34.65	276	23	20	53	22	50	0		A.	5.835	0 53 3			
"	9	11 35	33.97	34.20	276	20	10	53	23	0	0		G. S. J.	5.610	0 50 22			
"	12	11 31	34.00	33.97	276	20	25	53	23	30	0		A.	5.641	0 50 21			
"	14	11 32	33.92	34.30	276	22	25	53	23	10	0		G. S. J.	5.780	0 52 18			
"	18	11 28	33.95	34.35	276	21	50	53	23	0	0		G. S. J.	5.716	0 51 52			
"	20	11 33	34.06	34.10	276	19	25	53	22	45	0		A.	5.545	0 50 3			
"	23	11 21	33.90	34.47	276	21	40	53	22	55	0		G. S. J.	5.720	0 51 38			
"	26	11 29	33.97	34.10	276	21	5	53	22	55	0		A.	5.677	0 51 28			
"	28	11 41	33.75	34.45	276	20	35	53	22	50	0		G. S. J.	5.630	0 50 46			
"	30	11 23	34.02	34.00	276	20	25	53	23	25	0		A.	5.615	0 50 26			
APRIL	2	11 24	33.82	34.42	276	19	35	53	22	45	0		G. S. J.	5.466	0 49 41	5.450 0 49 34		
"	4	11 22	34.00	34.17	276	19	55	53	23	0	0		A.	5.565	0 50 11			
"	9	11 30	33.97	34.17	276	20	0	53	22	45	0		A.	5.582	0 50 29			
"	11	12 28	33.96	34.30	276	18	20	53	23	0	0		G. S. J.	5.335	0 48 26			
"	13	11 21	33.95	34.45	276	20	0	53	23	10	0		A.	5.520	0 49 46			
"	15	12 17	34.02	34.22	276	19	25	53	23	0	0		G. S. J.	5.432	0 49 39			
"	17	11 37	34.00	34.40	276	20	10	53	22	50	0		A.	5.495	0 50 22			
"	20	11 21	33.87	34.25	276	19	45	53	22	55	0		G. S. J.	5.455	0 49 53			
"	23	11 25	34.02	34.37	276	19	45	53	23	5	0		A.	5.455	0 49 46			
"	25	11 30	33.87	34.40	276	19	15	53	23	0	0		G. S. J.	5.390	0 49 10			
"	27	11 34	33.95	34.45	276	18	50	53	23	10	0		A.	5.380	0 48 36			
"	30	11 33	34.00	34.22	276	18	35	53	22	55	0		G. S. J.	5.330	0 48 52			
MAY	2	11 34	33.92	34.30	276	18	35	53	22	50	0		A.	5.382	0 48 48	5.380 0 49 13		
"	4	10 35	34.07	33.95	276	19	10	53	23	5	0		G. S. J.	5.400	0 49 37			
"	7	11 32	34.07	33.85	276	18	30	53	23	10	0		A.	5.365	0 48 58			
"	9	12 6	33.94	34.27	276	19	55	53	23	10	0		G. S. J.	5.430	0 49 52			
"	11	12 2	33.87	34.37	276	19	20	53	23	0	0		A.	5.372	0 49 16			
"	13	11 43	34.02	34.35	276	20	0	53	23	10	0		G. S. J.	5.442	0 49 57			
"	16	13 23	34.12	34.05	276	18	35	53	23	0	0		G. S. J.	5.417	0 49 3			
"	23	13 10	33.82	34.15	276	17	35	53	23	10	0		G. S. J.	5.177	0 47 32			
"	30	14 21	33.97	34.05	276	19	30	53	23	0	0		G. S. J.	5.437	0 49 50			

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

1912.		MEAN READINGS.								TORSION.		Observer.	Corres- ponding Reading of Declina- tion Magnetograms.	Absolute Easterly Declina- tion corrected for Torsion.	MONTHLY MEAN.		
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to						Mean.	Effect of 90°.				Corres- ponding Reading of Declina- tion Magnetograms.	*Observed absolute Easterly Declina- tion.	
		Scale apparently		Scale of Collimator Magnet.	Kennery Light House.	Mean.	Effect of 90°.										
		Erect.	Inverted.														
1	2	3	4	5	6	7	8	9	10	11	12	13					
	H. m.	Sc. div.	Sc. div.						Sc. div.			cms.					
JUNE	6	13 51	33.92	34.45	276	18	10	53	23	10	0	..	G. S. J.	5.207	0 47 55	5.294	0 48 33
"	13	12 43	34.02	34.12	276	18	30	53	23	5	0	..	G. S. J.	5.275	0 48 44		
"	20	14 22	33.97	35.05	276	19	0	53	23	0	0	..	G. S. J.	5.290	0 48 23		
"	27	14 22	33.90	35.22	276	20	5	53	23	5	0	..	G. S. J.	5.405	0 49 9		
JULY	4	13 38	33.85	35.57	276	18	50	53	22	55	0	..	G. S. J.	5.300	0 47 41	5.334	0 48 0
"	11	13 8	34.00	35.32	276	18	20	53	22	10	0	..	G. S. J.	5.337	0 48 19		
"	18	12 11	33.95	35.37	276	18	45	53	23	10	0	..	G. S. J.	5.302	0 47 39		
"	25	13 11	33.95	35.75	276	19	45	53	23	5	0	..	G. S. J.	5.398	0 48 22		
AUG.	1	13 41	34.00	35.15	276	19	45	53	22	45	0	..	G. S. J.	5.492	0 49 20	5.409	0 48 30
"	8	14 23	33.97	35.22	276	19	10	53	23	15	0	..	G. S. J.	5.397	0 48 9		
"	15	12 16	33.92	35.17	276	19	0	53	22	50	0	..	G. S. J.	5.405	0 48 24		
"	22	13 46	34.02	35.32	276	19	25	53	23	0	0	..	G. S. J.	5.400	0 48 36		
"	29	14 27	33.95	35.20	276	19	0	53	23	15	0	..	G. S. J.	5.350	0 47 59		
SEP	6	14 2	34.07	35.00	276	20	15	53	23	15	0	..	G. S. J.	5.490	0 49 32	5.423	0 48 39
"	12	13 51	34.05	35.35	276	19	15	53	23	30	0	..	G. S. J.	5.402	0 47 56		
"	19	13 44	34.02	35.12	276	19	25	53	23	20	0	..	G. S. J.	5.407	0 48 27		
"	26	13 51	33.95	35.40	276	19	50	53	23	10	0	..	G. S. J.	5.393	0 48 42		
OCT.	3	13 39	34.15	34.87	276	19	0	53	23	20	0	..	G. S. J.	5.410	0 48 24	5.421	0 48 43
"	10	12 55	33.95	35.10	276	19	5	53	23	15	0	..	G. S. J.	5.362	0 48 10		
"	18	12 39	34.02	35.15	276	19	20	53	23	10	0	..	G. S. J.	5.408	0 48 31		
"	24	13 19	34.00	35.12	276	19	25	53	22	50	0	..	G. S. J.	5.428	0 48 56		
"	31	13 27	34.07	35.05	276	20	5	53	23	0	0	..	G. S. J.	5.498	0 49 34		
NOV.	7	13 51	33.75	35.67	276	22	12	53	23	0	0	..	G. S. J.	5.655	0 50 53	5.548	0 49 34
"	14	14 11	33.95	35.37	276	20	15	53	23	5	0	..	G. S. J.	5.520	0 49 14		
"	21	15 38	34.00	35.32	276	19	55	53	23	0	0	..	G. S. J.	5.485	0 49 4		
"	28	14 14	34.00	35.47	276	20	15	53	23	10	0	..	G. S. J.	5.532	0 49 6		
DEC.	5	13 41	33.92	35.17	276	21	0	53	23	10	0	..	G. S. J.	5.602	0 50 4	5.589	0 49 30
"	12	13 11	34.00	35.60	276	20	50	53	23	0	0	..	G. S. J.	5.622	0 49 43		
"	19	13 9	33.92	35.22	276	19	40	53	23	0	0	..	G. S. J.	5.517	0 48 51		
"	26	13 50	34.02	34.95	276	19	50	53	23	0	0	..	G. S. J.	5.615	0 49 22		
The mean *observed Declination for the year 1912												=	0 49 19				

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

† Change in the magnet conditions was noted on the 18th June due to a mishap. The magnet appears to have received some knock unknown to the observer which has altered the moment, distribution and the zero, *vide* Introduction.

Absolute Magnetical Observations, Alibag—Table IIIa.

OBSERVATIONS OF INCLINATION, 1912.

Taken with Inductor No. 41 by Schulze and Galvanometer No. 200 By Plath.

1912.	Alibag Civil Time (0 to 24 hours).		Observers.	Face of Circle.		Mean Inclination.	Monthly* mean Inclination.
	Date.	At commence- ment.	At conclu- sion.	East.	West.		
JAN.	1	H. m.	H. m.				
	1	11 55	12 17	G. S. J. and A.	23 50.47	23 52.25	23 51.36
	2	14 14	14 29	B. P. and A.	23 52.66	23 53.11	23 52.88
	3	11 11	11 25	B. P. and A.	23 51.51	23 51.00	23 51.25
	4	13 49	14 8	G. S. J. and A.	23 53.17	23 51.62	23 52.39
	5	11 51	12 10	G. S. J. and B. P.	23 51.21	23 52.97	23 52.09
	6	13 58	14 20	G. S. J. and A.	23 53.78	23 54.53	23 54.15
	8	11 43	12 5	B. P. and A.	23 51.64	23 50.67	23 51.15
	9	14 5	14 37	G. S. J. and A.	23 50.34	23 51.43	23 50.88
	10	12 22	12 40	B. P. and A.	23 52.17	23 51.64	23 51.90
	11	13 54	14 17	G. S. J. and A.	23 52.11	23 53.24	23 52.67
	12	11 18	11 36	B. P. and A.	23 50.20	23 49.19	23 49.69
	13	14 14	14 30	G. S. J. and A.	23 52.26	23 52.87	23 52.56
	15	11 52	12 16	G. S. J. and B. P.	23 51.41	23 52.22	23 51.81
	16	13 58	14 30	G. S. J. and A.	23 50.63	23 51.59	23 51.11
	17	11 34	12 8	B. P. and A.	23 48.65	23 48.05	23 48.35
	18	13 52	14 7	G. S. J. and A.	23 52.48	23 51.06	23 51.77
	19	11 44	12 19	G. S. J. and B. P.	23 51.12	23 52.78	23 51.95
	20	14 0	14 30	G. S. J. and A.	23 51.77	23 53.44	23 52.60
	22	11 36	11 53	B. P. and A.	23 50.61	23 51.77	23 51.19
	23	13 52	14 16	A. and G. S. J.	23 53.42	23 54.56	23 53.99
	24	11 53	12 17	G. S. J. and B. P.	23 50.16	23 51.56	23 50.86
	25	13 55	14 31	G. S. J. and A.	23 52.77	23 54.96	23 53.86
	26	10 58	11 15	A. and B. P.	23 50.95	23 52.42	23 51.68
	27	13 54	14 17	A. and G. S. J.	23 51.91	23 52.88	23 52.39
	29	11 34	11 57	G. S. J. and G. P.	23 50.22	23 52.30	23 51.26
	30	13 54	14 26	G. S. J. and A.	23 53.13	23 53.55	23 53.34
	31	11 25	11 47	A. and G. P.	23 50.95	23 51.62	23 51.28
FEB.	1	14 3	14 22	A. and G. S. J.	23 52.52	23 53.15	23 52.83
	2	11 11	11 32	A. and G. P.	23 50.76	23 51.83	23 51.29
	3	13 58	14 15	A. and G. P.	23 52.80	23 53.46	23 53.13
	5	11 59	12 25	A. and G. P.	23 50.67	23 51.70	23 51.18
	6	14 0	14 21	A. and G. S. J.	23 52.16	23 52.27	23 52.21
	7	11 37	2 5	G. S. J. and G. P.	23 49.35	23 51.50	23 50.42
	8	13 58	14 30	G. S. J. and A.	23 53.31	23 52.55	23 52.93
	9	11 26	11 47	A. and G. P.	23 49.91	23 50.70	23 50.30
	10	14 5	14 42	A. and G. P.	23 52.26	23 53.58	23 52.92
	12	11 44	12 8	G. S. J. and G. P.	23 50.10	23 53.73	23 51.91
	13	13 55	14 22	G. S. J. and A.	23 53.60	23 55.09	23 54.34
	14	12 36	13 6	G. S. J. and A.	23 50.92	23 52.44	23 51.68
	15	14 6	14 27	A. and G. S. J.	23 52.56	23 53.25	23 52.90
	16	12 19	12 35	A. and G. P.	23 51.87	23 50.95	23 51.41
	17	13 53	14 32	G. S. J. and A.	23 52.17	23 53.69	23 52.93
	19	11 35	11 50	A. and G. P.	23 51.07	23 51.63	23 51.35
	20	13 51	14 13	A. and G. S. J.	23 53.45	23 54.19	23 53.82
	21	11 40	12 24	G. S. J. and G. P.	23 50.84	23 54.12	23 52.48
	22	13 57	14 21	G. S. J. and A.	23 52.40	23 55.71	23 54.05
MARCH	23	11 34	11 53	A. and G. P.	23 49.41	23 50.73	23 50.07
	24	13 51	14 9	A. and G. S. J.	23 52.86	23 52.65	23 52.70
	26	12 0	12 22	G. S. J. and G. P.	23 52.43	23 54.89	23 53.66
	27	13 54	14 25	G. S. J. and A.	23 52.49	23 56.94	23 54.71
	28	12 3	12 19	A. and G. P.	23 52.93	23 52.50	23 52.71
	29	13 56	14 11	A. and G. S. J.	23 54.45	23 52.91	23 53.68
	1	11 44	12 22	G. P. and G. S. J.	23 52.88	23 53.46	23 53.17
	2	14 14	14 27	A. and G. P.	23 52.56	23 52.13	23 52.34
	4	11 44	12 1	A. and G. P.	23 50.53	23 50.41	23 50.47
	5	13 49	14 10	A. and G. S. J.	23 51.74	23 52.11	23 51.92
	6	11 54	12 27	G. S. J. and G. P.	23 50.64	23 53.89	23 52.26
	7	14 6	14 31	G. S. J. and A.	23 53.66	23 53.10	23 53.38
	8	11 43	12 0	A. and G. P.	23 51.85	23 51.51	23 51.68
	9	13 53	14 10	A. and G. S. J.	23 54.13	23 54.63	23 54.38
	11	11 52	12 14	G. S. J. and G. P.	23 52.63	23 53.79	23 53.21
	12	14 26	15 0	G. S. J. and A.	23 53.07	23 54.64	23 53.85
	13	11 43	12 0	A. and G. P.	23 50.78	23 51.42	23 51.10
	14	14 28	14 46	A. and G. S. J.	23 52.95	23 51.79	23 52.37
	15	10 57	11 12	A. and G. P.	23 51.45	23 50.92	23 51.18
MARCH	16	11 8	11 29	G. S. J. and A.	23 50.02	23 52.35	23 51.18
	18	14 3	14 19	A. and G. P.	23 52.59	23 53.53	23 53.06
	19	12 51	13 11	A. and G. S. J.	23 51.53	23 51.79	23 51.66
	20	14 9	14 31	G. S. J. and G. P.	23 53.49	23 53.28	23 53.38
	21	11 37	12 5	G. S. J. and A.	23 50.27	23 53.44	23 51.85
	22	11 25	11 38	A. and G. P.	23 53.37	23 52.55	23 52.96
	23	13 51	14 8	A. and G. S. J.	23 53.86	23 54.37	23 54.11
	25	11 35	11 58	G. S. J. and G. P.	23 51.01	23 53.63	23 52.32
	26	13 55	14 16	G. S. J. and A.	23 52.01	23 54.41	23 53.21
	27	14 22	14 45	G. S. J. and G. P.	23 53.09	23 55.35	23 54.22
	28	14 12	14 34	A. and G. S. J.	23 54.04	23 53.41	23 53.72
	29	11 17	11 37	B. P. and G. S. J.	23 51.77	23 52.85	23 52.31
	30	13 56	14 18	G. S. J. and A.	23 53.74	23 55.14	23 54.44

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

1912.		Alibag Civil Time (0 to 24 hours).				Face of Circle.				Mean Inclination.		Monthly mean Inclination.	
Date.	At commence- ment.		At conclu- sion.		Observers.			East.	West.				
	H.	m.	H.	m.		°	'	°	'	°	'	°	'
APRIL	1	11 27	11 53		A. and B. P.	23	49.57	23	51.72	23	50.64		
"	2	13 51	14 10		A. and G. S. J.	23	53.45	23	53.18	23	53.31		
"	3	11 45	2 6		G. S. J. and B. P.	23	52.21	23	53.94	23	53.07		
"	4	13 52	14 15		G. S. J. and A.	23	52.85	23	54.66	23	53.75		
"	5	11 20	11 38		A. and G. S. J.	23	51.06	23	51.08	23	51.07		
"	6	11 53	12 9		G. S. J. and B. P.	23	51.95	23	53.32	23	52.63		
"	8	11 43	12 3		G. S. J. and B. P.	23	52.63	23	52.90	23	52.76		
"	9	14 11	14 35		G. S. J. and A.	23	53.38	23	54.19	23	53.78		
"	10	11 44	12 3		A. and B. P.	23	51.23	23	52.20	23	51.71		
"	11	15 23	15 45		A. and G. S. J.	23	53.38	23	53.30	23	53.34		
"	12	11 36	11 49		B. P. and G. S. J.	23	52.50	23	52.90	23	52.70		
"	13	3 58	14 25		G. S. J. and A.	23	52.37	23	54.80	23	53.58		
"	15	14 51	15 17		G. S. J. and A.	23	54.2	23	54.42	23	54.42	23	53.34
"	16	13 1	13 18		A. and G. S. J.	23	55.09	23	56.48	23	55.7		
"	17	14 2	14 34		G. S. J. and B. P.	23	53.83	23	54.18	23	54.00		
"	18	11 39	12 4		G. S. J. and A.	23	51.94	23	53.49	23	52.71		
"	19	11 37	11 58		B. P. and A.	23	52.16	23	54.39	23	53.27		
"	20	13 54	14 11		A. and G. S. J.	23	53.22	23	55.12	23	54.17		
"	22	11 43	12 4		G. S. J. and B. P.	23	52.75	23	53.76	23	53.25		
"	23	13 55	14 19		G. S. J. and A.	23	53.90	23	55.79	23	54.84		
"	24	11 37	11 57		A. and B. P.	23	53.05	23	52.90	23	52.97		
"	25	13 55	14 9		A. and G. S. J.	23	54.39	23	54.11	23	54.25		
"	26	11 51	12 6		B. P. and G. S. J.	23	53.50	23	53.62	23	53.56		
"	27	13 55	14 17		G. S. J. and A.	23	54.53	23	55.20	23	54.86		
"	29	11 47	12 22		G. S. J. and B. P.	23	51.24	23	51.97	23	51.60		
"	30	14 6	14 22		G. S. J. and A.	23	54.60	23	55.09	23	54.84		
MAY	1	12 34	12 54		A. and G. S. J.	23	51.19	23	51.92	23	51.55		
"	2	14 15	14 39		G. S. J. and A.	23	53.33	23	54.41	23	53.87		
"	3	11 7	11 22		B. P. and A.	23	53.70	23	53.08	23	53.39		
"	4	13 8	14 27		A. and G. S. J.	23	53.27	23	53.94	23	53.60		
"	6	12 39	12 59		G. S. J. and A.	23	53.83	23	55.67	23	54.75		
"	7	13 50	14 12		G. S. J. and A.	23	53.78	23	54.39	23	54.08		
"	9	14 42	15 7		A. and G. S. J.	23	54.16	23	53.63	23	53.89		
"	10	12 53	13 15		B. P. and G. S. J.	23	55.27	23	55.15	23	55.21		
"	11	14 39	15 12		G. S. J. and A.	23	54.65	23	56.87	23	55.76		
"	13	14 44	15 11		A. and G. S. J.	23	57.58	23	59.08	23	58.33		
"	14	13 7	13 22		A. and G. S. J.	23	54.55	23	55.42	23	54.98		
"	15	15 34	16 1		G. S. J. and A.	23	57.03	23	56.79	23	56.91		
"	17	11 54	12 13		B. P. and G. S. J.	23	53.39	23	54.15	23	53.77	23	54.26
"	18	11 48	12 18		G. S. J. and B. P.	23	54.14	23	54.54	23	54.34		
"	20	11 24	11 50		B. P. and G. S. J.	23	54.56	23	53.74	23	54.15		
"	21	13 8	13 40		G. S. J. and B. P.	23	54.97	23	55.87	23	55.42		
"	22	11 12	11 46		B. P. and G. S. J.	23	52.81	23	52.47	23	52.64		
"	23	11 35	11 59		G. S. J. and B. P.	23	52.51	23	52.83	23	52.67		
"	24	14 32	15 8		B. P. and G. S. J.	23	55.47	23	54.93	23	55.20		
"	25	12 11	12 46		G. S. J. and B. P.	23	54.07	23	53.32	23	53.69		
"	27	11 4	11 29		B. P. and G. S. J.	23	52.89	23	52.72	23	52.80		
"	28	12 16	12 57		G. S. J. and B. P.	23	54.40	23	54.04	23	54.22		
"	29	12 8	12 47		B. P. and G. S. J.	23	54.26	23	55.34	23	54.80		
"	30	12 8	12 45		G. S. J. and B. P.	23	53.11	23	53.91	23	53.51		
"	31	11 46	12 12		B. P. and G. S. J.	23	53.21	23	52.82	23	53.01		
JUNE	1	11 29	12 11		G. S. J. and B. P.	23	53.50	23	54.44	23	53.97		
"	3	11 31	12 0		B. P. and G. S. J.	23	54.82	23	54.32	23	54.57		
"	4	11 48	12 17		G. S. J. and B. P.	23	52.75	23	53.49	23	53.12		
"	5	11 30	11 56		B. P. and G. S. J.	23	53.69	23	53.79	23	53.74		
"	6	11 51	12 22		G. S. J. and B. P.	23	52.26	23	53.44	23	52.85		
"	7	11 53	12 17		B. P. and G. S. J.	23	53.55	23	53.98	23	53.76		
"	8	12 3	12 38		G. S. J. and B. P.	23	52.99	23	53.43	23	53.21		
"	10	10 49	11 20		B. P. and G. S. J.	23	54.61	23	54.06	23	54.33		
"	11	12 52	13 26		G. S. J. and B. P.	23	54.01	23	54.62	23	54.31		
"	12	10 48	11 22		B. P. and G. S. J.	23	54.11	23	54.86	23	54.48		
"	13	22 37	23 16		G. S. J. and B. P.	23	55.52	23	56.00	23	55.76		
"	14	12 49	13 18		B. P. and G. S. J.	23	54.09	23	54.63	23	54.36		
"	15	11 46	12 24		G. S. J. and B. P.	23	53.28	23	54.59	23	53.93	23	53.39
"	17	11 37	12 3		B. P. and G. S. J.	23	52.60	23	53.25	23	52.92		
"	18	12 6	12 59		G. S. J. and B. P.	23	52.15	23	52.50	23	52.32		
"	19	11 32	12 9		B. P. and G. S. J.	23	51.57	23	50.57	23	51.07		
"	20	12 19	12 55		G. S. J. and B. P.	23	52.66	23	52.16	23	52.41		
"	21	12 16	12 56		B. P. and G. S. J.	23	53.66	23	54.09	23	53.87		
"	22	11 44	12 18		G. S. J. and B. P.	23	52.28	23	53.06	23	52.67		
"	24	11 37	12 8		B. P. and G. S. J.	23	53.25	23	54.26	23	53.75		
"	25	11 44	12 30		G. S. J. and B. P.	23	53.55	23	52.48	23	53.01		
"	26	11 43	12 9		B. P. and G. S. J.	23	52.50	23	52.69	23	52.59		
"	27	12 25	13 8		G. S. J. and B. P.	23	51.00	23	50.47	23	50.73		
"	28	11 20	11 52		B. P. and G. S. J.	23	51.02	23	54.14	23	52.58		
"	29	11 46	12 21		G. S. J. and B. P.	23	54.55	23	54.23	23	54.39		

The temporary wooden pillar on which the Inductor was mounted, to the instability of which the somewhat large differences occasionally noted in previous years in the results for face east and face west, were in the main due, was removed in the month of May and the Inductor and the Galvanometer were permanently mounted on stone pillars fixed on beams isolated from the floor of the observation room.

1912.		Alibag Civil Time (0 to 24 hours).		Observers.	Face of Circle.		Mean Inclination.	Monthly mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.		°	°	°	°
JULY	1	11 10	11 37	B. P. and G. S. J.	23 54.59	23 54.21	23 54.40	23 54.10
"	2	12 35	12 59	G. S. J. and B. P.	23 52.89	23 52.79	23 52.84	
"	3	11 25	11 51	B. P. and G. S. J.	23 52.16	23 51.91	23 52.03	
"	4	11 36	12 27	G. S. J. and B. P.	23 52.75	23 52.47	23 52.61	
"	5	11 38	12 7	B. P. and G. S. J.	23 53.43	23 53.66	23 53.54	
"	6	11 48	12 11	G. S. J. and B. P.	23 53.25	23 53.40	23 53.32	
"	8	12 11	12 54	G. S. J.	23 53.96	23 54.82	23 54.39	
"	9	11 13	11 56	G. S. J. and B. P.	23 56.03	23 55.09	23 55.56	
"	10	11 22	11 58	B. P. and G. S. J.	23 53.28	23 53.85	23 53.56	
"	11	11 22	11 51	G. S. J. and B. P.	23 53.25	23 53.55	23 53.40	
"	12	11 16	11 48	B. P. and G. S. J.	23 54.15	23 54.26	23 54.20	
"	13	12 16	12 45	G. S. J. and B. P.	23 54.52	23 54.91	24 54.71	
"	15	11 6	11 32	B. P. and G. S. J.	23 54.29	23 53.90	23 54.09	
"	16	13 1	13 29	G. S. J. and B. P.	23 55.23	23 54.34	23 54.78	
"	17	11 7	11 29	B. P. and G. S. J.	23 53.52	23 53.84	23 53.68	
"	18	22 27	23 13	G. S. J. and B. P.	23 56.35	23 56.21	23 56.28	
"	19	11 32	12 10	B. P. and J. S. J.	23 54.36	23 53.70	23 54.03	
"	20	11 42	12 15	G. S. J. and B. P.	23 55.64	23 55.25	23 55.44	
"	22	11 34	12 8	B. P. and G. S. J.	23 54.39	23 54.75	23 54.57	
"	23	11 30	12 25	G. S. J. and B. P.	23 54.76	23 53.63	23 54.19	
"	24	11 17	11 44	B. P. and G. S. J.	23 54.27	23 53.21	23 53.74	
"	25	11 15	11 48	G. S. J. and B. P.	23 54.36	23 53.79	23 54.07	
"	26	11 10	11 36	B. P. and G. S. J.	23 54.66	23 53.73	23 54.19	
"	27	11 53	12 15	G. S. J. and B. P.	23 55.59	23 54.64	23 55.11	
"	29	11 29	11 57	B. P. and G. S. J.	23 53.69	23 53.71	23 53.70	
"	30	11 31	12 4	G. S. J. and B. P.	23 54.87	23 54.75	23 54.81	
"	31	11 3	11 38	B. P. and G. S. J.	23 53.80	23 52.89	23 53.34	
Aug.	1	11 53	12 24	G. S. J. and B. P.	23 55.39	23 55.62	23 56.50	23 55.32
"	2	11 11	11 43	B. P. and G. S. J.	23 52.56	23 52.35	23 52.45	
"	3	11 44	12 18	G. S. J. and B. P.	23 55.15	23 54.46	23 54.80	
"	5	11 33	12 12	B. P. and G. S. J.	23 54.69	23 54.52	23 54.60	
"	6	11 16	11 46	G. S. J. and B. P.	23 55.55	23 57.14	23 56.34	
"	7	11 15	11 49	B. P. and G. S. J.	23 55.49	23 55.57	23 55.53	
"	8	11 55	12 29	G. S. J. and B. P.	23 55.99	23 55.84	23 55.91	
"	9	11 10	11 39	B. P. and G. S. J.	23 54.78	23 55.32	23 55.05	
"	10	11 34	12 3	G. S. J. and B. P.	23 55.77	23 55.81	23 55.79	
"	12	11 16	11 44	B. P. and G. S. J.	23 55.49	23 56.49	23 55.99	
"	13	13 3	13 39	G. S. J. and B. P.	23 55.00	23 55.92	23 55.46	
"	14	11 6	11 34	B. P. and G. S. J.	23 54.48	23 54.93	23 54.70	
"	16	12 10	12 34	B. P. and G. S. J.	23 55.68	23 55.76	23 55.72	
"	17	12 16	12 46	G. S. J. and B. P.	23 55.91	23 56.10	23 56.00	
"	19	11 8	11 35	B. P. and G. S. J.	23 56.23	23 55.80	23 56.01	
"	20	11 34	12 5	G. S. J. and B. P.	23 57.14	23 56.60	23 56.87	
"	21	11 18	11 47	B. P. and G. S. J.	23 56.17	23 56.33	23 56.25	
"	22	11 25	11 50	G. S. J. and B. P.	23 55.32	23 55.49	23 55.40	
"	23	11 23	11 49	B. P. and G. S. J.	23 55.34	23 55.88	23 55.61	
"	24	11 48	12 22	G. S. J. and B. P.	23 55.58	23 55.55	23 55.56	
"	26	11 29	11 54	B. P. and G. S. J.	23 56.34	23 56.26	23 56.30	
"	28	11 16	11 45	B. P. and G. S. J.	23 53.74	23 54.43	23 54.08	
"	29	11 49	12 18	G. S. J. and B. P.	23 55.37	23 55.90	23 55.63	
"	30	11 4	11 26	B. P. and G. S. J.	23 54.07	23 54.85	23 54.46	
"	31	11 37	12 9	G. S. J. and B. P.	23 52.58	23 52.94	23 52.76	
SEPT.	2	11 10	11 34	B. P. and G. S. J.	23 54.20	23 55.41	23 54.80	23 56.09
"	3	13 59	14 40	G. S. J. and B. P.	23 56.37	23 56.99	23 56.68	
"	5	12 4	12 34	G. S. J. and B. P.	23 55.69	23 56.35	23 56.02	
"	6	12 27	12 58	B. P. and G. S. J.	23 53.11	23 53.93	23 53.52	
"	7	11 44	12 13	G. S. J. and B. P.	23 56.34	23 56.56	23 56.45	
"	9	11 22	11 55	B. P. and G. S. J.	23 54.83	23 55.72	23 55.27	
"	10	12 57	13 34	G. S. J. and B. P.	23 57.80	23 58.10	23 57.95	
"	11	11 16	11 51	B. P. and G. S. J.	23 54.84	23 55.67	23 55.25	
"	12	22 53	23 33	G. S. J. and B. P.	23 57.89	23 57.80	23 57.84	
"	13	12 0	12 27	B. P. and G. S. J.	23 56.10	23 56.20	23 56.15	
"	16	11 1	11 30	B. P. and G. S. J.	23 56.53	23 56.55	23 56.54	
"	17	12 1	12 28	G. S. J. and B. P.	23 54.37	23 54.48	23 54.42	
"	18	11 5	11 48	B. P. and G. S. J.	23 56.26	23 56.67	23 56.46	
"	19	11 43	12 15	G. S. J. and B. P.	23 56.19	23 56.75	23 56.47	
"	20	10 38	11 7	B. P. and G. S. J.	23 55.88	23 55.73	23 55.80	
"	21	11 44	12 12	G. S. J. and B. P.	23 54.86	23 55.63	23 55.24	
"	23	11 2	11 31	B. P. and G. S. J.	23 54.98	23 55.68	23 55.33	
"	24	11 55	12 28	G. S. J. and B. P.	23 59.69	24 0.70	24 0.19	
"	25	11 6	11 35	B. P. and G. S. J.	23 55.13	23 55.00	23 55.06	
"	26	11 41	12 11	G. S. J. and B. P.	23 54.71	23 54.79	23 54.75	
"	27	11 5	11 37	B. P. and G. S. J.	23 55.73	23 56.31	23 56.02	
"	28	11 51	12 25	G. S. J. and B. P.	23 56.50	23 56.60	23 56.55	
"	30	12 43	13 2	B. P. and G. S. J.	23 57.49	23 57.06	23 57.27	

1912.	Alibag Civil Time (0 to 24 hours).				Observers.	Face of Circle.		Mean Inclination.	Monthly mean Inclination.
	Date.	At commence- ment.		At conclu- sion.		East.	West.		
		H.	m.						
OCT.	1	11	50	12	21	G. S. J. and B. P.	23 57.60	23 57.49	23 57.54
"	2	12	26	12	54	G. S. J.	23 57.50	23 57.56	23 57.53
"	3	11	51	12	26	G. S. J. and B. P.	23 56.35	23 56.52	23 56.43
"	4	11	34	12	4	B. P. and G. S. J.	23 56.25	23 55.67	23 55.96
"	5	12	31	13	7	G. S. J. and B. P.	23 56.69	23 57.11	23 56.90
"	7	11	6	11	31	B. P. and G. S. J.	23 56.85	23 56.62	23 56.73
"	8	13	10	13	36	G. S. J. and B. P.	23 57.21	23 57.30	23 57.25
"	9	11	18	12	0	B. P. and G. S. J.	23 54.92	23 55.81	23 55.36
"	10	22	46	23	41	G. S. J. and B. P.	23 59.01	23 58.94	23 58.97
"	11	14	31	15	6	B. P. and G. S. J.	23 58.16	23 57.97	23 58.06
"	12	11	44	12	12	G. S. J. and B. P.	23 55.80	23 55.14	23 55.47
"	14	11	11	11	34	B. P. and G. S. J.	23 56.88	23 55.74	23 56.31
"	15	11	31	12	10	G. S. J. and B. P.	23 55.64	23 56.37	23 56.00
"	16	11	25	11	46	B. P. and G. S. J.	23 56.98	23 57.48	23 57.23
"	17	11	20	11	47	B. P.	23 55.12	23 55.73	23 55.42
"	18	11	28	11	51	B. P. and G. S. J.	23 57.06	23 56.91	23 56.98
"	19	11	29	11	55	G. S. J. and B. P.	23 58.09	23 57.45	23 57.77
"	22	11	38	12	4	G. S. J. and B. P.	23 56.66	23 56.42	23 56.54
"	23	11	20	11	50	B. P. and G. S. J.	23 57.19	23 57.62	23 57.40
"	24	11	41	12	6	G. S. J. and B. P.	23 57.75	23 57.57	23 57.66
"	25	11	18	11	39	B. P. and G. S. J.	23 55.79	23 56.46	23 56.12
"	26	11	34	12	2	G. S. J. and B. P.	23 57.43	23 57.21	23 57.32
"	28	11	6	11	40	B. P. and G. S. J.	23 56.45	23 56.77	23 56.61
"	29	11	36	12	1	G. S. J. and B. P.	23 57.98	23 56.78	23 57.38
"	30	11	5	11	35	B. P. and G. S. J.	23 55.55	23 56.01	23 55.78
"	31	11	44	12	16	G. S. J. and B. P.	23 57.79	23 58.20	23 57.99
Nov.	1	11	35	12	50	B. P. and G. S. J.	23 57.28	23 58.07	23 57.67
"	2	11	43	12	8	G. S. J. and B. P.	23 59.03	23 58.75	23 58.89
"	4	11	24	11	53	B. P. and G. S. J.	23 56.58	23 57.84	23 57.21
"	5	12	16	12	47	G. S. J. and B. P.	23 59.18	23 59.22	23 59.20
"	6	11	30	11	55	B. P. and G. S. J.	23 57.47	23 58.23	23 57.85
"	7	11	59	12	28	G. S. J. and B. P.	23 59.08	23 58.46	23 58.77
"	11	11	9	11	37	B. P. and G. S. J.	23 59.26	23 59.32	23 59.29
"	12	11	44	12	20	G. S. J. and B. P.	23 59.88	23 59.76	23 59.82
"	13	11	1	11	27	B. P. and G. S. J.	23 56.98	23 57.62	23 57.30
"	14	11	48	12	13	G. S. J. and B. P.	23 58.65	23 58.57	23 58.61
"	15	12	21	12	46	B. P. and G. S. J.	24 0.74	24 0.33	24 0.53
"	16	11	41	12	12	G. S. J. and B. P.	23 59.10	23 58.76	23 58.93
"	18	11	23	11	52	B. P. and G. S. J.	23 57.11	23 57.51	23 57.31
"	19	11	43	12	15	G. S. J. and B. P.	23 58.89	23 59.20	23 59.04
"	20	11	7	11	33	B. P. and G. S. J.	23 57.90	23 58.20	23 58.05
"	21	13	36	14	18	G. S. J. and B. P.	23 58.60	23 57.96	23 58.28
"	22	11	52	12	13	B. P. and G. S. J.	23 59.45	23 59.58	23 59.51
"	23	12	0	12	35	G. S. J. and B. P.	23 58.44	23 59.30	23 58.87
"	25	11	17	11	45	B. P. and G. S. J.	23 59.02	23 58.86	23 58.94
"	26	11	53	12	22	G. S. J. and B. P.	23 59.04	23 58.89	23 58.96
"	27	11	36	12	1	B. P. and G. S. J.	23 59.28	23 59.08	23 59.18
"	28	13	5	13	30	G. S. J. and B. P.	23 59.38	23 59.12	23 59.25
"	29	12	3	12	34	B. P. and G. S. J.	23 58.23	23 59.08	23 58.65
"	30	11	12	11	54	G. S. J. and B. P.	23 58.99	23 59.84	23 59.41
Dec.	2	11	2	11	32	B. P.	23 58.88	23 59.51	23 59.19
"	3	11	50	12	20	B. P. and G. S. J.	23 59.95	24 0.07	24 0.01
"	4	11	48	12	12	B. P. and G. S. J.	23 59.44	24 0.39	23 59.91
"	5	11	52	12	19	G. S. J. and B. P.	23 59.59	24 0.16	23 59.87
"	6	11	16	11	39	B. P. and G. S. J.	23 57.99	23 58.65	23 58.32
"	7	12	28	12	59	G. S. J. and B. P.	23 58.93	23 59.73	23 59.33
"	9	11	20	11	48	B. P. and G. S. J.	24 0.17	24 0.11	24 0.14
"	10	11	48	12	31	G. S. J. and B. P.	23 58.87	23 59.41	23 59.14
"	11	11	36	2	2	B. P. and G. S. J.	23 58.55	23 59.15	23 58.85
"	12	12	2	12	43	G. S. J. and B. P.	24 0.18	24 0.54	24 0.36
"	13	11	35	12	33	B. P. and G. S. J.	23 58.26	23 58.40	23 58.33
"	14	13	40	14	26	G. S. J. and B. P.	23 0.47	24 0.35	24 0.41
"	16	10	31	11	2	B. P. and G. S. J.	23 59.79	23 59.73	23 59.76
"	17	11	38	12	16	G. S. J. and B. P.	23 58.37	23 58.97	23 58.67
"	18	11	8	11	46	B. P. and G. S. J.	24 1.16	24 1.35	24 1.25
"	19	11	46	12	28	G. S. J. and B. P.	23 58.77	23 59.05	23 58.91
"	20	12	12	12	38	B. P. and G. S. J.	23 57.99	23 58.40	23 58.19
"	21	11	49	12	23	G. S. J. and B. P.	23 58.62	23 59.00	23 58.81
"	23	11	5	11	31	B. P. and G. S. J.	23 58.50	23 58.69	23 58.59
"	24	11	45	12	31	G. S. J. and B. P.	24 0.04	24 0.73	24 0.38
"	26	11	47	12	18	G. S. J. and B. P.	23 57.61	23 57.65	23 57.63
"	27	11	48	12	15	B. P. and G. S. J.	23 57.75	23 58.73	23 58.24
"	28	12	16	12	49	G. S. J. and B. P.	23 59.88	23 59.53	23 59.70
"	30	12	9	12	43	B. P. and G. S. J.	23 59.03	23 59.53	23 59.28
"	31	12	25	12	56	G. S. J. and B. P.	23 58.50	23 58.63	23 58.56
The mean *observed Inclination for the year 1912 =									23 54.87

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

Absolute Magnetical Observations, Alibag—Table IIIb.

OBSERVATIONS OF INCLINATION, 1912.

*Taken with Dip Circle No. 160 (Cambridge Scientific Instrument Co.) and
two 3½ inch Needles Nos. 0.5 and 0.5 by Dover Charlton.*

1912.	Alibag Civil Time (0 to 24 hours).				Ob- server.	Needle marked.	End of Needle Dipping.								Mean Dip.	Monthly Mean for each Needle.	*Monthly Mean.		
Date.	At com- mence- ment.		At conclu- sion.				A.		B.										
							Face of Circle.		Face of Circle.										
							East.	West.	East.	West.	East.	West.							
JAN.	H.	m.	H.	m.	A.	1/05	23	44.2	24	0.4	23	43.5	23	57.1	23	51.3	No. 1/05 23 50.9	23 50.9	
"	3	12	10	13	0	A.	2/05	23	38.9	23	59.3	23	42.9	24	2.1	23			50.8
"	4	14	16	14	57	A.	1/05	23	44.1	23	58.2	23	45.7	23	53.2	23			50.3
"	5	12	30	13	22	G. S. J.	2/05	23	42.6	23	57.6	23	44.1	23	58.7	23			50.7
"	6	14	38	15	25	G. S. J.	1/05	23	44.9	23	54.5	23	46.0	23	56.9	23			50.6
"	8	12	16	12	59	A.	2/05	23	40.0	23	58.1	23	45.0	23	57.5	23			50.1
"	9	15	5	15	52	A.	2/05	23	39.0	23	55.5	23	49.6	23	49.6	23			59.5
"	11	14	41	15	30	G. S. J.	1/05	23	44.7	23	56.0	23	43.4	23	59.2	23			50.8
"	12	11	50	12	30	A.	2/05	23	42.2	24	3.0	23	40.4	24	1.4	23			51.7
"	13	14	40	15	20	A.	1/05	23	36.1	24	5.4	23	39.6	24	4.9	23			51.5
"	15	12	36	13	17	G. S. J.	2/05	23	37.1	23	58.2	23	44.1	24	3.9	23	50.8		
"	16	14	40	15	26	G. S. J.	1/05	23	46.1	23	52.5	23	48.6	23	55.4	23	50.6		
"	17	12	15	12	58	A.	2/05	23	39.5	23	57.1	23	46.5	24	4.4	23	51.9		
"	18	14	13	14	54	A.	1/05	23	37.9	24	0.2	23	47.6	24	0.7	23	51.6		
"	19	12	50	13	31	G. S. J.	2/05	23	36.4	23	57.2	23	42.5	24	6.1	23	50.5		
"	20	14	52	15	31	G. S. J.	1/05	23	42.7	23	57.1	23	50.2	23	55.1	23	51.3		
"	22	12	0	12	43	A.	2/05	23	39.7	23	56.9	23	45.6	24	2.7	23	51.2		
"	23	14	25	15	6	A.	1/05	23	43.0	23	53.0	23	49.2	23	56.4	23	50.4		
"	24	12	32	13	19	G. S. J.	2/05	23	40.2	23	55.7	23	47.1	23	57.8	23	50.2		
"	25	14	43	15	33	G. S. J.	1/05	23	43.2	23	53.2	23	52.7	23	56.5	23	51.4		
"	26	11	24	12	10	A.	2/05	23	43.4	23	54.7	23	47.7	24	1.2	23	51.7		
"	27	14	45	15	30	A.	1/05	23	43.6	23	57.1	23	46.5	24	0.2	23	51.8		
"	29	12	13	13	2	G. S. J.	2/05	23	39.3	23	56.2	23	48.2	23	58.0	23	50.4		
"	30	14	45	15	31	G. S. J.	1/05	23	40.1	23	52.9	23	49.1	23	55.9	23	49.5		
"	31	12	0	12	45	A.													
FEB.	1	14	42	15	28	A.	2/05	23	36.7	24	1.7	23	46.1	24	5.1	23	52.4	No. 1/05 23 50.9	23 51.3
"	2	11	55	12	40	A.	1/05	23	44.0	23	53.9	23	50.7	23	56.4	23	51.2		
"	3	14	28	15	10	A.	2/05	23	39.5	23	57.1	23	45.2	24	3.2	23	51.2		
"	5	12	40	13	20	A.	1/05	23	46.7	23	50.0	23	56.0	23	54.2	23	51.7		
"	6	14	35	15	18	A.	2/05	23	41.2	23	57.7	23	44.9	24	1.4	23	51.3		
"	7	12	23	13	10	G. S. J.	1/05	23	39.5	23	49.7	23	51.7	23	56.7	23	49.4		
"	8	14	44	15	25	G. S. J.	2/05	23	41.9	24	1.1	23	43.9	24	3.7	23	52.6		
"	9	11	58	12	41	A.	1/05	23	48.7	23	58.9	23	47.0	23	55.2	23	52.4		
"	10	14	58	15	42	A.	2/05	23	41.2	23	56.5	23	42.9	24	3.7	23	51.1		
"	12	12	28	13	12	G. S. J.	1/05	23	47.0	23	55.2	23	50.2	23	59.1	23	52.9		
"	13	14	42	15	27	G. S. J.	2/05	23	47.7	23	52.2	23	48.2	23	58.2	23	51.6		
"	14	13	20	13	59	A.	1/05	23	45.1	23	59.6	23	44.2	23	56.5	23	51.3		
"	15	14	40	15	24	A.	2/05	23	39.2	23	54.3	23	50.4	24	3.6	23	51.9		
"	17	14	48	15	31	G. S. J.	2/05	23	37.9	24	0.6	23	41.9	24	3.1	23	50.9		
"	19	12	5	12	50	A.	1/05	23	42.5	23	55.5	23	47.6	23	58.9	23	51.1		
"	20	14	30	15	15	A.	2/05	23	42.5	23	55.5	23	47.5	24	0.6	23	51.5		
"	21	12	38	13	18	G. S. J.	1/05	23	40.6	23	50.1	23	48.7	23	56.5	23	49.0		
"	22	14	39	15	20	G. S. J.	2/05	23	37.9	23	59.2	23	44.4	24	0.6	23	50.5		
"	23	12	10	13	0	A.	1/05	23	41.4	23	55.4	23	44.5	23	58.4	23	49.9		
"	24	14	24	15	7	A.	2/05	23	41.0	23	58.7	23	47.5	24	0.5	23	51.9		
"	26	12	40	13	22	G. S. J.	1/05	23	44.3	23	57.7	23	47.0	23	57.7	23	51.7		
"	27	14	40	15	26	G. S. J.	2/05	23	40.2	23	58.5	23	41.4	24	7.5	23	51.9		
"	28	12	29	13	10	A.	1/05	23	43.0	23	54.5	23	44.2	23	57.7	23	49.8		
"	29	14	25	15	8	A.	2/05	23	41.7	23	56.9	23	49.0	24	1.4	23	52.2		
MARCH	1	12	41	13	21	G. S. J.	1/05	23	40.7	23	57.2	23	47.5	23	59.0	23	51.1	No. 1/05 23 50.7	23 50.6
"	4	12	15	13	0	A.	1/05	23	45.2	23	56.4	23	47.6	23	55.7	23	51.2		
"	5	14	23	15	8	A.	2/05	23	37.2	23	54.9	23	45.5	24	3.7	23	50.3		
"	6	12	42	13	22	G. S. J.	1/05	23	42.4	23	54.6	23	43.7	23	58.1	23	49.7		
"	7	14	50	15	31	G. S. J.	2/05	23	35.1	23	55.0	23	45.1	24	6.5	23	50.4		
"	8	12	15	13	0	A.	1/05	23	39.7	23	59.2	23	44.1	23	58.0	23	50.2		
"	9	14	27	15	10	A.	2/05	23	40.2	23	59.4	23	47.6	23	58.2	23	51.3		
"	11	12	31	13	12	G. S. J.	1/05	23	41.9	23	55.9	23	47.4	24	0.4	23	51.4		
"	12	15	16	15	55	G. S. J.	2/05	23	39.2	23	53.9	23	48.9	23	57.4	23	49.8		
"	13	12	15	12	57	A.	1/05	23	41.5	23	54.2	23	44.1	24	1.4	23	50.3		
"	14	15	0	15	42	A.	2/05	23	31.9	24	0.5	23	47.1	24	0.7	23	50.0		
"	15	9	10	9	53	A.	1/05	23	41.1	23	59.4	23	47.6	23	55.0	23	50.8		
"	18	14	32	15	12	A.	1/05	23	37.7	24	2.6	23	46.7	23	57.0	23	51.0		
"	19	11	25	12	5	A.	2/05	23	37.0	23	56.5	23	42.0	24	1.6	23	49.3		
"	20	14	47	15	30	G. S. J.	1/05	23	41.9	23	57.1	23	48.2	24	1.5	23	52.2		
"	21	12	23	13	7	G. S. J.	2/05	23	37.2	23	54.7	23	43.1	23	59.9	23	48.7		
"	22	11	57	12	36	A.	1/05	23	43.8	23	50.5	23	47.7	23	55.7	23	49.4		
"	23	14	18	14	58	A.	2/05	23	39.9	23	58.4	23	42.0	24	4.5	23	51.2		
"	25	12	16	12	55	G. S. J.	1/05	23	42.4	23	55.9	23	47.2	23	53.6	23	49.8		
"	26	14	33	15	13	G. S. J.	2/05	23	41.1	23	57.4	23	44.9	24	1.5	23	51.2		
"	28	14	45	15	26	A.	2/05	23	39.7	23	54.0	23	43.5	24	2.0	23	49.8		
"	29	11	50	12	30	G. S. J.	1/05	23	38.5	24	0.0	23	44.9	24	3.1	23	51.6		
"	30	14	35	15	15	G. S. J.	2/05	23	36.2	23	54.7	23	52.2	24	7.0	23	52.5		

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

1912.		Alibag Civil Time (0 to 24 hours).		Ob- server.	Needle marked.	End of Needle Dipping.				Mean Dip.	Monthly Mean for each Needle.	Monthly Mean.
Date.	At com- mence- ment.	At conclu- sion.	A.			B.						
			Face of Circle.			Face of Circle.						
				East.	West.	East.	West.					
	H. m.	H. m.										
APRIL	1	12 5	12 46	A.	1/05	23 43.5	23 54.7	23 47.0	23 56.0	23 50.3	No. 1/05 23 52.1	23 52.3
"	2	14 20	15 4	A.	2/05	23 35.7	23 55.5	23 51.0	24 5.3	23 51.9		
"	3	12 24	13 10	G. S. J.	1/05	23 39.2	23 58.9	23 44.2	23 53.4	23 48.9		
"	4	14 35	15 16	G. S. J.	2/05	23 42.9	23 57.5	23 46.4	24 2.0	23 52.2		
"	8	12 18	13 6	G. S. J.	1/05	23 47.2	23 57.4	23 48.3	23 54.9	23 51.9		
"	9	14 50	15 34	G. S. J.	2/05	23 38.5	23 51.9	23 48.1	24 3.7	23 50.5		
"	10	12 15	12 56	A.	1/05	23 44.6	23 55.5	23 41.5	24 0.2	23 50.4		
"	11	16 0	16 43	A.	2/05	23 40.7	23 56.7	23 49.0	24 2.0	23 52.1		
"	12	12 14	12 56	G. S. J.	1/05	23 41.6	23 57.7	23 45.5	24 1.4	23 51.5		
"	13	14 42	15 24	G. S. J.	2/05	23 44.9	24 1.9	23 46.4	24 3.8	23 54.2		
"	15	15 30	16 9	A.	1/05	23 42.2	24 0.7	23 48.5	24 7.5	23 54.7		
"	16	11 35	12 15	A.	2/05	23 40.2	23 58.2	23 46.5	24 3.0	23 52.0		
"	17	14 52	15 35	G. S. J.	1/05	23 43.0	24 4.6	23 48.0	24 3.1	23 54.7		
"	18	12 25	13 11	G. S. J.	2/05	23 39.1	23 57.4	23 44.7	24 1.6	23 50.7		
"	19	12 10	12 50	A.	1/05	23 43.5	24 4.7	23 45.7	23 58.7	23 53.1		
"	20	14 25	15 6	A.	2/05	23 38.2	24 4.2	23 47.7	23 58.5	23 52.1		
"	22	12 20	13 4	G. S. J.	1/05	23 45.4	24 2.4	23 48.6	23 59.6	23 54.0		
"	23	14 36	15 16	G. S. J.	2/05	23 43.9	24 0.2	23 46.9	24 6.6	23 54.4		
"	24	12 12	12 54	A.	1/05	23 38.0	24 1.0	23 45.2	24 2.0	23 51.5		
"	25	14 20	15 0	A.	2/05	23 43.2	24 4.2	23 38.0	24 11.2	23 54.1		
"	26	12 40	13 25	G. S. J.	1/05	23 45.4	23 58.1	23 49.7	24 0.0	23 53.3		
"	27	14 39	15 26	G. S. J.	2/05	23 43.7	23 59.9	23 50.9	24 2.6	23 54.3		
"	29	12 50	13 30	A.	1/05	23 39.5	23 51.2	23 48.7	24 4.2	23 50.9		
"	30	14 35	15 15	A.	2/05	23 39.5	23 59.5	23 47.7	24 2.0	23 52.2		
MAY	1	13 17	13 56	G. S. J.	1/05	23 44.2	23 55.3	23 50.2	24 1.6	23 52.8		
"	2	15 15	15 58	G. S. J.	2/05	23 42.4	23 58.2	23 46.7	24 2.7	23 52.5		
"	3	11 35	12 13	A.	1/05	23 46.2	23 54.0	23 47.2	23 58.7	23 51.5		
"	4	13 40	14 18	A.	2/05	23 40.5	23 59.0	23 47.7	24 0.7	23 52.0		
"	6	13 32	14 14	G. S. J.	1/05	23 43.6	23 58.5	23 45.2	24 3.0	23 52.6		
"	7	14 36	15 20	G. S. J.	2/05	23 43.2	23 56.8	23 47.6	24 1.7	23 52.3		
"	9	15 27	16 9	A.	2/05	23 43.7	24 1.3	23 42.5	23 59.0	23 52.4		
"	10	13 48	14 28	G. S. J.	1/05	23 42.2	23 57.9	23 48.9	24 2.4	23 52.8		
"	11	17 29	18 13	G. S. J.	2/05	23 47.7	23 56.8	23 46.9	24 0.3	23 52.9		
"	13	15 30	16 15	A.	1/05	23 50.0	24 3.0	23 54.0	24 4.2	23 57.8		
"	14	11 40	12 25	A.	2/05	23 41.0	23 59.2	23 41.2	24 1.7	23 50.8		
"	15	12 29	13 51	G. S. J.	1/05	23 42.5	23 56.8	23 51.7	24 0.7	23 52.9		
"	18	12 57	13 43	G. S. J.	2/05	23 40.4	23 58.5	23 50.0	24 6.5	23 53.8		
"	25	13 42	14 31	G. S. J.	1/05	23 41.0	24 0.5	23 50.0	24 1.9	23 53.3		
JUNE	1	13 3	13 55	G. S. J.	2/05	23 48.7	23 59.9	23 48.6	24 1.2	23 54.6		
"	8	13 42	14 32	G. S. J.	1/05	23 41.5	23 59.0	23 54.1	24 4.3	23 54.7		
"	15	13 16	14 2	G. S. J.	2/05	23 40.5	24 0.5	23 46.2	24 3.6	23 52.7		
"	22	13 3	14 9	G. S. J.	1/05	23 45.4	23 57.1	23 49.0	24 5.2	23 54.2		
"	29	13 40	14 30	G. S. J.	2/05	23 43.4	23 55.2	23 52.1	24 6.6	23 54.3		
JULY	6	13 12	14 4	G. S. J.	1/05	23 41.2	24 2.7	23 52.1	23 59.1	23 53.8		
"	13	13 41	14 27	G. S. J.	2/05	23 45.6	23 55.6	23 50.6	24 4.1	23 54.0		
"	20	13 19	14 6	G. S. J.	1/05	23 48.9	23 59.6	23 50.7	24 4.7	23 56.0		
"	27	13 41	14 24	G. S. J.	2/05	23 40.7	23 56.9	23 46.6	24 11.4	23 53.9		
AUG.	3	13 21	14 6	G. S. J.	1/05	23 45.8	24 5.6	23 48.3	24 6.1	23 56.4		
"	10	13 0	13 44	G. S. J.	2/05	23 43.8	23 58.5	23 55.3	24 3.9	23 55.4		
"	17	13 42	14 32	G. S. J.	1/05	23 47.7	24 3.0	23 52.4	24 7.1	23 57.5		
"	24	13 9	14 0	G. S. J.	2/05	23 46.7	24 1.2	23 56.6	24 2.0	23 56.6		
"	31	13 6	14 2	G. S. J.	1/05	23 50.0	24 0.9	23 49.7	24 3.1	23 55.9		
SEPT.	7	13 2	13 47	G. S. J.	2/05	23 43.9	23 59.5	23 52.4	24 13.6	23 57.3		
"	21	13 19	14 0	G. S. J.	1/05	23 43.4	24 4.2	23 50.2	24 6.2	23 56.0		
"	28	13 8	13 55	G. S. J.	2/05	23 48.0	24 5.2	23 55.4	24 9.5	23 59.5		
OCT.	5	13 54	14 44	G. S. J.	1/05	23 46.6	24 4.9	23 52.8	24 5.1	23 57.3		
"	12	13 0	13 53	G. S. J.	2/05	23 50.7	24 6.7	23 51.5	24 8.1	23 59.2		
"	19	12 42	13 22	G. S. J.	1/05	23 47.6	24 3.4	23 54.5	24 7.2	23 58.2		
"	26	13 0	13 43	G. S. J.	2/05	23 47.4	24 2.0	23 50.0	24 10.9	23 57.6		

1912.	Alibag Civil Time (0 to 24 hours).		Ob- server.	Needle marked.	End of Needle Dipping.				Mean Dip.	Monthly Mean for each Needle.	*Monthly Mean.	
Date.	At com- mence- ment.	At conclu- sion.			A.		B.					
					Face of Circle.		Face of Circle.					
					East.	West.	East.	West.				
*	H. m.	H. m.										
Ncv.	2 12 55	13 40	G. S. J.	1/05	23 50.5	24 7.9	23 54.2	24 8.9	24 0.4	No. 1/05 23 59.6 No. 2/05 23 57.8	} 23 58.7	
"	16 13 44	14 40	G. S. J.	2/05	23 48.1	24 1.7	23 55.5	24 6.1	23 57.8			
"	23 13 42	14 27	G. S. J.	*1/05	23 51.9	23 59.9	24 0.1	24 3.9	23 58.9			
"	30 12 28	13 8	G. S. J.	2/05	23 52.1	23 55.6	23 59.3	24 4.4	23 57.8			
Dec.	7 14 18	15 4	G. S. J.	1/05	23 58.5	23 57.7	23 55.6	24 10.1	24 0.5	No. 1/05 23 59.9 No. 2/05 23 58.8	} 23 59.3	
"	14 15 18	15 59	G. S. J.	2/05	23 49.6	24 0.0	24 0.4	24 2.5	23 58.1			
"	21 13 20	14 1	G. S. J.	1/05	23 52.0	24 3.7	23 57.9	24 3.6	23 59.3			
"	28 13 42	14 36	G. S. J.	2/05	23 53.5	23 58.5	23 57.7	24 8.2	23 59.5			
The Mean Dip for the year										{ With needle No. 1/05 = With needle No. 2/05 =	23 54.8 23 54.6	
The Mean *observed Dip for the year 1912 = 23 54.7												

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

Absolute Magnetical Observations, Alibag—Table Ia.

Observations of Vibration and Deflection, taken with Magnetometer No. 7 (T. Cooke and Sons) for the determination of Absolute Horizontal Force.

1913.

1913. Date.	Vibration Magnet.		Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection of Magnet marked 7.		Corresponding Mean Reading of H. F. Magnetograph.		Calculated Results in C. G. S. Unit.							*Observed monthly Mean Values of H.								
	Time of one Vibra- tion.	Effect of 90° Torsion. per- centage.		Ordi- nate.	Thermo- meter.	Distance.	Temper- ature.	Ordi- nate.	Thermo- meter.	Ob- server.	Values of m.	From Deflection at distance.		Difference.	Mean.										
												22.5 cms. (H _{2.5}).	30.0 cms. (H _{3.0}).												
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20						
JAN.	2	13 56	2 7072	1.54	27.7	-2.1	5.498	84.3026	36	42.10	49	35	27.7	5.497	84.3030	36	42.10	49	35	938.14	0.36885	0.36882	+ .00003	0.36883	0.368852
"	15	27	2 7073	1.56	27.9	"	5.407	84.3026	36	25.10	49	32	27.9	5.455	84.3030	36	25.10	49	32	938.14	0.36886	0.36882	+ .00004	0.36884	
"	8	12 38	2 7056	1.52	26.1	-2.0	5.812	83.8226	37	20.10	49	50	26.3	5.652	83.8230	37	20.10	49	50	938.21	0.36899	0.36896	+ .00003	0.36897	
"	14	26	2 7068	1.50	27.1	"	5.441	83.8726	37	14.10	49	46	26.8	5.478	83.8730	37	14.10	49	46	938.08	0.36887	0.36885	+ .00002	0.36886	
"	15	13 27	2 7049	1.49	25.7	-2.0	5.956	83.2726	37	46.10	49	59	26.0	5.685	83.2730	37	46.10	49	59	938.43	0.36903	0.36903	+ .00003	0.36901	
"	15	16	2 7063	1.58	26.1	"	5.238	83.3026	38	31.10	50	18	26.0	5.308	83.3030	38	31.10	50	18	938.21	0.36878	0.36875	+ .00003	0.36876	
"	22	13 14	2 7061	1.58	25.0	-2.3	5.407	82.9026	38	18.10	50	10	26.0	5.422	82.9030	38	18.10	50	10	938.19	0.36883	0.36881	+ .00002	0.36882	
"	15	16	2 7063	1.57	26.2	"	5.235	82.9026	38	17.10	50	12	26.2	5.305	82.9030	38	17.10	50	12	938.19	0.36880	0.36877	+ .00003	0.36878	
"	29	14 0	2 7061	1.58	26.3	-2.3	5.407	82.6526	38	8.10	50	7	26.3	5.350	82.6530	38	8.10	50	7	938.27	0.36885	0.36882	+ .00003	0.36883	
"	15	20	2 7066	1.58	26.7	"	5.314	82.6726	37	47.10	49	57	26.5	5.338	82.6730	37	47.10	49	57	938.14	0.36883	0.36882	+ .00001	0.36882	
FEB.	5	13 82	2 7061	1.57	26.6	-2.2	5.693	82.6026	37	20.10	49	44	26.6	5.602	82.6030	37	20.10	49	44	938.17	0.36894	0.36894	+ .00000	0.36894	
"	15	28	2 7071	1.59	26.9	"	5.425	82.6526	37	26.10	49	47	26.9	5.463	82.6530	37	26.10	49	47	937.99	0.36878	0.36878	+ .00000	0.36878	
"	12	39	2 7065	1.56	26.7	-2.2	5.703	82.8026	37	23.10	49	54	26.4	5.473	82.8030	37	23.10	49	54	938.08	0.36889	0.36885	+ .00001	0.36887	
"	15	16	2 7068	1.56	27.0	"	5.241	82.8026	37	29.10	49	51	26.9	5.242	82.8030	37	29.10	49	51	938.14	0.36882	0.36881	+ .00001	0.36881	
"	19	13 22	2 7066	1.57	27.4	-2.0	5.490	82.8726	37	13.10	49	52	27.7	5.088	82.8730	37	13.10	49	52	938.47	0.36885	0.36880	+ .00005	0.36882	
"	15	2	2 7078	1.57	28.1	"	5.023	82.9226	36	57.10	49	41	27.9	5.046	82.9230	36	57.10	49	41	938.12	0.36875	0.36872	+ .00003	0.36873	
"	26	12 55	2 7047	1.60	25.4	-2.1	6.007	82.9026	38	8.10	50	7	25.7	5.628	82.9030	38	8.10	50	7	938.43	0.36901	0.36899	+ .00002	0.36900	
"	15	21	2 7070	1.58	26.5	"	5.121	82.9026	39	10.1	50	36	26.1	4.840	82.9030	39	10.1	50	36	938.25	0.36865	0.36860	+ .00005	0.36862	
MAR.	5	12 58	2 7063	1.58	26.7	-2.1	5.455	83.2026	38	9.10	50	11	26.1	5.256	83.2030	38	9.10	50	11	938.27	0.36887	0.36882	+ .00005	0.36884	
"	15	12	2 7070	1.58	26.4	"	4.965	83.2026	38	35.10	50	15	26.4	4.975	83.2030	38	35.10	50	15	938.12	0.36866	0.36865	+ .00001	0.36865	
"	12	39	2 7056	1.57	27.1	-2.0	6.005	83.4026	36	5.10	49	20	27.0	5.855	83.4030	36	5.10	49	20	938.23	0.36914	0.36911	+ .00003	0.36912	
"	15	5	2 7065	1.57	27.2	"	5.555	83.4026	36	16.10	49	21	27.1	5.675	83.4030	36	16.10	49	21	937.99	0.36899	0.36899	+ .00000	0.36899	
"	19	13 6	2 7068	1.57	27.5	-2.2	5.215	83.6526	37	13.10	49	45	27.5	5.057	83.6530	37	13.10	49	45	938.30	0.36883	0.36882	+ .00001	0.36882	
"	15	24	2 7079	1.58	27.8	"	4.735	83.5726	37	30.10	49	53	27.6	4.790	83.5730	37	30.10	49	53	938.12	0.36868	0.36865	+ .00003	0.36866	
"	26	13 9	2 7056	1.57	27.9	-1.9	5.955	84.0526	35	37.10	49	15	27.7	5.610	84.0530	35	37.10	49	15	938.36	0.36916	0.36913	+ .00003	0.36913	
"	15	29	2 7075	1.58	28.0	"	5.042	84.0526	36	4.10	49	18	28.1	5.215	84.0530	36	4.10	49	18	938.02	0.36886	0.36884	+ .00002	0.36883	

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

1913. Date.	Vibration Magnet.				Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.				Angle of Deflection of Magnet marked 7.				Corresponding Mean Reading of H. F. Magnetograph.				Ob- server.	Values of m.	Values of H.				*Observed monthly Mean Values of H.														
	Civil Time, Mean.	Time of Vibra- tion.	Effect of 90° Torsion.	Tem- per- ature.		Sc. div.	H. m.	S.	Sec. div.	°	S.	°	7	8	9	10	11			12	13	14	15		16	17	18	19	20									
																														Ordi- nate.	Thermo- meter.	Distance.	Temper- ature.	Ordi- nate.	Thermo- meter.	From Deflection at distance.	Difference.	Mean.
APRIL	2	12 25	2.7069	1.57	28.0	-2.2	5.186	84.5026	36	11.10	49	17	28.0	5.096	84.50 G.	S. J.	938.21	0.36894	0.36894	.00000	0.36894	0.36894	0.36894	0.36894	0.36894	0.36894												
"	"	14 58	2.7085	1.58	28.5	"	4.710	84.5026	36	43.10	49	35	28.2	4.802	84.50 G.	S. J.	937.97	0.36868	0.36868	+ .00002	0.36868	0.36868	0.36868	0.36868	0.36868													
"	9	12 57	2.7085	1.57	29.2	-2.2	4.892	85.2026	35	8.10	48	55	29.4	4.902	85.20 G.	S. J.	937.95	0.36880	0.36880	+ .00000	0.36880	0.36880	0.36880	0.36880	0.36880													
"	"	15 23	2.7093	1.58	30.3	"	4.958	85.2026	34	26.10	48	41	30.0	4.990	85.20 G.	S. J.	937.89	0.36881	0.36879	+ .00002	0.36880	0.36880	0.36880	0.36880	0.36880													
"	16	12 56	2.7085	1.56	30.7	-2.3	5.097	86.2526	33	36.10	48	19	30.7	4.988	86.25 G.	S. J.	938.19	0.36899	0.36898	+ .00001	0.36898	0.36898	0.36898	0.36898	0.36898													
"	"	15 19	2.7096	1.57	30.6	"	4.687	86.2526	34	15.10	48	34	30.7	4.782	86.25 G.	S. J.	937.95	0.36876	0.36875	+ .00001	0.36875	0.36875	0.36875	0.36875	0.36875													
"	23	12 47	2.7085	1.57	29.9	-2.6	4.958	87.1526	34	44.10	48	44	29.5	4.876	87.15 G.	S. J.	938.02	0.36890	0.36890	+ .00000	0.36890	0.36890	0.36890	0.36890	0.36890													
"	"	14 54	2.7086	1.56	29.4	"	4.590	87.1526	35	7.10	49	0	29.6	4.663	87.15 G.	S. J.	938.06	0.36880	0.36877	+ .00003	0.36880	0.36878	0.36878	0.36878	0.36878													
"	30	12 39	2.7101	1.56	31.8	-2.3	4.635	88.3026	32	56.10	48	5	31.6	4.545	88.30 G.	S. J.	937.91	0.36885	0.36884	+ .00001	0.36885	0.36884	0.36884	0.36884	0.36884													
"	"	15 29	2.7105	1.57	31.1	"	4.407	88.3026	33	29.10	48	17	31.5	4.390	88.30 G.	S. J.	937.71	0.36869	0.36868	+ .00001	0.36868	0.36868	0.36868	0.36868	0.36868													
MAY	7	12 35	2.7097	1.59	30.9	-2.0	4.280	88.9726	34	26.10	48	36	31.0	4.175	88.97 G.	S. J.	938.10	0.36872	0.36873	- .00001	0.36872	0.36872	0.36872	0.36872	0.36872													
"	"	15 23	2.7101	1.58	31.0	"	3.945	88.9526	35	12.10	48	56	30.9	3.855	88.95 G.	S. J.	938.17	0.36860	0.36860	+ .00000	0.36860	0.36860	0.36860	0.36860	0.36860													
"	"	14 13	2.7086	1.57	31.0	-2.2	4.850	89.6026	33	25.10	48	25	30.6	4.630	89.60 G.	S. J.	938.21	0.36904	0.36899	+ .00005	0.36901	0.36899	0.36901	0.36901	0.36899													
"	"	15 27	2.7092	1.58	30.5	"	4.410	89.6026	33	55.10	48	34	30.4	4.455	89.60 G.	S. J.	937.95	0.36887	0.36883	+ .00004	0.36887	0.36883	0.36885	0.36885	0.36885													
"	21	12 51	2.7096	1.57	31.5	-2.4	4.785	90.3226	32	4.10	47	44	31.9	4.690	90.32 G.	S. J.	937.82	0.36896	0.36893	+ .00001	0.36895	0.36893	0.36895	0.36895	0.36895													
"	"	14 53	2.7106	1.60	31.8	"	4.285	90.3226	32	41.10	48	1	31.9	4.405	90.32 G.	S. J.	937.73	0.36878	0.36877	+ .00001	0.36877	0.36877	0.36877	0.36877	0.36877													
"	28	13 5	2.7093	1.59	31.9	-2.4	4.730	91.3026	31	49.10	47	39	32.1	4.575	91.30 G.	S. J.	937.99	0.36904	0.36904	+ .00000	0.36904	0.36904	0.36904	0.36904	0.36904													
"	"	15 28	2.7107	1.58	32.4	"	3.980	91.3026	32	20.10	47	55	32.3	4.165	91.30 G.	S. J.	937.86	0.36882	0.36880	+ .00002	0.36882	0.36880	0.36881	0.36881	0.36881													
JUNE	4	14 9	2.7097	1.59	32.0	-2.2	4.062	92.3026	32	31.10	47	51	32.1	4.022	92.30 G.	S. J.	938.06	0.36893	0.36894	- .00001	0.36893	0.36894	0.36893	0.36893	0.36893													
"	"	15 33	2.7106	1.57	32.0	"	3.720	92.3026	32	46.10	48	1	32.1	3.880	92.30 G.	S. J.	937.84	0.36877	0.36876	+ .00001	0.36876	0.36876	0.36876	0.36876	0.36876													
"	"	11 36	2.7067	1.57	28.1	-1.8	4.665	91.5526	34	53.10	48	57	28.1	4.550	91.55 G.	S. J.	938.02	0.36911	0.36906	+ .00005	0.36908	0.36908	0.36908	0.36908	0.36908													
"	"	15 27	2.7077	1.57	28.1	"	4.202	91.5526	35	5.10	49	1	28.0	4.377	91.55 G.	S. J.	937.69	0.36896	0.36892	+ .00004	0.36894	0.36894	0.36894	0.36894	0.36894													
"	18	13 40	2.7095	1.57	31.2	-1.7	4.583	91.0026	32	36.10	48	1	31.5	4.365	91.00 G.	S. J.	937.89	0.36893	0.36890	+ .00003	0.36891	0.36891	0.36891	0.36891	0.36891													
"	"	15 7	2.7101	1.58	31.7	"	4.107	91.0026	32	46.10	47	58	31.7	4.207	91.00 G.	S. J.	937.82	0.36885	0.36886	- .00001	0.36885	0.36885	0.36885	0.36885	0.36885													
"	25	13 11	2.7052	1.56	26.3	-2.0	4.776	90.4026	36	30.10	49	31	26.2	4.615	90.40 G.	S. J.	938.12	0.36916	0.36912	+ .00004	0.36914	0.36912	0.36914	0.36914	0.36914													
"	"	15 27	2.7066	1.57	26.2	"	4.260	90.4026	37	17.10	49	47	26.1	4.377	90.40 G.	S. J.	937.80	0.36888	0.36886	+ .00002	0.36886	0.36886	0.36886	0.36886	0.36886													
JULY	2	12 45	2.7087	1.58	29.7	-1.4	4.340	89.8026	34	22.10	48	41	29.8	4.315	89.80 G.	S. J.	937.93	0.36887	0.36884	+ .00003	0.36885	0.36884	0.36885	0.36885	0.36885													
"	"	15 27	2.7093	1.56	29.9	"	4.052	89.7726	34	32.10	48	47	29.8	4.207	89.77 G.	S. J.	937.80	0.36878	0.36875	+ .00003	0.36876	0.36875	0.36876	0.36876	0.36876													
"	9	12 27	2.7084	1.57	27.4	-1.5	4.972	89.3026	34	56.10	48	50	27.6	5.105	89.30 G.	S. J.	937.82	0.36912	0.36911	+ .00001	0.36911	0.36911	0.36911	0.36911	0.36911													
"	"	15 18	2.7073	1.58	27.9	"	4.655	89.3026	35	17.10	48	57	27.7	4.878	89.30 G.	S. J.	937.71	0.36899	0.36899	+ .00000	0.36899	0.36899	0.36899	0.36899	0.36899													
"	16	13 4	2.7068	1.59	28.3	-1.5	4.860	88.7026	35	3.10	48	56	28.2	4.711	88.70 G.	S. J.	938.06	0.36905	0.36905	+ .00003	0.36905	0.36905	0.36905	0.36905	0.36905													
"	"	15 87	2.7074	1.59	27.7	"	4.306	88.7026	35	59.10	49	25	27.8	4.475	88.70 G.	S. J.	937.95	0.36888	0.36882	+ .00006	0.36885	0.36882	0.36885	0.36885	0.36885													
"	23	12 45	2.7072	1.57	28.2	-1.2	4.896	87.3526	34	57.10	48	58	28.4	4.835	87.35 G.	S. J.	937.95	0.36901	0.36897	+ .00003	0.36899	0.36897	0.36899	0.36899	0.36899													
"	"	15 23	2.7077	1.58	28.1	"	4.365	87.3526	36	12.10	49	24	27.9	4.505	87.32 G.	S. J.	937.95	0.36885	0.36882	+ .00003	0.36885	0.36882	0.36885	0.36885	0.36885													
"	30	12 41	2.7070	1.57	28.8	-1.4	5.257	86.7026	33	52.10	48	26	28.9	5.285	86.70 G.	S. J.	937.93	0.36916	0.36915	+ .00001	0.36915	0.36915	0.36915	0.36915	0.36915													
"	"	15 21	2.7080	1.57	29.0	"	4.755	86.7526	34	17.10	48	38	29.0	4.970	86.75 G.	S. J.	937.78	0.36899	0.36896	+ .00003	0.36899	0.36896	0.36899	0.36899	0.36899													

Aug.	6	12	48	27075	1.56	28.3	-1.0	4.938	86.2526	34	41.10	48	52	28.6	4.868	86.25 G. S. J.	937.84	36899	36894	+ .00005	.36896
"	15	25	27080	1.56	28.6	"	"	4.659	86.2526	34	57.10	48	55	28.6	4.735	86.25 G. S. J.	937.80	36892	36889	+ .00003	.36890
"	13	12	30	27080	1.57	29.7	-2.0	4.635	86.6026	34	25.10	48	37	29.7	4.520	86.60 G. S. J.	938.10	36897	36897	+ .00000	.36897
"	15	17	27096	1.58	30.0	"	"	4.218	86.6026	34	36.10	48	43	30.0	4.378	86.60 G. S. J.	937.76	36872	36871	+ .00001	.36871
"	20	12	44	27077	1.57	29.2	-1.5	4.861	87.2026	34	0.10	48	31	28.9	4.867	87.20 G. S. J.	937.82	36908	36906	+ .00002	.36907
"	15	25	27082	1.58	29.0	"	"	4.571	87.2026	34	33.10	48	39	29.1	4.652	87.20 G. S. J.	937.78	36892	36893	- .00001	.36892
"	27	12	30	27070	1.57	28.7	-1.9	4.717	86.9026	34	50.10	48	47	28.7	4.638	86.90 G. S. J.	938.12	36906	36906	+ .00000	.36906
"	"	15	12	27083	1.58	29.0	"	4.271	87.0026	35	5.10	48	58	29.0	4.310	87.00 G. S. J.	937.89	36886	36882	+ .00004	.36884
SEPT.	3	13	30	27076	1.58	27.6	-2.1	4.027	87.4026	36	37.10	49	33	27.8	4.012	87.40 G. S. J.	938.02	36878	36876	+ .00002	.36877
"	"	15	27	27079	1.57	27.5	"	4.060	87.4026	36	30.10	49	27	27.7	4.092	87.40 G. S. J.	937.78	36875	36874	+ .00001	.36874
"	10	13	24	27091	1.57	28.8	-1.7	3.870	87.5526	36	22.10	49	27	28.7	3.865	87.55 G. S. J.	937.89	36860	36861	+ .00003	.36861
"	"	15	8	27086	1.57	28.8	"	3.715	87.5526	36	12.10	49	22	28.7	3.851	87.55 G. S. J.	937.96	36871	36870	+ .00001	.36870
"	17	13	25	27070	1.58	28.8	-2.3	3.927	87.9026	35	10.10	49	5	28.7	3.847	87.90 A.	938.30	36904	36899	+ .00005	.36901
"	"	15	22	27089	1.57	29.0	"	8.253	87.9026	35	45.10	49	13	28.8	8.339	87.90 A.	937.84	36873	36872	+ .00002	.36872
"	24	12	21	27078	1.54	29.0	-2.2	8.735	88.3026	35	26.10	49	5	28.6	8.731	88.30 A.	938.08	36893	36890	+ .00003	.36891
"	"	14	29	27076	1.54	28.7	"	8.523	88.3026	35	17.10	49	2	28.7	8.616	88.30 A.	938.08	36894	36892	+ .00002	.36893
OCT.	1	13	25	27083	1.59	30.2	-2.2	8.748	88.8026	33	49.10	48	30	30.0	8.580	88.80 A.	938.06	36900	36897	+ .00003	.36898
"	"	14	49	27091	1.57	30.2	"	8.296	88.8026	34	25.10	48	42	30.0	8.393	88.80 A.	937.95	36884	36882	+ .00002	.36883
"	"	8	12	27108	1.59	30.9	-2.0	7.315	89.6026	35	41.10	49	11	30.8	7.277	89.60 A.	938.04	36846	36844	+ .00003	.36844
"	"	14	34	27106	1.57	31.0	"	7.416	89.6026	35	36.10	49	10	31.0	7.328	89.60 A.	938.14	36849	36845	+ .00004	.36847
"	15	12	42	27072	1.57	29.7	-1.9	8.742	89.7026	33	30.10	48	27	30.1	8.568	89.70 A.	938.30	36915	36912	+ .00005	.36912
"	"	14	41	27098	1.57	31.0	"	8.405	89.7026	32	7.10	47	51	31.1	8.435	89.70 A.	937.52	36896	36894	+ .00004	.36894
"	22	13	0	27077	1.59	29.7	-2.4	8.435	89.4526	34	12.10	48	45	30.0	8.358	89.45 A.	938.32	36900	36894	+ .00006	.36897
"	"	14	11	27086	1.55	30.5	"	8.392	89.4526	33	55.10	48	31	30.3	8.361	89.45 A.	938.14	36896	36894	+ .00002	.36895
"	29	13	1	27077	1.57	30.2	-2.5	8.931	89.2026	33	16.10	48	8	30.3	8.718	89.20 G. S. J.	938.12	36912	36913	- .00002	.36913
"	"	15	26	27086	1.56	30.7	"	8.385	89.2026	33	12.10	48	14	30.6	8.458	89.20 G. S. J.	938.04	36903	36901	+ .00002	.36902
NOV.	5	13	21	27083	1.57	29.8	-2.1	8.486	89.0026	34	11.10	48	35	30.1	8.262	89.00 G. S. J.	938.06	36893	36891	+ .00002	.36892
"	"	15	27	27093	1.57	30.2	"	7.956	89.0026	34	55.10	48	50	30.1	7.945	89.00 G. S. J.	937.99	36875	36874	+ .00001	.36874
"	12	13	11	27070	1.57	28.6	-2.3	8.739	88.4526	34	26.10	48	41	28.8	8.688	88.45 G. S. J.	938.02	36909	36907	+ .00002	.36908
"	"	15	20	27081	1.57	29.3	"	8.368	88.4526	34	35.10	48	50	29.0	8.467	88.45 G. S. J.	937.93	36897	36893	+ .00004	.36895
"	19	13	12	27065	1.57	28.1	-2.8	8.803	87.7526	35	22.10	49	2	28.1	8.637	87.75 G. S. J.	938.19	36908	36906	+ .00002	.36907
"	"	15	25	27079	1.57	28.6	"	8.310	87.7526	35	41.10	49	18	28.4	8.410	87.75 G. S. J.	938.04	36888	36882	+ .00006	.36885
"	26	13	1	27071	1.58	28.8	-2.2	8.902	87.4026	34	16.10	48	37	29.0	8.787	87.40 G. S. J.	938.04	36910	36908	+ .00002	.36909
"	"	15	27	27080	1.57	29.1	"	8.492	87.4026	34	52.10	48	51	29.1	8.545	87.40 G. S. J.	937.97	36892	36890	+ .00002	.36891
DEC.	3	13	8	27063	1.58	27.8	-2.5	8.660	87.0026	35	31.10	49	9	28.0	8.545	87.00 G. S. J.	938.14	36905	36901	+ .00004	.36903
"	"	15	21	27079	1.57	28.7	"	8.200	87.0026	35	48.10	49	10	28.5	8.281	87.02 G. S. J.	938.06	36886	36885	+ .00001	.36885
"	10	13	5	27068	1.51	28.1	-2.5	8.743	86.8026	35	22.10	49	2	28.1	8.681	86.80 G. S. J.	938.08	36904	36902	+ .00002	.36903
"	"	14	45	27080	1.51	28.2	"	8.378	86.8026	35	26.10	49	1	28.2	8.536	86.80 G. S. J.	937.71	36887	36887	+ .00000	.36887
"	17	13	8	27072	1.50	28.1	-2.2	8.706	86.2726	35	28.10	49	2	28.4	8.645	86.27 G. S. J.	938.04	36895	36894	+ .00001	.36894
"	"	15	17	27083	1.50	28.8	"	8.355	86.3026	35	28.10	49	6	28.8	8.444	86.30 G. S. J.	937.93	36882	36880	+ .00002	.36881
"	24	12	42	27062	1.50	25.9	-2.5	8.525	85.7026	37	53.10	50	0	25.9	8.485	85.70 G. S. J.	938.02	36887	36884	+ .00003	.36885
"	"	14	51	27062	1.50	26.2	"	8.603	85.7026	37	20.10	49	51	26.0	8.622	85.70 G. S. J.	937.95	36894	36890	+ .00004	.36892
"	31	13	1	27056	1.49	26.0	-2.5	8.722	84.9026	37	36.10	49	53	26.0	8.637	84.90 G. S. J.	938.17	36898	36896	+ .00002	.36897
"	"	14	43	27063	1.51	26.5	"	8.420	84.9026	37	38.10	49	55	26.3	8.503	84.90 G. S. J.	938.10	36888	36887	+ .00001	.36887

Mean for the year.

938.03

+ .00022

The mean *observed value of the Horizontal Force for the year 1913 = 0.368882

*The monthly and annual means corrected for diurnal variation appear in Table VIII.
† Adjustment of H. F. Magnetograph on the 15th September.

Absolute Magnetical Observations, Alibag—Table Ib.

Observations of Vibration and Deflection, taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.) for the determination of Absolute Horizontal Force.

1913.

1913.		Vibration Magnet.				Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection.			Corresponding Mean Reading of H. F. Magnetograph.		Ob. server.				Values of H.				Calculated Results in C. G. S. Unit.	
Date.	Civil Time, Mean.	Time of one Vibration.	Effect of 90° Torsion.	Tem- per- ature.	Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection.			Thermo- meter.	Ob. server.	Values of m.	From Deflection at distance.		Difference.	Mean.	*Observed monthly Mean Values of H.				
						Ordinate.	Thermo- meter.	23 cms.	30 cms.	Distance.				23 cms. (H _z).	30 cms. (H _z).						H _z - H _{z0}	H _z + H _{z0} / 2
1	2	3	4	5	6	7	8	9	10.	11	12	13	14	15	16	17	18	19	20			
JAN.	6	12 55	2-8756	2-13	26-6	-2-0	5-606	83-9223	38 35/10	25 38	26-8	5-621	83-92G.	S. J.	911-28	0-36911	0-36905	0-36908				
"	15	8	2-8775	2-02	26-8	"	5-360	83-9723	38 43/10	25 37	26-9	5-483	83-97G.	S. J.	910-75	3-6886	3-6882	3-6884				
"	20	12 56	2-8765	1-98	25-6	-2-1	5-187	82-9723	40 23/10	26 17	26-1	5-050	82-97G.	S. J.	911-17	3-6877	3-6874	3-6875	0-369012			
"	15	13	2-8774	1-98	26-6	"	5-132	83-0223	39 38/10	26 10	26-6	5-083	83-02G.	S. J.	911-05	3-6878	3-6869	3-6873				
"	27	10 33	2-8741	2-00	25-3	-2-2	6-237	82-7023	36 54/10	24 57	27-0	6-467	82-70G.	S. J.	911-02	3-6939	3-6932	3-6935				
"	12	7	2-8753	1-94	26-5	"	6-415	82-7023	37 12/10	25 8	26-3	6-548	82-70G.	S. J.	910-88	3-6936	3-6928	3-6932				
FEB.	3	13 19	2-8761	1-95	26-7	-2-4	5-580	82-5023	39 26/10	25 56	26-7	5-431	82-50G.	S. J.	911-38	3-6898	3-6893	3-6895				
"	15	25	2-8774	1-84	26-9	"	5-353	82-5523	38 47/10	25 45	26-9	5-380	82-55G.	S. J.	910-92	3-6889	3-6882	3-6885				
"	10	12 56	2-8770	1-95	27-3	-2-2	5-572	82-8523	39 8/10	25 51	26-8	5-392	82-85G.	S. J.	911-17	3-6894	3-6888	3-6891				
"	15	20	2-8774	2-06	26-9	"	5-197	82-8523	39 10/10	25 51	26-8	5-235	82-85G.	S. J.	910-94	3-6884	3-6878	3-6881				
"	17	13 18	2-8772	1-93	27-2	-2-0	5-380	82-8523	39 29/10	25 54	26-8	5-132	82-85G.	S. J.	911-15	3-6886	3-6882	3-6884		3-68876		
"	15	27	2-8776	1-99	26-9	"	5-006	82-8723	39 43/10	26 7	26-9	5-013	82-87G.	S. J.	911-11	3-6874	3-6868	3-6871				
"	24	13 5	2-8766	1-88	27-4	-1-8	5-718	83-3023	38 40/10	25 45	26-1	5-584	83-30G.	S. J.	911-07	3-6911	3-6903	3-6907				
"	15	23	2-8771	1-99	26-4	"	5-553	83-3023	39 16/10	25 51	26-1	5-469	83-30G.	S. J.	910-81	3-6889	3-6885	3-6887				
MARCH	3	13 32	2-8762	1-98	26-5	-2-3	5-780	83-2023	39 21/10	25 44	26-3	5-707	83-20G.	S. J.	911-07	3-6902	3-6899	3-6900				
"	15	20	2-8760	1-92	26-1	"	5-578	83-2023	39 22/10	25 43	26-0	5-605	83-20G.	S. J.	911-05	3-6900	3-6901	3-6900				
"	10	13 39	2-8761	1-73	27-0	-2-1	6-075	83-3523	38 56/10	25 37	25-8	5-815	83-35G.	S. J.	911-09	3-6916	3-6914	3-6915				
"	15	26	2-8764	1-88	26-1	"	5-366	83-3723	39 25/10	25 57	25-8	5-517	83-37G.	S. J.	910-98	3-6897	3-6892	3-6894				
"	17	12 50	2-8773	2-07	27-1	-2-3	5-175	83-5723	39 32/10	25 52	27-1	4-842	83-57G.	S. J.	911-13	3-6879	3-6877	3-6878				
"	15	15	2-8784	1-89	26-8	"	4-746	83-5723	39 49/10	26 2	26-8	4-785	83-57G.	S. J.	910-79	3-6864	3-6860	3-6862		3-68921		
"	24	12 42	2-8774	1-86	28-4	-1-9	5-585	83-9523	38 11/10	25 28	27-2	5-432	83-95G.	S. J.	911-07	3-6909	3-6900	3-6904				
"	15	24	2-8778	1-83	27-7	"	5-022	83-9523	38 25/10	25 37	27-1	5-195	83-95G.	S. J.	910-90	3-6894	3-6886	3-6890				
"	31	12 42	2-8773	1-77	27-8	-2-0	5-170	84-3223	39 21/10	25 45	26-9	5-050	84-32G.	S. J.	911-17	3-6896	3-6891	3-6893				
"	15	29	2-8779	1-82	27-7	"	5-025	84-3723	38 37/10	25 40	27-3	5-050	84-37G.	S. J.	910-96	3-6888	3-6882	3-6885				
APRIL	7	12 56	2-8769	1-89	29-6	-2-2	6-009	85-0023	36 61/10	24 29	29-0	5-606	85-00G.	S. J.	911-23	3-6933	3-6929	3-6931				
"	15	31	2-8783	1-89	30-2	"	5-157	85-0023	36 33/10	24 48	29-0	5-276	85-00G.	S. J.	910-88	3-6905	3-6899	3-6902				
"	14	13 21	2-8800	1-82	30-6	-2-3	4-862	86-0023	37 30/10	24 55	29-8	4-635	86-00G.	S. J.	911-02	3-6877	3-6879	3-6878				
"	15	40	2-8805	1-76	29-8	"	4-321	86-0023	37 47/10	25 20	29-6	4-397	86-00G.	S. J.	910-86	3-6863	3-6855	3-6859		3-68914		
"	21	12 48	2-8783	1-76	30-3	-2-4	5-217	86-8523	35 48/10	24 25	30-2	5-011	86-85G.	S. J.	911-07	3-6911	3-6906	3-6908				
"	15	20	2-8796	1-93	30-0	"	4-680	86-8523	35 37/10	24 26	30-2	4-780	86-85G.	S. J.	910-69	3-6899	3-6891	3-6895				
"	28	13 10	2-8799	1-89	30-9	-2-4	4-557	87-9023	36 56/10	24 42	30-2	4-538	87-90G.	S. J.	911-02	3-6884	3-6885	3-6884				
"	15	16	2-8801	1-80	30-1	"	4-148	87-9523	36 48/10	24 55	30-0	4-303	87-95G.	S. J.	910-81	3-6878	3-6871	3-6874				

MAY	5	12	59	21.8815	1.73	30.7	-2.1	3.870	88.8223	37	37.10	25	6	29.8	4.142	88.82G.	S. J.	910.67	36858	36855	+ .00003	36856
"	"	15	32	2.8802	1.83	30.0	"	4.170	88.8066	36	58.10	25	24	29.7	4.115	88.80G.	S. J.	910.79	36877	36866	+ .00011	36871
"	"	13	17	2.8790	1.86	31.0	-2.2	5.010	89.4523	35	35.10	24	24	30.2	4.845	89.45G.	S. J.	911.02	36909	36909	+ .00007	36909
"	"	15	4	2.8798	1.87	30.6	"	4.560	89.4523	35	45.10	24	23	30.2	4.640	89.45G.	S. J.	910.71	36898	36896	+ .00004	36896
"	"	19	13	2.8793	1.89	31.1	-2.3	4.560	90.0023	36	47.10	24	23	29.9	4.610	90.00G.	S. J.	910.56	36910	36908	+ .00005	36908
"	"	15	35	2.8801	1.86	30.0	"	4.135	90.0023	36	17.10	24	38	29.8	4.345	90.00G.	S. J.	910.56	36885	36882	+ .00005	36882
"	"	26	13	2.8801	1.75	32.0	-2.5	4.565	91.1023	35	22.10	24	14	31.1	4.325	91.10G.	S. J.	911.02	36899	36899	+ .00004	36901
"	"	15	35	2.8806	1.86	31.7	"	4.055	91.1023	35	27.10	24	20	31.1	4.080	91.10G.	S. J.	910.84	36893	36886	+ .00007	36889
JUNE	2	13	35	2.8812	1.68	31.6	-2.2	3.730	92.0023	36	6.10	24	38	31.3	3.520	92.00G.	S. J.	910.92	36876	36868	+ .00008	36872
"	"	15	35	2.8816	1.75	31.5	"	3.518	92.0023	36	21.10	24	42	31.4	3.492	92.00G.	S. J.	910.84	36865	36862	+ .00006	36862
"	"	9	13	2.8771	1.68	28.4	-1.8	4.772	92.3023	36	1.10	24	36	28.5	4.571	92.30G.	S. J.	910.88	36927	36919	+ .00008	36923
"	"	15	37	2.8786	1.83	28.4	"	3.867	92.3023	36	22.10	24	52	28.3	4.095	92.30G.	S. J.	910.48	36904	36893	+ .00011	36898
"	"	16	13	2.8793	1.75	29.9	-1.7	4.585	91.1023	35	55.10	24	33	29.8	4.447	91.10G.	S. J.	910.73	36900	36893	+ .00007	36896
"	"	15	25	2.8796	1.78	29.8	"	4.021	91.1023	36	14.10	24	41	29.7	4.160	91.10G.	S. J.	910.69	36892	36885	+ .00007	36888
"	"	23	13	2.8775	1.82	27.8	-1.9	4.397	90.9023	37	51.10	25	15	27.1	4.368	90.90G.	S. J.	910.77	36905	36903	+ .00004	36903
"	"	15	37	2.8776	1.84	27.0	"	4.261	90.8023	38	7.10	25	55	26.7	4.400	90.80G.	S. J.	910.60	36898	36895	+ .00006	36895
"	"	30	13	2.8781	1.95	28.8	-1.6	4.556	89.9023	36	44.10	24	55	28.8	4.360	89.90G.	S. J.	910.86	36904	36899	+ .00009	36899
"	"	15	36	2.8790	1.89	28.6	"	4.087	89.8723	36	50.10	24	52	28.7	4.186	89.87G.	S. J.	910.54	36890	36885	+ .00005	36887
JULY	7	12	53	2.8770	1.90	27.9	-1.5	4.967	89.4023	36	30.10	24	46	28.0	4.813	89.40G.	S. J.	910.77	36921	36914	+ .00007	36917
"	"	15	32	2.8780	1.84	28.3	"	4.398	89.4023	36	56.10	24	46	28.2	4.527	89.40G.	S. J.	910.67	36904	36903	+ .00001	36903
"	"	14	12	2.8792	1.88	28.7	-1.6	4.117	88.7523	37	35.10	25	11	28.5	4.047	88.75G.	S. J.	910.69	36882	36879	+ .00006	36879
"	"	15	34	2.8787	1.84	28.5	"	4.071	88.7223	37	40.10	25	12	28.3	4.112	88.72G.	S. J.	910.75	36882	36884	+ .00005	36884
"	"	21	12	2.8783	1.75	28.0	-1.1	4.753	87.6023	37	7.10	25	11	28.1	4.467	87.60G.	S. J.	910.67	36897	36886	+ .00011	36891
"	"	15	31	2.8786	1.80	28.0	"	4.153	87.6023	37	35.10	25	4	28.2	4.257	87.60G.	S. J.	910.63	36886	36885	+ .00002	36885
"	"	28	12	2.8756	1.90	27.7	-1.8	5.462	86.7523	36	38.10	24	48	27.1	5.423	86.75G.	S. J.	911.00	36938	36938	+ .00006	36941
"	"	15	29	2.8777	1.90	27.3	"	4.877	86.7223	36	50.10	24	50	26.9	5.102	86.72G.	S. J.	910.25	36911	36909	+ .00004	36909
AUG.	4	12	58	2.8772	1.86	28.4	-1.4	5.127	86.6023	36	37.10	24	31	28.1	5.056	86.60G.	S. J.	910.77	36920	36922	+ .00002	36921
"	"	15	25	2.8784	1.86	28.1	"	4.841	86.6023	36	21.10	24	40	28.1	4.983	86.60G.	S. J.	910.29	36910	36905	+ .00010	36905
"	"	11	13	2.8787	1.95	29.1	-1.6	4.584	86.4023	36	33.10	24	40	28.9	4.637	86.40G.	S. J.	910.65	36899	36897	+ .00003	36897
"	"	15	30	2.8789	1.81	28.8	"	4.615	86.4023	36	43.10	24	50	28.7	4.595	86.40G.	S. J.	910.58	36894	36891	+ .00005	36891
"	"	18	12	2.8783	2.11	29.7	-1.8	4.520	87.0023	37	26.10	25	2	29.0	4.236	87.00G.	S. J.	911.17	36897	36894	+ .00003	36895
"	"	15	26	2.8796	1.99	29.4	"	4.031	87.0023	37	3.10	24	54	29.2	4.050	87.00G.	S. J.	910.65	36882	36880	+ .00004	36880
"	"	25	12	2.8779	2.00	28.4	-2.0	4.728	87.0023	36	42.10	24	42	28.3	4.750	87.00G.	S. J.	910.65	36907	36905	+ .00002	36906
"	"	15	21	2.8785	1.98	28.3	"	4.687	87.0523	36	17.10	24	32	28.3	4.830	87.05G.	S. J.	910.31	36904	36902	+ .00003	36902
SEPT.	2	13	33	2.8778	1.95	27.2	-2.1	4.297	87.5023	39	19.10	25	52	25.9	4.107	87.50G.	S. J.	910.73	36888	36884	+ .00004	36886
"	"	15	39	2.8780	1.73	26.8	"	3.967	87.5023	38	31.10	25	36	26.5	4.020	87.50G.	S. J.	910.52	36888	36885	+ .00006	36885
"	"	8	14	2.8790	2.24	28.3	-1.7	3.832	87.5023	37	57.10	25	18	27.8	3.872	87.50G.	S. J.	910.54	36880	36878	+ .00004	36878
"	"	15	45	2.8805	2.20	28.0	"	2.962	87.4723	37	57.10	25	21	27.9	3.703	87.47G.	S. J.	910.04	36857	36852	+ .00005	36854
"	"	15	47	2.8787	2.30	28.5	-2.0	3.362	87.8023	37	0.10	24	51	28.6	3.352	87.80G.	A.	910.54	36888	36887	+ .00002	36887
"	"	16	9	2.8796	2.31	28.8	"	3.367	87.8023	37	0.10	24	55	28.7	3.342	87.80G.	A.	910.56	36887	36882	+ .00005	36884
"	"	22	12	2.8773	2.34	28.5	-2.2	9.150	88.2523	35	12.10	24	16	28.6	9.057	88.25G.	A.	910.48	36928	36921	+ .00007	36924
"	"	14	41	2.8795	2.28	28.8	"	8.163	88.2523	38	17.10	25	12	28.7	8.576	88.25G.	A.	910.69	36865	36868	+ .00003	36866
"	"	29	12	2.8772	2.49	29.3	-2.1	8.810	88.6023	34	42.10	23	46	29.2	8.658	88.60G.	A.	910.54	36937	36937	+ .00001	36937
"	"	15	16	2.8788	2.47	29.8	"	8.470	88.6023	35	33.10	24	16	29.5	8.526	88.60G.	A.	910.54	36908	36905	+ .00003	36906
OCT.	6	13	41	2.8827	2.43	30.8	-2.3	6.793	89.3023	37	34.10	25	11	31.0	6.702	89.30G.	A.	910.50	36829	36823	+ .00006	36826
"	"	13	44	2.8830	2.39	31.0	"	6.880	89.3023	37	39.10	25	13	31.0	6.725	89.30G.	A.	910.48	36826	36821	+ .00005	36823
"	"	13	44	2.8779	2.43	28.8	-1.9	8.418	89.6523	36	12.10	24	41	29.5	8.286	89.65G.	A.	910.86	36903	36899	+ .00008	36899
"	"	14	52	2.8793	2.41	29.8	"	8.082	89.7023	36	30.10	24	39	29.3	8.177	89.70G.	A.	910.60	36892	36889	+ .00003	36890
"	"	20	11	2.8778	2.43	28.6	-2.0	8.450	89.4523	36	20.10	24	38	28.5	8.333	89.45G.	A.	910.58	36909	36904	+ .00005	36906
"	"	12	37	2.8796	2.45	29.0	"	7.858	89.4523	36	47.10	24	45	28.6	8.168	89.45G.	A.	910.27	36882	36882	+ .00001	36882
"	"	27	12	2.8783	2.62	30.5	-2.5	8.946	89.2023	34	47.10	24	0	30.1	8.600	89.20G.	S. J.	910.71	36922	36918	+ .00004	36920
"	"	15	17	2.8792	2.61	30.1	"	8.310	89.2523	35	50.10	24	20	30.1	8.317	89.25G.	S. J.	910.65	36896	36894	+ .00002	36895

† Adjustment of H. F. Magnetograph on the 15th September.

1913.	Calculated Results in C. G. S. Unit.																				
	Civil Time, Mean.	*Vibration Magnet.			Rate of Chronometer.	Corresponding Mean Reading of H. F. Magnetograph.			Angle of Deflection.			Ob-server.	Values of H.			*Observed monthly Mean Values of H.					
		Time of one Vibration.	Effect of 90° Torsion.	Temperature.		Corresponding Mean Reading of H. F. Magnetograph.		Distance.		Temperature.	Ordinate.		Thermometer.	Values of m.	From Deflection at distance.		Difference.	Mean.			
						23 cms.	30.0 cms.	23 cms. (H).	30.0 cms. (H ₂).						H ₂ - H ₃₀				$\frac{H_2 + H_{30}}{2}$		
Date.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
Nov.		H. m.	S.	Sec. div.	°	S.	cms.	°	°	°	°	cms.	°	°	°	°	°	°	°	°	
	3	13 4	2.8791	2.28	29.8	-2.3	8.532	89.02/23	36 45/10	24 46	29.1	8.344	89.02/23	S. J.	910.73	0.36894	0.36891	+ .00003	0.36892		
	"	15 14	2.8801	2.28	29.6	"	7.832	89.00/23	36 51/10	25 0	29.4	7.965	89.00/23	S. J.	910.54	36876	36866	+ .00010	36871		
	10	12 54	2.8796	2.23	29.8	-2.2	8.548	88.60/23	35 24/10	24 9	30.3	8.434	88.60/23	S. J.	910.44	36876	36866	+ .00002	36893		
	"	14 44	2.8802	2.23	30.0	"	8.156	88.60/23	35 49/10	24 35	30.0	8.238	88.60/23	S. J.	910.44	36886	36877	+ .00009	36881		
	17	13 18	2.8778	2.25	28.5	-2.6	8.810	87.95/23	36 21/10	24 31	28.9	8.701	87.95/23	S. J.	910.65	36911	36905	+ .00006	36908		
	"	15 22	2.8785	2.26	28.6	"	8.583	87.95/23	36 11/10	24 40	28.8	8.657	87.95/23	S. J.	910.48	36901	36894	+ .00007	36897	0.368901	
	24	13 21	2.8779	2.23	28.4	-2.3	8.707	87.40/23	37 19/10	25 1	28.1	8.551	87.40/23	S. J.	910.75	36899	36896	+ .00003	36897		
	"	15 24	2.8792	2.23	28.5	"	8.339	87.40/23	36 48/10	24 56	28.6	8.373	87.40/23	S. J.	910.40	36886	36878	+ .00008	368 2		
Dec.	1	13 21	2.8784	2.30	28.4	-2.4	8.642	87.20/23	36 55/10	25 3	27.9	8.577	87.20/23	S. J.	910.52	36899	36890	+ .00009	36894		
	"	15 0	2.8786	2.24	28.4	"	8.381	87.20/23	36 46/10	24 59	28.3	8.500	87.20/23	S. J.	910.50	36896	36887	+ .00009	36891		
	8	13 7	2.8783	2.33	27.7	-2.5	8.305	86.80/23	38 9/10	25 12	27.9	8.153	86.80/23	S. J.	910.65	36880	36881	+ .00001	36880		
	"	15 1	2.8794	2.32	28.2	"	8.147	86.80/23	38 7/10	25 20	28.0	8.118	86.80/23	S. J.	910.46	36870	36866	+ .00004	36868		
	15	12 56	2.8766	2.28	26.7	-2.4	8.791	86.40/23	38 22/10	25 23	26.7	8.672	86.40/23	S. J.	910.81	36902	36900	+ .00002	36901		
	"	15 18	2.8779	2.27	27.0	"	8.441	86.40/23	37 41/10	25 22	27.1	8.580	86.40/23	S. J.	910.44	36892	36882	+ .00010	36887		
	22	13 43	2.8772	2.31	27.4	-2.3	8.590	85.87/23	37 58/10	25 26	26.6	8.611	85.87/23	S. J.	910.69	36905	36897	+ .00008	36901	368908	
	"	15 21	2.8774	2.36	27.0	"	8.622	85.87/23	38 15/10	25 22	26.7	8.641	85.87/23	S. J.	910.58	36894	36892	+ .00002	36893		
	29	13 40	2.8760	2.45	25.2	-2.5	8.601	84.90/23	38 26/10	25 42	25.6	8.473	84.90/23	S. J.	910.52	36905	36894	+ .00011	36899		
	"	15 28	2.8765	2.54	25.7	"	8.481	84.90/23	38 31/10	25 46	25.7	8.462	84.90/23	S. J.	910.54	36900	36888	+ .00012	36894		
Mean for the year														= 910.75		+ .000052					
The mean *observed value of the Horizontal Force for the year 1913																				= 0.368922	

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

Absolute Magnetical Observations, Alibag—Table IIa.

OBSERVATIONS OF ABSOLUTE DECLINATION, 1913.

Taken with Magnetometer No. 7 (T. Cooke and Sons.)

1913.		MEAN READINGS.				TORSION.		Observer.	Corresponding Reading of Declination Magnetograms.	Absolute Easterly Declination corrected for Torsion.	MONTHLY MEAN.			
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to		Mean.	Effect of 90°.				Corresponding Reading of Declination Magnetograms.	Absolute Easterly Declination corrected for Torsion.	Corresponding Reading of Declination Magnetograms.	*Observed absolute Easterly Declination.
		Scale apparently		Scale of Collimator Magnet.	Kennery Light House.									
		Erect.	Inverted.											
1	2	3	4	5	6	7	8	9	10	11	12	13		
	H. m.	Sc. div.	Sc. div.	° ' "	° ' "	°	Sc. div.		cms.	° ' "	cms.	° ' "		
JAN.	3 13 12	55.6	..	85 21 5	222 24 50	0	..	G. S. J.	5.630	0 49 40	5.575	0 48 47		
"	9 15 45	55.6	..	85 20 15	222 24 45	0	..	G. S. J.	5.550	0 48 55				
"	16 13 32	55.6	..	85 19 55	222 24 50	0	..	G. S. J.	5.560	0 48 30				
"	23 12 25	55.6	..	85 19 15	222 24 50	0	..	G. S. J.	5.500	0 47 50				
"	30 13 12	55.6	..	85 20 25	222 24 50	0	..	G. S. J.	5.637	0 49 0				
FEB.	6 13 19	55.6	..	85 20 50	222 24 50	0	..	G. S. J.	5.675	0 49 25	5.638	0 49 6		
"	13 13 12	55.6	..	85 20 25	222 24 45	0	..	G. S. J.	5.605	0 49 5				
"	20 13 11	55.6	..	85 20 30	222 24 50	0	..	G. S. J.	5.657	0 49 5				
"	27 13 16	55.6	..	85 20 25	222 25 0	0	..	G. S. J.	5.615	0 48 50				
MAR.	7 11 53	55.6	..	85 19 5	222 24 55	0	..	G. S. J.	5.510	0 47 35	5.467	0 47 20		
"	13 13 24	55.6	..	85 19 5	222 24 45	0	..	G. S. J.	5.520	0 47 45				
"	20 13 7	55.6	..	85 18 25	222 24 45	0	..	G. S. J.	5.440	0 47 5				
"	27 13 20	55.6	..	85 18 0	222 24 30	0	..	G. S. J.	5.400	0 46 55				
APR.	3 12 39	55.6	..	85 18 30	222 24 25	0	..	G. S. J.	5.430	0 47 30	5.356	0 46 57		
"	10 12 57	55.6	..	85 18 0	222 24 15	0	..	G. S. J.	5.385	0 47 10				
"	17 13 12	55.6	..	85 17 35	222 24 20	0	..	G. S. J.	5.310	0 46 40				
"	24 12 29	55.6	..	85 17 25	222 24 20	0	..	G. S. J.	5.300	0 46 30				
MAY	1 13 1	55.6	..	85 17 0	222 24 5	0	..	G. S. J.	5.250	0 46 20	5.194	0 46 9		
"	8 12 57	55.6	..	85 16 55	222 24 10	0	..	G. S. J.	5.210	0 46 10				
"	15 13 20	55.6	..	85 16 50	222 24 5	0	..	G. S. J.	5.200	0 46 10				
"	22 13 17	55.6	..	85 16 25	222 23 35	0	..	G. S. J.	5.170	0 46 15				
"	29 13 21	55.6	..	85 15 55	222 23 30	0	..	G. S. J.	5.140	0 45 50				
JUNE	5 13 10	55.6	..	85 15 45	222 23 35	0	..	G. S. J.	5.085	0 45 35	5.139	0 45 50		
"	13 12 40	55.6	..	85 16 20	222 23 35	0	..	G. S. J.	5.200	0 46 10				
"	19 13 21	55.6	..	85 15 55	222 23 35	0	..	G. S. J.	5.120	0 45 45				
"	26 14 39	55.6	..	85 16 5	222 23 40	0	..	G. S. J.	5.150	0 45 50				
JULY	3 12 55	55.6	..	85 16 25	222 23 50	0	..	G. S. J.	5.235	0 46 0	5.201	0 45 17		
"	10 13 23	55.6	..	85 16 5	222 23 50	0	..	G. S. J.	5.210	0 45 40				
"	17 13 17	55.6	..	85 15 25	222 24 5	0	..	G. S. J.	5.125	0 44 45				
"	24 12 58	55.6	..	85 15 40	222 23 55	0	..	G. S. J.	5.230	0 45 10				
"	31 13 9	55.6	..	85 15 25	222 24 0	0	..	G. S. J.	5.205	0 44 50				
AUG.	8 12 55	55.6	..	85 16 15	222 24 0	0	..	G. S. J.	5.295	0 45 40	5.239	0 45 15		
"	14 13 7	55.6	..	85 17 0	222 24 10	0	..	G. S. J.	5.335	0 46 15				
"	21 12 50	55.6	..	85 15 25	222 24 10	0	..	G. S. J.	5.155	0 44 40				
"	28 12 45	55.6	..	85 15 15	222 24 15	0	..	G. S. J.	5.172	0 44 25				
SEPT.	5 12 12	55.6	..	85 13 30	222 24 20	0	..	G. S. J.	4.997	0 42 35	5.228	0 44 4		
"	11 12 42	55.6	..	85 15 50	222 24 20	0	..	G. S. J.	5.229	0 44 55				
"	18 13 31	55.6	..	85 15 5	222 24 50	0	..	A.	†5.170	0 43 40				
"	25 13 0	55.6	..	85 16 10	222 24 30	0	..	A.	5.292	0 45 5				
OCT.	2 12 28	55.6	..	85 15 45	222 24 55	0	..	A.	†5.245	0 44 15	5.308	0 45 10		
"	10 12 9	55.6	..	85 16 25	222 24 45	0	..	A.	5.272	0 45 5				
"	16 12 12	55.6	..	85 16 25	222 24 50	0	..	A.	5.280	0 45 0				
"	23 12 39	55.6	..	85 15 50	222 24 50	0	..	A.	5.205	0 44 25				
"	31 13 44	55.6	..	85 18 10	222 24 30	0	..	G. S. J.	5.537	0 47 5				
NOV.	6 13 15	55.6	..	85 17 55	222 24 20	0	..	G. S. J.	5.525	0 47 0	5.450	0 46 25		
"	13 13 14	55.6	..	85 16 35	222 24 0	0	..	G. S. J.	5.400	0 46 40				
"	20 12 53	55.6	..	85 16 55	222 23 55	0	..	G. S. J.	5.450	0 46 25				
"	27 13 13	55.6	..	85 16 45	222 23 55	0	..	G. S. J.	5.425	0 46 15				
DEC.	4 13 25	55.6	..	85 16 45	222 23 55	0	..	G. S. J.	5.510	0 46 15	5.527	0 46 34		
"	11 13 21	55.6	..	85 17 25	222 23 50	0	..	G. S. J.	5.555	0 47 0				
"	18 13 17	55.6	..	85 16 35	222 23 50	0	..	G. S. J.	5.485	0 46 10				
"	26 13 7	55.6	..	85 17 5	222 23 40	0	..	G. S. J.	5.557	0 46 50				
The mean observed Declination for the year 1913 =												0 46 24		

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

† Owing to a shift in the zero line of the Declination Magnetograph on the 15th September, the ordinates were permanently increased by 0.60 cms.

‡ Owing to a shift in the zero line of the Declination Magnetograph on the 27th September, the ordinates were permanently increased by 0.40 cms.

Absolute Magnetical Observations, Alibag—Table IIb.

OBSERVATIONS OF ABSOLUTE DECLINATION, 1913.

Taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.)

1913.		MEAN READINGS.						TORSION.		Observer.	Corresponding Reading of Declination Magnetograms.	Absolute Easterly Declination corrected for Torsion.	MONTHLY MEAN.	
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to				Mean.	Effect of 90°.				Corresponding Reading of Declination Magnetograms.	*Observed absolute Easterly Declination.
		Scale apparently		Scale of Collimator Magnet.	Kennery Light House.									
		Erect.	Inverted											
1	2.	3	4	5	6	7	8	9	10	11	12	13		
	H. m.	Sc. div.	Sc. div.	° ' "	° ' "	°	Sc. div.		cms.	° ' "	cms.	° ' "		
JAN.	3	13 31	34.05	35.00	276 19 45	53 23 0	0	..	G. S. J.	5.632	0 49 16	5.595	0 48 44	
"	9	16 18	34.00	35.27	276 19 45	53 23 10	0	..	G. S. J.	5.582	0 48 48			
"	16	14 12	34.05	35.15	276 19 10	53 23 10	0	..	G. S. J.	5.555	0 48 22			
"	23	12 53	34.15	35.15	276 18 45	53 23 10	0	..	G. S. J.	5.545	0 48 3			
"	30	13 38	33.87	35.35	276 20 30	53 23 20	0	..	G. S. J.	5.660	0 49 10			
FEB.	6	13 54	33.85	35.45	276 20 45	53 23 10	0	..	G. S. J.	5.702	0 49 28	5.642	0 48 39	
"	13	13 39	33.95	35.72	276 19 35	53 23 5	0	..	G. S. J.	5.577	0 48 14			
"	20	13 38	33.97	35.75	276 19 50	53 23 5	0	..	G. S. J.	5.663	0 48 28			
"	27	13 41	33.97	35.50	276 19 50	53 23 20	0	..	G. S. J.	5.627	0 48 28			
MARCH	7	12 37	34.12	35.25	276 17 20	53 23 5	0	..	G. S. J.	5.470	0 46 36	5.472	0 47 20	
"	13	13 52	34.00	35.57	276 19 20	53 23 10	0	..	G. S. J.	5.540	0 47 58			
"	20	13 35	33.97	35.50	276 18 40	53 23 10	0	..	G. S. J.	5.450	0 47 28			
"	27	13 51	34.15	35.52	276 18 20	53 23 10	0	..	G. S. J.	5.430	0 47 17			
APRIL	3	13 13	34.05	35.52	276 18 20	53 23 20	0	..	G. S. J.	5.449	0 47 1	5.382	0 46 42	
"	10	13 24	34.00	35.67	276 18 35	53 23 20	0	..	G. S. J.	5.422	0 47 5			
"	17	13 37	34.07	35.55	276 17 40	53 23 10	0	..	G. S. J.	5.342	0 46 30			
"	24	13 25	33.92	35.90	276 17 50	53 23 10	0	..	G. S. J.	5.316	0 46 12			
MAY	1	13 30	34.00	35.60	276 17 25	53 23 15	0	..	G. S. J.	5.275	0 46 3	5.253	0 46 17	
"	8	13 34	33.95	35.65	276 17 40	53 23 25	0	..	G. S. J.	5.265	0 46 3			
"	15	13 50	33.95	35.52	276 17 55	53 23 25	0	..	G. S. J.	5.250	0 46 26			
"	22	14 19	34.00	35.80	276 18 30	53 23 20	0	..	G. S. J.	5.270	0 46 52			
"	29	13 51	33.95	35.67	276 17 20	53 23 5	0	..	G. S. J.	5.205	0 46 1			
JUNE	5	14 5	33.97	35.72	276 17 55	53 23 15	0	..	G. S. J.	5.213	0 46 25	5.199	0 45 57	
"	13	13 51	33.92	35.55	276 17 40	53 23 10	0	..	G. S. J.	5.231	0 46 22			
"	19	13 51	34.05	35.65	276 16 45	53 23 20	0	..	G. S. J.	5.171	0 45 18			
"	26	15 8	34.00	35.50	276 17 5	53 23 20	0	..	G. S. J.	5.182	0 45 44			
JULY	3	13 27	33.95	35.62	276 17 20	53 23 20	0	..	G. S. J.	5.270	0 45 50	5.224	0 45 17	
"	10	13 50	34.00	35.60	276 17 0	53 23 20	0	..	G. S. J.	5.208	0 45 33			
"	17	13 51	34.02	35.75	276 16 35	53 23 20	0	..	G. S. J.	5.160	0 45 1			
"	24	13 27	33.95	35.57	276 16 35	53 23 20	0	..	G. S. J.	5.252	0 45 7			
"	31	13 38	33.97	35.75	276 16 35	53 23 25	0	..	G. S. J.	5.230	0 44 53			
AUG.	8	13 36	34.02	35.75	276 16 55	53 23 25	0	..	G. S. J.	5.284	0 45 16	5.267	0 45 20	
"	14	13 39	33.97	35.65	276 18 5	53 23 30	0	..	G. S. J.	5.372	0 46 24			
"	21	13 23	34.07	35.52	276 16 5	53 23 30	0	..	G. S. J.	5.161	0 44 37			
"	28	13 19	34.00	35.80	276 16 50	53 23 30	0	..	G. S. J.	5.251	0 45 2			
SEPT.	5	12 46	34.00	35.60	276 13 20	53 22 50	0	..	G. S. J.	5.001	0 42 23	.	0 44 45	
"	11	13 24	34.02	35.50	276 16 15	53 22 50	0	..	G. S. J.	5.281	0 45 25			
"	18	14 24	34.00	35.57	276 16 20	53 22 50	0	..	A.	5.277	0 45 26			
"	25	13 14	33.97	35.57	276 17 5	53 23 10	0	..	A.	5.311	0 45 48			
OCT.	2	12 59	34.00	35.50	276 16 20	53 23 20	0	..	A.	5.303	0 44 59	5.358	0 45 35	
"	10	13 18	34.00	35.52	276 17 35	53 23 40	0	..	A.	5.413	0 45 53			
"	16	12 41	34.05	35.57	276 16 50	53 23 20	0	..	A.	5.292	0 45 28			
"	23	13 4	34.02	35.65	276 16 45	53 23 45	0	..	A.	5.254	0 44 52			
"	31	14 31	34.00	35.52	276 18 50	53 24 5	0	..	G. S. J.	5.529	0 46 43			
NOV.	6	13 50	33.90	35.67	276 19 15	53 24 5	0	..	G. S. J.	5.553	0 46 54	5.479	0 46 25	
"	13	13 38	34.05	35.55	276 17 50	53 23 50	0	..	G. S. J.	5.419	0 45 59			
"	20	13 25	33.95	35.35	276 17 50	53 23 45	0	..	G. S. J.	5.468	0 46 10			
"	27	13 51	34.00	35.50	276 18 20	53 23 40	0	..	G. S. J.	5.475	0 46 39			
DEC.	4	13 50	33.97	35.32	276 18 10	53 23 40	0	..	G. S. J.	5.532	0 46 38	5.553	0 46 49	
"	11	13 52	33.97	35.30	276 18 40	53 23 50	0	..	G. S. J.	5.567	0 46 59			
"	18	13 44	34.02	35.32	276 17 45	53 23 35	0	..	G. S. J.	5.516	0 46 21			
"	26	13 43	34.07	35.12	276 18 0	53 23 25	15°W	0.96	G. S. J.	5.598	0 47 18			
The mean* observed Declination for the year 1913 = 0 46 29														

The mean* observed Declination for the year 1913 = 0 46 29

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

† Owing to a shift in the zero line of the Declination Magnetograph on the 15th September, the ordinates were permanently increased by 0.60 cms.

‡ Owing to a shift in the zero line of the Declination Magnetograph on the 27th September, the ordinates were permanently increased by 0.40 cms.

Absolute Magnetical Observations, Alibag—Table IIIa.

OBSERVATIONS OF INCLINATION, 1913.

Taken with Inductor No. 41 by Schulze and Galvanometer No. 200 by Plath.

1913.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	*Monthly mean Inclination.				
Date.	At commence- ment.	At conclu- sion.	East.		West.							
	H.	m.	H.	m.								
JAN.	2	12	10	12	37	G. S. J. and B. P.	24	0.99	24	0.02	24	0.50
"	3	11	54	12	44	G. S. J.	23	59.08	23	59.55	23	59.31
"	4	11	47	12	41	G. S. J.	24	0.54	23	59.71	24	0.12
"	6	11	1	11	41	B. P. and G. S. J.	23	59.36	24	0.37	23	59.86
"	9	13	43	14	52	G. S. J. and B. P.	23	58.95	23	59.70	23	59.32
"	10	11	59	12	29	B. P. and G. S. J.	24	0.28	24	0.18	24	0.23
"	11	13	11	13	58	G. S. J. and B. P.	24	1.91	24	1.20	24	1.55
"	14	12	16	12	55	G. S. J. and B. P.	23	59.16	23	58.64	23	58.90
"	15	11	39	12	6	B. P. and G. S. J.	23	59.45	23	59.33	23	59.39
"	16	12	30	13	11	G. S. J. and B. P.	24	0.85	23	59.92	24	0.88
"	17	12	11	12	41	B. P. and G. S. J.	23	58.60	23	58.72	23	58.66
"	18	12	3	12	38	G. S. J. and B. P.	23	58.92	23	59.78	23	59.35
"	20	10	55	11	26	B. P. and G. S. J.	24	0.49	24	0.98	24	0.73
"	21	11	39	12	4	G. S. J. and B. P.	23	58.98	23	59.47	23	59.22
"	22	11	20	11	47	B. P. and G. S. J.	23	59.94	23	59.31	23	59.62
"	23	11	36	12	5	G. S. J. and B. P.	24	0.27	23	59.66	23	59.96
"	24	13	43	14	11	G. S. J. and B. P.	24	0.37	24	0.93	24	0.65
"	24	14	31	14	52	G. S. J. and B. P.	24	0.43	24	0.62	24	0.52
"	25	13	38	14	3	G. S. J. and B. P.	23	59.05	23	59.94	23	59.49
"	25	14	22	14	46	G. S. J. and B. P.	23	59.27	23	59.75	23	59.51
"	26	13	37	14	8	G. S. J. and B. P.	24	1.02	24	1.08	24	1.05
"	26	14	24	14	52	G. S. J. and B. P.	23	59.53	24	0.81	24	0.17
"	27	14	0	14	30	G. S. J. and B. P.	24	0.61	24	0.09	24	0.35
"	28	13	27	13	57	G. S. J. and B. P.	23	59.21	23	59.46	23	59.33
"	29	12	10	12	41	B. P. and G. S. J.	23	59.72	24	0.63	24	0.17
"	30	12	7	12	38	G. S. J. and B. P.	23	58.72	23	59.23	23	58.97
"	31	11	9	11	37	B. P. and G. S. J.	24	1.23	24	0.71	24	0.97
FEB.	1	12	12	12	44	G. S. J. and B. P.	24	0.49	24	0.06	24	0.27
"	3	11	45	12	13	B. P. and G. S. J.	24	1.38	24	0.40	24	0.89
"	4	1	45	12	18	G. S. J. and B. P.	24	0.40	24	0.81	24	0.60
"	5	11	47	12	15	B. P. and G. S. J.	24	0.91	24	0.73	24	0.82
"	6	12	4	12	43	G. S. J. and B. P.	24	1.90	24	1.58	24	1.74
"	7	11	25	11	55	B. P. and G. S. J.	23	58.83	23	58.70	23	58.76
"	8	11	51	12	19	G. S. J. and B. P.	24	0.00	23	59.94	23	59.97
"	10	11	26	11	48	B. P. and G. S. J.	24	0.70	23	59.60	24	0.15
"	11	11	41	12	8	G. S. J. and B. P.	23	59.25	23	59.88	23	59.56
"	12	11	12	11	40	B. P. and G. S. J.	24	0.64	23	59.69	24	0.16
"	13	11	48	12	11	G. S. J. and B. P.	24	0.03	23	59.86	23	59.94
"	14	11	55	12	21	B. P. and G. S. J.	23	59.55	23	59.89	23	59.72
"	15	11	59	12	29	G. S. J. and B. P.	23	59.97	24	0.23	24	0.10
"	17	11	6	11	36	B. P. and G. S. J.	23	59.64	23	59.77	23	59.70
"	18	12	48	13	15	G. S. J. and B. P.	24	1.08	24	1.14	24	1.11
"	19	11	31	11	59	B. P. and G. S. J.	23	59.59	24	0.60	24	0.09
"	20	12	4	12	36	G. S. J. and B. P.	23	59.83	24	0.42	24	0.12
"	21	11	46	12	13	B. P. and G. S. J.	23	59.45	23	59.78	23	59.61
"	22	11	37	12	12	G. S. J. and B. P.	24	0.65	24	0.19	24	0.42
"	24	10	57	11	18	B. P. and G. S. J.	24	0.75	23	59.84	24	0.29
"	25	12	28	13	10	G. S. J. and B. P.	24	0.17	24	0.61	24	0.39
"	26	11	5	11	28	B. P. and G. S. J.	24	1.26	24	1.22	24	1.24
"	27	11	53	12	19	G. S. J. and B. P.	24	2.33	24	1.92	24	2.12
"	28	12	13	12	33	B. P. and G. S. J.	24	1.03	24	0.44	24	0.73
MARCH	1	12	11	12	40	B. P.	24	1.92	24	1.80	24	1.86
"	3	11	47	12	14	B. P. and G. S. J.	24	0.49	24	0.25	24	0.37
"	4	11	44	12	13	G. S. J. and B. P.	24	0.20	24	0.82	24	0.51
"	5	11	40	12	3	B. P. and G. S. J.	24	0.87	24	0.91	24	0.89
"	7	10	50	11	14	B. P. and G. S. J.	24	0.63	24	0.13	24	0.38
"	8	11	46	12	12	G. S. J. and B. P.	23	59.76	23	59.72	23	59.74
"	10	11	18	11	47	B. P. and G. S. J.	24	0.08	24	0.30	24	0.19
"	11	11	43	12	11	G. S. J. and B. P.	24	0.32	23	59.84	24	0.08
"	12	11	29	12	0	B. P. and G. S. J.	24	0.02	23	59.96	23	59.99
"	13	11	54	12	24	G. S. J. and B. P.	23	59.00	23	59.77	23	59.38
"	14	11	6	11	30	B. P. and G. S. J.	23	59.93	23	59.33	23	59.63
"	15	11	38	12	5	G. S. J. and B. P.	24	0.59	24	0.66	24	0.62
"	17	11	15	11	41	B. P. and G. S. J.	24	0.88	24	0.82	24	0.85
"	18	11	41	12	5	G. S. J. and B. P.	24	1.02	24	0.46	24	0.74
"	19	11	25	11	49	B. P. and G. S. J.	24	0.86	24	0.40	24	0.63
"	20	11	49	12	20	G. S. J. and B. P.	24	0.66	24	0.52	24	0.59
"	22	12	10	13	4	G. S. J. and B. P.	24	1.19	24	1.09	24	1.14
"	24	11	9	11	32	B. P. and G. S. J.	24	1.26	24	0.86	24	1.06
"	25	11	44	12	17	G. S. J. and B. P.	24	0.49	23	59.48	23	59.98
"	26	11	13	11	41	B. P. and G. S. J.	24	0.28	23	59.63	23	59.95
"	27	12	2	12	30	G. S. J. and B. P.	24	1.15	24	0.04	24	0.59
"	28	11	10	11	36	B. P. and G. S. J.	24	0.76	24	0.66	24	0.71
"	29	11	48	12	18	G. S. J. and B. P.	24	0.85	24	1.06	24	0.95
"	31	11	1	11	29	B. P. and G. S. J.	24	0.51	24	0.52	24	0.51

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

1913.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	Monthly mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.					
APRIL	1	12 4	12 37	G. S. J. and B. P.	23 59.42	23 59.24	23 59.33	24 0.97
"	2	11 0	11 24	B. P. and G. S. J.	24 1.25	24 1.16	24 1.20	
"	3	11 32	11 59	G. S. J. and B. P.	23 59.80	24 0.27	24 0.03	
"	4	11 0	11 24	B. P. and G. S. J.	24 0.56	24 0.85	24 0.70	
"	5	11 55	12 20	G. S. J. and B. P.	23 59.92	24 0.40	24 0.16	
"	7	11 14	11 43	B. P. and G. S. J.	23 59.69	23 59.68	23 59.68	
"	8	11 43	12 5	G. S. J. and B. P.	23 59.31	23 59.98	23 59.64	
"	9	11 10	11 30	B. P. and G. S. J.	24 0.72	24 0.95	24 0.83	
"	10	11 41	12 12	G. S. J. and B. P.	24 2.57	24 3.06	24 2.81	
"	11	11 8	11 31	B. P. and G. S. J.	24 0.98	24 0.89	24 0.93	
"	2	11 47	12 16	G. S. J. and B. P.	24 1.82	24 2.27	24 2.04	
"	14	11 50	12 13	B. P. and G. S. J.	24 1.82	24 2.05	24 1.93	
"	16	11 26	11 48	B. P. and G. S. J.	24 0.32	24 0.49	24 0.40	
"	17	11 44	12 10	G. S. J. and B. P.	24 1.74	24 2.35	24 2.04	
"	18	11 17	11 38	B. P. and G. S. J.	24 1.09	24 1.00	24 1.04	
"	19	11 40	12 6	G. S. J. and B. P.	24 1.35	24 1.54	24 1.44	
"	21	11 10	11 34	B. P. and G. S. J.	24 0.59	24 1.08	24 0.83	
"	22	11 29	12 0	G. S. J. and B. P.	24 1.00	24 1.38	24 1.19	
"	23	11 21	11 50	G. S. J.	24 1.45	24 1.74	24 1.59	
"	24	11 30	11 57	G. S. J. and B. P.	24 0.39	24 0.34	24 0.36	
"	25	11 18	11 40	B. P. and G. S. J.	24 1.32	24 1.38	24 1.35	
"	26	11 38	12 4	G. S. J. and B. P.	24 0.23	24 1.22	24 0.72	
"	28	11 17	11 41	B. P. and G. S. J.	24 1.51	24 1.71	24 1.61	
"	29	11 45	12 10	G. S. J. and B. P.	24 1.38	24 1.62	24 1.50	
"	30	11 16	11 35	B. P. and G. S. J.	24 0.83	24 1.02	24 0.92	
MAY	1	11 51	12 16	G. S. J. and B. P.	24 1.15	24 1.62	24 1.38	24 1.77
"	2	11 2	11 24	B. P. and G. S. J.	24 0.22	24 0.16	24 0.19	
"	3	11 30	11 55	G. S. J. and B. P.	24 1.36	24 1.71	24 1.53	
"	5	11 25	11 46	B. P. and G. S. J.	24 2.55	24 2.72	24 2.63	
"	6	11 51	12 20	G. S. J. and B. P.	24 0.24	24 1.15	24 0.69	
"	7	11 11	11 36	B. P. and G. S. J.	24 2.44	24 2.84	24 2.64	
"	8	11 51	12 11	G. S. J. and B. P.	24 1.26	24 1.46	24 1.36	
"	9	11 48	12 16	B. P. and G. S. J.	24 2.70	24 3.34	24 3.02	
"	10	11 46	12 15	G. S. J. and B. P.	24 2.09	24 2.02	24 2.05	
"	12	11 11	11 33	B. P. and G. S. J.	24 1.07	24 1.16	24 1.11	
"	13	11 45	12 14	G. S. J. and B. P.	24 0.67	24 1.39	24 1.03	
"	14	11 40	12 3	B. P. and G. S. J.	24 1.37	24 1.87	24 1.62	
"	15	11 39	12 7	G. S. J. and B. P.	24 1.04	24 1.65	24 1.34	
"	16	11 10	11 30	B. P. and G. S. J.	24 2.04	24 2.81	24 2.42	
"	17	11 53	12 21	G. S. J. and B. P.	24 2.68	24 2.86	24 2.77	
"	19	11 38	11 59	B. P. and G. S. J.	24 2.13	24 2.08	24 2.10	
"	20	11 51	12 16	G. S. J. and B. P.	24 2.13	24 2.08	24 2.10	
"	21	11 9	11 48	G. S. J.	24 1.26	24 1.53	24 1.39	
"	22	12 17	12 50	G. S. J.	24 2.30	24 2.45	24 2.37	
"	23	11 50	12 11	B. P. and G. S. J.	24 0.76	24 0.80	24 0.78	
"	24	11 59	12 24	G. S. J. and B. P.	24 0.34	24 1.16	24 0.75	
"	26	11 17	11 38	B. P. and G. S. J.	24 2.52	24 2.13	24 2.32	
"	27	11 47	12 15	G. S. J. and B. P.	24 1.27	24 1.15	24 1.21	
"	28	11 9	11 32	B. P. and G. S. J.	24 2.04	24 1.77	24 1.90	
"	29	11 46	12 27	G. S. J. and B. P.	24 3.57	24 3.35	24 3.46	
JUNE	7	16 14	16 46	G. S. J. and B. P.	24 3.82	24 4.79	24 4.30	24 2.61
"	9	11 21	11 57	B. P. and G. S. J.	24 2.01	24 1.34	24 1.67	
"	12	14 4	14 38	G. S. J. and B. P.	24 4.61	24 4.01	24 4.31	
"	13	11 19	11 54	B. P. and G. S. J.	24 2.12	24 1.34	24 1.73	
"	14	11 54	12 18	G. S. J. and B. P.	24 3.47	24 2.50	24 2.98	
"	16	11 28	11 57	B. P. and G. S. J.	24 1.94	24 1.40	24 1.67	
"	17	11 41	12 20	G. S. J. and B. P.	24 2.12	24 2.21	24 2.16	
"	18	10 58	11 22	B. P. and G. S. J.	24 2.04	24 1.59	24 1.81	
"	19	11 48	12 24	G. S. J. and B. P.	24 2.17	24 1.60	24 1.88	
"	20	11 57	12 22	B. P. and G. S. J.	24 2.28	24 2.42	24 2.35	
"	21	11 41	12 12	G. S. J. and B. P.	24 2.34	24 2.65	24 2.49	
"	23	11 35	12 2	B. P. and G. S. J.	24 3.86	24 2.90	24 3.38	
"	24	11 56	12 25	G. S. J. and B. P.	24 2.34	24 2.57	24 2.45	
"	25	11 38	12 0	B. P. and G. S. J.	24 2.20	24 2.54	24 2.37	
"	26	13 20	14 1	G. S. J. and B. P.	24 5.03	24 4.83	24 4.93	
"	27	11 13	11 34	B. P. and G. S. J.	24 3.04	24 2.49	24 2.76	
"	28	12 21	12 52	G. S. J. and B. P.	24 1.76	24 1.65	24 1.70	
"	30	11 12	11 41	B. P. and G. S. J.	24 2.25	24 1.68	24 1.96	

1913.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	Monthly mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.					
JULY	1	12 30	12 57	G. S. J. and B. P.	24 3.27	24 3.24	24 3.25	24 2.90
"	2	11 17	11 40	B. P. and G. S. J.	24 3.19	24 2.89	24 3.04	
"	3	11 39	12 8	G. S. J. and B. P.	24 2.84	24 2.88	24 2.86	
"	4	11 34	11 53	B. P. and G. S. J.	24 2.45	24 2.01	24 2.23	
"	5	11 38	12 10	G. S. J. and B. P.	24 3.94	24 3.11	24 3.52	
"	7	11 6	11 34	B. P. and G. S. J.	24 2.69	24 2.12	24 2.40	
"	8	11 49	12 21	G. S. J. and B. P.	24 2.56	24 2.61	24 2.58	
"	9	10 33	10 55	B. P. and G. S. J.	24 3.07	24 2.83	24 2.95	
"	10	11 47	12 18	G. S. J. and B. P.	24 2.84	24 2.76	24 2.80	
"	11	11 27	11 54	B. P. and G. S. J.	24 2.81	24 2.52	24 2.66	
"	12	11 40	12 12	G. S. J. and B. P.	24 1.37	24 2.05	24 1.71	
"	14	10 50	11 11	B. P. and G. S. J.	24 4.57	24 4.24	24 4.40	
"	15	11 44	12 10	G. S. J. and B. P.	24 2.08	24 2.40	24 2.24	
"	16	10 51	11 23	B. P. and G. S. J.	24 3.39	24 3.66	24 3.52	
"	17	11 44	12 14	G. S. J. and B. P.	24 3.47	24 3.08	24 3.27	
"	18	11 36	11 55	B. P. and G. S. J.	24 3.08	24 3.13	24 3.10	
"	19	11 51	12 21	G. S. J. and B. P.	24 2.94	24 2.46	24 2.70	
"	21	11 14	11 31	B. P. and G. S. J.	24 4.21	24 3.88	24 4.04	
"	22	11 37	12 4	G. S. J. and B. P.	24 1.71	24 2.39	24 2.05	
"	23	10 54	11 18	B. P. and G. S. J.	24 2.62	24 2.40	24 2.51	
"	24	11 42	12 8	G. S. J. and B. P.	24 2.77	24 3.27	24 3.02	
"	25	11 21	11 41	B. P. and G. S. J.	24 2.65	24 2.80	24 2.72	
"	26	11 51	12 18	G. S. J. and B. P.	24 3.47	24 3.70	24 3.58	
"	28	11 12	11 43	B. P. and G. S. J.	24 2.78	24 2.95	24 2.86	
"	29	11 15	11 39	G. S. J. and B. P.	24 3.09	24 3.20	24 3.14	
"	30	10 54	11 16	B. P. and G. S. J.	24 2.69	24 2.55	24 2.62	
"	31	12 6	12 30	G. S. J. and B. P.	24 2.44	24 2.81	24 2.64	
AUG.	1	11 5	11 30	B. P. and G. S. J.	24 3.15	24 3.40	24 3.27	24 2.95
"	2	11 36	12 3	G. S. J. and B. P.	24 3.16	24 3.33	24 3.24	
"	4	11 10	11 30	B. P. and G. S. J.	24 2.58	24 3.10	24 2.84	
"	5	11 30	11 59	G. S. J. and B. P.	24 3.64	24 3.62	24 3.63	
"	6	10 55	11 15	B. P. and G. S. J.	24 2.95	24 3.17	24 3.06	
"	7	10 54	11 31	B. P.	24 3.67	24 3.68	24 3.7	
"	8	11 41	11 58	B. P. and G. S. J.	24 2.03	24 2.49	24 2.26	
"	9	11 41	12 6	G. S. J. and B. P.	24 0.47	24 1.47	24 0.97	
"	11	10 49	11 9	B. P. and G. S. J.	24 2.05	24 2.99	24 2.52	
"	12	11 25	11 51	G. S. J. and B. P.	24 3.12	24 3.29	24 3.20	
"	13	11 0	11 21	B. P. and G. S. J.	24 3.48	24 3.71	24 3.59	
"	14	11 42	12 11	G. S. J. and B. P.	24 2.82	24 3.46	24 3.14	
"	15	11 31	11 55	G. S. J.	24 3.31	24 3.19	24 3.25	
"	18	10 49	11 8	B. P. and G. S. J.	24 3.17	24 3.31	24 3.24	
"	19	11 5	11 33	G. S. J. and B. P.	24 1.52	24 2.46	24 1.99	
"	20	10 58	11 17	B. P. and G. S. J.	24 3.39	24 3.41	24 3.40	
"	21	11 43	12 6	G. S. J. and B. P.	24 2.74	24 2.52	24 2.63	
"	22	11 2	11 20	B. P. and G. S. J.	24 2.44	24 2.59	24 2.51	
"	23	11 23	11 49	G. S. J. and B. P.	24 3.46	24 3.30	24 3.38	
"	25	11 3	11 29	B. P. and G. S. J.	24 3.72	24 3.49	24 3.60	
"	26	11 32	11 55	G. S. J. and B. P.	24 2.57	24 2.70	24 2.63	
"	27	11 3	11 23	B. P. and G. S. J.	24 2.80	24 2.60	24 2.70	
"	28	11 24	11 48	G. S. J. and B. P.	24 2.46	24 2.22	24 2.34	
"	29	11 5	11 27	B. P. and G. S. J.	24 2.86	24 2.98	24 2.92	
"	30	11 32	12 3	G. S. J. and B. P.	24 3.45	24 3.91	24 3.68	
SEPT.	1	12 12	12 39	B. P. and G. S. J.	24 3.70	24 3.97	24 3.83	24 3.31
"	2	11 41	12 11	G. S. J. and B. P.	24 3.67	24 4.02	24 3.84	
"	3	11 28	11 51	B. P. and G. S. J.	24 3.49	24 3.33	24 3.41	
"	5	10 50	11 15	B. P. and G. S. J.	24 1.59	24 1.04	24 1.31	
"	6	11 29	11 49	G. S. J. and B. P.	24 1.54	24 1.61	24 1.57	
"	8	11 26	11 46	B. P. and G. S. J.	24 1.86	24 2.32	24 2.09	
"	9	11 32	11 59	G. S. J. and B. P.	24 4.52	24 4.21	24 4.36	
"	10	10 56	11 17	B. P. and G. S. J.	24 4.01	24 3.73	24 3.87	
"	11	11 35	12 3	G. S. J. and B. P.	24 3.91	24 4.22	24 4.06	
"	12	12 10	12 38	B. P. and G. S. J.	24 3.47	24 3.74	24 3.60	
"	13	11 35	12 8	G. S. J. and B. P.	24 2.47	24 2.90	24 2.68	
"	15	11 7	11 31	B. P. and A.	24 3.99	24 4.55	24 4.27	
"	16	11 51	12 18	A. and B. P.	24 3.80	24 3.10	24 3.45	
"	17	11 45	12 5	B. P. and A.	24 1.92	24 1.64	24 1.78	
"	18	12 10	12 35	A. and B. P.	24 3.32	24 3.57	24 3.44	
"	19	10 32	10 56	B. P. and A.	24 3.30	24 2.89	24 3.09	
"	20	11 33	11 53	A. and B. P.	24 2.79	24 2.81	24 2.80	
"	22	10 29	10 52	B. P. and A.	24 3.09	24 2.85	24 2.97	
"	23	10 58	11 18	A. and B. P.	24 4.19	24 3.75	24 3.97	
"	24	10 33	11 9	B. P. and A.	24 4.00	24 3.85	24 3.92	
"	25	11 40	12 7	A. and B. P.	24 2.86	24 1.96	24 2.41	
"	26	11 16	11 33	B. P. and A.	24 3.49	24 2.87	24 3.18	
"	27	11 21	11 44	A. and B. P.	24 4.30	24 3.42	24 3.86	
"	29	11 5	11 28	B. P. and A.	24 4.27	24 4.29	24 4.28	
"	30	12 35	13 3	A. and B. P.	24 5.09	24 4.15	24 4.62	

1913.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	Monthly mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.		°	°	°	°
Oct.	1	11 55	12 23	B. P. and A.	24	2.92	24	2.97
"	2	11 18	11 43	A. and B. P.	24	3.10	24	3.11
"	3	11 31	11 53	B. P. and A.	24	3.22	24	3.58
"	4	11 23	11 52	B. P. and A.	4	4.45	24	4.03
"	6	11 45	12 20	A.	24	4.44	24	4.53
"	7	12 50	13 24	B. P. and A.	24	4.89	24	4.75
"	8	11 13	11 32	B. P. and A.	24	3.63	24	3.65
"	10	11 26	11 51	B. P. and A.	24	4.20	24	3.76
"	11	11 9	11 26	A. and B. P.	24	4.64	24	4.16
"	13	11 50	12 7	B. P. and A.	24	3.76	24	3.38
"	14	11 7	11 27	A. and B. P.	24	4.04	24	3.99
"	15	11 42	11 59	B. P. and A.	24	4.20	24	4.45
"	16	11 33	12 0	A. and B. P.	24	3.70	24	3.83
"	17	10 51	11 13	B. P. and A.	24	4.23	24	3.90
"	18	10 43	11 3	A. and B. P.	24	5.47	24	5.56
"	20	10 28	10 43	B. P. and A.	24	4.55	24	4.68
"	21	11 51	12 50	A. and B. P.	24	3.43	24	3.63
"	22	12 3	12 17	B. P. and A.	24	3.74	24	3.86
"	23	11 30	12 4	A.	24	3.80	24	3.36
"	24	11 21	11 49	B. P. and G. S. J.	24	2.20	24	2.50
"	25	11 29	11 56	G. S. J. and B. P.	24	4.32	24	4.70
"	27	11 12	11 35	B. P. and G. S. J.	24	4.05	24	3.85
"	29	11 17	11 44	B. P. and G. S. J.	24	4.06	24	3.89
"	31	12 39	13 0	B. P. and G. S. J.	24	3.91	24	3.57
Nov.	1	11 45	12 14	G. S. J. and B. P.	24	5.47	24	5.22
"	3	11 3	11 29	B. P. and G. S. J.	24	5.08	24	4.55
"	4	11 34	12 11	G. S. J. and B. P.	24	3.47	24	3.65
"	5	11 37	12 1	B. P. and G. S. J.	24	2.84	24	2.98
"	6	11 40	12 22	G. S. J. and B. P.	24	2.46	24	2.80
"	7	12 3	12 26	B. P. and G. S. J.	24	3.77	24	4.09
"	8	11 49	12 21	G. S. J. and B. P.	24	4.58	24	4.51
"	10	11 34	12 0	B. P. and G. S. J.	24	4.95	24	5.08
"	11	12 50	13 18	G. S. J. and B. P.	24	5.37	24	5.81
"	12	11 44	12 8	B. P. and G. S. J.	24	4.74	24	4.58
"	13	11 42	12 8	G. S. J. and B. P.	24	3.84	24	3.93
"	14	11 39	12 0	B. P. and G. S. J.	24	5.27	24	5.34
"	15	11 33	11 57	G. S. J. and B. P.	24	5.33	24	5.34
"	17	11 47	12 9	B. P. and G. S. J.	24	5.10	24	5.43
"	18	11 53	12 22	G. S. J. and B. P.	24	4.16	24	4.66
"	19	11 50	12 14	B. P. and G. S. J.	24	4.95	24	5.01
"	20	11 42	12 8	G. S. J. and B. P.	24	4.86	24	5.18
"	21	11 29	11 47	B. P. and G. S. J.	24	4.64	24	4.95
"	22	11 54	12 16	G. S. J. and B. P.	24	5.96	24	5.75
"	24	11 21	11 53	B. P. and G. S. J.	24	5.96	24	5.85
"	25	12 4	12 32	G. S. J. and B. P.	24	5.69	24	5.84
"	26	11 42	11 59	B. P. and G. S. J.	24	4.27	24	4.42
"	27	11 54	12 23	G. S. J. and B. P.	24	6.03	24	6.22
"	28	12 16	12 38	B. P. and G. S. J.	24	6.29	24	6.36
"	29	11 54	12 23	G. S. J. and B. P.	24	6.15	24	6.36
Dec.	1	11 47	12 8	B. P. and G. S. J.	24	6.87	24	7.01
"	2	11 53	12 29	G. S. J. and B. P.	24	7.61	24	7.40
"	3	11 44	12 7	B. P. and G. S. J.	24	6.78	24	6.99
"	4	11 59	12 32	G. S. J. and B. P.	24	7.68	24	8.18
"	5	12 29	12 48	B. P. and G. S. J.	24	7.36	24	7.51
"	6	11 39	12 7	G. S. J. and B. P.	24	6.85	24	6.48
"	8	10 49	11 13	B. P. and G. S. J.	24	6.16	24	6.29
"	9	12 5	12 30	G. S. J. and B. P.	24	7.14	24	7.06
"	10	10 44	11 5	B. P. and G. S. J.	24	7.34	24	7.25
"	11	11 59	12 25	G. S. J. and B. P.	24	7.01	24	7.30
"	12	11 4	11 29	B. P. and G. S. J.	24	6.91	24	6.98
"	13	11 44	12 9	G. S. J. and B. P.	24	6.11	24	6.24
"	15	10 55	11 18	B. P. and G. S. J.	24	7.08	24	7.16
"	16	11 48	12 13	G. S. J. and B. P.	24	7.45	24	7.56
"	17	11 17	11 36	B. P. and G. S. J.	24	6.41	24	6.30
"	18	11 44	12 9	G. S. J. and B. P.	24	6.71	24	6.62
"	19	11 52	12 22	G. S. J.	24	7.36	24	7.48
"	20	11 53	12 36	G. S. J.	24	7.38	24	7.66
"	22	11 55	12 26	B. P. and G. S. J.	24	6.11	24	6.51
"	23	12 7	12 34	G. S. J.	24	7.88	24	8.23
"	24	11 5	11 35	G. S. J.	24	7.41	24	7.86
"	26	12 0	12 25	B. P. and G. S. J.	24	7.94	24	7.92
"	27	11 57	12 21	G. S. J. and B. P.	24	8.31	24	8.60
"	29	11 45	12 2	B. P. and G. S. J.	24	6.72	24	6.73
"	30	14 17	14 45	G. S. J.	24	8.58	24	8.84
"	31	11 35	12 3	G. S. J.	24	7.74	24	7.88
The mean *observed Inclination for the year 1913 =								24 2.62

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

Absolute Magnetical Observations, Alibag—Table IIIb.

OBSERVATIONS OF INCLINATION, 1913.

*Taken with Dip Circle No. 160 (Cambridge Scientific Instrument Co.) and
two $3\frac{1}{4}$ inch Needles Nos. 1/05 and 2/05 by Dover Charlton.*

1913.	Alibag Civil Time (0 to 24 hours)		Ob- server.	Needle marked.	End of Needle Dipping.				Mean Dip.	Monthly Mean for each Needle.	*Monthly Mean.
Date.	At com- mence- ment.	At conclu- sion.			A.		B.				
					Face of Circle.		Face of Circle.				
					East.	West.	East.	West.			
	H. m.	H. m.									
JAN.	4 14 2	14 43	G. S. J.	1/05	23 49.0	24 6.6	23 55.1	24 10.6	24 0.3	No. 1/05 23 59.8 No. 2/05 23 58.1	23 58.9
"	11 14 52	15 39	G. S. J.	2/05	23 47.9	24 2.3	23 53.6	24 13.2	23 59.2		
"	18 13 30	14 22	G. S. J.	1/05	23 46.8	24 6.5	23 56.5	24 7.5	23 59.3		
"	25 11 25	12 12	G. S. J.	2/05	23 44.2	23 59.6	23 54.3	24 9.9	23 57.0		
FEB.	1 13 43	14 31	G. S. J.	1/05	23 51.0	24 1.7	23 59.8	24 3.0	23 58.9	No. 1/05 24 0.3 No. 2/05 23 58.9	23 59.7
"	8 13 22	14 4	G. S. J.	2/05	23 50.9	24 1.2	23 57.5	24 5.5	23 58.8		
"	15 13 20	14 4	G. S. J.	1/05	23 51.9	24 6.6	23 54.7	24 11.1	24 1.1		
"	22 13 2	13 44	G. S. J.	2/05	23 45.5	24 5.6	23 50.0	24 15.2	23 59.1		
"	28 13 22	14 10	G. S. J.	1/05	23 58.2	24 6.9	23 50.2	24 8.0	24 0.8		
MARCH	8 13 30	14 22	G. S. J.	2/05	23 53.2	24 7.4	23 56.7	24 3.2	24 0.1	No. 1/05 24 2.9 No. 2/05 24 0.1	24 1.5
"	15 13 20	14 8	G. S. J.	1/05	23 50.9	24 7.9	23 53.1	24 19.5	24 2.8		
"	22 13 44	14 30	G. S. J.	2/05	23 52.5	23 59.5	24 0.9	24 7.6	24 0.1		
"	29 14 0	14 44	G. S. J.	1/05	23 49.0	24 8.2	23 59.1	24 15.9	24 3.0		
APRIL	5 13 18	14 8	G. S. J.	2/05	23 46.7	24 2.7	23 46.6	24 21.2	23 59.3	No. 1/05 24 2.2 No. 2/05 24 0.1	24 1.2
"	12 13 14	14 5	G. S. J.	1/05	23 46.6	24 10.4	23 59.6	24 11.6	24 2.0		
"	19 13 17	14 24	G. S. J.	2/05	23 56.0	23 57.7	23 55.9	24 14.5	24 1.0		
"	26 13 16	14 1	G. S. J.	1/05	23 48.8	24 7.5	23 59.6	24 14.0	24 2.5		
MAY	3 12 50	13 42	G. S. J.	2/05	23 48.4	24 6.4	24 0.0	24 18.0	24 3.2	No. 1/05 24 3.2 No. 2/05 24 3.4	24 3.3
"	10 13 20	14 10	G. S. J.	1/05	23 54.9	24 12.9	24 3.0	24 9.0	24 4.9		
"	17 13 21	14 9	G. S. J.	2/05	23 49.7	24 7.1	24 2.5	24 18.5	24 4.4		
"	24 13 15	14 1	G. S. J.	1/05	23 55.5	23 59.9	24 2.6	24 9.7	24 1.9		
"	30 12 53	13 42	G. S. J.	2/05	23 50.1	24 6.0	23 59.0	24 15.5	24 2.6		
"	31 14 57	15 42	G. S. J.	1/05	23 52.7	24 7.2	23 58.3	24 13.0	24 2.8		
JUNE	2 11 32	12 16	G. S. J.	2/05	23 52.8	24 7.6	24 2.2	24 18.5	24 5.3	No. 1/05 24 2.9	24 3.0
"	3 12 47	13 37	G. S. J.	1/05	23 55.6	24 8.2	23 57.6	24 10.4	24 2.9		
"	4 12 28	13 18	G. S. J.	2/05	23 55.1	24 7.0	23 58.5	24 17.2	24 4.4		
"	5 11 58	12 40	G. S. J.	1/05	23 51.0	24 13.1	23 56.6	24 14.9	24 3.9		
"	6 12 16	12 59	G. S. J.	2/05	23 51.7	23 58.7	23 56.2	24 14.9	24 0.4	No. 2/05 24 3.2	
"	7 10 20	10 58	G. S. J.	1/05	23 52.6	24 8.1	23 55.0	24 13.1	24 2.2		
"	10 13 2	13 44	G. S. J.	2/05	23 49.8	24 1.5	24 4.5	24 12.5	24 2.1		
"	11 11 43	12 31	G. S. J.	1/05	23 51.4	24 4.8	24 0.7	24 13.3	24 2.5		
"	14 13 21	14 2	G. S. J.	2/05	23 55.5	24 7.9	24 1.9	24 11.1	24 4.1		
"	21 13 42	14 25	G. S. J.	1/05	23 50.9	24 9.5	23 56.4	24 15.0	24 2.9		
"	28 13 42	14 26	G. S. J.	2/05	23 55.1	24 6.1	23 56.5	24 13.2	24 2.7		
JULY	5 13 27	14 20	G. S. J.	1/05	23 51.7	24 6.6	24 2.2	24 9.0	24 2.4	No. 1/05 24 2.7 No. 2/05 24 2.0	24 2.4
"	12 13 32	14 21	G. S. J.	2/05	23 52.2	23 57.0	24 4.4	24 7.7	24 0.3		
"	19 13 24	14 6	G. S. J.	1/05	23 59.9	23 59.9	24 4.6	24 8.0	24 3.1		
"	26 13 18	14 2	G. S. J.	2/05	23 59.5	24 5.0	24 0.4	24 10.4	24 3.8		
AUG.	2 12 55	13 43	G. S. J.	1/05	23 59.1	24 8.9	24 1.6	24 8.4	24 4.5	No. 1/05 24 4.2 No. 2/05 24 3.6	24 3.9
"	9 13 35	14 19	G. S. J.	2/05	23 57.6	24 7.0	24 1.2	24 10.4	24 4.0		
"	23 13 53	14 44	G. S. J.	1/05	23 57.2	24 6.8	24 0.9	24 11.1	24 4.0		
"	30 13 22	14 8	G. S. J.	2/05	23 52.5	24 2.5	24 1.5	24 16.2	24 3.2		
SEPT.	6 12 55	13 42	G. S. J.	1/05	23 50.6	24 8.6	24 2.9	24 11.6	24 3.4	No. 1/05 24 3.1 No. 2/05 24 2.8	24 3.0
"	13 13 21	14 8	G. S. J.	2/05	23 54.6	24 3.1	24 5.0	24 9.7	24 3.1		
"	20 12 43	13 25	A.	1/05	23 59.1	24 7.9	24 1.2	24 3.4	24 2.9		
"	27 12 45	13 25	G. S. J.	2/05	23 58.7	23 58.0	24 1.7	24 12.0	24 2.6		

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

1913.	Alibag Civil Time (0 to 24 hours)		Ob- server.	Needle marked.	End of Needle Dipping.				Mean Dip.	Monthly Mean for each Needle.	*Monthly Mean.
Date.	At com- mence- ment.	At conclu- sion.			A.		B.				
					Face of Circle.		Face of Circle.				
					East.	West.	East.	West.			
	H. m.	H. m.									
Oct.	4 12 10	12 56	G. S. J.	1/05	23 59.2	24 8.7	24 2.7	24 5.2	24 3.9	No. 1/05 24 3.9 No. 2/05 24 3.1	24 3.5
"	11 12 5	12 42	A.	2/05	23 52.5	24 7.0	23 57.5	24 12.0	24 2.2		
"	18 11 20	11 53	A.	1/05	23 57.5	24 7.0	24 0.2	24 11.0	24 3.9		
"	25 12 54	13 43	G. S. J.	2/05	23 52.2	24 3.4	24 6.2	24 14.6	24 4.1		
Nov.	1 12 58	13 41	G. S. J.	1/05	23 58.7	24 2.0	24 8.0	24 11.8	24 5.1	No. 1/05 24 6.6 No. 2/05 24 5.5	24 6.2
"	8 13 43	14 34	G. S. J.	2/05	23 49.2	24 11.7	24 6.7	24 11.2	24 4.7		
"	15 12 44	13 23	G. S. J.	1/05	23 58.6	24 10.7	24 5.7	24 8.9	24 6.0		
"	22 13 0	13 42	G. S. J.	2/05	23 55.6	24 11.9	24 7.9	24 10.2	24 6.4		
"	29 13 2	13 43	G. S. J.	1/05	24 4.7	24 12.0	24 7.1	24 11.4	24 8.8		
Dec.	6 12 55	13 44	G. S. J.	2/05	23 57.9	24 12.6	24 4.6	24 12.5	24 6.9	No. 1/05 24 7.3 No. 2/05 24 7.3	24 7.3
"	13 12 40	13 23	G. S. J.	1/05	24 0.2	24 10.6	24 5.6	24 10.3	24 6.7		
"	20 14 6	14 54	G. S. J.	2/05	24 3.6	24 13.1	24 1.2	24 13.1	24 7.7		
"	27 13 0	13 50	G. S. J.	1/05	23 59.3	24 6.5	24 3.6	24 22.2	24 7.9		
The mean Dip for the year ... } With Needle No. 1/05 = 24 3.3 											

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

Absolute Magnetical Observations, Alibag—Table Ia.

Observations of Vibration and Deflection, taken with Magnetometer No. 7 (T. Cooke and Sons) for the determination of Absolute Horizontal Force.

1914.

1914. Date.	Vibration Magnet.				Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection of Magnet marked 7.			Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.	Calculated Results in C. G. S. Unit.					*Observed monthly Mean Values of H.
	Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.	Tem- per- ature.		Ordi- nate.	Thermo- meter.	Distance.	Temper- ature.	Ordi- nate.	Thermo- meter.	Values of H.							
												Values of m.		From Deflection at distance.	Difference.	Mean.	*Observed monthly Mean Values of H.		
																		22.5 cms. (H _{22.5}).	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
JAN.	7	13 20	2.7070	1.50	27.1	S.	8.488	37	12 10	49	27.2	8.410	84.22 G. S. J.	938.12	0.36881	0.36877	+ .00004	0.36879	0.36880
"	"	15 5	2.7072	1.51	27.6	"	8.334	37	5 10	49	27.6	8.327	84.22 G. S. J.	938.19	0.36881	0.36880	+ .00001	0.36880	0.36880
"	"	15 13	2.7061	1.51	26.9	"	8.871	36	36 10	49	32	8.858	83.80 G. S. J.	938.10	0.36903	0.36901	+ .00002	0.36902	0.36902
"	"	15 27	2.7063	1.48	27.0	"	8.646	36	15 10	49	27	8.750	83.80 G. S. J.	938.02	0.36903	0.36899	+ .00004	0.36901	0.36901
"	"	21 10	2.7058	1.49	26.2	"	8.802	36	21 10	49	24	8.928	83.85 G. S. J.	938.02	0.36900	0.36899	+ .00001	0.36899	0.36899
"	"	12 36	2.7062	1.48	27.4	"	8.875	35	41 10	49	12	8.921	83.85 G. S. J.	938.08	0.36910	0.36906	+ .00004	0.36906	0.36906
"	"	28 12	2.7058	1.49	27.0	"	9.007	35	52 10	49	17	8.887	83.70 A.	938.10	0.36913	0.36910	+ .00003	0.36911	0.36911
"	"	14 14	2.7055	1.51	27.1	"	8.823	36	2 10	49	20	8.835	83.70 A.	938.30	0.36914	0.36911	+ .00003	0.36912	0.36912
FEB.	4	12 50	2.7060	1.50	26.8	"	8.703	37	18 10	49	45	8.565	83.50 G. S. J.	938.27	0.36896	0.36895	+ .00001	0.36895	0.36895
"	"	15 19	2.7065	1.50	26.8	"	8.466	37	27 10	49	53	8.446	83.50 G. S. J.	938.17	0.36888	0.36884	+ .00004	0.36886	0.36886
"	"	11 12	2.7055	1.50	26.7	"	8.916	36	15 10	49	25	8.822	83.40 G. S. J.	938.21	0.36911	0.36909	+ .00002	0.36910	0.36910
"	"	15 8	2.7070	1.49	27.0	"	8.448	36	49 10	49	37	8.532	83.40 G. S. J.	937.93	0.36887	0.36884	+ .00003	0.36885	0.36885
"	"	18 13	2.7050	1.50	24.9	"	8.755	38	32 10	50	24	8.651	83.10 G. S. J.	938.17	0.36897	0.36891	+ .00006	0.36894	0.36894
"	"	15 24	2.7056	1.51	25.0	"	8.638	38	22 10	50	10	8.652	83.10 G. S. J.	937.91	0.36891	0.36889	+ .00002	0.36890	0.36890
"	"	25 13	2.7059	1.50	26.7	"	8.922	36	32 10	49	32	8.855	83.05 G. S. J.	938.08	0.36906	0.36904	+ .00002	0.36905	0.36905
"	"	15 22	2.7065	1.51	26.7	"	8.590	36	47 10	49	39	8.712	83.05 G. S. J.	937.95	0.36895	0.36891	+ .00004	0.36893	0.36893
MARCH	4	12 58	2.7063	1.50	26.8	"	8.619	36	30 10	49	35	8.541	83.20 G. S. J.	938.06	0.36898	0.36893	+ .00005	0.36895	0.36895
"	"	14 56	2.7075	1.50	27.4	"	8.216	37	0 10	49	42	8.327	83.20 G. S. J.	937.97	0.36877	0.36875	+ .00002	0.36876	0.36876
"	"	12 13	2.7058	1.48	26.5	"	8.646	37	40 10	49	59	8.342	83.60 G. S. J.	938.34	0.36894	0.36890	+ .00004	0.36892	0.36892
"	"	15 17	2.7067	1.50	26.8	"	8.339	37	32 10	49	56	8.297	83.62 G. S. J.	938.14	0.36884	0.36881	+ .00003	0.36882	0.36882
"	"	18 12	2.7066	1.50	26.9	"	8.537	36	45 10	49	36	8.411	83.75 G. S. J.	938.04	0.36893	0.36890	+ .00003	0.36891	0.36891
"	"	15 15	2.7076	1.49	27.5	"	8.152	37	31 0	49	44	8.210	83.75 G. S. J.	937.95	0.36878	0.36875	+ .00003	0.36876	0.36876
"	"	25 13	2.7061	1.48	27.3	"	8.654	36	10 10	49	25	8.495	83.80 G. S. J.	938.30	0.36903	0.36899	+ .00004	0.36901	0.36901
"	"	15 23	2.7082	1.48	28.0	"	8.086	36	36 10	49	30	8.252	83.80 G. S. J.	937.86	0.36874	0.36872	+ .00002	0.36873	0.36873

* The monthly and annual mean corrected for diurnal variation appear in Table VIII.

1914. Date.	Vibration Magnet.			Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection of Magnet marked 7			Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.	Values of H.				*Observed monthly Mean Values of H.			
	Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.		Tem- per- ature.	Thermo- meter.	Thermo- meter.	Distance.	Temper- ature.	Ordinate.	Thermo- meter.		Values of m.	From Deflection at distance.	Difference.	Mean. $\frac{H_{22.5} + H_{30.0}}{2}$				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
APRIL	H. m.	S.	So. div.	°	S.	cms.	°	°	°	°	°	cms.	°	G. S. J.	°	0.36895	0.36894	+ .00001	0.36894	
"	12 40	2.7080	1.47	29.0	-2.4	8.688	84.3026	34	41.10	48	47	29.0	84.30 G. S. J.	937.91	0.36895	0.36894	+ .00001	0.36894		
"	15 11	2.7084	1.49	29.1	"	8.002	84.3026	35	51.0	48	55	29.1	84.30 G. S. J.	937.91	0.36885	0.36884	+ .00001	0.36884		
"	13 8	2.7101	1.49	29.0	-2.6	7.215	84.5526	37	12.10	49	46	29.2	84.55 G. S. J.	937.91	0.36831	0.36836	+ .00001	0.36836		
"	15 18	2.7094	1.48	29.1	"	7.343	84.5026	36	48.10	49	40	29.3	84.50 G. S. J.	938.10	0.36857	0.36849	+ .00004	0.36849		
"	12 43	2.7072	1.48	28.9	-2.5	8.132	85.0026	35	15.10	49	2	28.1	85.00 G. S. J.	938.12	0.36907	0.36905	+ .00002	0.36906		
"	15 23	2.7076	1.48	28.2	"	8.132	85.0026	35	47.10	49	16	28.3	85.00 G. S. J.	938.04	0.36883	0.36885	+ .00003	0.36886		
"	22 55	2.7083	1.49	30.4	-2.4	8.607	85.7026	33	4.10	48	17	30.4	84.433	938.02	0.36907	0.36902	+ .00005	0.36904		
"	15 22	2.7098	1.47	30.9	"	7.938	85.7026	33	40.10	48	26	30.8	85.70 G. S. J.	937.86	0.36881	0.36878	+ .00003	0.36879		
"	29 9	2.7078	1.48	30.0	-2.7	8.573	86.5026	32	42.10	48	3	30.2	84.464	937.93	0.36916	0.36914	+ .00002	0.36915		
"	15 27	2.7091	1.48	31.0	"	7.976	86.5026	33	7.10	48	15	30.9	86.52 G. S. J.	938.02	0.36897	0.36894	+ .00003	0.36895		
MAY	H. m.	S.	So. div.	°	S.	cms.	°	°	°	°	°	°	G. S. J.	°	0.36895	0.36894	+ .00003	0.36894		
"	12 39	2.7077	1.47	31.1	-2.3	8.924	87.2526	31	16.10	47	32	31.2	87.25 G. S. J.	938.08	0.36933	0.36930	+ .00003	0.36931		
"	15 21	2.7096	1.48	31.7	"	8.000	87.2526	32	22.10	47	57	31.7	87.25 G. S. J.	937.95	0.36897	0.36894	+ .00003	0.36895		
"	13 12	2.7089	1.48	31.6	-2.2	8.391	87.9026	31	17.10	47	36	31.3	87.90 G. S. J.	937.82	0.36922	0.36916	+ .00006	0.36919		
"	15 28	2.7105	1.50	31.4	"	7.732	87.9026	32	8.10	47	57	31.8	87.90 G. S. J.	937.56	0.36883	0.36878	+ .00005	0.36880		
"	20 12	2.7095	1.48	31.1	-2.3	7.815	88.9226	33	0.10	48	11	31.0	88.92 G. S. J.	937.86	0.36893	0.36889	+ .00004	0.36891		
"	15 25	2.7098	1.48	31.1	"	7.648	88.9226	33	5.10	48	17	31.2	88.92 G. S. J.	937.86	0.36885	0.36881	+ .00004	0.36883		
"	27 13	2.7091	1.46	31.8	-2.5	8.141	89.5026	31	16.10	47	33	31.9	89.50 G. S. J.	937.93	0.36916	0.36911	+ .00005	0.36913		
"	15 18	2.7105	1.47	32.3	"	7.442	89.5026	31	52.10	47	53	32.1	89.50 G. S. J.	937.80	0.36892	0.36885	+ .00007	0.36888		
JUNE	H. m.	S.	So. div.	°	S.	cms.	°	°	°	°	°	°	G. S. J.	°	0.36895	0.36894	+ .00003	0.36894		
"	12 37	2.7112	1.48	32.3	-2.5	7.521	90.1026	31	59.10	47	47	32.1	90.10 G. S. J.	937.54	0.36882	0.36879	+ .00003	0.36880		
"	10 15	2.7112	1.48	32.8	"	7.266	90.0726	31	57.10	47	43	32.7	90.07 G. S. J.	937.76	0.36881	0.36879	+ .00002	0.36880		
"	13 29	2.7093	1.49	32.2	-2.5	8.001	90.0526	31	3.10	47	22	32.4	90.05 G. S. J.	937.95	0.36912	0.36911	+ .00001	0.36911		
"	15 5	2.7106	1.47	32.4	"	7.621	90.0526	31	25.10	47	35	32.4	90.05 G. S. J.	937.69	0.36893	0.36890	+ .00003	0.36891		
"	17 12	2.7074	1.48	29.6	-2.3	8.105	90.4026	32	48.10	48	7	30.0	90.40 G. S. J.	937.99	0.36919	0.36916	+ .00003	0.36917		
"	15 23	2.7086	1.49	29.8	"	7.405	90.4026	34	17.10	48	37	29.7	90.40 G. S. J.	937.93	0.36892	0.36891	+ .00001	0.36891		
"	24 13	2.7083	1.47	29.1	-2.2	7.929	89.5526	34	4.10	48	32	29.5	89.55 G. S. J.	937.76	0.36893	0.36892	+ .00001	0.36892		
"	15 24	2.7093	1.48	29.9	"	7.543	89.5526	33	54.10	48	36	29.7	89.55 G. S. J.	937.63	0.36887	0.36882	+ .00005	0.36884		
JUNE	H. m.	S.	So. div.	°	S.	cms.	°	°	°	°	°	°	G. S. J.	°	0.36895	0.36894	+ .00003	0.36894		
"	12 58	2.7087	1.48	30.2	-2.1	7.910	88.4526	33	0.10	48	11	30.5	88.45 G. S. J.	937.82	0.36900	0.36897	+ .00003	0.36898		
"	15 32	2.7095	1.49	30.9	"	7.601	88.4526	33	12.10	48	7	30.8	88.42 G. S. J.	937.78	0.36890	0.36891	+ .00001	0.36890		
"	13 28	2.7074	1.48	29.8	-2.1	8.317	87.8026	33	4.10	48	4	29.8	87.80 G. S. J.	938.02	0.36921	0.36921	+ .00001	0.36920		
"	15 25	2.7088	1.48	29.8	"	7.812	87.8026	33	38.10	48	21	29.7	87.80 G. S. J.	937.67	0.36895	0.36894	+ .00001	0.36894		
"	12 48	2.7074	1.48	29.7	-2.0	8.343	87.4026	33	8.10	48	12	29.8	87.40 G. S. J.	938.04	0.36918	0.36916	+ .00002	0.36917		
"	15 17	2.7087	1.48	30.1	"	7.891	87.4026	33	12.10	48	16	30.3	87.40 G. S. J.	937.82	0.36899	0.36896	+ .00002	0.36897		
"	22 13	2.7064	1.45	28.6	-2.1	8.588	86.6726	33	45.10	48	25	28.8	86.67 G. S. J.	938.08	0.36924	0.36924	+ .00002	0.36925		
"	15 19	2.7079	1.48	28.9	"	7.960	86.6726	34	29.10	48	41	28.7	86.70 G. S. J.	937.80	0.36900	0.36899	+ .00001	0.36899		
"	29 12	2.7054	1.47	27.0	-1.8	8.768	85.7026	34	45.10	48	47	27.2	85.70 G. S. J.	937.97	0.36928	0.36928	+ .00000	0.36928		
"	15 24	2.7075	1.47	27.5	"	7.744	85.7026	35	46.10	49	10	27.7	85.75 G. S. J.	937.73	0.36888	0.36888	+ .00000	0.36888		

Absolute Magnetical Observations, Alibag—Table Ib.

Observations of Vibration and Deflection, taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.) for the determination of Absolute Horizontal Force.

1914.

1914.	Calculated Results in C. G. S. Unit.																		
	Date.	Vibration Magnet.			Rate of Chronometer.	Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection.			Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.	Values of m.	Values of H.				*Observed monthly Mean Values of H.
		Civil Time, Mean.	Time of one Vibration.	Effect of 90° Torsion.		Temperature.	Thermometer.	Thermometer.	Distance.		Temperature.	Ordinate.			Thermometer.	From Deflection at distance.*	Difference.	Mean.	
									23 cms.	30 cms.									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
JAN.	H. m.	S.	Sec. div.	°	S.	cms.	°	°	°	°	cms.	°	°	°	°	°	°	°	°
"	13 19	2.8762	2.45	26.4	-2.4	8.773	84.3723	38	39.10	25	26.2	84.37	G. S. J.	910.84	0.36904	0.36901	+0.0003	0.36902	0.368987
"	15 23	2.8775	2.42	26.1	"	8.391	84.4023	38	37.10	25	25.9	84.40	G. S. J.	910.29	.36888	.36882	+0.0006	.36885	
"	12 14	0.2.8773	2.48	27.4	-2.2	8.990	83.8023	36	39.10	24	27.3	83.80	G. S. J.	910.40	.36912	.36903	+0.0009	.36907	
"	15 36	2.8781	2.49	27.6	"	8.701	83.8023	36	45.10	24	27.6	83.80	G. S. J.	910.21	.36900	.36898	+0.0002	.36899	
"	19 11	0.2.8771	2.50	27.1	-1.4	8.762	83.9523	36	36.10	24	28.0	83.95	G. S. J.	910.46	.36907	.36905	+0.0002	.36906	
"	12 33	2.8775	2.50	27.8	"	8.785	83.9523	36	6.10	24	28.0	83.95	G. S. J.	910.35	.36914	.36908	+0.0006	.36911	
"	26 13	2.8778	2.36	26.8	-2.4	8.660	83.8023	37	19.10	25	27.4	83.80	G. S. J.	910.35	.36893	.36885	+0.0008	.36889	
"	15 15	2.8784	2.34	27.6	"	8.427	83.8023	36	47.10	24	27.8	83.80	G. S. J.	910.27	.36895	.36888	+0.0007	.36891	
FEB.	2 13	2.8770	2.38	26.8	-2.3	8.969	83.5023	37	21.10	24	26.6	83.50	A.	910.37	.36910	.36907	+0.0003	.36908	
"	15 7	2.8768	2.36	26.8	"	8.618	83.5023	37	7.10	25	26.7	83.50	A.	910.48	.36915	.36904	+0.0011	.36909	
"	9 12	2.8771	2.22	27.0	-2.3	9.139	83.4023	37	13.10	25	26.8	83.40	G. S. J.	910.44	.36911	.36906	+0.0005	.36908	
"	15 41	2.8783	2.22	27.1	"	8.560	83.4023	37	41.10	24	27.1	83.40	G. S. J.	910.19	.36888	.36890	+0.0002	.36889	
"	17 13	2.8781	2.25	27.0	-2.4	8.720	83.3023	38	11.10	25	26.5	83.30	G. S. J.	910.33	.36888	.36883	+0.0005	.36885	
"	15 31	2.8773	2.27	26.1	"	8.369	83.3523	38	31.10	25	25.7	83.35	G. S. J.	910.37	.36894	.36884	+0.0010	.36889	
MARCH	2 13	2.8782	2.23	27.1	-2.2	8.510	83.2023	38	25.10	25	26.7	83.20	G. S. J.	910.42	.36884	.36882	+0.0002	.36883	
"	16 15	2.8787	2.23	26.8	"	8.132	83.2023	37	59.10	25	27.1	83.20	G. S. J.	910.14	.36881	.36872	+0.0009	.36876	
"	9 13	2.8771	2.22	27.7	-2.3	8.963	83.6023	37	5.10	24	26.2	83.60	G. S. J.	910.58	.36917	.36915	+0.0002	.36916	
"	15 24	2.8786	2.17	27.4	"	8.196	83.6023	36	47.10	24	27.1	83.60	G. S. J.	910.02	.36899	.36891	+0.0008	.36895	
"	16 13	0.2.8779	2.22	27.0	-2.5	8.586	83.6523	37	26.10	25	27.1	83.65	G. S. J.	910.35	.36895	.36886	+0.0009	.36890	
"	15 29	2.8788	2.18	27.5	"	7.921	83.6523	37	36.10	25	27.2	83.65	G. S. J.	910.27	.36886	.36876	+0.0010	.36881	
"	23 13	2.8769	2.22	26.9	-2.7	8.988	83.7523	37	45.10	25	26.0	83.75	G. S. J.	910.50	.36914	.36905	+0.0009	.36909	
"	15 30	2.8772	2.21	26.3	"	8.482	83.7023	37	14.10	25	27.1	83.70	G. S. J.	910.14	.36910	.36902	+0.0008	.36906	
"	30 13	2.8774	2.18	28.1	-2.4	9.018	84.2023	36	30.10	24	27.6	84.20	G. S. J.	910.50	.36919	.36916	+0.0003	.36917	
"	15 12	2.8781	2.15	27.8	"	8.468	84.2023	35	59.10	24	27.6	84.20	G. S. J.	910.10	.36914	.36908	+0.0006	.36911	

APRIL	7	13	19	2-8795	2.15	28.3	-2.5	7.680	84.50	23	38	710	25	22	27.8	7.692	84.50	G.	S.	J.	910.44	.36871	.36868	+ .00003	.36869
"	"	16	22	2-8799	2.18	27.8	"	7.485	84.45	23	38	710	25	29	27.8	7.451	84.45	G.	S.	J.	910.29	.36860	.36857	+ .00005	.36857
"	"	13	12	2-8786	2.19	28.9	-2.6	8.491	84.87	23	36	4610	24	44	28.1	8.298	84.87	G.	S.	J.	910.48	.36903	.36901	+ .00003	.36901
"	"	15	21	2-8795	2.23	28.5	"	7.921	84.85	23	36	1610	24	45	28.9	8.022	84.85	G.	S.	J.	910.00	.36894	.36890	+ .00008	.36890
"	"	20	12	2-8787	2.19	29.6	-2.4	8.662	85.42	23	35	4210	24	15	27.9	8.458	85.42	G.	S.	J.	910.44	.36912	.36911	+ .00007	.36911
"	"	15	28	2-8798	2.23	29.3	"	8.008	85.40	23	35	5710	24	33	28.9	8.140	85.40	G.	S.	J.	910.16	.36893	.36889	+ .00007	.36889
"	"	27	12	2-8780	2.16	30.3	-2.5	9.262	86.32	23	34	110	23	26	29.4	9.137	86.32	G.	S.	J.	910.37	.36945	.36945	- .00001	.36945
"	"	15	28	2-8794	2.15	29.9	"	8.440	86.30	23	34	3010	23	50	29.7	8.550	86.30	G.	S.	J.	910.14	.36915	.36913	+ .00004	.36913
MAY	4	13	5	2-8787	2.19	31.1	-2.4	8.648	87.27	23	33	3510	23	22	30.9	8.488	87.27	G.	S.	J.	910.56	.36933	.36933	.00000	.36933
"	"	15	22	2-8806	2.17	31.0	"	8.113	87.25	23	33	2910	23	31	30.9	8.232	87.25	G.	S.	J.	910.00	.36904	.36907	+ .00007	.36907
"	"	11	12	2-8796	2.19	31.7	-2.3	8.708	87.60	23	32	5010	23	6	31.2	8.653	87.60	G.	S.	J.	910.27	.36934	.36933	+ .00002	.36933
"	"	15	28	2-8807	2.19	31.0	"	8.184	87.60	23	33	210	23	16	31.1	8.308	87.60	G.	S.	J.	909.85	.36912	.36909	+ .00005	.36909
"	"	18	13	2-8810	2.22	31.8	-2.3	7.929	88.75	23	34	3510	23	52	31.0	7.767	88.75	G.	S.	J.	910.35	.36898	.36896	+ .00004	.36896
"	"	16	21	2-8812	2.20	31.1	"	7.556	88.70	23	34	2110	23	51	30.9	7.671	88.70	G.	S.	J.	910.08	.36893	.36890	+ .00006	.36890
"	"	25	13	2-8805	2.31	32.5	-2.5	8.316	89.45	23	32	1010	22	47	32.1	8.218	89.45	G.	S.	J.	910.12	.36928	.36927	+ .00001	.36927
"	"	15	31	2-8808	2.27	32.0	"	7.892	89.45	23	32	2010	22	57	32.0	8.013	89.45	G.	S.	J.	910.02	.36919	.36917	+ .00004	.36917
JUNE	1	12	42	2-8826	2.33	32.6	-2.4	7.165	89.95	23	34	2010	23	55	32.2	7.013	89.95	G.	S.	J.	910.27	.36876	.36871	+ .00009	.36871
"	"	15	12	2-8829	2.30	32.0	"	6.726	89.97	23	34	2910	24	5	31.7	6.838	89.97	G.	S.	J.	910.00	.36869	.36863	+ .00011	.36863
"	"	8	13	2-8806	2.32	31.8	-2.5	7.955	89.90	23	33	710	23	22	31.7	7.822	89.90	G.	S.	J.	910.23	.36914	.36910	+ .00008	.36910
"	"	15	3	2-8814	2.29	31.8	"	7.402	89.90	23	33	1510	23	21	31.7	7.673	89.90	G.	S.	J.	910.00	.36902	.36899	+ .00005	.36899
"	"	15	13	2-8790	2.33	30.8	-2.2	8.208	90.65	23	33	2010	23	20	30.9	8.067	90.65	G.	S.	J.	910.33	.36930	.36928	+ .00003	.36928
"	"	15	18	2-8806	2.28	30.9	"	7.538	90.67	23	33	4210	23	29	30.8	7.823	90.67	G.	S.	J.	909.96	.36906	.36904	+ .00003	.36904
"	"	22	13	2-8778	2.27	27.8	-2.4	7.852	89.60	23	36	3510	24	47	27.9	7.729	89.60	G.	S.	J.	910.44	.36906	.36903	+ .00005	.36903
"	"	15	28	2-8793	2.18	28.0	"	7.272	89.60	23	36	1310	24	46	28.0	7.478	89.60	G.	S.	J.	909.98	.36894	.36888	+ .00011	.36888
"	"	29	13	2-8786	2.15	29.8	-2.1	8.276	88.60	23	34	2210	23	40	29.7	8.057	88.60	G.	S.	J.	910.29	.36925	.36925	.00000	.36925
"	"	15	20	2-8809	2.13	29.8	"	7.580	88.62	23	34	1610	23	48	29.8	7.820	88.62	G.	S.	J.	909.62	.36896	.36893	+ .00005	.36893
JULY	6	12	40	2-8803	2.10	29.9	-2.2	7.598	88.12	23	35	2110	24	3	29.9	7.468	88.12	G.	S.	J.	910.12	.36891	.36891	.00000	.36891
"	"	15	30	2-8816	2.13	29.9	"	7.078	88.10	23	35	510	24	17	29.7	7.290	88.10	G.	S.	J.	909.70	.36889	.36875	+ .00010	.36875
"	"	13	49	2-8796	2.13	29.8	-1.9	8.097	87.50	23	34	2410	23	54	29.8	8.095	87.50	G.	S.	J.	910.10	.36911	.36908	+ .00006	.36908
"	"	15	17	2-8797	2.09	29.9	"	7.917	87.50	23	34	110	23	50	29.9	7.908	87.50	G.	S.	J.	910.02	.36915	.36910	+ .00010	.36910
"	"	20	13	2-8782	2.11	28.4	-2.1	7.942	86.75	23	36	010	24	40	27.9	7.900	86.75	G.	S.	J.	910.33	.36915	.36910	+ .00010	.36910
"	"	15	19	2-8789	2.12	28.1	"	7.794	86.75	23	35	5610	24	36	27.9	7.838	86.75	G.	S.	J.	910.02	.36904	.36899	+ .00009	.36899
"	"	27	13	2-8772	2.08	27.2	-1.9	8.313	85.80	23	36	3210	24	42	27.2	8.173	85.80	G.	S.	J.	910.33	.36917	.36915	+ .00004	.36915
"	"	15	26	2-8783	2.08	27.5	"	7.759	85.80	23	36	2610	24	45	27.4	7.896	85.80	G.	S.	J.	910.08	.36905	.36901	+ .00007	.36901
Aug.	3	13	2	2-8783	2.09	27.3	-2.1	8.102	85.12	23	37	1610	25	0	27.7	7.638	85.12	G.	S.	J.	910.33	.36890	.36888	+ .00004	.36888
"	"	15	22	2-8801	2.08	27.5	"	6.862	85.12	23	38	410	25	30	27.5	7.066	85.12	G.	S.	J.	910.06	.36890	.36856	+ .00007	.36856
"	"	10	13	2-8785	2.04	28.3	-2.0	8.191	85.10	23	35	3210	24	22	28.1	8.088	85.10	G.	S.	J.	910.08	.36915	.36911	+ .00008	.36911
"	"	15	22	2-8797	2.05	28.1	"	7.637	85.10	23	35	5410	24	35	28.0	7.834	85.10	G.	S.	J.	909.77	.36894	.36889	+ .00009	.36889
"	"	17	12	2-8782	2.04	27.9	-1.8	8.253	85.52	23	36	610	24	19	27.7	8.239	85.52	G.	S.	J.	910.10	.36912	.36913	+ .00002	.36913
"	"	15	20	2-8790	2.05	27.8	"	7.807	85.55	23	35	5310	24	32	27.8	7.960	85.55	G.	S.	J.	909.87	.36902	.36898	+ .00007	.36898
"	"	31	12	2-8800	2.10	29.2	-2.2	7.722	85.62	23	35	4110	24	22	29.1	7.610	85.62	G.	S.	J.	910.06	.36892	.36890	+ .00004	.36890
"	"	15	25	2-8811	2.10	29.4	"	7.418	85.60	23	35	3510	24	30	29.4	7.354	85.60	G.	S.	J.	909.85	.36877	.36872	+ .00009	.36872
SEPT.	7	13	36	2-8797	2.12	29.5	-2.3	7.910	86.25	23	34	4810	24	3	29.3	7.795	86.25	G.	S.	J.	909.98	.36907	.36903	+ .00007	.36903
"	"	15	30	2-8804	2.13	29.3	"	7.570	86.20	23	34	1610	23	51	29.3	7.660	86.20	G.	S.	J.	909.58	.36903	.36899	+ .00007	.36899
"	"	14	13	2-8790	1.57	27.6	-2.1	7.686	86.40	23	37	2510	25	9	26.8	7.595	86.40	G.	S.	J.	910.14	.36894	.36888	+ .00006	.36888
"	"	15	24	2-8790	1.54	27.1	"	7.440	86.40	23	36	4910	24	57	26.9	7.511	86.40	G.	S.	J.	909.91	.36896	.36892	+ .00008	.36892
"	"	21	13	2-8790	1.55	28.4	0.0	8.066	85.95	23	35	4710	24	17	28.0	8.044	85.95	G.	S.	J.	910.04	.36911	.36910	+ .00001	.36910
"	"	15	23	2-8796	1.54	27.5	"	7.693	85.95	23	36	3210	24	52	27.2	7.762	85.95	G.	S.	J.	909.81	.36894	.36889	+ .00009	.36889

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

1914. Date.	Vibration Magnet.			Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.			Angle of Deflection.			Ob- servr.	Corresponding Mean Reading of H. F. Magnetograph.			Values of m.			Calculated Results in C. G. S. Unit.					*Observed monthly Mean Values of H.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.		Tem- per- ature.	S.	Sc. div.	S.	H. m.	Ordinate.		Thermo- meter.	Distance.	Temper- ature.	Ordinate.	Thermo- meter.	Values of m.	Values of H.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
																		From Deflection at distance.	Difference.	Mean.	23 cms. (H ₂).	30 cms. (H ₃).		H ₂ - H ₃ .	H ₂ + H ₃ 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
1		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Ocr.	5	13	28	2.8805	1.49	30.2	S.	-1.1	7.648	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24	2	30.0	7.349	87.0523	34	47.10	24</

Absolute Magnetical Observations, Alibag—Table IIa.

OBSERVATIONS OF ABSOLUTE DECLINATION, 1914.

Taken with Magnetometer No. 7 (T. Cooke and Sons).

1914.		MEAN READINGS.				TORSION.		Observer.	Corres- ponding Reading of Declina- tion Magnetog- rams.	Absolute Easterly Declina- tion corrected for Torsion.	MONTHLY MEAN.			
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to		Mean.	Effect of 90°.				Corres- ponding Reading of Declina- tion Magnetog- rams.	Absolute Easterly Declina- tion corrected for Torsion.	Corres- ponding Reading of Declina- tion Magnetog- rams.	*Observed Absolute Easterly Declina- tion.
		Scale apparently.		Scale of Collimator Magnet.	Kennery Light House.									
		Erect.	Inverted.											
1	2	3	4	5	6	7	8	9	10	11	12	13		
	H. m.	Sc. div.	Sc. div.	° ' "	° ' "	°	Sc. div.		cms.	° ' "	cms.	° ' "		
JAN.	2 13 30	55.6	..	85 15 20	222 23 20	0	..	G. S. J.	5.442	0 45 25	5.496	0 45 52		
"	9 15 10	55.6	..	85 16 40	222 23 30	0	..	G. S. J.	5.560	0 46 35				
"	16 14 0	55.6	..	85 16 55	222 23 40	0	..	G. S. J.	5.597	0 46 40				
"	22 11 32	55.6	..	85 15 55	222 23 35	0	..	G. S. J.	5.482	0 45 45				
"	29 12 12	55.6	..	85 15 5	222 23 35	0	..	A.	5.397	0 44 55				
FEB.	5 13 1	55.6	..	85 15 5	222 23 25	0	..	G. S. J.	5.480	0 45 5	5.462	0 44 42		
"	12 12 18	55.6	..	85 14 0	222 23 15	0	..	G. S. J.	5.405	0 44 10				
"	19 13 0	55.6	..	85 14 40	222 23 30	0	..	G. S. J.	5.460	0 44 35				
"	27 13 11	55.6	..	85 14 55	222 23 20	0	..	G. S. J.	5.505	0 45 0				
MARCH	5 13 7	55.6	..	85 14 5	222 23 20	0	..	G. S. J.	5.435	0 44 10	5.377	0 43 39		
"	13 12 20	55.6	..	85 14 40	222 23 15	0	..	G. S. J.	5.472	0 44 50				
"	19 13 5	55.6	..	85 13 35	222 23 25	0	..	G. S. J.	5.372	0 43 35				
"	26 13 22	55.6	..	85 11 55	222 23 20	0	..	G. S. J.	5.230	0 42 0				
APR.	2 12 58	55.6	..	85 14 30	222 23 30	0	..	G. S. J.	5.492	0 44 25	5.369	0 43 20		
"	9 13 0	55.6	..	85 13 5	222 23 25	0	..	G. S. J.	5.350	0 43 5				
"	16 12 59	55.6	..	85 12 20	222 23 20	0	..	G. S. J.	5.262	0 42 25				
"	23 13 4	55.6	..	85 12 35	222 23 10	0	..	G. S. J.	5.330	0 42 50				
"	30 13 14	55.6	..	85 13 45	222 23 15	0	..	G. S. J.	5.410	0 43 55	5.235	0 43 2		
MAY	7 12 51	55.6	..	85 13 10	222 23 15	0	..	G. S. J.	5.255	0 43 20				
"	14 13 2	55.6	..	85 13 15	222 23 15	0	..	G. S. J.	5.280	0 43 25				
"	21 13 45	55.6	..	85 13 30	222 23 15	0	..	G. S. J.	5.307	0 43 40				
"	28 14 4	55.6	..	85 11 35	222 23 15	0	..	G. S. J.	5.100	0 41 45	..	0 41 49		
JUNE	4 13 2	55.6	..	85 13 5	222 23 20	0	..	G. S. J.	5.267	0 43 10				
"	11 12 56	55.6	..	85 12 15	222 23 20	0	..	G. S. J.	5.220	0 42 20				
"	18 13 2	55.6	..	85 11 15	222 23 15	0	..	G. S. J.	4.522	0 41 25				
"	25 12 38	55.6	..	85 10 10	222 23 15	0	..	G. S. J.	4.412	0 40 20	4.583	0 41 53		
JULY	2 13 11	55.6	..	85 12 15	222 23 30	0	..	G. S. J.	4.585	0 42 10				
"	9 12 25	55.6	..	85 11 35	222 23 35	0	..	G. S. J.	4.527	0 41 25				
"	16 12 29	55.6	..	85 11 15	222 23 35	0	..	G. S. J.	4.512	0 41 5				
"	24 12 45	55.6	..	85 11 35	222 23 30	0	..	G. S. J.	4.550	0 41 30	4.531	0 40 55		
"	30 14 35	55.6	..	85 13 20	222 23 30	0	..	G. S. J.	4.742	0 43 15				
AUG.	6 13 22	55.6	..	85 12 15	222 23 40	0	..	G. S. J.	4.622	0 42 0				
"	14 12 7	55.6	..	85 10 55	222 23 55	0	..	G. S. J.	4.462	0 40 25				
"	20 12 25	55.6	..	85 11 40	222 24 0	0	..	G. S. J.	4.567	0 41 5	4.649	0 41 22		
"	27 12 34	55.6	..	85 10 50	222 24 5	0	..	G. S. J.	4.475	0 40 10				
SEPT.	3 12 22	55.6	..	85 11 45	222 24 10	0	..	G. S. J.	4.600	0 41 0				
"	10 12 43	55.6	..	85 11 10	222 24 0	0	..	G. S. J.	4.565	0 40 35				
"	17 12 35	55.6	..	85 12 20	222 23 55	0	..	G. S. J.	4.690	0 41 50	4.760	0 41 37		
"	24 13 4	55.6	..	85 12 45	222 24 5	0	..	G. S. J.	4.740	0 42 5				
OCT.	1 12 41	55.6	..	85 12 25	222 24 15	0	..	G. S. J.	4.722	0 41 35				
"	8 13 8	55.6	..	85 12 40	222 24 20	0	..	G. S. J.	4.770	0 41 45				
"	15 12 43	55.6	..	85 12 15	222 24 20	0	..	G. S. J.	4.727	0 41 20	4.890	0 42 56		
"	22 12 24	55.6	..	85 11 35	222 24 25	0	..	G. S. J.	4.670	0 40 35				
"	29 12 44	55.6	..	85 13 45	222 24 20	0	..	G. S. J.	4.910	0 42 50				
NOV.	5 12 24	55.6	..	85 13 30	222 24 10	0	..	G. S. J.	4.890	0 42 45				
"	12 12 48	55.6	..	85 13 30	222 23 55	0	..	G. S. J.	4.920	0 43 0	4.910	0 42 56		
"	19 13 5	55.6	..	85 13 45	222 23 40	0	..	G. S. J.	4.955	0 43 30				
"	26 12 1	55.6	..	85 12 40	222 23 35	0	..	G. S. J.	4.877	0 42 30				
DEC.	3 13 7	55.6	..	85 13 10	222 23 15	0	..	G. S. J.	4.897	0 43 20				
"	10 12 42	55.6	..	85 12 30	222 23 15	0	..	G. S. J.	4.847	0 42 40	4.876	0 42 45		
"	17 13 3	55.6	..	85 12 45	222 23 15	0	..	G. S. J.	4.892	0 42 55				
"	24 13 0	55.6	..	85 12 15	222 23 10	0	..	G. S. J.	4.867	0 42 30				
"	31 12 46	55.6	..	85 12 5	222 23 10	0	..	G. S. J.	4.875	0 42 20				

The mean *observed Declination for the year 1914=0° 42' 49"

The mean *observed Declination for the year 1914=0° 42' 49"

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

† Adjustment of the zero mirror of the Declination Magnetograph on the 13th June.

Absolute Magnetical Observations, Alibag—Table IIb.
OBSERVATIONS OF ABSOLUTE DECLINATION, 1914.
Taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.)

1914.		MEAN READINGS.						TORSION.		Observer.	Corres- ponding Reading of Declina- tion Magnetograms.	Absolute Easterly Declina- tion corrected for Torsion.	MONTHLY MEAN.	
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to			Mean.	Effect of 90°.	Corres- ponding Reading of Declina- tion Mag- netograms.				*Observed absolute Easterly Declina- tion.	
		Scale apparently.		Scale of Collimator Magnet.	Kennery Light House.									
		Erect.	Inverted.											
1	2	3	4	5	6	7	8	9	10	11	12	13		
JAN.	2	H. m.	Sc. div.	Sc. div.	° ' "	° ' "	° ' "	Sc. div.	cms.	° ' "	cms.	° ' "		
"	9	14 10	34.00	35.35	276 17 10	53 23 30	0	..	G. S. J.	5.491	0 45 48	5.529	0 46 8	
"	16	15 42	33.90	35.30	276 16 55	53 22 20	0	..	G. S. J.	5.576	0 46 40			
"	22	14 32	34.02	35.12	276 17 5	53 22 25	0	..	G. S. J.	5.632	0 47 2			
"	29	12 5	34.02	35.17	276 16 0	53 22 40	0	..	G. S. J.	5.490	0 45 40			
"	5	12 38	34.00	35.20	276 16 0	53 22 45	0	..	A.	5.458	0 45 31	5.521	0 45 26	
"	12	13 37	34.02	35.30	276 16 10	53 22 20	0	..	G. S. J.	5.552	0 46 2			
"	19	12 50	33.95	35.30	276 14 25	53 22 0	0	..	G. S. J.	5.447	0 44 33			
"	27	14 6	33.95	35.35	276 16 15	53 22 40	0	..	G. S. J.	5.545	0 45 40			
"	5	13 50	34.00	35.30	276 15 30	53 22 10	0	..	G. S. J.	5.539	0 45 31	5.405	0 43 55	
"	13	15 14	34.00	35.30	276 15 45	53 21 40	15E	0.53	G. S. J.	5.569	0 46 6			
"	19	12 51	33.90	35.80	276 14 35	53 22 0	0	..	G. S. J.	5.415	0 44 11			
"	26	13 28	33.95	35.80	276 13 40	53 22 5	0	..	G. S. J.	5.382	0 43 15			
"	2	13 51	33.95	35.70	276 12 40	53 22 15	0	..	G. S. J.	5.256	0 42 10	5.388	0 43 26	
APRIL	9	13 42	34.00	35.70	276 15 10	53 22 20	0	..	G. S. J.	5.523	0 44 38			
"	16	13 37	34.00	35.72	276 13 40	53 22 15	0	..	G. S. J.	5.372	0 43 11			
"	23	13 25	34.02	35.77	276 13 30	53 22 25	0	..	G. S. J.	5.315	0 42 50			
"	30	13 40	33.97	35.85	276 13 30	53 22 25	0	..	G. S. J.	5.327	0 42 42	5.293	0 42 52	
"	7	13 41	34.00	35.80	276 14 35	53 22 30	0	..	G. S. J.	5.405	0 43 47			
MAY	14	13 22	34.00	35.50	276 13 25	53 22 25	0	..	G. S. J.	5.293	0 42 59			
"	21	13 44	34.00	35.67	276 14 0	53 22 40	0	..	G. S. J.	5.331	0 43 10	5.281	0 42 52	
"	28	14 46	34.00	35.57	276 14 20	52 22 45	0	..	G. S. J.	5.346	0 43 31			
"	5	14 44	34.05	35.55	276 12 35	53 22 45	0	..	G. S. J.	5.153	0 41 49			
JUNE	11	13 33	34.02	35.75	276 13 30	53 22 35	0	..	G. S. J.	5.272	0 42 41	5.232	0 41 51	
"	18	13 40	34.00	35.55	276 12 30	53 22 35	0	..	G. S. J.	5.232	0 41 52			
"	25	11 39	33.95	35.62	276 11 55	53 22 25	0	..	G. S. J.	4.578	0 41 20			
"	2	13 58	34.02	35.15	276 12 5	53 22 55	0	..	G. S. J.	4.592	0 41 31	4.599	0 41 22	
JULY	9	13 51	34.02	35.60	276 12 20	53 22 50	0	..	G. S. J.	4.571	0 41 24			
"	16	13 18	34.02	35.50	276 12 35	53 22 50	0	..	G. S. J.	4.617	0 41 45			
"	24	13 6	34.00	35.57	276 11 25	53 22 45	0	..	G. S. J.	4.535	0 40 36	4.555	0 40 32	
"	30	13 19	34.02	35.55	276 11 20	53 22 45	0	..	G. S. J.	4.532	0 40 33			
"	6	15 1	33.90	35.77	276 12 15	53 21 20	0	..	G. S. J.	4.737	0 42 33			
AUG.	13	13 52	34.05	35.52	276 11 25	53 21 40	0	..	G. S. J.	4.658	0 41 46	4.555	0 40 32	
"	20	12 49	34.00	35.60	276 9 10	53 21 40	0	..	G. S. J.	4.429	0 39 23			
"	27	12 59	33.95	35.70	276 10 40	53 21 25	0	..	G. S. J.	4.613	0 41 0			
"	3	13 11	33.92	35.72	276 10 10	53 21 50	0	..	G. S. J.	4.522	0 40 2			
SEPT.	10	12 59	33.97	35.55	276 11 15	53 22 15	0	..	G. S. J.	4.640	0 40 54	4.685	0 41 26	
"	17	13 13	34.00	35.62	276 10 50	53 22 10	0	..	G. S. J.	4.560	0 40 32			
"	24	13 22	34.15	35.62	276 11 55	53 21 55	0	..	G. S. J.	4.740	0 42 1			
"	1	13 51	34.00	35.52	276 12 20	53 22 0	0	..	G. S. J.	4.800	0 42 18			
OCT.	8	13 25	34.05	35.70	276 11 50	53 21 50	0	..	G. S. J.	4.792	0 41 51	4.810	0 42 1	
"	15	13 46	34.02	35.50	276 12 35	53 22 20	0	..	G. S. J.	4.830	0 42 15			
"	22	13 16	34.02	35.65	276 11 45	53 22 5	0	..	G. S. J.	4.757	0 41 32			
"	29	12 59	34.20	35.22	276 11 15	53 22 5	0	..	G. S. J.	4.760	0 41 37			
"	5	13 12	33.97	35.85	276 13 30	53 22 15	0	..	G. S. J.	4.910	0 42 52	4.917	0 42 51	
NOV.	12	13 4	34.05	35.80	276 13 10	53 21 55	0	..	G. S. J.	4.917	0 43 0			
"	19	13 24	34.05	35.77	276 13 10	53 21 55	0	..	G. S. J.	4.920	0 43 1			
"	26	13 38	34.00	35.85	276 13 35	53 22 0	0	..	G. S. J.	4.965	0 43 15			
"	3	12 38	33.97	35.60	276 12 10	53 21 55	0	..	G. S. J.	4.867	0 42 7	4.869	0 42 39	
DEC.	10	13 41	34.02	35.65	276 13 0	53 21 40	0	..	G. S. J.	4.915	0 43 12			
"	17	13 27	34.00	35.85	276 12 10	53 21 35	10E	0.64	G. S. J.	4.808	0 42 7			
"	24	13 40	33.95	35.72	276 12 40	53 21 25	0	..	G. S. J.	4.883	0 42 59			
"	31	13 32	33.97	35.65	276 11 45	53 21 15	0	..	G. S. J.	4.854	0 42 19	4.886	0 42 37	
"	7	13 19	34.05	35.60	276 12 5	53 21 25	0	..	G. S. J.	4.886	0 42 37			

The mean *observed Declination for the year 1914=0° 42' 52"

The mean *observed Declination for the year 1914 = 0° 42' 52"

† Adjustment of the zero mirror of the Declination Magnetograph on the 13th June.

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

Absolute Magnetical Observations, Alibag—Table IIIa.

OBSERVATIONS OF INCLINATION, 1914.

Taken with Inductor No. 41 by Schulze and Galvanometer No. 200 by Plath.

1914.	Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.		*Monthly Mean Inclination.
Date.	At commence- ment.	At conclu- sion.		East.	West.			
	H. m.	H. m.		°	°	°	°	°
JANY.	2 12 16	12 44	A. and G. S. J.	24 7.49	24 7.88	24 7.68		
"	3 11 57	12 24	G. S. J. and A.	24 7.46	24 7.11	24 7.28		
"	5 11 27	11 51	A. and G. S. J.	24 6.78	24 6.34	24 6.56		
"	6 11 43	12 18	G. S. J. and A.	24 7.28	24 8.06	24 7.67		
"	7 11 13	11 36	A. and G. S. J.	24 8.01	24 7.73	24 7.87		
"	9 13 58	14 20	A. and G. S. J.	24 8.36	24 8.22	24 8.29		
"	10 12 13	12 52	G.S.J. and M.D.K.	24 8.70	24 9.09	24 8.89		
"	12 12 30	12 55	G.S.J. & M.D.K.	24 7.77	24 8.59	24 8.18		
"	13 12 2	12 43	M.D.K. & G.S.J.	24 6.84	24 6.76	24 6.80		
"	15 11 50	12 25	G. S. J.	24 7.75	24 8.03	24 7.89		
"	16 12 11	13 27	G. S. J.	24 9.48	24 10.11	24 9.79		
"	17 15 21	15 41	G. S. J. and G. P.	24 9.26	24 9.58	24 9.42		
"	18 14 48	15 9	G. S. J. and G. P.	24 8.45	24 8.58	24 8.51	24	8.07
"	19 14 39	15 3	G. S. J. and G. P.	24 9.55	24 10.01	24 9.78		
"	20 14 36	14 54	G. S. J. and G. P.	24 8.22	24 8.64	24 8.43		
"	21 15 39	16 5	G. S. J. and G. P.	24 9.76	24 9.63	24 9.69		
"	22 10 43	11 2	G. S. J. and G. P.	24 7.16	24 7.42	24 7.29		
"	23 11 59	12 44	G. P. and G. S. J.	24 9.18	24 9.02	24 9.10		
"	24 11 39	12 19	G. P. and G. S. J.	24 8.10	24 8.91	24 8.50		
"	26 11 33	11 56	G. S. J. and G. P.	24 8.01	24 9.05	24 8.53		
"	27 11 36	12 7	G. P. and G. S. J.	24 7.27	24 7.84	24 7.55		
"	28 11 13	11 52	G. P. and A.	24 7.66	24 7.67	24 7.66		
"	29 11 29	11 49	A. and G. P.	24 6.36	24 7.26	24 6.81		
"	30 12 7	12 44	G. P. and A.	24 7.06	24 6.50	24 6.78		
"	31 11 31	11 43	A. and G. P.	24 6.54	24 6.93	24 6.73		
FEB.	2 11 44	12 10	G. P. and A.	24 6.68	24 7.44	24 7.06		
"	3 11 8	11 20	A. and G. P.	24 6.66	24 7.08	24 6.87		
"	4 11 17	11 44	G. P. and G. S. J.	24 7.17	24 6.95	24 7.06		
"	5 11 29	11 53	G. S. J. and G. P.	24 7.82	24 7.72	24 7.77		
"	6 11 15	11 36	G. P. and G. S. J.	24 7.70	24 8.46	24 8.08		
"	7 11 25	11 48	G. S. J. and G. P.	24 8.86	24 8.98	24 8.92		
"	9 11 3	11 22	G. P. and G. S. J.	24 7.30	24 6.91	24 7.10		
"	10 11 48	12 16	G. S. J. and G. P.	24 7.40	24 7.47	24 7.43		
"	11 11 17	11 40	G. P. and G. S. J.	24 7.87	24 8.38	24 8.12		
"	12 11 26	11 46	G. S. J. and G. P.	24 7.02	24 6.93	24 6.97		
"	13 11 26	11 48	G. P. and G. S. J.	24 7.56	24 7.53	24 7.54		
"	14 11 35	11 56	G. S. J. and G. P.	24 7.53	24 8.53	24 8.03	24	7.83
"	16 11 37	12 3	G. P. and G. S. J.	24 7.82	24 8.04	24 7.93		
"	17 11 43	12 4	G. P. and G. S. J.	24 8.04	24 7.59	24 7.81		
"	18 11 55	12 21	G. P. and G. S. J.	24 8.64	24 8.29	24 8.46		
"	19 11 55	12 17	G. S. J. and G. P.	24 7.37	24 7.75	24 7.56		
"	20 11 37	12 1	G. P. and G. S. J.	24 8.23	24 8.15	24 8.19		
"	21 11 48	12 10	G. S. J. and G. P.	24 7.98	24 8.58	24 8.28		
"	24 11 35	11 56	G. S. J. and G. P.	24 8.07	24 8.23	24 8.15		
"	25 11 44	12 12	G. P. and G. S. J.	24 7.46	24 7.34	24 7.40		
"	26 14 36	14 59	G. S. J. and G. P.	24 9.35	24 9.90	24 9.62		
"	27 11 29	11 57	G. P. and G. S. J.	24 7.96	24 8.20	24 8.08		
"	28 11 38	12 0	G. S. J. and G. P.	24 7.58	24 7.61	24 7.59		
MARCH	2 11 16	11 37	G. P. and G. S. J.	24 8.14	24 7.73	24 7.93		
"	3 11 15	11 41	G. S. J. and G. P.	24 8.85	24 9.27	24 9.06		
"	4 11 15	11 37	G. P. and G. S. J.	24 8.41	24 8.38	24 8.39		
"	5 11 57	12 26	G. S. J. and G. P.	24 8.84	24 9.14	24 8.99		
"	6 11 24	11 47	G. P. and G. S. J.	24 8.88	24 8.59	24 8.73		
"	7 11 47	12 13	G. S. J. and G. P.	24 8.51	24 8.82	24 8.66		
"	9 11 20	11 42	G. P. and G. S. J.	24 7.98	24 8.08	24 8.03		
"	10 11 48	12 12	G. S. J. and G. P.	24 8.82	24 9.03	24 8.92		
"	12 11 30	11 52	G. S. J. and G. P.	24 8.48	24 8.69	24 8.58		
"	13 11 16	11 47	G. P. and G. S. J.	24 8.38	24 8.44	24 8.41		
"	14 11 28	11 53	G. S. J. and G. P.	24 7.82	24 8.10	24 7.96		
"	16 11 15	11 37	G. P. and G. S. J.	24 8.24	24 8.28	24 8.26		
"	17 11 35	12 4	G. S. J. and G. P.	24 8.24	24 8.51	24 8.37	24	8.23
"	18 11 12	11 34	G. P. and G. S. J.	24 8.39	24 9.14	24 8.76		
"	19 11 38	12 4	G. S. J. and G. P.	24 7.36	24 7.70	24 7.53		
"	20 11 16	11 37	G. P. and G. S. J.	24 8.85	24 8.51	24 8.68		
"	21 12 5	12 28	G. S. J. and G. P.	24 7.66	24 7.99	24 7.82		
"	23 11 22	11 43	G. P. and G. S. J.	24 7.93	24 8.33	24 8.13		
"	24 11 34	11 59	G. S. J. and G. P.	24 7.61	24 7.46	24 7.53		
"	25 11 22	11 52	G. P. and G. S. J.	24 8.80	24 8.19	24 8.49		
"	26 12 2	12 24	G. S. J. and G. P.	24 7.14	24 7.33	24 7.23		
"	27 11 12	11 33	G. P. and G. S. J.	24 7.82	24 8.09	24 7.95		
"	28 11 56	12 21	G. S. J. and G. P.	24 7.90	24 7.84	24 7.87		
"	30 11 18	11 36	G. P. and G. S. J.	24 7.75	24 7.68	24 7.71		
"	31 11 15	11 37	G. S. J. and G. P.	24 7.38	24 7.92	24 7.65		

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

1914.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	Monthly Mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.		° ' "	° ' "	° ' "	
APRIL	1	11 18	11 41	G. P. and G. S. J.	24 7-67	24 8-39	24 8-03	24 8-58
"	2	11 40	12 9	G. S. J. and G. P.	24 8-99	24 8-93	24 8-96	
"	3	11 17	11 46	G. P. and G. S. J.	24 8-42	24 8-74	24 8-58	
"	6	11 16	11 42	G. P. and G. S. J.	24 8-58	24 8-55	24 8-56	
"	7	11 45	12 9	G. S. J. and G. P.	24 9-64	24 9-56	24 9-60	
"	8	11 17	11 38	G. P. and G. S. J.	24 9-91	24 10-54	24 10-22	
"	9	11 41	12 4	G. S. J. and G. P.	24 7-80	24 7-59	24 7-69	
"	10	11 11	11 39	G. P. and G. S. J.	24 8-06	24 8-35	24 8-20	
"	11	11 40	12 5	G. S. J. and G. P.	24 9-28	24 9-24	24 9-26	
"	13	11 14	11 34	G. P. and G. S. J.	24 8-28	24 8-68	24 8-48	
"	14	11 32	11 56	G. S. J. and G. P.	24 7-77	24 8-17	24 7-97	
"	15	11 9	11 30	G. P. and G. S. J.	24 7-85	24 8-39	24 8-12	
"	16	11 30	11 51	G. S. J. and G. P.	24 8-49	24 8-81	24 8-65	
"	17	11 8	11 29	G. P. and G. S. J.	24 8-50	24 8-89	24 8-69	
"	18	11 53	12 23	G. S. J. and G. P.	24 8-34	24 8-99	24 8-66	
"	20	11 16	11 36	G. P. and G. S. J.	24 8-31	24 8-93	24 8-62	
"	21	11 19	11 45	G. S. J. and G. P.	24 8-02	24 8-25	24 8-13	
"	22	11 32	12 3	G. S. J.	24 8-00	24 8-27	24 8-13	
"	23	11 53	12 17	G. S. J. and G. P.	24 7-91	24 7-44	24 7-67	
"	24	11 6	11 29	G. P. and G. S. J.	24 8-85	24 8-55	24 8-70	
"	25	11 37	11 59	G. S. J. and G. P.	24 8-31	24 8-73	24 8-52	
"	27	11 8	11 27	G. P. and G. S. J.	24 8-06	24 8-21	24 8-13	
"	28	11 36	12 9	G. S. J. and G. P.	24 8-01	24 8-47	24 8-24	
"	29	11 12	11 35	G. P. and G. S. J.	24 8-65	24 8-80	24 8-72	
"	30	11 37	12 0	G. S. J. and G. P.	24 9-72	24 9-99	24 9-85	
MAY	1	14 32	14 56	G. S. J. and G. P.	24 9-76	24 10-20	24 9-98	24 9-47
"	2	11 8	11 31	G. P. and G. S. J.	24 9-16	24 9-41	24 9-28	
"	4	11 9	11 30	G. P. and G. S. J.	24 8-20	24 8-62	24 8-41	
"	5	11 26	12 0	G. S. J. and G. P.	24 8-28	24 8-71	24 8-49	
"	6	11 15	11 35	G. P. and G. S. J.	24 8-56	24 8-74	24 8-65	
"	7	11 40	12 5	G. S. J. and G. P.	24 9-07	24 9-57	24 9-32	
"	8	11 15	11 35	G. P. and G. S. J.	24 8-36	24 8-86	24 8-61	
"	9	11 38	12 1	G. S. J. and G. P.	24 10-01	24 9-93	24 9-97	
"	11	11 13	11 33	G. P. and G. S. J.	24 7-85	24 8-42	24 8-13	
"	12	11 36	11 59	G. S. J. and G. P.	24 9-41	24 9-69	24 9-55	
"	13	11 4	11 24	G. P. and G. S. J.	24 8-99	24 9-71	24 9-35	
"	14	11 46	12 11	G. S. J. and G. P.	24 9-60	24 10-07	24 9-83	
"	15	11 8	11 33	G. P. and G. S. J.	24 8-81	24 8-82	24 8-81	
"	16	11 36	11 56	G. S. J. and G. P.	24 10-18	24 10-57	24 10-37	
"	18	11 12	11 34	G. P. and G. S. J.	24 9-54	24 9-62	24 9-58	
"	19	11 26	11 49	G. S. J. and G. P.	24 9-92	24 10-24	24 10-08	
"	20	11 11	11 32	G. P. and G. S. J.	24 10-05	24 9-96	24 10-00	
"	22	11 59	12 21	G. S. J. and G. P.	24 10-47	24 10-31	24 10-39	
"	23	11 20	11 37	G. P. and G. S. J.	24 10-73	24 10-60	24 10-66	
"	25	11 12	11 29	G. P. and G. S. J.	24 9-43	24 9-71	24 9-57	
"	27	11 8	11 29	G. P. and G. S. J.	24 10-19	24 10-83	24 10-51	
"	29	11 41	12 3	G. S. J. and G. P.	24 9-27	24 9-63	24 9-45	
"	30	11 5	11 28	G. P. and G. S. J.	24 8-61	24 9-25	24 8-93	
JUNE	1	11 10	11 27	G. P. and G. S. J.	24 11-84	24 12-51	24 12-17	24 10-65
"	3	11 9	11 26	G. P. and G. S. J.	24 11-57	24 11-59	24 11-58	
"	5	11 29	11 54	G. S. J. and G. P.	24 10-67	24 10-85	24 10-76	
"	6	11 13	11 47	G. P. and G. S. J.	24 10-02	24 9-96	24 9-99	
"	8	10 55	11 15	G. P. and G. S. J.	24 10-40	24 10-48	24 10-44	
"	10	10 49	11 7	G. P. and G. S. J.	24 10-36	24 10-42	24 10-39	
"	12	11 21	11 54	G. S. J. and G. P.	24 10-29	24 10-56	24 10-42	
"	13	14 25	14 44	G. P. and G. S. J.	24 11-04	24 11-30	24 11-17	
"	15	11 5	11 24	G. P. and G. S. J.	24 9-22	24 9-40	24 9-31	
"	17	11 10	11 26	G. P. and G. S. J.	24 9-47	24 9-85	24 9-66	
"	19	11 23	11 44	G. S. J. and G. P.	24 10-59	24 11-05	24 10-82	
"	20	11 31	11 53	G. P. and G. S. J.	24 8-52	24 9-06	24 8-79	
"	22	11 39	12 0	G. S. J. and G. P.	24 11-47	24 12-07	24 11-77	
"	24	11 31	11 57	G. S. J. and G. P.	24 10-46	24 11-24	24 10-85	
"	26	12 0	12 24	G. S. J. and G. P.	24 11-43	24 11-00	24 11-21	
"	27	12 6	12 35	G. S. J.	24 12-61	24 11-93	24 12-27	
"	29	11 15	11 41	G. S. J. and G. P.	24 9-61	24 9-25	24 9-43	

1914.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	Monthly Mean Inclination.
Date,		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.		° ' "	° ' "	° ' "	
JULY	1	10 59	11 16	G. P. and G. S. J.	24 9-23	24 9-35	24 9-29	24 10-51
"	3	11 22	11 39	G. P. and G. S. J.	24 10-26	24 10-27	24 10-26	
"	4	11 20	11 40	G. S. J. and G. P.	24 9-54	24 10-07	24 9-80	
"	6	11 8	11 27	G. P. and G. S. J.	24 11-03	24 11-14	24 11-08	
"	8	11 25	11 45	G. S. J. and G. P.	24 10-00	24 10-35	24 10-17	
"	10	11 22	11 46	G. S. J. and G. P.	24 11-05	24 11-47	24 11-26	
"	11	11 10	11 28	G. P. and G. S. J.	24 10-14	24 10-72	24 10-43	
"	13	11 16	11 36	G. S. J. and G. P.	24 8-91	24 9-40	24 9-15	
"	15	11 5	11 22	G. P. and G. S. J.	24 10-30	24 10-66	24 10-48	
"	17	11 19	11 40	G. P. and G. S. J.	24 9-82	24 10-14	24 9-98	
"	18	11 16	11 39	G. S. J. and G. P.	24 9-85	24 10-79	24 10-32	
"	20	11 13	11 28	G. P. and G. S. J.	24 11-24	24 11-74	24 11-49	
"	22	11 10	11 30	G. S. J. and G. P.	24 11-37	24 11-52	24 11-44	
"	24	11 35	11 57	G. S. J. and G. P.	24 11-03	24 11-39	24 11-21	
"	2	11 14	11 31	G. P. and G. S. J.	24 10-02	24 10-34	24 10-18	
"	27	11 27	11 49	G. S. J. and G. P.	24 10-60	24 11-60	24 11-10	
"	29	11 6	11 23	G. P. and G. S. J.	24 10-68	24 10-85	24 10-76	
"	31	11 11	11 31	G. P. and G. S. J.	24 10-79	24 10-88	24 10-83	
AUG.	1	11 24	11 49	G. P.	24 10-42	24 10-71	24 10-56	24 11-24
"	3	11 11	11 31	G. P. and G. S. J.	24 10-85	24 10-83	24 10-84	
"	7	13 17	13 40	G. S. J. and G. P.	24 12-02	24 12-33	24 12-17	
"	8	11 8	11 26	G. P. and G. S. J.	24 12-07	24 12-28	24 12-17	
"	10	11 31	11 56	G. S. J. and G. P.	24 10-91	24 11-31	24 11-11	
"	14	11 13	11 33	G. P. and G. S. J.	24 10-08	24 10-17	24 10-12	
"	15	11 19	11 40	G. S. J. and G. P.	24 11-02	24 11-03	24 11-02	
"	17	11 6	11 22	G. P. and G. S. J.	24 11-00	24 11-22	24 11-11	
"	19	11 19	11 52	G. S. J. and G. P.	24 11-51	24 11-37	24 11-44	
"	21	11 6	11 32	G. S. J. and G. P.	24 10-98	24 10-93	24 10-95	
"	22	10 57	11 18	G. P. and G. S. J.	24 11-09	24 11-10	24 11-09	
"	26	10 55	11 14	G. P. and G. S. J.	24 10-67	24 10-91	24 10-79	
"	28	11 0	11 22	G. P. and G. S. J.	24 10-60	24 10-55	24 10-57	
"	29	11 24	11 50	G. S. J. and G. P.	24 12-47	24 12-60	24 12-53	
"	31	10 56	11 12	G. P. and G. S. J.	24 12-08	24 12-18	24 12-13	
SEPT.	2	11 17	11 44	G. S. J. and G. P.	24 12-05	24 11-94	24 11-99	24 12-54
"	4	11 37	11 59	G. S. J. and G. P.	24 12-42	24 12-82	24 12-62	
"	5	10 56	11 15	G. P. and G. S. J.	24 11-80	24 11-56	24 11-68	
"	7	11 12	11 37	G. S. J. and G. P.	24 11-54	24 12-41	24 11-97	
"	9	11 17	11 34	G. P. and G. S. J.	24 10-87	24 10-88	24 10-87	
"	11	10 58	11 18	G. P.	24 11-82	24 11-72	24 11-77	
"	12	11 37	12 2	G. S. J. and G. P.	24 12-54	24 12-38	24 12-46	
"	14	10 57	11 16	G. P. and G. S. J.	24 12-75	24 13-02	24 12-88	
"	16	11 15	11 42	G. S. J. and G. P.	24 13-25	24 13-49	24 13-37	
"	25	11 8	11 36	G. P. and G. S. J.	24 12-62	24 13-11	24 12-86	
"	26	11 31	11 55	G. S. J. and G. P.	24 13-49	24 14-23	24 13-86	
"	30	11 19	11 38	G. S. J. and G. P.	24 13-78	24 14-45	24 14-11	
OCT.	2	11 34	11 59	G. S. J. and G. P.	24 12-35	24 12-55	24 12-45	24 13-27
"	3	11 6	11 25	G. P. and G. S. J.	24 13-68	24 13-59	24 13-63	
"	5	11 54	12 18	G. S. J. and G. P.	24 12-52	24 13-22	24 12-87	
"	7	10 58	11 17	G. P. and G. S. J.	24 14-03	24 14-09	24 14-06	
"	9	11 1	11 23	G. P. and G. S. J.	24 13-05	24 12-83	24 12-94	
"	10	11 31	11 50	G. S. J. and G. P.	24 12-56	24 12-94	24 12-75	
"	12	10 58	11 13	G. P. and G. S. J.	24 12-22	24 12-42	24 12-32	
"	14	11 29	11 47	G. S. J. and G. P.	24 12-70	24 12-75	24 12-72	
"	16	11 23	11 43	G. S. J. and G. P.	24 12-93	24 13-28	24 13-10	
"	17	11 7	11 23	G. P. and G. S. J.	24 12-27	24 12-75	24 12-51	
"	21	11 4	11 19	G. P. and G. S. J.	24 12-28	24 12-17	24 12-22	
"	23	11 16	11 33	G. P. and G. S. J.	24 12-41	24 12-59	24 12-50	
"	24	11 24	11 44	G. S. J. and G. P.	24 12-83	24 12-94	24 12-88	
"	26	11 3	11 17	G. P. and G. S. J.	24 12-84	24 12-70	24 12-77	
"	28	11 20	11 37	G. S. J. and G. P.	24 14-48	24 14-92	24 14-70	
"	30	11 30	11 50	G. S. J. and G. P.	24 15-59	24 15-36	24 15-47	
"	31	11 45	11 59	G. P. and G. S. J.	24 15-60	24 15-67	24 15-63	

1914.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	Monthly Mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.		°	°	°	°
Nov.	2	11 21	11 45	G. S. J. and G. P.	24 14.38	24 14.78	24 14.58	24 14.88
"	3	12 6	12 26	G. S. J. and G. P.	24 14.59	24 15.26	24 14.92	
"	4	10 58	11 17	G. P. and G. S. J.	24 14.63	24 14.21	24 14.42	
"	5	11 25	11 46	G. S. J. and G. P.	24 14.61	24 15.13	24 14.87	
"	6	11 9	11 23	G. P. and G. S. J.	24 14.29	24 14.59	24 14.44	
"	7	11 22	11 39	G. S. J. and G. P.	24 14.76	24 14.80	24 14.78	
"	9	11 2	11 18	G. P. and G. S. J.	24 14.00	24 14.08	24 14.04	
"	11	11 16	11 35	G. S. J. and G. P.	24 13.67	24 14.27	24 13.97	
"	13	11 21	11 38	G. S. J. and G. P.	24 14.33	24 14.94	24 14.63	
"	14	11 10	11 27	G. P. and G. S. J.	24 14.84	24 14.70	24 14.77	
"	16	11 29	11 46	G. S. J. and G. P.	24 14.77	24 14.50	24 14.63	
"	18	11 44	12 12	G. S. J.	24 15.93	24 15.66	24 15.79	
"	20	12 13	12 40	G. S. J.	24 14.98	24 15.17	24 15.07	
"	21	11 55	12 23	G. S. J.	24 14.67	24 14.70	24 14.68	
"	23	11 3	11 22	G. P. and G. S. J.	24 15.12	24 15.07	24 15.09	
"	25	11 36	11 52	G. S. J. and G. P.	24 14.35	24 14.42	24 14.38	
"	27	11 32	11 52	G. S. J. and G. P.	24 16.09	24 16.16	24 16.12	
"	28	11 25	11 40	G. P. and G. S. J.	24 15.57	24 16.53	24 16.05	
"	30	11 25	11 49	G. S. J. and G. P.	24 15.53	24 15.45	24 15.49	
Dec.	2	11 2	11 18	G. P. and G. S. J.	24 15.65	24 15.50	24 15.57	24 15.58
"	4	11 8	11 24	G. P. and G. S. J.	24 15.76	24 15.83	24 15.79	
"	5	11 45	12 1	G. S. J. and G. P.	24 15.98	24 16.55	24 16.26	
"	7	11 0	11 16	G. P. and G. S. J.	24 15.77	24 15.63	24 15.70	
"	9	11 38	11 55	G. S. J. and G. P.	24 15.32	24 15.66	24 15.49	
"	11	11 58	12 15	G. S. J. and G. P.	24 15.31	24 15.21	24 15.26	
"	12	11 13	11 28	G. P. and G. S. J.	24 15.56	24 15.30	24 15.43	
"	14	11 12	11 31	G. S. J. and G. P.	24 16.03	24 15.96	24 15.99	
"	16	10 53	11 20	G. P. and G. S. J.	24 15.76	24 15.81	24 15.78	
"	18	11 6	11 28	G. P. and G. S. J.	24 15.84	24 15.14	24 15.49	
"	19	12 14	12 31	G. S. J. and G. P.	24 16.06	24 15.57	24 15.81	
"	21	11 2	11 19	G. P. and G. S. J.	24 15.72	24 15.01	24 15.36	
"	23	11 37	11 56	G. S. J. and G. P.	24 15.55	24 15.84	24 15.69	
"	26	11 39	12 0	G. P. and G. S. J.	24 15.71	24 15.43	24 15.57	
"	28	11 38	12 0	G. S. J. and G. P.	24 14.63	24 15.34	24 14.98	
"	30	11 16	11 33	G. P. and G. S. J.	24 15.16	24 15.08	24 15.12	
The mean *observed Inclination for the year 1914 =								24 10.90

* The monthly and annual Means corrected for diurnal variation appear in Table VIII.

Absolute Magnetical Observations, Alibag—Table IIIb.

OBSERVATIONS OF INCLINATION, 1914 (JANUARY TO MAY).

*Taken with Dip Circle No. 160 (Cambridge Scientific Instrument Co.) and
two 3½ inch Needles Nos. 1/05 and 2/05 by Dover Charlton.*

1914.		Alibag Civil Time (0 to 24 hours)		Ob- server.	Needle marked.	End of Needle Dipping.				Mean Dip.	Monthly Mean for each Needle.	* Monthly Mean.
Date.	At com- mence- ment.	At conclu- sion.	A.			B.						
			Face of Circle.			Face of Circle.						
			East.			West.	East.	West.				
	H.	m.	H.	m.								
JAN.	3	13 21	14 2	G. S. J.	2/05	23 58.5	24 12.5	24 4.7	24 15.9	24 7.9	No. 1/05 24 10.5 No. 2/05 24 8.6	24 9.4
"	10	13 44	14 31	G. S. J.	1/05	24 6.4	24 15.2	24 2.0	24 19.6	24 10.8		
"	17	12 2	12 53	G. S. J.	2/05	24 1.2	24 9.0	24 8.6	24 15.9	24 8.7		
"	24	13 41	14 23	G. S. J.	1/05	24 0.7	24 11.7	24 10.7	24 18.2	24 10.3		
"	31	12 0	12 38	A.	2/05	23 59.9	24 13.0	24 7.7	24 16.5	24 9.3		
FEB.	7	13 6	14 7	G. S. J.	1/05	24 17.7	24 5.1	24 14.9	24 3.7	24 10.3	No. 1/05 24 10.5 No. 2/05 24 9.1	24 9.8
"	14	13 20	14 7	G. S. J.	2/05	24 4.2	24 11.7	24 0.4	24 21.8	24 9.5		
"	21	12 55	13 40	G. S. J.	1/05	24 4.7	24 12.9	24 8.8	24 16.7	24 10.8		
"	28	13 27	14 14	G. S. J.	2/05	24 3.4	24 9.4	24 6.0	24 16.3	24 8.8		
MARCH	7	13 12	13 58	G. S. J.	1/05	23 58.2	24 12.1	24 6.6	24 15.4	24 8.1	No. 1/05 24 8.3 No. 2/05 24 7.4	24 7.9
"	14	12 54	13 43	G. S. J.	2/05	23 57.2	24 11.7	24 5.3	24 16.6	24 7.7		
"	21	13 23	14 3	G. S. J.	1/05	24 4.1	24 10.7	24 7.0	24 12.5	24 8.6		
"	28	13 5	13 54	G. S. J.	2/05	23 57.7	24 6.5	24 3.9	24 20.9	24 7.2		
APRIL	11	12 58	13 43	G. S. J.	1/05	24 2.0	24 11.5	24 14.5	24 14.1	24 10.5	No. 1/05 24 9.5 No. 2/05 24 10.5	24 9.9
"	18	13 10	13 54	G. S. J.	2/05	24 4.0	24 9.7	24 10.0	24 18.2	24 10.5		
"	25	12 47	13 42	G. S. J.	1/05	24 3.6	24 6.4	24 10.5	24 14.0	24 8.6		
MAY	2	12 43	13 28	G. S. J.	2/05	24 4.2	24 3.7	24 10.7	24 15.3	24 8.5	No. 1/05 24 10.3 No. 2/05 24 9.2	24 9.7
"	9	12 52	13 41	G. S. J.	1/05	24 2.1	24 16.5	24 4.5	24 18.1	24 10.3		
"	16	13 0	13 49	G. S. J.	2/05	24 1.0	24 9.4	24 12.7	24 16.9	24 10.0		

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

Absolute Magnetical Observations, Alibag—Table IIIb.—(contd.)

OBSERVATIONS OF INCLINATION, 1914 (May to December).

*Taken with Inductor No. 108 and Galvanometer No. 108A by
Otto Tæpfer and Sons.*

1914.		Alibag Civil Time (0 to 24 hours)				Observers.	Face of Circle.				Mean Inclination.	Monthly Mean Inclination.
Date.		At commen- cement.		At conclu- sion.			East.		West.			
		H.	m.	H.	m.		°		°	°		°
MAY	21	12	10	13	0	G. S. J. and G. P.	24	11-56	24	10-97	24	11-26
"	23	7	44	8	15	G. S. J. and G. P.	24	13-24	24	12-58	24	12-91
"	26	11	49	12	8	G. S. J. and G. P.	24	10-16	24	10-43	24	10-29
"	28	12	3	12	30	G. S. J. and G. P.	24	10-03	24	10-38	24	10-20
"	30	7	12	7	43	G. S. J. and G. P.	24	12-89	24	13-88	24	13-38
JUNE	2	11	14	11	41	G. S. J. and G. P.	24	12-06	24	12-16	24	12-11
"	4	11	36	12	5	G. S. J. and G. P.	24	11-70	24	11-3	24	11-50
"	6	7	4	7	35	G. S. J. and G. P.	24	13-32	24	13-02	24	13-17
"	9	11	29	11	51	G. S. J. and G. P.	24	11-99	24	11-58	24	11-78
"	11	11	34	11	58	G. S. J. and G. P.	24	10-92	24	10-93	24	10-92
"	13	6	57	7	24	G. S. J. and G. P.	24	14-65	24	14-49	24	14-57
"	16	11	52	12	17	G. S. J. and G. P.	24	11-32	24	11-34	24	11-33
"	18	11	14	11	36	G. S. J. and G. P.	24	11-24	24	11-51	24	11-37
"	20	7	38	8	9	G. S. J. and G. P.	24	13-58	24	12-95	24	13-26
"	23	11	31	12	6	G. P. and G. S. J.	24	10-83	24	10-16	24	10-49
"	25	11	19	11	58	G. P. and G. S. J.	24	11-22	24	11-11	24	11-16
"	27	7	53	8	21	G. S. J. and G. P.	24	15-07	24	15-41	24	15-24
"	30	12	26	12	58	G. S. J. and G. P.	24	12-18	24	13-08	24	12-63
JULY	2	11	26	12	3	G. S. J. and G. P.	24	11-26	24	12-12	24	11-69
"	4	7	38	8	7	G. P. and G. S. J.	24	14-58	24	15-25	24	14-91
"	7	11	28	12	9	G. P. and G. S. J.	24	13-30	24	13-60	24	13-45
"	9	11	9	11	44	G. P. and G. S. J.	24	11-73	24	11-72	24	11-72
"	11	7	16	8	7	G. S. J. and G. P.	24	15-06	24	15-18	24	15-12
"	14	11	19	11	40	G. S. J. and G. P.	24	10-68	24	10-55	24	10-61
"	16	11	15	11	39	G. S. J. and G. P.	24	12-72	24	12-11	24	12-41
"	18	7	19	7	41	G. P. and G. S. J.	24	14-96	24	14-88	24	14-92
"	21	11	3	11	23	G. P. and G. S. J.	24	12-70	24	12-78	24	12-74
"	23	11	4	11	35	G. P. and G. S. J.	24	11-30	24	11-92	24	11-61
"	25	7	41	8	13	G. S. J. and G. P.	24	14-42	24	14-21	24	14-31
"	28	11	26	11	52	G. S. J. and G. P.	24	13-27	24	13-56	24	13-41
"	30	11	27	11	52	G. S. J. and G. P.	24	13-02	24	12-89	24	12-95
AUG.	1	7	20	7	43	G. P. and G. S. J.	24	16-27	24	16-05	24	16-16
"	4	10	57	11	18	G. P. and G. S. J.	24	13-28	24	12-65	24	12-96
"	6	12	15	12	49	G. P. and G. S. J.	24	12-95	24	13-09	24	13-02
"	8	7	24	7	50	G. S. J. and G. P.	24	15-25	24	14-62	24	14-93
"	11	11	31	11	52	G. S. J. and G. P.	24	12-60	24	13-31	24	12-95
"	12	11	22	11	46	G. P. and G. S. J.	24	11-45	24	10-90	24	11-17
"	15	7	42	8	1	G. P. and G. S. J.	24	15-47	24	15-19	24	15-33
"	18	11	2	11	25	G. P. and G. S. J.	24	11-39	24	11-77	24	11-58
"	20	10	55	11	13	G. P. and G. S. J.	24	11-83	24	12-28	24	12-05
"	22	7	18	7	37	G. S. J. and G. P.	24	15-48	24	15-09	24	15-28
"	25	11	13	11	31	G. S. J. and G. P.	24	12-10	24	12-50	24	12-30
"	27	11	24	11	40	G. S. J. and G. P.	24	12-32	24	12-31	24	12-31
"	29	6	58	7	23	G. P. and G. S. J.	24	14-57	24	14-53	24	14-55
SEPT.	1	10	55	11	14	G. P. and G. S. J.	24	12-71	24	12-69	24	12-70
"	3	11	0	11	17	G. P. and G. S. J.	24	11-70	24	11-93	24	11-81
"	5	7	13	7	31	G. S. J. and G. P.	24	17-22	24	17-31	24	17-26
"	8	11	33	11	56	G. S. J. and G. P.	24	13-58	24	13-41	24	13-49
"	10	11	37	11	54	G. S. J. and G. P.	24	13-11	24	13-55	24	13-33
"	12	6	54	7	19	G. P. and G. S. J.	24	16-89	24	17-09	24	16-99
"	15	11	16	11	37	G. P. and G. S. J.	24	13-73	24	13-84	24	13-78
"	17	10	55	11	12	G. P. and G. S. J.	24	13-76	24	13-45	24	13-60
"	18	13	2	13	22	G. S. J. and G. P.	24	13-21	24	13-72	24	13-46
"	19	11	10	11	22	G. P. and G. S. J.	24	13-33	24	13-63	24	13-48
"	21	11	14	11	29	G. S. J. and G. P.	24	12-87	24	12-31	24	12-59
"	22	11	20	11	37	G. S. J. and G. P.	24	12-91	24	13-70	24	13-30
"	23	10	58	11	15	G. P. and G. S. J.	24	13-05	24	13-15	24	13-10
"	24	11	22	11	47	G. S. J. and G. P.	24	14-12	24	14-38	24	14-25
"	26	7	18	7	49	G. P. and G. S. J.	24	17-73	24	17-35	24	17-54
"	29	11	58	12	20	G. P. and G. S. J.	24	14-76	24	15-59	24	15-17

1914.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	* Monthly Mean Inclination.
Date.		At commen- cement.	At conclu- sion.		East.	West.		
		H. m.	H. m.					
Oct.	1	11 7	11 25	G. P. and G. S. J.	24 15.24	24 14.52	24 14.88	24 15.47
"	3	7 15	7 55	G. S. J. and G. P.	24 17.13	24 17.53	24 17.33	
"	6	11 24	11 48	G. S. J. and G. P.	24 14.54	24 15.21	24 14.87	
"	8	11 58	12 17	G. S. J. and G. P.	24 13.88	24 13.43	24 13.65	
"	10	7 8	7 27	G. P. and G. S. J.	24 17.03	24 16.94	24 16.98	
"	13	10 59	11 23	G. P. and G. S. J.	24 14.34	24 14.24	24 14.29	
"	15	11 1	11 20	G. P. and G. S. J.	24 14.13	24 13.92	24 14.02	
"	17	7 32	7 51	G. S. J. and G. P.	24 17.37	24 17.32	24 17.34	
"	22	11 27	11 43	G. S. J. and G. P.	24 13.13	24 13.42	24 13.27	
"	25	7 45	8 3	G. P. and G. S. J.	24 17.79	24 17.56	24 17.67	
"	27	11 26	11 39	G. P. and G. S. J.	24 14.56	24 14.73	24 14.64	24 15.96
"	29	11 12	11 36	G. P. and G. S. J.	24 16.90	24 16.61	24 16.75	
Nov.	7	7 20	7 36	G. P. and G. S. J.	24 16.48	24 16.61	24 16.54	
"	10	11 51	12 7	G. P. and G. S. J.	24 14.25	24 14.47	24 14.36	
"	12	11 40	11 59	G. P. and G. S. J.	24 15.47	24 15.76	24 15.61	
"	14	7 32	7 51	G. S. J. and G. P.	24 17.12	24 17.28	24 17.20	
"	17	11 30	11 56	G. S. J. and G. P.	24 14.66	24 15.12	24 14.89	
"	19	11 25	11 50	G. S. J. and G. P.	24 15.38	24 16.02	24 15.70	
"	21	7 36	7 58	G. P. and G. S. J.	24 16.95	24 16.60	24 16.77	
"	24	11 5	11 24	G. P. and G. S. J.	24 16.04	24 15.72	24 15.88	
"	26	11 5	11 20	G. P. and G. S. J.	24 16.15	24 15.61	24 15.88	24 16.42
"	28	7 50	8 15	G. S. J. and G. P.	24 16.90	24 16.61	24 16.78	
Dec.	1	11 28	11 46	G. S. J. and G. P.	24 15.32	24 15.34	24 15.33	
"	3	11 32	11 50	G. S. J. and G. P.	24 16.08	24 15.97	24 16.02	
"	5	7 22	7 41	G. P. and G. S. J.	24 16.46	24 16.47	24 16.46	
"	8	11 7	11 24	G. P. and G. S. J.	24 15.54	24 15.59	24 15.56	
"	10	11 17	11 38	G. P. and G. S. J.	24 15.86	24 15.80	24 15.83	
"	12	7 39	8 0	G. S. J. and G. P.	24 17.29	24 17.22	24 17.25	
"	15	11 40	11 57	G. S. J. and G. P.	24 16.64	24 16.25	24 16.44	
"	17	11 26	11 43	G. S. J. and G. P.	24 15.90	24 15.94	24 15.92	
"	19	7 25	7 43	G. P. and G. S. J.	24 17.09	24 17.14	24 17.11	24 14.39
"	22	11 6	11 22	G. P. and G. S. J.	24 16.01	24 15.95	24 15.98	
"	24	7 47	8 5	G. S. J. and G. P.	24 18.00	24 17.78	24 17.89	
"	24	11 5	11 27	G. P. and G. S. J.	24 16.14	24 16.04	24 16.09	
"	29	11 59	12 17	G. S. J. and G. P.	24 16.36	24 16.45	24 16.40	
"	31	7 37	7 56	G. P. and G. S. J.	24 17.45	24 17.52	24 17.48	
"	31	11 42	11 59	G. S. J. and G. P.	24 16.48	24 16.64	24 16.56	
* The mean observed Inclination for the months June to December 1914 =								24 14.39

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

Absolute Magnetical Observations, Alibag—Table Ia.

Observations of Vibration and Deflection, taken with Magnetometer No. 7 (T. Cooke and Sons) for the Determination of Absolute Horizontal Force.

1915.

1915. Date.	Vibration Magnet.			Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection of Magnet marked 7.			Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.	Calculated Results in C. G. S. Unit.					*Observed monthly Mean Values of H.			
	Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.		Tem- per- ature.	Thermo- meter.	Distance.	Temper- ature.	Thermo- meter.	Ordinate.	Thermo- meter.		Values of H.								
													From Deflection at distance.	Difference.	Mean.	Values of m.	22.5 cms. (H _{22.5}).		30.0 cms. (H _{30.0}).	H _{22.5} - H _{30.0}	$\frac{H_{22.5} + H_{30.0}}{2}$
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
JAN.	6	13 37	2.7055	1.50	24.4	-0.5	7.492	83.6026	39	24.10	50	7.391	83.60 G. S. J.	938.02	0.36879	0.36879	.00000	0.36879	0.36879	0.36879	
"	"	15 20	2.7066	1.50	24.9	"	7.076	83.6026	39	50.10	50	7.140	83.60 G. S. J.	937.97	.36863	.36860	+.00003	.36861	.36861	.36861	
"	"	13 26	2.7059	1.50	26.0	"-0.3	7.590	82.9026	37	24.10	49	7.525	82.90 G. S. J.	938.12	.36894	.36890	+.00004	.36892	.36892	.36892	
"	"	15 23	2.7067	1.50	26.7	"	7.506	82.9526	37	33.10	49	7.496	82.95 G. S. J.	938.10	.36886	.36882	+.00004	.36884	.36884	.36884	
"	"	20 13	2.7054	1.50	25.9	"-0.3	8.182	82.8026	36	37.10	49	8.076	82.80 G. S. J.	937.99	.36911	.36909	+.00002	.36910	.36910	.36910	
"	"	15 28	2.7059	1.50	26.2	"	7.788	82.8026	37	6.10	49	7.858	82.80 G. S. J.	937.99	.36901	.36900	+.00001	.36900	.36900	.36900	
"	"	27 12	2.7061	1.50	25.5	"-0.4	7.704	82.9026	38	7.10	50	7.529	82.90 G. S. J.	937.95	.36886	.36885	+.00001	.36885	.36885	.36885	
"	"	15 24	2.7074	1.50	25.5	"	6.842	82.9026	39	11.10	50	7.088	82.90 G. S. J.	937.76	.36857	.36857	+.00000	.36857	.36857	.36857	
FEB.	3	10 17	2.7058	1.50	25.9	-0.3	7.728	82.9026	37	8.10	49	7.837	82.90 G. S. J.	937.97	.36899	.36899	+.00000	.36899	.36899	.36899	
"	"	12 11	2.7062	1.50	25.9	"	8.013	82.8526	36	57.10	49	8.009	82.85 G. S. J.	937.78	.36898	.36894	+.00004	.36896	.36896	.36896	
"	"	10 13	2.7069	1.50	25.3	-0.1	7.064	82.3526	39	26.10	50	7.040	82.35 G. S. J.	937.95	.36860	.36860	+.00000	.36860	.36860	.36860	
"	"	15 24	2.7072	1.48	25.5	"	7.089	82.3226	39	17.10	50	7.033	82.32 G. S. J.	937.89	.36858	.36856	+.00002	.36857	.36857	.36857	
"	"	17 13	2.7046	1.53	25.2	-0.1	8.326	82.0526	37	8.10	49	8.077	82.05 G. S. J.	938.12	.36916	.36913	+.00003	.36914	.36914	.36914	
"	"	15 30	2.7064	1.50	25.6	"	7.508	82.0726	37	38.10	49	7.766	82.07 G. S. J.	937.76	.36888	.36884	+.00004	.36886	.36886	.36886	
"	"	24 12	2.7050	1.48	24.7	+0.2	8.061	81.6026	37	39.10	49	8.022	81.60 G. S. J.	937.89	.36905	.36904	+.00001	.36904	.36904	.36904	
"	"	15 21	2.7074	1.51	25.4	"	6.996	81.6026	39	28.10	50	7.167	81.60 G. S. J.	937.78	.36857	.36854	+.00003	.36855	.36855	.36855	
MARCH	3	13 10	2.7056	1.50	26.6	+0.2	8.321	82.0026	35	36.10	49	8.193	82.00 G. S. J.	937.97	.36919	.36916	+.00003	.36917	.36917	.36917	
"	"	15 28	2.7065	1.50	27.0	"	7.845	82.0026	36	0.10	49	7.937	82.00 G. S. J.	937.89	.36904	.36900	+.00004	.36902	.36902	.36902	
"	"	10 12	2.7078	1.47	27.3	+0.1	7.431	82.5026	36	37.10	49	7.376	82.50 G. S. J.	937.78	.36878	.36875	+.00003	.36876	.36876	.36876	
"	"	15 25	2.7082	1.50	27.8	"	7.136	82.5026	37	8.10	49	7.110	82.50 G. S. J.	937.91	.36870	.36869	+.00001	.36869	.36869	.36869	
"	"	17 13	2.7062	1.50	27.0	-0.2	8.000	82.9026	36	2.10	49	7.700	82.90 G. S. J.	938.06	.36905	.36904	+.00001	.36904	.36904	.36904	
"	"	15 0	2.7080	1.49	27.5	"	7.205	82.9026	36	12.10	49	7.460	82.90 G. S. J.	937.65	.36881	.36877	+.00004	.36879	.36879	.36879	
"	"	24 13	2.7085	1.48	29.6	+0.1	7.500	83.9026	34	13.10	48	7.306	83.90 G. S. J.	937.93	.36893	.36890	+.00003	.36891	.36891	.36891	
"	"	15 20	2.7100	1.50	29.7	"	6.882	83.9026	34	52.10	48	7.016	83.90 G. S. J.	937.57	.36865	.36862	+.00003	.36863	.36863	.36863	
"	"	31 13	2.7081	1.50	29.1	+0.1	7.415	84.8526	34	50.10	48	7.266	84.85 G. S. J.	937.93	.36894	.36894	+.00000	.36894	.36894	.36894	
"	"	15 23	2.7093	1.50	29.1	"	6.930	84.8726	35	20.10	49	6.995	84.87 G. S. J.	937.69	.36871	.36868	+.00003	.36869	.36869	.36869	

[illegible]

* Change in the magnetic conditions was noted on the 17th May due to a mishap, *vide* Introduction.

1915.	Calculated Results in C. G. S. Unit.																			
	Date.	Vibration Magnet.			Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection of Magnet marked 7.			Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.	Values of H.					*Observed monthly Mean Values of H.		
		Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.	Tem- per- ature.	Rate of Chrono- meter.	Distance.		Temper- ature.	Ordi- nate.	Thermo- meter.		Values of m.	From Deflection at distance.		Difference.	Mean.			
							22.5 cms.	30.0 cms.						22.5 cms. (H ₁₅).	30.0 cms. (H ₃₀).				H _{22.5} - H ₃₀	H _{22.5} + H ₃₀ 2
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
Ocr.	6	H. m. 13 24	S. 2.7093	Sc. div. 1.50	29.1	S. +0.9	cms. 6.972	° 87.60	26 32	° 010 47 41	29.1	cms. 6.818	° 87.60	S. J. 936.74	0.36906	0.36906	0.00000	0.36906	0.36906	
"	"	15 12	2.7109	1.50	29.0	" +0.8	6.461	87.60	32 32	30 10 47 59	29.0	6.590	87.60	S. J. 936.33	.36880	.36877	+0.00003	.36878	.36878	
"	13	15 9	2.7089	1.50	28.2	" +0.8	7.105	87.40	26 32	35 10 47 53	28.3	6.936	87.40	S. J. 936.68	.36905	.36906	-0.00001	.36905	.36905	
"	"	15 20	2.7098	1.50	28.4	" +1.2	6.607	87.40	26 32	47 10 48 4	28.4	6.751	87.40	S. J. 936.50	.36892	.36889	+0.00003	.36890	.36890	
"	20	15 58	2.7103	1.49	28.8	" +1.2	6.447	87.15	26 34	32 10 48 44	28.8	5.833	87.15	S. J. 937.00	.36867	.36865	+0.00002	.36866	.36866	
"	"	15 21	2.7133	1.51	29.0	" +0.9	4.746	87.15	26 36	36 10 49 35	29.0	4.743	87.15	S. J. 936.66	.36804	.36800	+0.00004	.36802	.36802	
"	27	12 32	2.7104	1.50	30.4	" +0.9	6.939	87.77	26 31	21 0 47 20	30.3	6.747	87.77	S. J. 936.70	.36903	.36903	.00000	.36903	.36903	
"	"	14 36	2.7112	1.50	30.5	"	6.251	87.77	26 31	16 10 47 25	30.6	6.476	87.77	S. J. 936.57	.36888	.36888	.00000	.36888	.36888	
Nov.	3	13 44	2.7115	1.50	29.8	" +1.1	6.096	87.65	26 33	12 10 48 11	29.6	5.963	87.65	S. J. 936.63	.36866	.36865	+0.00001	.36865	.36865	
"	"	15 20	2.7120	1.51	30.1	"	5.785	87.67	26 33	8 10 48 12	29.9	5.865	87.67	S. J. 936.59	.36860	.36858	+0.00002	.36859	.36859	
"	10	12 51	2.7114	1.47	30.1	" +1.3	6.635	87.87	26 32	8 10 47 52	30.0	6.178	87.87	S. J. 936.59	.36878	.36875	+0.00003	.36876	.36876	
"	"	15 24	2.7121	1.48	30.6	"	5.915	87.87	26 32	15 10 47 53	30.2	6.051	87.87	S. J. 936.50	.36870	.36867	+0.00003	.36868	.36868	
"	17	13 50	2.7133	1.51	29.4	" +1.1	4.825	87.50	26 35	32 10 49 7	29.6	4.798	87.50	S. J. 936.57	.36813	.36810	+0.00003	.36811	.36811	
"	"	15 24	2.7144	1.54	29.7	"	4.422	87.50	26 35	26 10 49 6	29.6	4.666	87.50	S. J. 936.25	.36803	.36800	+0.00003	.36801	.36801	
"	24	12 51	2.7123	1.49	31.5	" +1.1	6.540	87.80	26 30	0 10 47 4	31.8	6.422	87.80	S. J. 936.44	.36886	.36882	+0.00004	.36884	.36884	
"	"	15 17	2.7128	1.50	31.8	"	5.899	87.80	26 30	51 10 47 22	31.7	6.068	87.80	S. J. 936.50	.36872	.36869	+0.00003	.36870	.36870	
Dec.	1	13 7	2.7102	1.50	30.1	" +1.3	6.517	87.90	26 31	17 10 47 30	30.6	6.387	87.90	S. J. 936.87	.36899	.36896	+0.00003	.36897	.36897	
"	"	15 17	2.7118	1.50	30.6	"	6.181	87.90	26 31	19 10 47 34	30.8	6.246	87.90	S. J. 936.50	.36878	.36875	+0.00003	.36876	.36876	
"	8	13 3	2.7098	1.50	26.3	" +1.9	6.088	86.70	26 35	58 10 49 16	26.7	5.918	86.70	S. J. 936.53	.36855	.36854	+0.00001	.36854	.36854	
"	"	15 18	2.7113	1.51	27.5	"	5.425	86.70	26 36	25 10 49 27	27.1	5.510	86.70	S. J. 936.48	.36837	.36835	+0.00002	.36836	.36836	
"	15	13 37	2.7088	1.48	26.0	" +1.8	6.317	85.40	26 36	7 10 49 20	26.0	6.008	85.40	S. J. 936.70	.36871	.36870	+0.00001	.36870	.36870	
"	"	15 7	2.7093	1.49	26.5	"	6.106	85.40	26 35	50 10 49 18	26.2	6.026	85.40	S. J. 936.63	.36870	.36865	+0.00005	.36867	.36867	
"	22	12 38	2.7085	1.50	27.1	" +1.9	7.097	84.61	26 33	36 10 48 25	27.5	6.867	84.61	S. J. 936.72	.36898	.36895	+0.00003	.36896	.36896	
"	"	15 21	2.7099	1.50	27.9	"	6.605	84.60	26 33	58 10 48 35	27.8	6.576	84.60	S. J. 936.61	.36880	.36876	+0.00004	.36878	.36878	
"	29	13 42	2.7095	1.50	27.7	" +1.3	6.807	84.20	26 34	1 10 48 32	27.6	6.681	84.20	S. J. 936.63	.36885	.36882	+0.00003	.36883	.36883	
"	"	15 20	2.7104	1.50	27.8	"	6.469	84.20	26 34	10 10 48 40	27.7	6.516	84.20	S. J. 936.44	.36871	.36867	+0.00004	.36869	.36869	
Mean of the months from June to December															936.56		+0.00020			

The mean *observed value of the Horizontal Force for the year 1915 = 0.368623

The mean *Observed value of the Horizontal Force for the year 1915

= 0.368823

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

Observations of Vibration and Deflection, taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.) for the determination of Absolute Horizontal Force.

1915.

1915. Date.	Vibration Magnet.				Rate of Chrono- meter.	Corresponding Mean Reading of H. F. Magnetograph.				Angle of Deflection.				Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.	Values of H.				*Observed monthly Mean Values of H.										
	Civil Time, Mean.	Time of one Vibra- tion.	Effect of 90° Torsion.	Tem- per- ature.		S.	Sc. div.	H. m.	S.	S.	cms.	°	°	°	°		°	°	°	°		°									
																							Distance.	23 cms.	30 cms.	Thermo- meter.	Ordi- nate.	Thermo- meter.	From Deflection at distance.	Difference.	Mean.
2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20													
JAN.	4	13	23	2-8778	1-92	25-8	-0-3	S.	7-895	83-8523	38	210	25	16	25-8	7-618	83-85G. S. J.	910-02	0-36894	0-36892	+ -00002	0-36893	} 0-368901								
"	"	15	29	2-8786	1-87	25-8	"	"	7-406	83-8223	37	5010	25	17	25-7	7-441	83-82G. S. J.	909-75	0-36888	0-36882	+ -00006	0-36885									
"	"	11	13	2-8769	1-93	24-8	-0-4	"	7-891	82-9023	38	910	25	7	25-2	7-820	82-90G. S. J.	909-93	0-36901	0-36905	+ -00004	0-36903									
"	"	15	31	2-8778	1-91	25-5	"	"	7-700	82-9223	37	4910	25	12	25-6	7-733	82-92G. S. J.	909-85	0-36896	0-36893	+ -00003	0-36894									
"	"	18	13	26	2-8772	1-98	25-4	-0-3	7-686	82-7023	38	1510	25	26	25-7	7-608	82-70G. S. J.	910-21	0-36898	0-36891	+ -00005	0-36893									
"	"	15	32	2-8780	1-93	25-8	"	"	7-477	82-7023	37	4710	25	17	25-8	7-550	82-70G. S. J.	909-93	0-36894	0-36889	+ -00006	0-36891									
"	"	25	13	21	2-8785	1-92	26-6	-0-3	7-286	83-0023	37	5010	25	13	26-3	7-397	83-00G. S. J.	910-04	0-36889	0-36886	+ -00003	0-36887									
"	"	15	28	2-8782	1-94	26-1	"	"	7-035	83-0023	37	4110	25	21	26-1	7-254	83-00G. S. J.	909-68	0-36879	0-36871	+ -00008	0-36875									
FEB.	1	10	6	2-8777	1-91	25-4	-0-2	"	7-700	82-8523	37	3010	24	59	25-8	7-816	82-85G. S. J.	909-79	0-36898	0-36897	+ -00001	0-36897		} 0-368880							
"	"	11	50	2-8780	1-96	25-8	"	"	7-638	82-8023	36	4110	24	56	25-8	7-784	82-80G. S. J.	909-66	0-36908	0-36899	+ -00009	0-36903									
"	"	9	13	17	2-8777	1-96	25-0	-0-1	7-346	82-4223	38	5610	25	47	25-0	7-246	82-42G. S. J.	910-02	0-36884	0-36877	+ -00007	0-36880									
"	"	16	31	2-8788	1-98	25-0	"	"	6-993	82-4023	38	3610	25	51	25-0	7-077	82-40G. S. J.	909-64	0-36874	0-36862	+ -00012	0-36868									
"	"	15	12	59	2-8775	1-99	26-1	-0-3	7-986	82-2023	37	1610	25	3	26-3	7-654	82-20G. S. J.	910-08	0-36878	0-36899	+ -00006	0-36902									
"	"	15	32	2-8782	2-03	26-3	"	"	7-185	82-2023	37	4410	25	20	26-3	7-261	82-20G. S. J.	909-77	0-36878	0-36871	+ -00007	0-36874									
"	"	22	13	22	2-8772	1-69	24-9	0-0	7-853	81-7023	38	3210	25	26	25-1	7-677	81-70G. S. J.	910-04	0-36896	0-36894	+ -00002	0-36895									
"	"	15	29	2-8781	1-62	24-9	"	"	7-309	81-7023	38	010	25	36	25-0	7-411	81-70G. S. J.	909-72	0-36892	0-36879	+ -00013	0-36885									
MARCH	8	12	54	2-8790	1-60	27-7	+0-1	"	7-952	82-4523	36	3510	24	39	27-7	7-373	82-45G. S. J.	910-08	0-36898	0-36895	+ -00003	0-36896	} 0-368921								
"	"	15	35	2-8814	1-64	27-8	"	"	6-296	82-4223	37	2310	25	6	27-7	6-602	82-42G. S. J.	909-62	0-36858	0-36853	+ -00005	0-36855									
"	"	15	13	26	2-8772	1-66	26-7	0-0	8-248	82-7523	36	1210	24	35	26-4	8-091	82-75G. S. J.	910-04	0-36928	0-36923	+ -00005	0-36925									
"	"	15	15	15	2-8781	1-63	26-7	"	7-826	82-7523	35	2610	24	26	26-6	7-935	82-75G. S. J.	909-64	0-36924	0-36914	+ -00010	0-36919									
"	"	22	13	24	2-8812	1-61	29-4	0-0	6-995	83-6023	36	1110	24	28	29-5	7-795	83-60G. S. J.	910-00	0-36875	0-36873	+ -00004	0-36873									
"	"	15	20	2-8824	1-60	29-5	"	"	6-381	83-5523	35	3710	24	20	29-7	6-540	83-55G. S. J.	909-58	0-36863	0-36859	+ -00004	0-36861									
"	"	29	13	1	2-8800	1-60	29-7	+0-1	7-945	84-5023	34	4310	23	51	29-2	7-615	84-50G. S. J.	909-96	0-36911	0-36911	+ -00000	0-36911									
"	"	15	32	2-8808	1-60	29-4	"	"	7-174	84-5223	34	2910	23	56	29-0	7-328	84-52G. S. J.	909-54	0-36901	0-36894	+ -00007	0-36897									

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

1915.		Vibration Magnet.					Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection.			Corresponding Mean Reading of H. F. Magnetograph.		Ob- server.		Values of H.				*Observed monthly Mean Value of H.			
Date.	Civil Time, Mean.	Time of one Vibration.	Effect of 90° Torsion.	Temperature.	Rate of Chronometer.	Corresponding Mean Reading of H. F. Magnetograph.		Angle of Deflection.			Corresponding Mean Reading of H. F. Magnetograph.		Observer.	Values of m.		From Deflection at distance.		Difference.	Mean.	$\frac{H_{23} + H_{30}}{2}$			
						Ordinate.	Thermometer.	Ordinate.	Thermometer.	Distance.		Temper- ature.		Ordinate.	Thermometer.	23 cms. (H ₂₃).	30 cms. (H ₃₀).						
										23 cms.	30 cms.												
																						23 cms.	30 cms.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20				
Mean of the months from January to April																							
APRIL	5	13 28	2 8782	1 59	28 6	+0 3	8 290	85 50 23	34 25 10	23 49	28 3	7 943	85 50 G.	S. J.	910 04	0 36937	0 36933	+ 00004	0 36935	0 368835			
"	"	15 34	2 8807	1 58	28 6	"	7 246	85 50 23	34 54 10	24 5	28 2	7 467	85 50 G.	S. J.	909 39	.36899	.36894	+ 00005	.36896				
"	"	12 13	2 8800	1 62	29 6	+0 2	7 717	86 20 23	33 50 10	23 41	29 7	7 486	86 20 G.	S. J.	909 85	.36917	.36912	+ 00007	.36913				
"	"	15 37	2 8806	1 63	29 8	"	7 250	86 22 23	33 17 10	23 29	29 8	7 353	86 22 G.	S. J.	909 56	.36916	.36908	+ 00008	.36912				
"	"	19 12	2 8831	1 64	30 8	+0 1	6 366	87 20 23	34 54 10	24 1	30 9	6 377	87 20 G.	S. J.	909 66	.36864	.36860	+ 00004	.36862				
"	"	15 30	2 8832	1 62	31 1	"	6 507	87 20 23	33 42 10	23 36	31 1	6 568	87 20 G.	S. J.	909 43	.36878	.36874	+ 00007	.36874				
"	"	26 13	2 8813	1 61	30 0	+0 3	6 810	88 05 23	35 55 10	24 23	29 8	6 182	88 05 G.	S. J.	910 10	.36877	.36874	+ 00003	.36875				
"	"	15 31	2 8852	1 64	30 0	"	4 997	88 05 23	37 41 10	25 20	29 7	4 961	88 05 G.	S. J.	909 45	.36805	.36798	+ 00007	.36801				
MAY	3	12 33	2 8814	1 63	30 8	+0 3	7 271	88 75 23	34 3 10	23 41	29 9	6 857	88 75 A.	A.	909 81			+ 000053					
"	"	15 5	2 8824	1 62	30 3	"	6 731	88 75 23	34 35 10	24 2	29 6	6 885	88 75 A.	A.	909 75	.36905	.36899	+ 00006	.36902				
"	"	10 12	2 8798	1 62	31 1	+0 4	7 378	89 00 23	33 34 10	23 34	30 8	7 001	89 00 A.	A.	909 45	.36884	.36879	+ 00009	.36879				
"	"	14 27	2 8824	1 62	31 1	"	6 903	89 00 23	33 7 10	23 26	30 8	6 873	89 00 A.	A.	910 40	.36926	.36918	+ 00008	.36922				
"	"	17 12	2 8878	1 62	31 1	+0 4	6 416	89 55 23	29 40 10	21 57	30 6	5 965	89 55 A.	A.	909 45	.36898	.36889	+ 00009	.36893				
"	"	14 32	2 8883	1 61	31 0	"	5 847	89 55 23	29 57 10	22 5	30 7	5 857	89 55 A.	A.	906 59	.36873	.36865	+ 00008	.36869				
"	"	24 13	2 8865	1 62	31 6	+0 4	7 500	89 90 23	26 36 10	20 47	31 4	7 362	89 90 A.	A.	906 44	.36861	.36853	+ 00012	.36857				
"	"	13 54	2 8867	1 62	31 7	"	6 930	89 90 23	26 15 10	20 30	31 5	7 225	89 90 A.	A.	906 30	.36926	.36918	+ 00008	.36922				
"	"	31 13	2 8867	1 61	31 3	+0 3	7 217	90 65 23	26 40 10	20 45	-31 2	7 141	90 65 A.	A.	906 27	.36920	.36911	+ 00009	.36915				
"	"	14 51	2 8862	1 62	31 8	"	6 827	90 65 23	27 15 10	20 55	31 2	7 026	90 65 A.	A.	906 69	.36923	.36916	+ 00007	.36919				
JUNE	7	13 25	2 8863	1 96	32 0	+0 6	7 242	91 30 23	27 5 10	20 41	31 6	6 987	91 30 G.	S. J.	906 63	.36921	.36918	+ 00003	.36919				
"	"	15 31	2 8877	2 03	31 8	"	6 702	91 35 23	26 51 10	20 49	31 6	6 808	91 35 G.	S. J.	906 15	.36904	.36899	+ 00001	.36899				
"	"	14 13	2 8861	2 46	31 8	+0 3	6 587	91 75 23	27 56 10	21 3	31 6	6 405	91 75 G.	S. J.	906 84	.36907	.36905	+ 00002	.36906				
"	"	15 38	2 8881	2 51	31 8	"	6 867	91 70 23	27 52 10	21 12	31 6	6 085	91 70 G.	S. J.	906 23	.36882	.36874	+ 00008	.36878				
"	"	21 13	2 8863	2 05	29 9	+0 8	6 065	91 75 23	30 21 10	22 10	29 6	5 810	91 75 G.	S. J.	906 73	.36880	.36873	+ 00007	.36876				
"	"	15 30	2 8875	2 02	29 3	"	5 153	91 70 23	30 57 10	22 30	29 1	5 380	91 70 G.	S. J.	906 34	.36856	.36848	+ 00008	.36852				
"	"	28 13	2 8838	1 99	27 2	+0 2	6 645	90 20 23	31 7 10	22 31	27 1	6 488	90 20 G.	S. J.	906 65	.36902	.36894	+ 00008	.36898				
"	"	15 30	2 8866	1 90	27 3	"	5 912	89 95 23	31 57 10	22 45	26 8	6 122	89 95 G.	S. J.	906 27	.36872	.36869	+ 00003	.36870				
JULY	5	12 38	2 8850	1 79	29 5	+1 2	7 253	88 50 23	28 17 10	21 24	29 2	7 054	88 50 G.	S. J.	906 42	.36923	.36915	+ 00008	.36919				
"	"	15 26	2 8862	1 81	29 1	"	6 353	88 50 23	28 32 10	21 37	29 3	6 608	88 50 G.	S. J.	906 11	.36901	.36888	+ 00013	.36894				
"	"	12 13	2 8871	1 77	28 8	+0 6	6 050	88 23 23	30 42 10	22 16	28 9	6 035	88 23 G.	S. J.	906 25	.36864	.36859	+ 00005	.36861				
"	"	15 35	2 8876	1 78	29 0	"	5 565	88 22 23	30 22 10	22 16	29 0	5 920	88 22 G.	S. J.	906 09	.36861	.36853	+ 00006	.36857				
"	"	13 40	2 8838	1 76	29 3	+0 8	7 566	88 40 23	28 1 10	21 11	29 3	7 325	88 40 G.	S. J.	906 65	.36939	.36936	+ 00006	.36936				
"	"	15 27	2 8858	1 80	29 4	"	6 608	88 40 23	27 51 10	21 13	29 4	6 975	88 40 G.	S. J.	906 05	.36915	.36906	+ 00009	.36910				
"	"	26 13	2 8853	1 74	29 5	+0 7	7 120	87 70 23	29 0 10	21 33	29 2	6 986	87 70 G.	S. J.	906 50	.36911	.36906	+ 00005	.36908				
"	"	15 20	2 8866	1 75	28 9	"	6 327	87 70 23	29 41 10	21 55	29 0	6 721	87 70 G.	S. J.	906 17	.36882	.36876	+ 00006	.36879				

Aug.		2	13	26	2-8856	1-71	28-7	+0-8	6-552	86-6023	31	2	10	22	31	28-2	6-072	86-04	9-6-71	3-880	3-877	+0-003	36878
"	"	9	15	23	2-8876	1-71	28-3	"	5-321	86-0023	31	54	10	23	0	28-4	5-520	86-04	906-30	36844	36832	+0-0011	36837
"	"	12	37	2-8857	1-69	28-6	+0-5	6-903	86-0023	29	54	10	22	6	28-5	6-862	86-00	906-38	36894	36881	+0-0014	36883	
"	"	15	18	2-8858	1-70	28-7	"	6-722	86-0023	29	32	10	22	1	28-6	6-718	86-00	906-32	36897	36885	+0-0012	36891	
"	"	16	54	2-8845	1-67	29-4	+0-9	7-733	85-8723	27	51	10	21	9	29-1	7-666	85-87	906-40	36936	36928	+0-0008	36932	
"	"	15	13	2-8850	1-69	29-0	"	7-245	85-9023	28	20	10	21	23	28-9	7-359	85-90	906-27	36921	36913	+0-0008	36917	
"	"	23	13	2-8850	1-69	28-5	+0-4	7-152	86-5523	29	29	10	21	55	28-1	6-837	86-55	906-34	36911	36900	+0-0011	36905	
"	"	15	22	2-8856	1-69	28-2	"	6-546	86-5023	30	18	10	22	9	28-0	6-608	86-50	906-27	36891	36884	+0-0007	36887	
"	"	30	12	2-8859	1-71	28-8	+0-8	6-606	86-4523	30	11	10	22	17	28-6	6-439	86-45	906-48	36888	36877	+0-0011	36882	
"	"	15	2	2-8865	1-69	28-7	"	6-116	86-3023	30	51	10	22	17	28-6	6-122	86-30	906-40	36871	36869	+0-0002	36870	
SEPT.	6	12	45	2-8840	1-68	28-8	+0-6	7-788	86-4023	28	71	10	21	19	28-5	7-639	86-40	906-40	36939	36930	+0-0009	36934	
"	"	14	30	2-8854	1-72	28-7	"	7-085	86-4023	28	23	10	21	24	28-5	7-424	86-40	906-00	36916	36909	+0-0007	36912	
"	"	13	25	2-8840	1-70	28-5	+1-0	7-361	86-8523	29	01	10	21	31	28-3	7-240	86-85	906-50	36928	36924	+0-0004	36926	
"	"	15	6	2-8854	1-7	28-4	"	6-980	86-8723	28	31	10	21	24	28-4	7-167	86-87	906-94	36914	36908	+0-0006	36911	
"	"	20	13	11	2-8850	1-55	29-6	+0-5	7-421	87-1023	28	40	10	21	24	29-1	7-163	87-10	906-53	36922	36917	+0-0005	36919
"	"	15	1	2-8856	1-52	29-3	"	6-786	87-1223	28	19	10	21	25	29-2	7-000	87-12	906-23	36915	36905	+0-0010	36910	
"	"	27	12	49	2-8881	1-56	29-8	+0-8	5-733	87-5023	31	15	10	22	29	29-4	5-663	87-50	906-46	36849	36845	+0-0004	36847
"	"	15	20	2-8879	1-56	29-7	"	5-920	87-5223	29	51	10	22	6	29-6	5-871	87-52	906-19	36867	36857	+0-0010	36862	
OCT.	4	13	10	2-8860	1-53	29-1	+0-8	6-762	87-6523	29	37	10	21	41	29-0	6-601	87-65	906-34	36894	36889	+0-0001	36893	
"	"	15	33	2-8868	1-53	29-0	"	6-331	87-6023	29	17	10	21	52	29-0	6-397	87-60	906-07	36887	36877	+0-0010	36882	
"	"	11	13	2-8847	1-53	28-1	+8	6-845	87-4023	30	71	0	22	0	27-9	6-638	87-40	906-48	36906	36902	+0-0004	36904	
"	"	15	24	2-8867	1-55	27-8	"	5-858	87-4023	30	50	10	22	32	27-7	6-188	87-40	905-98	36871	36865	+0-0006	36868	
"	"	18	12	41	2-8843	1-56	28-4	+1-1	7-241	87-2023	29	27	10	21	53	28-1	6-902	87-20	906-57	36921	36912	+0-0009	36916
"	"	15	15	2-8862	1-59	28-4	"	6-213	87-2023	29	52	10	22	5	28-4	6-361	87-20	906-17	36888	36879	+0-0009	36883	
"	"	25	15	58	2-8884	1-61	30-8	+1-0	5-470	87-7523	31	12	10	22	29	30-7	4-925	87-75	906-86	36843	36838	+0-0005	36840
"	"	14	39	2-8910	1-60	30-7	"	4-641	87-7023	30	36	10	22	20	30-8	4-850	87-70	905-90	36816	36809	+0-0007	36812	
N V.	2	12	32	2-8877	1-61	30-1	+1-0	6-098	87-6723	29	29	10	21	55	30-1	5-811	87-67	906-34	36873	36864	+0-0009	36868	
"	"	15	24	2-8889	1-63	29-9	"	5-319	87-7023	30	25	10	22	15	29-9	5-287	87-70	906-13	36847	36842	+0-0009	36842	
"	"	18	13	2-8854	1-66	29-2	+1-3	7-078	87-5523	28	49	10	21	28	28-8	6-797	87-55	906-30	36914	36910	+0-0004	36912	
"	"	15	25	2-8866	1-62	29-3	"	6-61	87-5223	28	26	10	21	31	29-0	6-648	87-52	905-94	36903	36892	+0-0011	36897	
"	"	23	13	2-8878	1-66	31-2	+1-1	6-305	87-8023	28	46	10	21	35	30-4	6-047	87-80	906-36	36887	36878	+0-0009	36882	
"	"	15	25	2-8885	1-65	30-5	"	5-575	87-8023	29	16	10	21	43	30-3	5-740	87-80	906-11	36866	36860	+0-0006	36863	
"	"	29	13	14	2-8872	1-66	31-0	+1-2	6-511	87-9723	28	25	10	21	7	30-8	6-405	87-97	906-36	36893	36894	+0-0001	36893
"	"	15	24	2-8885	1-62	30-8	"	6-015	87-9523	27	34	10	21	10	30-9	6-242	87-95	905-84	36886	36875	+0-0011	36880	
DEC.	6	13	21	2-8841	1-88	26-8	+1-5	6-787	87-0023	31	0	10	22	17	26-4	6-635	87-00	906-25	36904	36902	+0-0002	36903	
"	"	15	18	2-8857	1-92	26-8	"	5-545	87-0523	31	45	10	22	42	26-5	6-265	87-05	906-05	36873	36869	+0-0004	36871	
"	"	13	13	2-8846	1-76	26-1	+1-8	6-253	85-8023	32	11	10	23	2	26-0	6-327	85-80	906-34	36881	36871	+0-0010	36876	
"	"	15	8	2-8847	1-79	26-5	"	6-485	85-8023	31	41	10	22	52	26-0	6-400	85-80	906-25	36889	36879	+0-0010	36884	
"	"	20	13	36	2-8855	1-85	27-6	+1-8	6-392	84-8023	30	52	10	22	18	27-8	6-340	84-80	906-30	36882	36878	+0-0004	36880
"	"	15	19	2-8856	1-86	27-8	"	6-390	84-8023	30	20	10	22	11	27-9	6-416	84-80	906-19	36888	36881	+0-0007	36884	
"	"	27	13	26	2-8845	1-78	27-1	+1-7	6-753	84-3523	30	43	10	22	17	27-3	6-647	84-35	906-36	36897	36892	+0-0005	36894
"	"	15	28	2-8865	1-69	27-5	"	6-055	84-3723	30	48	10	22	35	27-2	6-356	84-37	905-94	36876	36869	+0-0013	36869	
Mean of the months from June to December																						+0-00071	
906-30																							

0-36887

The mean* observed value of the Horizontal Force for the year 1915=

*The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

† Change in the magnet conditions was noted on the 17th May due to a mishap, vide Introduction.

Absolute Magnetical Observations, Alibag—Table IIa.

OBSERVATIONS OF ABSOLUTE DECLINATION, 1915.

Taken with Magnetometer No. 7 (T. Cooke and Sons.)

1915.		MEAN READINGS.						TORSION.		Observer.	Corres- ponding Reading of Decli- nation Magnetog- rams.	Absolute Easterly Declina- tion corrected for Torsion.	MONTHLY MEAN.	
Date.	Alibag (Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to				Mean.	Effect of 90°.				Corres- ponding Reading of Declina- tion Mag- netograms.	*Observed absolute Easterly Declina- tion.
		Scale apparently.		Scale of Collimator Magnet.		Kennery Light House.								
		Erect.	Inverted.											
1	2	3	4	5	6	7	8	9	10	11	12	13		
JAN.	7	H. m.	Sec. div.	Sec. div.	° ' "	° ' "	° ' "	Sec. div.	G. S. J	cms.	° ' "	cms.	° ' "	
"	15	12 40	55.6	..	85 10 15	222 23 5	0	..	G. S. J.	4.740 0 40 35				
"	21	12 44	55.6	..	85 11 15	222 22 55	0	..	G. S. J.	4.885 0 41 45				
"	28	13 26	55.6	..	85 10 40	222 22 40	0	..	G. S. J.	4.832 0 41 25	4.852	0 41 29		
FEB.	4	11 42	55.6	..	85 11 25	222 22 40	0	..	G. S. J.	4.950 0 42 10				
"	11	13 15	55.6	..	85 8 30	222 22 40	0	..	G. S. J.	4.627 0 39 15				
"	18	12 53	55.6	..	85 10 55	222 22 45	0	..	G. S. J.	4.935 0 41 35	4.777	0 40 8		
"	25	12 52	55.6	..	85 9 20	222 22 50	0	..	G. S. J.	4.772 0 39 55				
MARCH	4	12 21	55.6	..	85 9 15	222 22 50	0	..	G. S. J.	4.775 0 39 50				
"	11	12 37	55.6	..	85 8 35	222 22 40	0	..	G. S. J.	4.732 0 39 20				
"	18	12 36	55.6	..	85 9 15	222 23 0	0	..	G. S. J.	4.800 0 39 40				
"	26	12 53	55.6	..	85 10 10	222 22 55	0	..	G. S. J.	4.897 0 40 40	4.810	0 39 54		
APRIL	1	12 3	55.6	..	85 9 30	222 23 0	0	..	G. S. J.	4.810 0 39 55				
"	8	12 56	55.6	..	85 9 55	222 22 55	0	..	G. S. J.	4.845 0 40 25				
"	15	12 6	55.6	..	85 8 15	222 23 5	0	..	G. S. J.	4.692 0 38 35	4.715	0 39 5		
"	22	13 5	55.6	..	85 7 40	222 23 5	0	..	G. S. J.	4.610 0 38 0				
"	29	13 14	55.6	..	85 8 30	222 23 5	0	..	G. S. J.	4.710 0 38 50				
MAY	6	12 58	55.6	..	85 9 20	222 23 10	0	..	G. S. J.	4.717 0 39 35				
"	13	12 34	55.6	..	85 10 30	222 23 20	0	..	A.	4.790 0 40 35				
"	20	12 34	55.6	..	85 8 30	222 23 20	0	..	A.	4.627 0 38 35				
"	27	12 2	55.6	..	85 8 35	222 23 25	0	..	A.	4.632 0 38 35	4.683	0 39 19		
JUNE	3	12 37	55.6	..	85 9 20	222 23 15	0	..	A.	4.685 0 39 30				
"	10	12 18	55.6	..	85 8 15	222 22 55	0	..	G. S. J.	4.650 0 38 45				
"	17	13 15	55.6	..	85 8 10	222 23 0	0	..	G. S. J.	4.637 0 38 35				
"	24	12 23	55.6	..	85 7 45	222 23 10	0	..	G. S. J.	4.550 0 38 0	4.580	0 38 14		
JULY	1	12 58	55.6	..	85 7 5	222 22 55	0	..	G. S. J.	4.485 0 37 35				
"	8	11 58	55.6	..	85 9 15	222 22 55	0	..	G. S. J.	4.710 0 39 45				
"	15	12 56	55.6	..	85 8 0	222 23 15	0	..	G. S. J.	4.537 0 38 10				
"	22	12 48	55.6	..	85 5 20	222 23 15	0	..	G. S. J.	4.337 0 35 30	4.536	0 37 47		
"	29	13 23	55.6	..	85 8 5	222 23 20	0	..	G. S. J.	4.585 0 38 10				
AUG.	5	13 37	55.6	..	85 7 20	222 23 25	0	..	G. S. J.	4.510 0 37 20				
"	12	12 17	55.6	..	85 8 0	222 23 30	0	..	G. S. J.	4.610 0 37 55				
"	19	12 1	55.6	..	85 7 25	222 23 35	0	..	G. S. J.	4.572 0 37 15				
"	26	12 5	55.6	..	85 8 0	222 23 40	0	..	G. S. J.	4.607 0 37 45	4.583	0 37 25		
SEPT.	3	12 28	55.6	..	85 6 45	222 23 25	0	..	G. S. J.	4.542 0 36 45				
"	10	12 14	55.6	..	85 7 10	222 23 85	0	..	G. S. J.	4.567 0 37 0				
"	16	12 50	55.6	..	85 6 15	222 23 35	0	..	G. S. J.	4.490 0 36 5				
"	23	11 49	55.6	..	85 7 15	222 23 35	0	..	G. S. J.	4.580 0 37 5	4.604	0 37 16		
"	30	13 15	55.6	..	85 7 40	222 23 30	0	..	G. S. J.	4.640 0 37 35				
OCT.	7	12 18	55.6	..	85 8 40	222 23 30	0	..	G. S. J.	4.742 0 38 35				
"	15	11 59	55.6	..	85 8 55	222 23 40	0	..	G. S. J.	4.755 0 38 40				
"	21	11 47	55.6	..	85 8 20	222 23 30	0	..	G. S. J.	4.700 0 38 15				
"	28	12 9	55.6	..	85 9 5	222 23 35	0	..	G. S. J.	4.770 0 38 55		0 38 24		
NOV.	4	12 18	55.6	..	85 8 0	222 23 40	0	..	G. S. J.	4.962 0 37 45				
"	11	12 40	55.6	..	85 8 20	222 23 55	0	..	G. S. J.	4.020 0 37 50				
"	18	12 11	55.6	..	85 8 50	222 23 35	0	..	G. S. J.	4.075 0 38 40				
"	25	12 56	55.6	..	85 8 10	222 23 30	0	..	G. S. J.	4.022 0 38 5	4.047	0 38 25		
DEC.	2	11 58	55.6	..	85 8 45	222 23 5	0	..	G. S. J.	4.070 0 39				
"	9	12 50	55.6	..	85 6 30	222 23 5	0	..	G. S. J.	3.870 0 36 50				
"	16	12 38	55.6	..	85 8 40	222 22 55	0	..	G. S. J.	4.150 0 39 10				
"	23	12 48	55.6	..	85 8 30	222 22 55	0	..	G. S. J.	4.125 0 39 0	4.035	0 38 6		
"	30	12 50	55.6	..	85 8 30	222 23 5	0	..	G. S. J.	4.117 0 38 50				
					85 6 20	222 23 5	0	..	G. S. J.	3.915 0 36 40				

The mean* observed Declination for the year 1915 = 0 38' 48"

The mean* observed Declination for the year 1915 = 0 38 48

* The monthly and annual means corrected for diurnal variation appear in Table VIII

† Adjustment of the zero mirror of Declination Magnetograph on the 25th October.

Note.—As in the magnet of Instrument No. 7, there is no provision for observing the scale in the inverted position, a constant correction has been once for all determined from a large number of experiments and applied throughout to the Declination obtained from the erect position.

Absolute Magnetical Observations, Alibag—Table IIb.

OBSERVATIONS ABSOLUTE DECLINATION, 1915.

Taken with Magnetometer No. 3 (Cambridge Scientific Instrument Co.)

1915		MEAN READINGS.										TORSION.		Observer.	Corres-ponding Reading of Declination Magnetograms.	Absolute Easterly Declination corrected for Torsion.	MONTHLY MEAN.	
Date.	Alibag Civil Time.	Collimator Magnet.		Horizontal Circle with Telescope pointed to						Mean.	Effect of 90°.	Corres-ponding Reading of Declination Magnetograms.	*Observed absolute Easterly Declination.					
		Scale apparently.		Scale of Collimator Magnet.		Kennery Light House.												
		Erect.	Inverted.															
1	2	3	4	5		6		7	8	9	10	11	12	13				
	H. m.	Sc. div.	Sc. div.	° ' "		° ' "		°	Sc. div.		cms.	° ' "	cms.	° ' "				
JAN.	7 13 13	35.00	34.55	276	8 35	53	21 25	0	..	G. S. J.	4.760	0 41 0	4.884	0 41 58				
"	15 13 39	34.97	34.65	276	9 40	53	21 10	0	..	G. S. J.	4.901	0 42 13						
"	21 13 13	34.95	34.65	276	9 15	53	21 10	0	..	G. S. J.	4.891	0 41 47						
"	28 14 5	34.97	34.72	276	10 25	53	21 10	0	..	G. S. J.	4.984	0 42 54						
FEB.	4 12 39	35.02	34.40	276	7 40	53	21 5	0	..	G. S. J.	4.788	0 40 36	4.844	0 40 53				
"	11 14 10	35.00	34.55	276	9 10	53	21 0	0	..	G. S. J.	4.950	0 42 0						
"	18 13 28	35.02	34.40	276	8 15	53	21 15	0	..	G. S. J.	4.849	0 41 1						
"	25 13 24	35.00	34.65	276	7 15	53	21 5	0	..	G. S. J.	4.788	0 39 54						
MAR.	4 14 26	35.00	34.65	276	7 55	53	21 10	0	..	G. S. J.	4.888	0 40 29	4.848	0 40 18				
"	11 13 10	35.00	34.67	276	7 40	53	21 20	0	..	G. S. J.	4.819	0 40 3						
"	18 13 11	34.87	34.87	276	8 15	53	21 20	0	..	G. S. J.	4.867	0 40 20						
"	26 13 28	35.05	34.60	276	7 50	53	21 20	0	..	G. S. J.	4.818	0 40 20						
APRIL	1 12 33	34.97	34.95	276	8 15	53	21 25	0	..	G. S. J.	4.775	0 40 16	4.728	0 39 42				
"	8 13 26	35.07	34.60	276	6 45	53	21 15	0	..	G. S. J.	4.705	0 39 21						
"	15 12 46	34.92	34.85	276	7 0	53	21 30	0	..	G. S. J.	4.638	0 38 58						
"	22 13 36	35.10	34.80	276	7 40	53	21 20	0	..	G. S. J.	4.760	0 40 2						
"	29 14 4	34.92	34.67	276	7 35	53	21 20	0	..	G. S. J.	4.761	0 39 54	4.684	0 38 59				
MAY	6 13 27	35.00	34.75	276	8 0	53	21 15	0	..	A.	4.806	0 40 24						
"	13 13 9	35.00	34.60	276	5 50	53	21 35	0	..	A.	4.596	0 38 3						
"	20 13 10	35.00	34.85	276	6 10	53	21 35	0	..	A.	4.626	0 38 8						
"	27 12 34	35.12	34.57	276	7 15	53	21 50	0	..	A.	4.710	0 39 21	4.595	0 38 28				
JUNE	3 13 12	35.05	34.87	276	6 40	53	21 30	0	..	G. S. J.	4.675	0 38 45						
"	10 12 57	35.02	34.85	276	6 45	53	21 40	0	..	G. S. J.	4.615	0 38 39						
"	17 13 50	35.02	34.57	276	6 25	53	21 40	0	..	G. S. J.	4.578	0 38 35						
"	24 13 6	35.00	34.70	276	5 35	53	21 25	0	..	G. S. J.	4.512	0 37 52	4.548	0 39 47				
JULY	1 13 38	34.92	34.85	276	7 55	53	21 40	0	..	G. S. J.	4.682	0 39 43						
"	8 12 36	34.95	34.82	276	5 55	53	21 50	0	..	G. S. J.	4.493	0 37 37						
"	15 13 32	35.02	34.72	276	4 5	53	21 50	0	..	G. S. J.	4.406	0 35 57						
"	22 13 14	34.95	34.85	276	6 55	53	22 10	0	..	G. S. J.	4.605	0 38 16	4.621	0 37 50				
"	29 13 59	35.10	34.70	276	5 55	53	22 15	0	..	G. S. J.	4.552	0 37 28						
AUG.	5 14 16	35.10	34.82	276	7 40	53	22 25	0	..	G. S. J.	4.690	0 38 56						
"	12 12 50	35.00	35.07	276	6 45	53	22 15	0	..	G. S. J.	4.609	0 37 52						
"	19 12 36	35.02	34.87	276	6 5	53	22 15	0	..	G. S. J.	4.595	0 37 23	4.615	0 37 31				
"	26 13 16	35.05	34.85	276	5 55	53	22 15	0	..	G. S. J.	4.592	0 37 16						
SEPT.	3 13 6	34.92	35.02	276	6 45	53	22 20	0	..	G. S. J.	4.612	0 37 44						
"	10 12 49	35.00	34.90	276	4 55	53	22 15	0	..	G. S. J.	4.506	0 36 11						
"	16 13 21	34.92	34.87	276	6 10	53	22 20	0	..	G. S. J.	4.573	0 37 17	4.622	0 39 6				
"	23 12 29	35.00	34.85	276	6 25	53	22 30	15E.	0.62	G. S. J.	4.622	0 37 16						
"	30 13 41	35.00	34.90	276	8 10	53	22 35	0	..	G. S. J.	4.763	0 39 6						
OCT.	7 12 52	35.00	34.90	276	8 0	53	22 45	0	..	G. S. J.	4.760	0 38 46	4.615	0 38 42				
"	15 12 38	35.00	34.75	276	7 45	53	22 45	0	..	G. S. J.	4.722	0 38 39						
"	21 12 20	35.00	34.93	276	8 0	53	22 40	0	..	G. S. J.	4.753	0 38 47						
"	28 12 51	35.00	35.00	276	8 5	53	22 55	0	..	G. S. J.	4.745	0 38 35						
NOV.	4 12 58	35.02	34.72	276	7 40	53	23 5	0	..	G. S. J.	4.052	0 38 17	4.098	0 38 59				
"	11 13 12	35.00	34.17	276	7 20	53	22 35	0	..	G. S. J.	4.102	0 38 57						
"	18 12 51	34.85	34.65	276	8 20	53	22 40	0	..	G. S. J.	4.107	0 39 16						
"	25 13 28	35.00	34.42	276	8 0	53	22 30	0	..	G. S. J.	4.132	0 39 28						
DEC.	2 12 31	35.17	34.02	276	5 35	53	22 30	0	..	G. S. J.	3.933	0 37 35	4.068	0 38 22				
"	9 13 29	34.95	34.40	276	7 40	53	22 25	0	..	G. S. J.	4.134	0 39 11						
"	16 13 13	35.02	34.10	276	7 40	53	22 25	0	..	G. S. J.	4.177	0 39 33						
"	23 13 21	35.07	34.02	276	6 20	53	22 10	0	..	G. S. J.	4.117	0 38 35						
"	30 13 38	34.90	34.30	276	5 20	53	22 25	0	..	G. S. J.	3.978	0 36 54						

The mean * observed Declination for the year 1915 = 0 39 17

The mean * observed Declination for the year 1915 = 0 39 17

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

† Adjustment of the zero mirror of the Declination Magnetograph on the 25th October.

Absolute Magnetical Observations, Alibag—Table IIIa.

Observations of Inclination, 1915.

Taken with Inductor No. 41 by Schulze and Galvanometer No. 200 By Plath.

1915.	Alibag Civil Time (0 to 24 hours)				Observers.	Face of Circle.		Mean Inclination.	* Monthly mean Inclination.
Date.	At commence- ment.	At conclu- sion.				East.	West.		
	H.	m.	H.	m.		°	°	°	
JANY.	2	11 36	11	52	G. S. J. and G. P.	24 17.16	24 17.66	24 17.41	24 16.36
"	4	11 26	11	44	G. P. and G. S. J.	24 16.67	24 16.44	24 16.55	
"	6	11 29	11	46	G. S. J. and G. P.	24 15.68	24 15.91	24 15.79	
"	8	11 35	11	54	G. S. J. and G. P.	24 13.62	24 13.90	24 13.76	
"	9	11 28	11	46	G. P. and G. S. J.	24 15.81	24 15.26	24 15.53	
"	11	11 31	11	52	G. S. J. and G. P.	24 14.87	24 15.40	24 15.13	
"	13	11 47	12	3	G. P. and G. S. J.	24 16.48	24 16.04	24 16.26	
"	15	11 41	12	8	G. P. and G. S. J.	24 17.12	24 17.23	24 17.17	
"	16	11 31	11	51	G. S. J. and G. P.	24 16.34	24 16.85	24 16.59	
"	18	11 5	11	31	G. P. and G. S. J.	24 15.83	24 15.15	24 15.49	
"	20	11 37	11	57	G. S. J. and G. P.	24 14.94	24 15.85	24 15.39	
"	22	11 50	12	8	G. S. J. and G. P.	24 15.33	24 16.02	24 15.67	
"	23	11 45	12	2	G. P. and G. S. J.	24 17.04	24 17.32	24 17.18	
"	25	11 32	11	46	G. S. J. and G. P.	24 16.71	24 17.41	24 17.06	
"	27	11 7	11	22	G. P. and G. S. J.	24 17.63	24 17.81	24 17.72	
"	29	11 34	11	51	G. P. and G. S. J.	24 17.38	24 17.48	24 17.43	
"	30	11 38	12	0	G. S. J. and G. P.	24 17.80	24 18.05	24 17.92	
FEB.	1	14 15	14	26	G. S. J. and G. P.	24 18.15	24 18.69	24 18.42	24 17.45
"	1	14 41	15	1	G. S. J. and G. P.	24 18.03	24 18.63	24 18.33	
"	2	14 10	14	26	G. S. J. and G. P.	24 19.11	24 19.61	24 19.36	
"	2	14 37	14	49	G. S. J. and G. P.	24 19.15	24 19.25	24 19.20	
"	3	14 15	14	31	G. S. J. and G. P.	24 17.72	24 18.41	24 18.06	
"	3	14 44	14	56	G. S. J. and G. P.	24 17.92	24 18.38	24 18.15	
"	4	14 15	14	30	G. S. J. and G. P.	24 17.37	24 17.81	24 17.59	
"	4	14 41	14	56	G. S. J. and G. P.	24 17.95	24 18.04	24 17.99	
"	5	14 2	14	16	G. S. J. and G. P.	24 18.22	24 18.71	24 18.46	
"	5	14 26	14	39	G. S. J. and G. P.	24 18.16	24 18.45	24 18.30	
"	6	12 51	13	5	G. P. and G. S. J.	24 15.75	24 15.84	24 15.79	
"	8	15 42	16	0	G. P.	24 17.67	24 17.68	24 17.67	
"	10	11 24	12	16	G. P. and G. S. J.	24 17.47	24 17.44	24 17.45	
"	13	12 35	12	52	G. S. J. and G. P.	24 16.55	24 17.18	24 16.86	
"	15	11 14	11	29	G. P. and G. S. J.	24 15.88	24 16.03	24 15.95	
"	17	11 42	11	58	G. S. J. and G. P.	24 16.04	24 16.55	24 16.29	
"	19	11 49	12	13	G. S. J. and G. P.	24 15.67	24 15.68	24 15.67	
"	20	11 17	11	35	G. P. and G. S. J.	24 16.90	24 16.91	24 16.90	
"	22	11 35	11	52	G. S. J. and G. P.	24 16.13	24 16.45	24 16.29	
"	24	11 21	11	36	G. P. and G. S. J.	24 16.12	24 16.10	24 16.11	
"	26	11 28	11	48	G. P. and G. S. J.	24 16.42	24 16.42	24 16.42	
"	27	13 2	13	15	G. S. J. and G. P.	24 18.34	24 18.78	24 18.56	
MARCH	3	11 28	11	45	G. S. J. and G. P.	24 15.79	24 15.54	24 15.66	24 16.21
"	5	11 36	11	53	G. S. J. and G. P.	24 15.37	24 15.64	24 15.50	
"	6	11 18	11	33	G. P. and G. S. J.	24 15.75	24 15.69	24 15.72	
"	8	11 24	11	42	G. S. J. and G. P.	24 15.58	24 15.51	24 15.54	
"	10	11 10	11	30	G. P. and G. S. J.	24 16.40	24 15.81	24 16.10	
"	12	11 35	11	53	G. P. and G. S. J.	24 15.89	24 15.96	24 15.92	
"	13	12 0	12	16	G. S. J. and G. P.	24 14.90	24 15.70	24 15.30	
"	15	11 27	11	44	G. P. and G. S. J.	24 15.47	24 15.84	24 15.65	
"	17	11 29	11	46	G. S. J. and G. P.	24 16.00	24 16.57	24 16.28	
"	19	11 50	12	7	G. S. J. and G. P.	24 16.35	24 16.81	24 16.58	
"	20	11 31	11	52	G. P. and G. S. J.	24 16.27	24 16.54	24 16.40	
"	22	11 34	11	50	G. S. J. and G. P.	24 17.24	24 18.04	24 17.64	
"	24	11 22	11	38	G. P. and G. S. J.	24 16.97	24 17.18	24 17.07	
"	26	11 18	11	33	G. P. and G. S. J.	24 17.28	24 17.75	24 17.51	
"	27	11 43	11	58	G. S. J. and G. P.	24 16.69	24 17.02	24 16.85	
"	29	11 18	11	34	G. P. and G. S. J.	24 16.35	24 16.88	24 16.61	
"	31	11 33	11	51	G. S. J. and G. P.	24 15.14	24 15.36	24 15.25	
APRIL	2	11 35	11	51	G. S. J. and G. P.	24 15.41	24 15.55	24 15.48	24 16.03
"	3	11 18	11	40	G. P. and G. S. J.	24 15.42	24 15.81	24 15.61	
"	5	11 29	11	50	G. S. J. and G. P.	24 15.50	24 15.89	24 15.69	
"	7	11 10	11	27	G. P. and G. S. J.	24 15.23	24 15.81	24 15.52	
"	9	11 20	11	36	G. P. and G. S. J.	24 15.76	24 16.02	24 15.89	
"	10	11 30	11	47	G. S. J. and G. P.	24 15.17	24 15.74	24 15.45	
"	12	11 0	11	15	G. P. and G. S. J.	24 15.50	24 15.81	24 15.65	
"	14	11 29	11	48	G. S. J. and G. P.	24 15.06	24 15.58	24 15.32	
"	16	11 36	11	53	G. S. J. and G. P.	24 16.02	24 16.82	24 16.42	
"	17	11 35	11	49	G. P. and G. S. J.	24 16.39	24 16.32	24 16.35	
"	19	11 26	11	43	G. S. J. and G. P.	24 17.61	24 17.95	24 17.78	
"	21	11 23	11	39	G. P. and G. S. J.	24 17.28	24 16.84	24 17.06	
"	23	11 14	11	30	G. P. and G. S. J.	24 17.24	24 17.11	24 17.17	
"	24	11 37	11	52	G. S. J. and G. P.	24 16.48	24 16.86	24 16.67	
"	26	11 11	11	28	G. P. and G. S. J.	24 15.24	24 15.28	24 15.26	
"	28	11 51	12	7	G. S. J. and G. P.	24 15.35	24 15.96	24 15.65	
"	30	12 6	12	26	A. and G. P.	24 15.33	24 15.81	24 15.57	

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

1915.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	* Monthly mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.		°	°	°	°
MAY	1	11 12	11 33	G. P. and A.	24 15.16	24 15.66	24 15.41	24 16.83
"	3	11 7	11 26	A. and G. P.	24 15.11	24 15.46	24 15.28	
"	5	11 30	11 42	G. P. and A.	24 16.09	24 16.39	24 16.24	
"	7	11 31	11 44	A. and G. P.	24 16.75	24 16.95	24 16.85	
"	8	11 49	12 5	A. and G. P.	24 17.66	24 17.68	24 17.67	
"	10	11 31	11 48	A. and G. P.	24 16.63	24 16.72	24 16.67	
"	12	12 3	12 15	A. and G. P.	24 17.77	24 17.93	24 17.85	
"	14	11 26	11 42	A. and G. P.	24 17.43	24 17.72	24 17.57	
"	15	11 40	11 56	A. and G. P.	24 16.79	24 16.60	24 16.69	
"	17	11 5	11 20	A. and G. P.	24 17.80	24 17.87	24 17.83	
"	19	10 55	11 10	G. P. and A.	24 17.06	24 17.13	24 17.09	
"	21	10 50	11 3	G. P. and A.	24 18.54	24 18.10	24 18.32	
"	22	12 19	12 31	A. and G. P.	24 17.23	24 17.35	24 17.29	
"	24	11 11	11 47	G. P. and A.	24 16.46	24 17.06	24 16.76	
"	26	11 25	11 39	A. and G. P.	24 16.04	24 15.99	24 16.01	
"	28	12 22	12 32	A. and G. P.	24 17.30	24 17.22	24 17.26	
"	29	11 13	11 33	G. P. and A.	24 15.86	24 15.43	24 15.64	
"	31	12 0	12 17	A. and G. P.	24 16.38	24 16.64	24 16.51	
JUNE	2	11 19	11 33	G. P. and A.	24 16.92	24 16.97	24 16.94	24 18.38
"	4	11 16	11 35	G. P. and G. S. J.	24 16.91	24 17.93	24 17.42	
"	5	11 43	12 9	G. S. J. and G. P.	24 18.14	24 18.70	24 18.42	
"	7	11 40	12 7	G. P. and G. S. J.	24 16.94	24 16.97	24 16.95	
"	9	11 58	12 22	G. S. J. and G. P.	24 17.60	24 17.95	24 17.77	
"	11	11 39	11 57	G. S. J. and G. P.	24 16.94	24 16.53	24 16.73	
"	12	11 20	11 35	G. P. and G. S. J.	24 16.59	24 16.18	24 16.38	
"	14	11 26	11 42	G. S. J. and G. P.	24 18.48	24 18.63	24 18.55	
"	16	11 10	11 23	G. P. and G. S. J.	24 18.33	24 18.30	24 18.31	
"	18	11 10	11 30	G. P. and G. S. J.	24 19.46	24 19.85	24 19.65	
"	19	12 18	12 35	G. S. J. and G. P.	24 20.52	24 21.14	24 20.83	
"	21	11 8	11 25	G. P. and G. S. J.	24 20.26	24 20.31	24 20.28	
"	23	11 25	11 44	G. S. J. and G. P.	24 18.70	24 18.92	24 18.81	
"	25	11 39	11 57	G. S. J. and G. P.	24 18.42	24 18.66	24 18.54	
"	26	11 49	12 4	G. P. and G. S. J.	24 19.00	24 18.77	24 18.88	
"	28	11 39	11 59	G. S. J. and G. P.	24 19.11	24 18.76	24 18.93	
"	30	11 11	11 26	G. P. and G. S. J.	24 19.07	24 19.16	24 19.11	
JULY	2	11 46	12 0	G. P. and G. S. J.	24 19.92	24 20.01	24 19.96	24 19.14
"	3	11 30	11 47	G. S. J. and G. P.	24 19.49	24 19.93	24 19.71	
"	5	11 10	11 25	G. P. and G. S. J.	24 18.49	24 18.62	24 18.55	
"	7	11 16	11 33	G. S. J. and G. P.	24 19.95	24 20.40	24 20.17	
"	9	11 48	12 11	G. S. J. and G. P.	24 18.26	24 17.72	24 17.99	
"	11	11 11	11 30	G. P. and G. S. J.	24 17.57	24 18.55	24 18.06	
"	12	12 34	12 54	G. S. J. and G. P.	24 20.08	24 20.57	24 20.32	
"	14	11 5	11 20	G. P. and G. S. J.	24 18.30	24 18.29	24 18.29	
"	16	11 12	11 27	G. P. and G. S. J.	24 19.22	24 19.73	24 19.47	
"	17	11 36	11 53	G. S. J. and G. P.	24 17.79	24 18.72	24 18.25	
"	19	11 1	11 17	G. P. and G. S. J.	24 18.17	24 18.10	24 18.13	
"	21	12 14	12 35	G. S. J. and G. P.	24 18.79	24 19.24	24 19.01	
"	23	12 1	12 20	G. S. J. and G. P.	24 18.55	24 18.81	24 18.68	
"	24	11 14	11 29	G. P. and G. S. J.	24 19.22	24 19.56	24 19.39	
"	26	11 27	11 41	G. P. and G. S. J.	24 19.07	24 19.24	24 19.15	
"	28	11 37	11 58	G. S. J. and G. P.	24 18.72	24 19.24	24 18.98	
"	30	14 4	14 20	G. S. J. and G. P.	24 20.67	24 21.59	24 21.13	
"	31	11 11	11 25	G. P. and G. S. J.	24 19.14	24 19.41	24 19.27	
AUG.	2	11 55	12 12	G. S. J. and G. P.	24 18.77	24 19.42	24 19.09	24 19.91
"	4	11 1	11 16	G. P. and G. S. J.	24 19.03	24 19.86	24 19.44	
"	6	11 12	11 27	G. P. and G. S. J.	24 19.40	24 20.04	24 19.72	
"	7	11 9	11 30	G. S. J. and G. P.	24 19.06	24 19.73	24 19.39	
"	9	11 1	11 16	G. P. and G. S. J.	24 19.78	24 19.98	24 19.88	
"	11	11 41	11 56	G. S. J. and G. P.	24 18.48	24 19.03	24 18.75	
"	13	11 12	11 3	G. S. J. and G. P.	24 18.99	24 19.64	24 19.31	
"	14	11 9	11 23	G. P. and G. S. J.	24 19.53	24 20.12	24 19.82	
"	16	11 26	11 44	G. S. J. and G. P.	24 19.32	24 20.14	24 19.73	
"	18	11 9	11 22	G. P. and G. S. J.	24 19.81	24 20.19	24 20.00	
"	20	11 16	11 32	G. P. and G. S. J.	24 18.90	24 19.71	24 19.30	
"	21	11 24	11 39	G. S. J. and G. P.	24 20.49	24 21.01	24 20.75	
"	23	11 39	11 54	G. P. and G. S. J.	24 20.42	24 21.20	24 20.81	
"	25	11 22	11 41	G. S. J. and G. P.	24 18.93	24 19.37	24 19.15	
"	27	11 32	11 46	G. S. J. and G. P.	24 20.83	24 21.53	24 21.18	
"	28	11 26	11 41	G. P. and G. S. J.	24 21.57	24 21.68	24 21.62	
"	30	11 30	11 48	G. S. J. and G. P.	24 20.47	24 20.64	24 20.55	

1915.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	* Monthly mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.		°	°	°	°
SEPT.	1	10 57	11 11	G. P. and G. S. J.	24 19.42	24 19.90	24 19.66	24° 19.83
"	3	11 19	11 31	G. P. and G. S. J.	24 19.44	24 19.82	24 19.63	
"	4	11 13	11 31	G. S. J. and G. P.	24 19.13	24 19.44	24 19.28	
"	6	11 23	11 39	G. P. and G. S. J.	24 18.08	24 18.43	24 18.25	
"	8	11 50	12 7	G. S. J. and G. P.	24 18.85	24 18.88	24 18.86	
"	10	11 19	11 36	G. S. J. and G. P.	24 19.25	24 19.60	24 19.42	
"	11	11 14	11 31	G. P. and G. S. J.	24 19.89	24 20.53	24 20.21	
"	13	12 4	12 26	G. S. J. and G. P.	24 19.16	24 19.89	24 19.52	
"	15	11 35	11 49	G. P. and G. S. J.	24 19.04	24 19.60	24 19.32	
"	17	11 8	11 25	G. P. and G. S. J.	24 21.14	24 21.15	24 21.14	
"	18	11 17	11 40	G. S. J. and G. P.	24 19.47	24 19.85	24 19.66	
"	20	10 59	11 16	G. P. and G. S. J.	24 18.43	24 18.43	24 18.43	
"	22	11 5	11 21	G. S. J. and G. P.	24 19.05	24 19.51	24 19.28	
"	24	11 13	11 30	G. S. J. and G. P.	24 20.34	24 21.07	24 20.70	
"	25	11 2	11 16	G. P. and G. S. J.	24 20.29	24 20.91	24 20.60	
"	27	11 17	11 38	G. S. J. and G. P.	24 21.52	24 22.16	24 21.84	
"	29	11 1	11 16	G. P. and G. S. J.	24 21.13	24 21.33	24 21.23	
OCT.	1	11 0	11 16	G. P. and G. S. J.	24 19.79	24 20.07	24 19.93	24 21.47
"	2	11 24	11 42	G. S. J. and G. P.	24 20.40	24 21.29	24 20.84	
"	4	11 2	11 16	G. P. and G. S. J.	24 20.77	24 21.15	24 20.96	
"	6	11 14	11 35	G. S. J. and G. P.	24 18.75	24 19.23	24 18.99	
"	8	12 12	12 28	G. S. J. and G. P.	24 21.82	24 21.99	24 21.90	
"	9	11 5	11 18	G. P. and G. S. J.	24 21.64	24 21.77	24 21.70	
"	11	11 25	11 45	G. S. J. and G. P.	24 20.30	24 20.13	24 20.21	
"	13	10 50	11 30	G. P. and G. S. J.	24 21.24	24 21.31	24 21.27	
"	15	10 59	11 14	G. P. and G. S. J.	24 22.77	24 23.06	24 22.91	
"	16	11 25	11 42	G. S. J. and G. P.	24 22.30	24 22.60	24 22.45	
"	25	11 28	11 44	G. S. J. and G. P.	24 23.01	24 23.69	24 23.35	
"	27	11 0	11 19	G. P. and G. S. J.	24 21.43	24 22.19	24 21.81	
"	29	11 5	11 21	G. P. and G. S. J.	24 22.12	24 22.41	24 22.26	
"	30	12 21	12 39	G. S. J. and G. P.	24 21.85	24 22.22	24 22.03	
NOV.	1	14 28	14 41	G. P. and G. S. J.	24 24.26	24 24.27	24 24.26	24 23.10
"	3	12 14	12 33	G. S. J. and G. P.	24 23.26	24 23.73	24 23.49	
"	5	11 49	12 5	G. S. J. and G. P.	24 23.05	24 23.65	24 23.35	
"	10	11 4	11 16	G. P. and G. S. J.	24 22.17	24 22.21	24 22.19	
"	12	11 0	11 15	G. P. and G. S. J.	24 22.79	24 22.66	24 22.72	
"	13	12 14	12 37	G. S. J. and G. P.	24 22.50	24 23.02	24 22.76	
"	15	11 21	11 41	G. P. and G. S. J.	24 21.68	24 21.83	24 21.75	
"	17	11 25	11 46	G. S. J. and G. P.	24 23.50	24 23.74	24 23.62	
"	19	11 27	11 47	G. S. J. and G. P.	24 23.38	24 24.25	24 23.81	
"	20	11 36	11 55	G. P. and G. S. J.	24 23.01	24 23.11	24 23.06	
DEC.	6	11 53	12 12	G. S. J. and G. P.	24 22.94	24 23.31	24 23.12	24 23.61
"	8	11 13	11 31	G. P. and G. S. J.	24 23.01	24 23.35	24 23.18	
"	10	11 11	11 22	G. P. and G. S. J.	24 21.91	24 22.15	24 22.03	
"	11	11 23	11 42	G. S. J. and G. P.	24 22.50	24 23.37	24 22.93	
"	13	11 5	11 15	G. P. and G. S. J.	24 22.82	24 23.70	24 23.26	
"	15	11 39	11 58	G. S. J. and G. P.	24 24.85	24 25.46	24 25.15	
"	17	11 32	11 50	G. S. J. and G. P.	24 23.70	24 23.84	24 23.77	
"	18	11 14	11 31	G. P. and G. S. J.	24 23.99	24 24.65	24 24.32	
"	20	11 29	11 46	G. S. J. and G. P.	24 24.37	24 24.33	24 24.35	
"	22	11 6	11 19	G. P. and G. S. J.	24 24.02	24 23.56	24 23.79	
"	24	11 19	11 37	G. P. and G. S. J.	24 23.52	24 23.56	24 23.54	
"	27	11 8	11 18	G. P. and G. S. J.	24 23.30	24 23.83	24 23.56	
"	29	11 39	11 58	G. S. J. and G. P.	24 24.30	24 23.96	24 24.13	
"	31	11 27	11 45	G. S. J. and G. P.	24 23.20	24 23.50	24 23.35	
The mean *observed Inclination for the year 1915 24 19.03								

* The monthly and annual means corrected for diurnal variation appear in Table VIII.

Absolute Magnetical Observations, Alibag.—Table IIIb.

OBSERVATIONS OF INCLINATION, 1915.

*Taken with Inductor No. 108 and Galvanometer No. 108A by Otto
Toeffer and Sons.*

1915.	Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	* Monthly mean Inclination.
Date.	At commence- ment.	At conclu- sion.		East.	West.		
	H. m.	H. m.		°	°	°	°
JANY.	5 11 3	11 19	G. P. and G. S. J.	24 16.29	24 16.28	24 16.28	24 17.07
"	7 11 15	11 35	G. P. and G. S. J.	24 16.67	24 16.52	24 16.59	
"	9 7 45	8 4	G. S. J. and G. P.	24 18.74	24 18.37	24 18.55	
"	12 11 39	11 57	G. S. J. and G. P.	24 15.32	24 14.89	24 15.10	
"	16 7 48	8 5	G. P. and G. S. J.	24 18.18	24 18.15	24 18.16	
"	19 11 24	11 43	G. P. and G. S. J.	24 16.00	24 15.79	24 15.89	
"	21 11 15	11 30	G. P. and G. S. J.	24 15.81	24 15.73	24 15.77	
"	23 7 49	8 8	G. S. J. and G. P.	24 17.46	24 17.87	24 17.66	
"	26 11 49	12 9	G. S. J. and G. P.	24 17.55	24 17.84	24 17.69	
"	28 11 50	12 8	G. S. J. and G. P.	24 17.40	24 18.06	24 17.73	
"	30 7 30	7 48	G. P. and G. S. J.	24 18.44	24 18.32	24 18.38	
FEB.	6 7 45	8 1	G. S. J. and G. P.	24 18.86	24 18.96	24 18.91	24 18.14
"	9 11 35	11 54	G. S. J. and G. P.	24 17.76	24 17.65	24 17.70	
"	11 8 6	8 22	G. P. and G. S. J.	24 18.98	24 18.68	24 18.83	
"	11 11 51	12 6	G. S. J. and G. P.	24 17.50	24 17.37	24 17.43	
"	16 14 14	14 33	G. P. and G. S. J.	24 17.65	24 17.59	24 17.62	
"	18 11 17	11 35	G. P. and G. S. J.	24 17.20	24 17.14	24 17.17	
"	20 7 39	7 57	G. S. J. and G. P.	24 19.68	24 20.22	24 19.95	
"	23 11 44	12 4	G. S. J. and G. P.	24 17.46	24 17.47	24 17.46	
"	25 11 51	12 7	G. S. J. and G. P.	24 17.30	24 17.20	24 17.25	
"	27 7 42	8 4	G. P. and G. S. J.	24 19.15	24 19.04	24 19.09	
MARCH	2 11 28	11 44	G. P. and G. S. J.	24 17.19	24 17.37	24 17.28	24 17.99
"	4 11 26	11 46	G. P. and G. S. J.	24 16.92	24 16.79	24 16.85	
"	6 7 45	8 5	G. S. J. and G. P.	24 18.98	24 19.23	24 19.10	
"	9 11 27	11 44	G. S. J. and G. P.	24 18.74	24 18.76	24 18.75	
"	11 11 35	11 53	G. S. J. and G. P.	24 16.73	24 16.87	24 16.80	
"	13 7 32	7 50	G. P. and G. S. J.	24 18.04	24 17.97	24 18.00	
"	16 11 49	12 5	G. P. and G. S. J.	24 17.13	24 17.12	24 17.12	
"	18 11 24	11 42	G. P. and G. S. J.	24 17.08	24 17.35	24 17.21	
"	20 7 25	7 44	G. S. J. and G. P.	24 19.80	24 19.99	24 19.89	
"	23 11 48	12 3	G. S. J. and G. P.	24 18.25	24 18.19	24 18.22	
"	27 7 12	7 29	G. P. and G. S. J.	24 19.34	24 19.48	24 19.41	
"	30 11 21	11 37	G. P. and G. S. J.	24 17.18	24 17.24	24 17.21	
APRIL	1 11 8	11 25	G. P. and G. S. J.	24 17.51	24 17.54	24 17.52	24 18.03
"	3 7 8	7 30	G. S. J. and G. P.	24 20.18	24 20.66	24 20.42	
"	6 11 43	12 3	G. S. J. and G. P.	24 16.60	24 16.39	24 16.49	
"	8 11 47	12 0	G. S. J. and G. P.	24 16.57	24 16.37	24 16.47	
"	10 6 58	7 18	G. P. and G. S. J.	24 20.26	24 20.43	24 20.34	
"	13 11 17	11 34	G. P. and G. S. J.	24 15.56	24 15.52	24 15.54	
"	15 11 16	11 35	G. P. and G. S. J.	24 14.88	24 14.99	24 14.93	
"	17 7 5	7 21	G. S. J. and G. P.	24 21.09	24 21.41	24 21.25	
"	20 11 28	11 45	G. S. J. and G. P.	24 17.75	24 18.21	24 17.98	
"	22 11 38	11 52	G. S. J. and G. P.	24 17.42	24 16.95	24 17.18	
"	24 6 51	7 8	G. P. and G. S. J.	24 21.26	24 21.43	24 21.34	
"	27 11 18	11 34	G. P. and G. S. J.	24 17.80	24 17.75	24 17.77	
"	29 11 10	11 28	G. P. and G. S. J.	24 17.33	24 17.08	24 17.20	
MAY	1 7 19	7 49	A. and G. P.	24 19.72	24 19.71	24 19.71	24 19.19
"	4 11 20	11 43	A. and G. P.	24 17.04	24 17.29	24 17.16	
"	6 11 45	12 2	A. and G. P.	24 17.44	24 17.30	24 17.37	
"	8 6 56	7 11	A. and G. P.	24 20.16	24 20.24	24 20.20	
"	11 11 32	11 45	G. P. and A.	24 18.69	24 18.58	24 18.63	
"	13 11 45	11 57	G. P. and A.	24 18.24	24 18.11	24 18.17	
"	15 7 0	7 16	G. P. and A.	24 20.82	24 20.42	24 20.62	
"	18 10 13	10 24	A. and G. P.	24 19.23	24 18.98	24 19.10	
"	20 11 45	11 59	A. and G. P.	24 19.15	24 18.95	24 19.05	
"	22 6 45	7 5	G. P. and A.	24 21.10	24 21.21	24 21.15	
"	25 11 11	11 26	G. P. and A.	24 18.15	24 18.08	24 18.11	
"	27 11 22	11 41	G. P. and A.	24 18.31	24 18.53	24 18.42	
"	29 6 50	7 4	A. and G. P.	24 21.74	24 21.80	24 21.77	

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

1915.		Alibag Civil Time (0 to 24 hours).		Observers.	Face of Circle.		Mean Inclination.	* Monthly mean Inclination.
Date.		At commence- ment.	At conclu- sion.		East.	West.		
		H. m.	H. m.					
JUNE	1	11 15	11 29	A. and G. P.	24 17.35	24 17.30	24 17.32	24 20.55
"	3	11 25	11 42	G. S. J. and G. P.	24 18.76	24 19.40	24 19.08	
"	5	6 41	6 57	G. P. and G. S. J.	24 22.05	24 22.01	24 22.03	
"	8	11 8	11 26	G. P. and G. S. J.	24 18.78	24 18.73	24 18.75	
"	10	11 20	11 36	G. P. and G. S. J.	24 19.11	24 19.11	24 19.11	
"	12	7 2	7 18	G. S. J. and G. P.	24 22.86	24 22.98	24 22.92	
"	15	11 33	11 54	G. S. J. and G. P.	24 18.16	24 18.63	24 18.39	
"	17	11 45	12 5	G. S. J. and G. P.	24 21.39	24 20.65	24 21.02	
"	19	7 5	7 24	G. P. and G. S. J.	24 24.25	24 24.49	24 24.37	
"	22	11 10	11 27	G. P. and G. S. J.	24 21.74	24 22.32	24 22.03	
"	24	11 21	11 38	G. P. and G. S. J.	24 19.55	24 19.36	24 19.45	
"	26	7 28	7 48	G. S. J. and G. P.	24 22.83	24 22.84	24 22.83	
"	29	11 29	11 48	G. S. J. and G. P.	24 20.24	24 19.44	24 19.84	
JULY	1	11 41	12 3	G. S. J. and G. P.	24 21.55	24 21.65	24 21.60	24 21.78
"	3	7 4	7 21	G. P. and G. S. J.	24 24.04	24 24.22	24 24.13	
"	6	11 40	11 55	G. P. and G. S. J.	24 20.98	24 21.35	24 21.16	
"	8	11 5	11 21	G. P. and G. S. J.	24 21.14	24 21.70	24 21.42	
"	10	7 16	7 46	G. S. J. and G. P.	24 23.07	24 23.10	24 23.08	
"	13	11 26	11 44	G. S. J. and G. P.	24 20.16	24 19.66	24 19.91	
"	15	11 30	11 48	G. S. J. and G. P.	24 19.15	24 18.70	24 18.92	
"	17	7 5	7 19	G. P. and G. S. J.	24 23.79	24 24.26	24 24.02	
"	20	11 31	12 0	G. S. J.	24 18.94	24 19.18	24 19.06	
"	22	11 25	11 51	G. S. J.	24 21.88	24 21.58	24 21.73	
"	24	7 26	7 52	G. S. J. and G. P.	24 22.80	24 22.06	24 22.43	
"	27	11 19	11 32	G. P. and G. S. J.	24 21.60	24 21.25	24 21.42	
"	29	11 7	11 28	G. P. and G. S. J.	24 22.42	24 22.11	24 22.26	
"	31	7 15	7 36	G. S. J. and G. P.	24 23.86	24 23.84	24 23.85	
AUG.	3	11 20	11 57	G. S. J. and G. P.	24 19.50	24 19.78	24 19.64	24 21.59
"	5	12 53	13 16	G. S. J. and G. P.	24 21.34	24 21.43	24 21.38	
"	7	6 57	7 18	G. P. and G. S. J.	24 24.36	24 24.94	24 24.65	
"	10	11 10	11 29	G. P. and G. S. J.	24 19.60	24 19.49	24 19.54	
"	12	11 2	11 17	G. P. and G. S. J.	24 19.53	24 19.59	24 19.56	
"	14	7 18	7 40	G. S. J. and G. P.	24 23.19	24 23.53	24 23.36	
"	17	11 7	11 23	G. S. J. and G. P.	24 19.54	24 19.48	24 19.51	
"	19	11 7	11 23	G. S. J. and G. P.	24 20.18	24 20.19	24 20.18	
"	21	7 4	7 21	G. P. and G. S. J.	24 22.93	24 23.00	24 22.96	
"	26	11 2	11 19	G. P. and G. S. J.	24 22.43	24 22.63	24 22.53	
"	28	7 10	7 30	G. S. J. and G. P.	24 24.94	24 25.71	24 25.32	
"	31	11 18	11 35	G. S. J. and G. P.	24 20.76	24 20.22	24 20.49	
SEPT.	4	7 14	7 37	G. P. and G. S. J.	24 24.45	24 24.18	24 24.31	24 22.12
"	7	11 7	11 23	G. P. and G. S. J.	24 19.80	24 19.70	24 19.75	
"	9	11 7	11 24	G. P. and G. S. J.	24 20.26	24 21.11	24 20.68	
"	11	7 23	7 45	G. S. J. and G. P.	24 23.50	24 23.68	24 23.59	
"	14	12 19	12 35	G. S. J. and G. P.	24 21.00	24 20.71	24 20.85	
"	16	11 14	11 31	G. S. J. and G. P.	24 21.11	24 20.78	24 20.94	
"	18	7 23	7 39	G. P. and G. S. J.	24 24.31	24 24.22	24 24.26	
"	21	11 5	11 22	G. P. and G. S. J.	24 20.37	24 20.33	24 20.35	
"	23	11 6	11 27	G. P. and G. S. J.	24 22.29	24 22.01	24 22.15	
"	25	7 15	7 32	G. S. J. and G. P.	24 25.43	24 25.08	24 25.25	
"	28	11 8	11 24	G. S. J. and G. P.	24 21.82	24 21.49	24 21.65	
"	30	11 27	11 45	G. S. J. and G. P.	24 21.19	24 22.16	24 21.67	
OCT.	2	7 1	7 19	G. P. and G. S. J.	24 26.09	24 26.08	24 26.08	24 23.83
"	5	11 26	11 42	G. P. and G. S. J.	24 21.17	24 20.96	24 21.06	
"	7	11 3	11 21	G. P. and G. S. J.	24 20.62	24 20.46	24 20.54	
"	9	7 29	7 47	G. S. J. and G. P.	24 25.84	24 25.37	24 25.60	
"	12	11 21	11 37	G. S. J. and G. P.	24 22.01	24 21.57	24 21.79	
"	14	11 25	11 42	G. P. M.	24 22.77	24 22.41	24 22.59	
"	16	7 37	7 51	G. P. and G. S. J.	24 26.82	24 26.38	24 26.60	
"	18	11 17	11 30	G. P. and G. S. J.	24 22.30	24 22.14	24 22.22	
"	19	11 6	11 20	G. P. and G. S. J.	24 21.98	24 21.95	24 21.96	
"	20	11 25	11 42	G. S. J. and G. P.	24 23.81	24 23.81	24 23.81	
"	21	11 1	11 16	G. P. and G. S. J.	24 24.15	24 24.20	24 24.17	
"	22	11 32	11 57	G. S. J. and G. P.	24 24.28	24 23.97	24 24.12	
"	23	16 30	16 46	G. P. and G. S. J.	24 27.03	24 27.45	24 27.24	
"	26	11 29	11 54	G. S. J. and G. P.	24 23.82	24 24.21	24 24.01	
"	28	11 27	11 46	G. S. J. and G. P.	24 23.22	24 23.32	24 23.27	
"	30	7 56	8 15	G. P. and G. S. J.	24 26.06	24 26.38	24 26.22	

1915.		Alibag Civil Time (0 to 24 hours)		Observers.	Face of Circle.		Mean Inclination.	* Monthly mean Inclination.	
Date.	At commence- ment.		At conclu- sion.		East.	West.			
	H.	m.	H.	m.					
Nov.	2	11	3	11	19	G. P. and G. S. J.	24 24.04	24 24.12	24 24.08
"	4	7	25	7	43	G. S. J. and G. P.	24 25.87	24 25.72	24 25.79
"	4	11	2	11	15	G. P. and G. S. J.	24 24.01	24 23.81	24 23.91
"	9	11	38	11	58	G. S. J. and G. P.	24 26.08	24 25.30	24 25.69
"	11	11	25	11	43	G. S. J. and G. P.	24 24.84	24 24.78	24 24.81
"	13	7	13	7	32	G. P. and G. S. J.	24 26.17	24 25.79	24 25.98
"	16	11	5	11	25	G. P. and G. S. J.	24 25.73	24 25.73	24 25.73
"	18	11	21	11	34	G. P. and G. S. J.	24 25.49	24 25.13	24 25.31
"	20	7	41	7	59	G. S. J. and G. P.	24 27.15	24 26.86	24 27.00
"	22	11	56	12	17	G. S. J. and G. P.	24 25.03	24 25.09	24 25.06
"	23	11	29	11	47	G. S. J. and G. P.	24 25.04	24 25.19	24 25.11
"	24	11	1	11	16	G. P. and G. S. J.	24 24.25	24 24.17	24 24.21
"	25	11	57	12	22	G. S. J. and G. P.	24 25.32	24 25.34	24 25.33
"	26	11	9	11	26	G. P. and G. S. J.	24 24.08	24 24.07	24 24.07
"	27	11	39	12	3	G. S. J. and G. P.	24 24.08	24 23.78	24 23.93
"	29	10	45	11	1	G. P. and G. S. J.	24 24.42	24 24.25	24 24.33
"	30	10	55	11	8	G. P. and G. S. J.	24 25.08	24 24.93	24 25.00
Dec.	1	11	16	11	35	G. S. J. and G. P.	24 24.02	24 24.15	24 24.08
"	2	11	10	11	25	G. P. and G. S. J.	24 23.82	24 23.66	24 23.74
"	3	11	27	11	51	G. S. J. and G. P.	24 24.56	24 24.48	24 24.52
"	4	11	16	11	29	G. P. and G. S. J.	24 24.55	24 24.56	24 24.55
"	7	11	55	12	19	G. S. J. and G. P.	24 25.12	24 25.99	24 25.55
"	9	11	50	12	8	G. S. J. and G. P.	24 24.42	24 24.70	24 24.56
"	11	7	28	7	54	G. P. and G. S. J.	24 26.52	24 26.76	24 26.64
"	14	14	43	14	57	G. P. and G. S. J.	24 24.68	24 24.44	24 24.56
"	16	11	4	11	18	G. P. and G. S. J.	24 26.03	24 25.81	24 25.92
"	18	7	40	7	58	G. S. J. and G. P.	24 25.85	24 25.93	24 25.89
"	21	11	22	11	42	G. S. J. and G. P.	24 24.20	24 23.90	24 24.05
"	23	7	28	7	42	G. P. and G. S. J.	24 26.52	24 26.43	24 26.47
"	23	11	27	11	47	G. S. J. and G. P.	24 24.22	24 24.17	24 24.19
"	28	11	13	11	25	G. P. and G. S. J.	24 24.49	24 24.93	24 24.71
"	30	7	21	7	41	G. S. J. and G. P.	24 25.87	24 25.95	24 25.91
"	30	11	51	12	4	G. P. and G. S. J.	24 24.50	24 25.02	24 24.76
The mean* observed Inclination for the year 1915 = 24 20.86									

* The monthly and annual means corrected for diurnal variation appear in Table VIIIa.

TABLE IVa.—Base line values of the Horizontal Force Magnetograph derived

36000 γ +

1911

1911.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1 ..	γ	γ 472	γ	γ 470	γ 474	γ -4	γ 480	γ 482	γ -2	γ	γ 491	γ	γ (500)	γ 502	γ (-2)	γ (528)	γ 516	γ (+12)
2 ..	(471)	473	(-2)		474			483			491			502		520	516	+4
3 ..		473			474			483		(494)	492	(+2)	503	503	0		516	
4 ..	474	473	+1		474			483			492			503			517	
5 ..		474			474			483		491	492	-1		503		524	518	+6
6 ..		474		(471)	474	(-3)	(487)	484	(+3)		493			503		(521)	518	(+3)
7 ..		474			474			484			494			503		517	518	-1
8 ..		474		471	474	-3	491	484	+7		494		(507)	503	(+4)	(518)	519	(-1)
9 ..	(470)	474	(-4)		474			484			494			503		513	519	-6
10 ..		474			474			485		(496)	494	(+2)	506	504	+2	(534)	519	(+15)
11 ..	472	474	-2		474			485			495			504			519	
12 ..		473			475			485		496	495	+1		505		517	520	-3
13 ..		473		(477)	475	(+2)	(489)	485	(+4)		496			505		(517)	519	(-2)
14 ..		473			475			486			496			506			519	
15 ..		473		477	476	+1		486			496		(509)	506	(+3)	(513)	519	(-6)
16 ..	(476)	473	(+3)		476		490	487	+3		497			507		514	518	-4
17 ..		473			477			487		(495)	497	(-2)	506	508	-2	(519)	518	(+1)
18 ..	481	473	+8		477			488			497			509			518	
19 ..		473			478			488		502	498	+4		510		512	518	-6
20 ..		473		(475)	478	(-3)	(480)	488	(-8)		498			510		(506)	518	(-12)
21 ..		473			479			489			498			511		525	519	+6
22 ..		473		485	479	+6		489			499		501	511	-10		519	
23 ..	(476)	473	(+3)		480		487	489	-2		499		(496)	512	(-16)	514	519	-5
24 ..		473			480			489		(498)	500	(-2)	509	512	-3	(528)	518	(+10)
25 ..	471	473	-2		481			490			500		(512)	513	(-1)		519	
26 ..		473			482			490		497	501	-4	505	513	-8	525	519	+6
27 ..		474		(473)	482	(-9)	(484)	490	(-6)		501		(516)	513	(+3)	(515)	519	(-4)
28 ..		474			482			490			501			514		518	519	-1
29 ..		474						490			502		513	515	-2	(518)	520	(-2)
30 ..	(471)	474	(-3)				493	490	+3		502		(518)	515	(+3)	524	521	+3
31 ..		474						491					526	515	+11			
Means ..	474	473	± 3	476	477	± 3	488	487	± 3	496	496	± 2	509	508	± 5	519	518	± 4
	(473)		(± 3)	(474)		(± 4)	(485)		(± 5)	(496)		(± 2)	(508)		(± 5)	(520)		(± 6)

Values in brackets are derived from observations with Instrument No. 3. They are reduced to those derived from Instrument No. 7, by applying a correction of $+2\gamma$ from 1st January 1911 to 18th June 1912, a correction of -6γ from 18th June 1912 to 17th May 1915, and a correction of -9γ from 17th May to 31st December 1915, which are on an average the differences found to exist between the values of H , determined from the two instruments.

Base line values are derived by converting the corresponding mean ordinates in Tables Ia and Ib in C. G. S. unit (Unity = 1γ) and subtracting the converted ordinates from the mean observed absolute Horizontal Force. From the corresponding temperatures in Tables Ia and Ib and by means of the adopted temperature co-efficient 3.6γ for 1° F. they are further reduced to an uniform temperature of 85° F. to make the series comparable from month to month and year to year.

from Observations of Horizontal Force with Instrument No. 7 and Instrument No. 3.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
γ (521)	γ 521	γ (0)	γ (537)	γ 530	γ (+7)	γ 547	γ 536	γ +11	γ	γ 542	γ	γ 557	γ 552	γ +5	γ 555	γ 558	γ -3
	521		528	530	-2	(526)	536	(-10)		542		(551)	551	(0)	(555)	558	(-3)
518	522	-4	(529)	530	(-1)		536		(543)	542	(+1)	555	551	+4		559	
(523)	522	(+1)	538	530	+8	540	537	+3	547	542	+5	(556)	551	(+5)	561	559	+2
521	522	-1	(534)	530	(+4)	(534)	537	(-3)	(545)	543	(+2)		551		(562)	559	(+3)
(516)	522	(-6)		530		532	537	-5	540	544	-4	553	551	+2	557	559	-2
523	522	+1	520	531	-11	(533)	537	(-4)	(544)	545	(-1)	(552)	551	(+1)		560	
(520)	522	(-2)	(529)	531	(-2)	533	537	-4		545		549	552	-3	570	560	+10
	522			531		(538)	537	(+1)	545	545	0	(555)	552	(+3)	(552)	560	(-8)
521	523	-2	(534)	532	(+2)		537		(552)	546	(+6)	549	552	-3		560	
(536)	523	(+13)	525	532	-7	536	537	-1	545	546	-1	(561)	553	(+8)	561	561	0
534	523	+11	(530)	532	(-2)		538		(547)	546	(+1)		553			561	
(520)	523	(-3)		532			538		541	547	-6	543	552	-9	559	561	-2
517	523	-6	542	532	+10	(554)	538	(+16)	(546)	548	(-2)	(545)	553	(-8)	(566)	562	(+4)
(524)	524	(0)	(530)	532	(-2)	524	538	-14		548		549	553	-4	567	562	+5
	524		522	532	-10	(546)	538	(+8)	544	548	-4	(553)	553	(0)	(562)	563	(-1)
511	524	-13		533			538		(552)	548	(+4)	543	553	-10		563	
(543)	525	(+18)	529	533	-4		538		558	549	+9	(556)	553	(+3)	563	563	0
513	526	-13	(540)	533	(+7)	(540)	538	(+2)	(557)	549	(+8)		553		(564)	563	(+1)
(524)	526	(-2)		533		554	539	+15	543	549	-6	564	554	+10	563	563	0
525	527	-2	527	533	-6	(532)	539	(-7)		550		(555)	554	(+1)	(559)	564	(-5)
(534)	527	(+7)	(536)	534	(+2)	540	540	0		550		558	554	+4	565	564	+1
	527		536	534	+2	(538)	540	(-2)		550		(559)	554	(+5)	(569)	564	(+5)
518	527	-9	(551)	534	(+17)		540			551		535	555	-20		565	
(526)	527	(-1)	529	534	-5	533	541	-8	556	551	+5	(569)	555	(+14)		565	
523	527	-4	(528)	534	(-6)	(545)	541	(+4)	(549)	551	(-2)		556		(562)	566	(-4)
	528			534		537	541	-4	554	551	+3	568	556	+12	562	566	-4
525	528	-3		534		(547)	541	(+6)	(552)	552	(0)	(551)	557	(-6)	(569)	566	(+3)
(532)	529	(+3)		535		537	542	-5		552		555	557	-2	565	566	-1
	528		532	536	-4	(530)	542	(-12)	547	552	-5	(550)	558	(-8)	(564)	566	(-2)
537	529	+8	(537)	536	(+1)				(547)	552	(-5)					566	
522		± 6	530		± 6	538		± 6	547		± 4	552		± 7	562		± 2
(527)	525	(± 5)	(535)	532	(± 4)	(539)	538	(± 6)	(549)	548	(± 3)	(555)	553	(± 5)	(562)	562	(± 4)

Observed base line values for each day represent the result of a double set of vibration and deflection observations, except during the period 22nd May 1911 to 15th May 1912, when for investigational purposes a single set was taken daily, Sundays and holidays excluded.

The calculated values in column 2 are derived by taking overlapping means of 10 successive double sets of observations and reducing them to the proper epoch, values for intermediate days being obtained by simple interpolation. During the period 22nd May 1911 to 15th May 1912 referred to above 20 single sets of observations were used to derive the calculated values.

The departures of the observed from the calculated values in column 3 represent in the main the probable errors of the absolute determinations, and any irregularities in the adopted values of the instrumental and the site differences.

TABLE IVb.—Base line values of the Horizontal Force Magnetograph derived

36000γ±.

1912.

1912.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1 ..	γ	γ 566	γ	γ (568)	γ 567	γ (+1)	γ 573	γ 573	γ 0	γ 577	γ 583	γ -6	γ 595	γ 591	γ +4	γ	γ 598	γ
2 ..		567		562	568	-6		573		(581)	583	(-2)	(597)	591	(+6)		599	
3 ..	563	567	-4	(555)	568	(-13)		574		582	583	-1	589	591	-2	(602)	599	(+3)
4 ..	(566)	567	(-1)		568		568	574	-6	(587)	584	(+3)	(589)	592	(-3)		599	
5 ..	577	567	+10	568	569	-1	(569)	574	(-5)		584			592		599	599	0
6 ..	(568)	567	(+1)	(567)	569	(-2)	576	574	+2		584		590	592	-2		599	
7 ..		567		568	569	-1	(567)	574	(-7)		584		(591)	592	(-1)		599	
8 ..	570	567	+3	(569)	569	(0)	571	574	-3	581	584	-3		592			600	
9 ..	(576)	568	(+8)	568	570	-2	(571)	575	(-4)	(581)	585	(-4)	(594)	593	(+1)		600	
10 ..		568		(569)	570	(-1)		575		585	585	0	595	593	+2	(602)	601	(+1)
11 ..	(558)	567	(-9)		570		576	575	+1	(580)	585	(-5)	(595)	593	(+2)		601	
12 ..	572	567	+5	575	570	+5	(576)	575	(+1)	581	585	-4		593		597	601	-4
13 ..	(569)	567	(+2)	(580)	571	(+9)	580	576	+4	(601)	586	(+15)	(602)	594	(+8)		601	
14 ..		567		574	571	+3	(574)	576	(-2)		586		580	594	-14		601	
15 ..	571	568	+3	(575)	572	(+3)		577		(589)	586	(+3)	594	595	-1		601	
16 ..	(567)	568	(-1)		573		(585)	577	(+8)	582	587	-5		595			601	
17 ..	563	568	-5	(571)	573	(-2)		578		(586)	587	(-1)		595		(601)	601	(0)
18 ..	(562)	567	(-5)		573		(577)	578	(-1)	591	587	+4		595			601	
19 ..	571	567	+4	578	573	+5	578	578	0	585	588	-3		595		603	601	+2
20 ..	(572)	567	(+5)	(569)	573	(-4)	(573)	579	(-6)	(589)	588	(+1)	(598)	596	(+2)		601	
21 ..		567		572	573	-1	580	579	+1		589			596			601	
22 ..	568	566	+2	(577)	573	(+4)	582	580	+2	589	589	0	591	596	-5		602	
23 ..	(563)	566	(-3)	575	573	+2	(583)	580	(+3)	(593)	589	(+4)		597			602	
24 ..	560	566	-6	(565)	573	(-8)		581		587	590	-3		597		(599)	602	(-3)
25 ..	(561)	566	(-5)		573		587	581	+6	(590)	590	(0)		597			602	
26 ..	576	566	+10	583	573	+10	(583)	581	(+2)	581	589	-8		597		606	603	+3
27 ..	(566)	566	(0)	(582)	573	(+9)		581		(599)	590	(+9)	(599)	597	(+2)		603	
28 ..		566		573	573	0	(581)	581	(0)		590			598			603	
29 ..		566		(563)	573	(-10)	586	581	+5	587	591	-4	600	598	+2		603	
30 ..	(565)	567	(-2)				(581)	582	(-1)	(589)	591	(-2)		598			603	
31 ..	571	567	+4					582						598				
Means.	569 (566)	567	±5 (±3)	572 (570)	571	±3 (±5)	578 (577)	577	±3 (±3)	584 (589)	587	±3 (±4)	592 (596)	595	±4 (±3)	601 (601)	601	±2 (±2)

from Observations of Horizontal Force with Instrument No. 7 and Instrument No. 3.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
γ (597)	γ 603	γ (-6)	γ	γ 606	γ	γ	γ 614	γ	γ 626	γ 623	γ +3	γ	γ 628	γ	γ	γ 634	γ
	604			607		(614)	614	(0)		623			628			634	
609	604	+5		607			615			623			628		(631)	634	(-3)
	604			607			615			623		(630)	628	(+2)	637	634	+3
	604		(610)	607	(+3)	617	615	+2		624			628			635	
	604			608			615			624		629	628	+1		635	
	604		608	608	0		616		(624)	625	(-1)		628			635	
	604			609			616			625			629			635	
(601)	603	(-2)		609		(619)	616	(+3)	622	625	-3		629		(633)	635	(-2)
609	604	+5		609			616			625			629			636	
	604			610		611	616	-5		625		(626)	629	(-3)	635	636	-1
	604		(609)	610	(-1)		617			625			629			636	
	604			610			617			625		629	629	0		637	
	603		608	610	-2		617		(632)	626	(+6)		630			637	
(607)	604	(+3)		611			617			626			630			637	
	604			611		(613)	618	(-5)	627	627	0		630		(644)	637	(+7)
603	605	-2		611			618			627			630			637	
	605			612		615	618	-3		627		(627)	630	(-3)	637	637	0
	605		(615)	612	(+3)		619			627			631			638	
	605			612			619			627		633	631	+2		638	
	605		613	613	0		619			627			631			638	
(602)	605	(-3)		613			619			627			631			638	
	605			613		(624)	620	(+4)	628	627	+1		631		(638)	639	(-1)
601	605	-4		613			620			627			631		637	639	-2
	606			613		619	620	-1		627		(630)	631	(-1)		639	
	606		(616)	613	(+3)		621			627			631			639	
	606			613			621			627		634	632	+2		639	
	606		613	614	-1		621		(625)	627	(-2)		633			639	
(601)	606	(-5)		614			622			628			633			639	
	606			614		(623)	622	(+1)	629	628	+1		633		(642)	640	(+2)
607	606	+1		614						628						640	
606		+3	610		+1	615		+3	626		+2	631		+1	636		+1
(602)	605	(+4)	(612)	611	(+2)	(619)		(+3)	(627)	626	(+3)	(628)	630	(+2)	(638)	637	(+3)

TABLE IVc.—Base line values of the Horizontal Force Magnetograph derived

36000γ+

1913.

1913.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1	γ	γ 640	γ	γ	γ 644	γ	γ	γ 647	γ	γ	γ 655	γ	γ	γ 663	γ	γ	γ 673	γ
2	637	640	-3		645			647		658	656	+2		664		(675)	673	(+2)
3		640		(646)	645	(+1)	(643)	647	(-4)		656			664			673	
4		640			645			647			657			664		681	673	+8
5		640		642	645	-3	647	648	-1		657		(658)	664	(-6)		674	
6	(643)	640	(+3)		645			648			657			664			674	
7		641			645			648		(661)	657	(+4)	667	664	+3		674	
8	641	641	0		645			648			658			664			674	
9		641			645			648		655	658	-3		665		(683)	675	(+8)
10		641		(645)	645	(0)	(647)	648	(-1)		658			665			675	
11		641			645			649			658			665		676	675	+1
12		641		646	645	+1	650	649	+1		659		(665)	666	(-1)		675	
13		642			645			649			659			666			675	
14		642			645			650		(652)	659	(-7)	668	666	+2		675	
15	642	642	0		645			650			659			667			675	
16		643			645			650			659			667		(669)	675	(-6)
17		642		(646)	645	(+1)	(647)	651	(-4)	661	659	+2		668			675	
18		642			645			651			659			668		671	675	-4
19		642		651	645	+6	654	652	+2		659		(671)	669	(+2)		676	
20	(642)	642	(0)		646			652			660			669			676	
21		642			646			653		(666)	660	(+6)	661	670	-9		675	
22	645	643	+2		646			653			660			671			675	
23		643			646			653		659	660	-1		672		(675)	675	(0)
24		643		(645)	646	(-1)	(654)	653	(+1)		660			672			674	
25		643			646			654			661			672		678	674	+4
26		643		644	646	-2	655	654	+1		661		(674)	672	(+2)		674	
27	(643)	643	(0)		646			654			661			673			674	
28		643			647			654		(663)	662	(+1)	672	673	-1		674	
29	646	644	+2					654			662			673			674	
30		644						655		660	662	-2		673		(675)	674	(+1)
31		644					(655)	655	(0)					673				
Means	642	642	±1	646	645	±3	651	651	±1	659	659	±2	667	668	±4	676	674	±4
	(643)		(±1)	(645)		(±1)	(649)		(±2)	(660)		(±4)	(667)		(±3)	(675)		(±3)

from Observations of Horizontal Force with Instrument No. 7 and Instrument No. 3.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
γ	γ 674	γ	γ	γ 675	γ	γ	γ 683	γ	γ 483	γ 486	γ -3	γ	γ 489	γ	γ (483)	γ 487	γ (-4)
672	674	-2		675		(685)	683	(+2)		486			489			487	
	674			675		683	683	0		487		(483)	489	(-6)	497	487	+10
	674		(675)	675	(0)		683			487			489			487	
	674			675			684			487		491	488	+3		487	
	674		672	675	-3		684		(489)	488	(+1)		488			487	
(676)	674	(+2)		675			684			488			488			487	
	674			675		(688)	684	(+4)	489	488	+1		488		(483)	487	(-4)
668	674	-6		676			685			489			488			487	
	674			676		683	685	-2		490		(481)	488	(-7)	491	488	+3
	674		(675)	676	(-1)		685			490			487			488	
	674			676			685			490		493	487	+6		489	
	674		677	677	0		686		(490)	491	(-1)		487			489	
(678)	674	(+4)		677			686			491			487			489	
	674			677		(482)	*482	(0)	491	490	+1		487		(484)	489	(-5)
675	674	+1		678			482			490			487			490	
	674			678		480	482	-2		489		(483)	487	(-4)	487	490	-3
	674		(683)	678	(+5)		483			489			487			490	
	674			679			483			490		490	487	+3		491	
	674		677	679	-2		483		(492)	490	(+2)		487			491	
(674)	674	(0)		679			483			490			487			491	
	674			680		(472)	484	† (-12)	491	490	+1		487		(489)	491	(-2)
673	674	-1		680			484			489			487			491	
	673			680		479	484	-5		489		(481)	487	(-6)	490	491	-1
	673		(676)	681	(-5)		484			489			487			491	
	674			681			485			489		489	487	+2		492	
	674		685	681	+4		485		(491)	489	(+2)		487			492	
(674)	674	(0)		682			485			490			487			492	
	674			682		(503)	485	† (+18)	493	488	+5		487		(497)	492	(+5)
671	675	-4		682			486			489			487			492	
	675			682						489					495	493	+2
672		± 3	678		± 2			± 2	489		± 2	491		± 3	492		± 4
(675)	674	(± 1)	(677)	678	(± 3)			(± 7)	(490)	489	(± 1)	(482)	487	(± 6)	(487)	490	(± 4)

*Adjustment of the Horizontal Force Magnetograph on the 15th September.

† Errors due to change of observers.

TABLE IVd.—Base line values of the Horizontal Force Magnetograph derived

36000γ+

1914.

1914.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1 ..	γ	γ 493	γ	γ	γ 497	γ	γ	γ 500	γ	γ 503	γ 506	γ -3	γ	γ 513	γ	γ (523)	γ 523	γ (0)
2 ..		494		(500)	497	(+3)	(496)	500	(-4)		506			514			523	
3 ..		494			497			501			507			514		522	523	-1
4 ..		494		499	497	+2	502	501	+1		507		(520)	514	(+6)		523	
5 ..	(496)	495	(+1)		497			501			507			514			523	
6 ..		495			497			501			507		516	515	+1		523	
7 ..	494	495	-1		497			501		(509)	507	(+2)		516			523	
8 ..		495			497			502		510	507	+3		516		(524)	523	(+1)
9 ..		495		(491)	497	(-6)	(509)	502	(+7)		507			517			523	
10 ..		495			497			502			508			517		522	523	-1
11 ..		496		501	497	+4		502			508		(516)	517	(-1)		523	
12 ..	(494)	496	(-2)		497		504	503	+1		508			518			523	
13 ..		497			498			503		(511)	508	(+3)	516	518	-2		523	
14 ..		497			498			503			509			519			523	
15 ..	499	497	+2		498			504		507	509	-2		519		(525)	523	(+2)
16 ..		497			498		(506)	504	(+2)		510			519			523	
17 ..		497		(492)	498	(-6)		504			510			519		527	523	+4
18 ..		497		497	499	-2	503	504	-1		510		(517)	520	(-3)		523	
19 ..	(499)	497	(+2)		499			504			511			520			523	
20 ..		497			499			505		(509)	511	(-2)	517	520	-3		523	
21 ..	496	497	-1		499			505			512			520			524	
22 ..		497			498			505		508	512	-4		520		(523)	524	(-1)
23 ..		497			499		(504)	506	(-2)		512			520			524	
24 ..		497			499			506			512			520		516	524	-8
25 ..		497		500	499	+1	504	506	-2		512		(526)	521	(+5)		524	
26 ..	(493)	497	(-4)		500			506			513			521			524	
27 ..		498			500			506		(509)	513	(-4)	525	521	+4		524	
28 ..	505	498	+7		500			506			513			521			524	
29 ..		498						506		517	513	+4		522		(524)	524	(0)
30 ..		497					(507)	506	(+1)		513			522			524	
31 ..		497						506						522				
Means ..	498		±3	499		±2	503		±1	509		±3	518		±2	522		±3
	(495)	496	(±2)	(494)	498	(±5)	(504)	504	±3	(509)	510	(±3)	(520)	518	(±4)	(524)	523	(±1)

from Observations of Horizontal Force with Instrument No. 7 and Instrument No. 3.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
γ 524	γ 524	γ 0	γ	γ 526	γ	γ	γ 526	γ	γ	γ 531	γ	γ	γ 539	γ	γ	γ 541	γ
	524			526		525	527	-2		531		(539)	539	(0)	541	541	0
	525		(525)	526	(-1)		527			531			539			541	
	525		523	526	-3		527			532		537	540	-3		541	
	525			526			527		(538)	532	(+6)		540			541	
(528)	524	(+4)		525			527			532			540			541	
	524			525		(535)	526	(+9)	533	532	+1		540		(546)	541	(+5)
524	525	-1		525			526			533			540			541	
	525			525		527	526	+1		533		(545)	540	(+5)	541	541	0
	525		(529)	525	(+4)		526			533			540			541	
	525			525			526			533		541	540	+1		541	
	525		525	525	0		526		(534)	534	(0)		540			541	
(525)	526	(-1)		525			527			534			540			541	
	526			525		(533)	528	(+5)	536	534	+2		540		(540)	541	(-1)
526	526	0		524			528			535			540			541	
	526			525		523	529	-6		535		(542)	540	(+2)	540	541	-1
	526		(527)	525	(+2)		529			535			541			541	
	526			526			529			535		538	541	-3		541	
	526		526	526	0		529			536			541			541	
(530)	526	(+4)		526			529			537			541			541	
	526			526		(527)	530	(-3)	539	537	+2		541		(540)	541	(-1)
525	526	-1		526			530			538			541			541	
	526			526		526	530	-4		538		(545)	542	(+3)	544	541	+3
	526			526			530			538			542			540	
	526			527			530			538		538	541	-3		540	
	526		522	527	-5		530		(542)	538	(+4)		541			540	
(529)	526	(+3)		527			530			538			541			541	
	526			527			530		536	538	-2		541		(539)	541	(-2)
522	526	-4		527			530			539			541			541	
	526			527		527	531	-4		539		(540)	541	(-1)	539	541	-2
	526		(526)	526	(0)					539						541	
524		± 1	524		± 2	526		± 3	536		± 2	538		± 2	541		± 1
(528)	525	(± 3)	(527)	526	(± 2)	(532)	528	(± 6)	(538)	535	(± 3)	(542)	540	(± 3)	(541)	541	(± 2)

TABLE IVe.—Base line values of the Horizontal Force Magnetograph derived

36000 γ +

1915.

1915.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1 ..	γ	γ 542	γ	γ (547)	γ 546	γ (+1)	γ	γ 549	γ	γ	γ 555	γ	γ	γ 562	γ	γ	γ 567	γ
2 ..		542			546			550			555			562		572	568	+4
3 ..		542		543	546	-3	551	550	+1		556		(557)	563	(-6)		568	
4 ..	(538)	542	(-4)		546			551			556			563			569	
5 ..		542			546			551		(553)	556	(-3)	566	563	+3		569	
6 ..	540	542	-2		546			551			556			563			569	
7 ..		543			546			551		554	556	-2		563		(561)	569	(-8)
8 ..		543			546		(555)	551	(+4)		556			564			569	
9 ..		543		(548)	546	(+2)		551			556			564		567	569	-2
10 ..		543		544	546	-2	549	551	-2		556		(566)	564	(+2)		569	
11 ..	(542)	543	(-1)		546			552			557			564			570	
12 ..		543			546			552		(561)	557	(+4)	569	565	+4		570	
13 ..	549	543	+6		546			552			557			565			569	
14 ..		543			546			552		554	557	-3		565		(574)	569	(+5)
15 ..		544		(547)	547	(0)	(556)	552	(+4)		557			565			569	
16 ..		544			547			553			557			566		568	570	-2
17 ..		544		547	547	0	551	553	-2		558		(563)	666	(-3)		570	
18 ..	(545)	544	(+1)		547			553			558			566			570	
19 ..		544			547			554		(558)	558	(0)	569	566	+3		570	
20 ..	546	544	+2		547			554			558			567			570	
21 ..		545			548			554		562	559	+3		567		(575)	570	(+5)
22 ..		545		(549)	548	(+1)	(560)	554	(+6)		559			567			570	
23 ..		545			548			554			560			567		571	570	+1
24 ..		545		544	549	-5	552	554	-2		560		(562)	567	(-5)		570	
25 ..	(549)	545	(+4)		549			554			560			567			571	
26 ..		546			549			555		(558)	561	(-3)	573	567	+6		571	
27 ..	543	546	-3		549			555			561			567			571	
28 ..		546			549			555		562	561	+1		568		(569)	571	(-2)
29 ..		546					(556)	555	(+1)		561			568			571	
30 ..		546						555			561			568		571	571	0
31 ..		546					554	555	-1				(566)	567	(-1)			
Means ..	544	544	± 3	544	547	± 2	551	553	± 2	558	557	± 2	569	565	± 4	570	570	± 2
	(543)		(± 2)	(548)		(± 1)	(557)		(± 4)	(557)		(± 2)	(563)		(± 3)	(570)		(± 5)

from Observations of Horizontal Force with Instrument No. 7 and Instrument No. 3.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
	571			569		575	571	+4		575			579		588	582	+6
	571		(575)	568	(+7)		571			575		(579)	580	(-1)		582	
	571			568			571			575		582	580	+2		582	
	571		564	568	-4		571	(572)		575	(-3)		580			582	
(574)	571	(+3)		568			572			575			580			582	
	571			568		(567)	572	(-5)	577	575	+2		580		(583)	582	(+1)
568	571	-3		568			572			575			580			582	
	571			568		574	572	+2		576			580		577	582	-5
	570		(566)	568	(-2)		572			576			581			582	
	570			568			572			576		579	581	-2		582	
	570		562	568	-6		572		(577)	577	(0)		581			581	
(569)	570	(-1)		568			572			577			581			581	
	570			569		(569)	572	(-3)	576	577	-1		581		(577)	581	(-4)
569	570	-1		569			572			577			581			581	
	570			569		574	572	+2		577		(578)	581	(-3)	588	581	+7
	571		(569)	569	(0)		572			578			581			582	
	570			569			572			578		584	581	+3		582	
	570		568	569	-1		572		(578)	578	(0)		582			582	
(577)	570	(+7)		569			572			578			582			582	
	570			568		(574)	572	(+2)	578	578	0		581		(583)	582	(+1)
571	570	+1		569			572			578			581			582	
	569			569		570	573	-3		578			581		578	582	-4
	569		(571)	569	(+2)		573			578		(583)	581	(+2)		582	
	569			569			573			578		583	581	+2		582	
	569		570	570	0		573		(580)	579	(+1)		581			582	
(565)	569	(-4)		570			574			579			581			582	
	569			570		(572)	574	(-2)	584	579	+5		581		(580)	583	(-3)
568	569	-1		570			574			579			581			583	
	569			570		576	574	+2		579		(579)	582	(-3)	577	583	-6
	569		(573)	571	(+2)		574			579			582			583	
	569			571						579						583	
569		± 1	566		± 3	574		± 3	579		± 2	582		± 2	582		± 6
(571)	570	(± 4)	(571)	569	(± 3)	(570)	572	(± 3)	(577)	577	(± 1)	(580)	581	(± 2)	(581)	582	(± 2)

TABLE Va.—Base line values of the Declination Magnetograph derived

1911.

1911.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1 ..		4.6			4.8			4.4			4.8			4.7			4.4	
2 ..		4.6		4.8	4.8	0	4.6	4.4	+0.2		4.8			4.7		4.3	4.4	-0.1
3 ..		4.6			4.8			4.4			4.9			4.7			4.3	
4 ..		4.6			4.8			4.4			4.9		4.8	4.7	+0.1		4.4	
5 ..	4.5	4.5	0		4.8			4.4			4.8			4.7		4.7	4.4	+0.3
6 ..		4.5			4.8			4.3		4.8	4.8	0		4.7			4.4	
7 ..		4.5			4.8			4.4			4.8			4.7		4.4	4.4	0
8 ..		4.5			4.7			4.4			4.8			4.7			4.4	
9 ..		4.6		4.8	4.7	+0.1	4.4	4.4	0		4.8			4.7		4.3	4.3	0
10 ..		4.6			4.7			4.5			4.8			4.7			4.3	
11 ..		4.6			4.7			4.5			4.8		5.0	4.7	+0.3		4.3	
12 ..	4.5	4.6	-0.1		4.6			4.5			4.8			4.7		4.1	4.3	-0.2
13 ..		4.6			4.6			4.5		4.8	4.8	0		4.7			4.2	
14 ..		4.6			4.6			4.6			4.8			4.7		4.5	4.3	+0.2
15 ..		4.6			4.6			4.6			4.7			4.7			4.3	
16 ..		4.6		4.8	4.6	+0.2		4.6			4.7			4.7		4.0	4.3	-0.3
17 ..		4.6			4.6		4.2	4.6	-0.4		4.7			4.7			4.4	
18 ..		4.7			4.6			4.6			4.7		4.5	4.7	-0.2		4.4	
19 ..	4.6	4.7	-0.1		4.6			4.6			4.7			4.7		4.4	4.5	-0.1
20 ..		4.7			4.6			4.6		4.7	4.7	0		4.6			4.5	
21 ..		4.7			4.6			4.6			4.7			4.5		4.6	4.6	0
22 ..		4.7			4.5			4.6			4.7		4.7	4.5	+0.2		4.7	
23 ..		4.7		4.2	4.5	-0.3	5.0	4.7	+0.3		4.7			4.5		5.0	4.7	+0.3
24 ..		4.7			4.5			4.7			4.7		4.6	4.5	+0.1		4.6	
25 ..		4.7			4.5			4.7			4.7			4.5			4.6	
26 ..	4.9	4.7	+0.2		4.5			4.7			4.7		4.2	4.4	-0.2	4.8	4.6	+0.2
27 ..		4.8			4.5			4.7		4.6	4.7	-0.1		4.3			4.7	
28 ..		4.8			4.4			4.8			4.7			4.3		4.0	4.6	-0.6
29 ..		4.8						4.8			4.7		4.5	4.3	+0.2		4.6	
30 ..		4.8						4.8			4.8			4.3		4.8	4.6	+0.2
31 ..		4.8					4.9	4.8	+0.1				4.0	4.3	-0.3			
Means ..	4.62	4.65	± 0.10	4.65	4.64	± 0.15	4.62	4.57	± 0.20	4.72	4.76	± 0.02	4.54	4.59	± 0.20	4.45	4.45	± 0.19

Base line values are derived by converting the corresponding tabulated ordinates in Table II *a* into arc and subtracting the converted ordinates from the The calculated values in column 2 are derived by taking overlapping means of 4 successive observations and reducing them to the proper epoch, values for The departures of the observed from the calculated values in column 3 represent in the main the probable errors of the absolute determinations.

from observations of absolute Declination with Instrument No. 7.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1.	2.	3.	1.	2.	3.	1.	2.	3.	1.	2.	3.	1.	2.	3.	1.	2.	3.
	4.5			5.0		4.9	5.1	-0.2		5.1		4.4	4.7	-0.3	4.7	4.8	-0.1
	4.6		5.1	5.1	0		5.0			5.0			4.7			4.8	
4.7	4.7	0		5.2			5.0			5.0		4.6	4.6	0		4.8	
	4.8		5.3	5.2	+0.1	5.1	5.1	0	4.8	5.0	-0.2		4.6		4.6	4.8	-0.2
4.6	4.7	-0.1		5.3			5.1			4.9			4.7			4.8	
	4.7			5.3		4.8	5.1	-0.3	4.8	4.9	-0.1	4.7	4.7	0	5.0	4.9	+0.1
5.0	4.7	+0.3	5.4	5.4	0		5.1			4.9			4.8			4.9	
	4.8			5.5		5.4	5.1	+0.3		4.9		4.7	4.8	-0.1	5.0	5.0	0
	4.8			5.5			5.1		4.9	4.9	0		4.8			5.0	
4.5	4.8	-0.3		5.5			5.1			4.9		5.1	4.8	+0.3		5.0	
	4.9		5.5	5.5	0	5.1	5.2	-0.1	5.0	4.9	+0.1		4.8		5.1	5.0	+0.1
5.1	4.8	+0.3		5.5			5.2			4.9			4.8			5.1	
	4.8			5.5			5.2		4.8	4.9	-0.1	4.8	4.8	0	4.9	5.1	-0.2
4.9	4.9	0	5.9	5.5	+0.4		5.2			4.9			4.8			5.1	
	4.9			5.4		5.3	5.1	+0.2		4.9		4.6	4.7	-0.1	5.1	5.2	-0.1
	5.0		5.3	5.4	-0.1		5.1		4.9	4.9	0		4.7			5.2	
4.7	5.0	-0.3		5.4			5.1			4.9		4.6	4.6	0		5.2	
	5.0		5.0	5.3	-0.3		5.1		4.8	4.9	+0.1		4.6		5.4	5.2	+0.2
5.0	5.0	0		5.2			5.1			4.9			4.6			5.2	
	4.9			5.2		4.9	5.1	-0.2	5.0	5.0	0	4.6	4.7	-0.1	5.4	5.2	+0.2
5.4	4.9	+0.5	5.3	5.2	+0.1		5.1			5.0			4.7			5.2	
	4.9			5.2		5.2	5.1	+0.1		5.0		4.6	4.7	-0.1	5.0	5.2	-0.2
	4.9		5.2	5.2	0		5.1			5.0			4.8			5.2	
4.5	4.9	-0.4		5.2			5.1			5.0		4.9	4.8	+0.1		5.2	
	4.9		5.2	5.3	-0.1	5.1	5.2	-0.1	5.1	5.0	+0.1		4.8			5.2	
4.8	4.8	0		5.2			5.2			5.0			4.9			5.2	
	4.7			5.2		5.3	5.2	+0.1	5.0	4.9	+0.1	4.9	4.9	0	5.2	5.2	0
4.8	4.8	0		5.1			5.2			4.9			4.9			5.2	
	4.9			5.1		5.4	5.1	+0.3		4.8		5.0	4.8	+0.2	5.3	5.3	0
	4.9		5.3	5.1	+0.2		5.1		5.0	4.8	+0.2		4.8			5.3	
4.8	5.0	-0.2		5.1						4.8						5.4	
4.83	4.84	± 0.18	5.32	5.28	± 0.12	5.14	5.12	± 0.17	4.92	4.93	± 0.09	4.73	4.75	± 0.10	5.06	5.09	± 0.12

observed absolute Easterly Declination (1 c. m. = 10' 28"). The values so obtained of the base lines of the Declination Magnetograph denote *westerly* declination. intermediate days being obtained by simple interpolation.

TABLE Vb.—Base line values of the Declination Magnetograph derived

1912.

1912.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1 ..		5.4			5.6		6.3	6.2	+0.1	5.9	5.8	+0.1	4.9	5.2	-0.3		5.1	
2 ..		5.4		5.8	5.6	+0.2		6.2			5.8			5.2			5.1	
3 ..	5.5	5.4	+0.1		5.7			6.2		5.9	5.8	+0.1	5.2	5.1	+0.1		5.1	
4 ..		5.4			5.7		6.3	6.2	+0.1		5.7			5.0			5.1	
5 ..	5.5	5.4	+0.1	5.6	5.7	-0.1		6.2			5.7			5.0			5.1	
6 ..		5.4			5.7		6.0	6.2	-0.2		5.7		5.2	5.0	+0.2	5.1	5.1	0
7 ..		5.4		5.6	5.7	-0.1		6.2			5.7			5.0			5.1	
8 ..	5.4	5.4	0		5.6		6.1	6.2	-0.1	5.6	5.7	-0.1		5.0			5.1	
9 ..		5.4		5.8	5.6	+0.2		6.2			5.6			5.0			5.1	
10 ..		5.4			5.7			6.2		5.6	5.6	0	4.5	5.0	-0.5		5.1	
11 ..		5.4			5.7		6.3	6.2	+0.1		5.6			5.0			5.1	
12 ..	5.3	5.4	-0.1	5.3	5.7	-0.4		6.2			5.5			5.0			5.2	
13 ..		5.5			5.7		6.2	6.2	0		5.5			5.0		5.1	5.2	-0.1
14 ..		5.4		5.9	5.7	+0.2		6.1			5.5		5.0	5.0	0		5.2	
15 ..	5.5	5.4	+0.1		5.7		6.1	6.1	0		5.4		5.3	5.1	+0.2		5.2	
16 ..		5.4			5.7			6.0		5.6	5.4	+0.2	5.2	5.1	+0.1		5.2	
17 ..	5.6	5.4	+0.2		5.7			6.0			5.4			5.2			5.2	
18 ..		5.5			5.8			5.9		5.3	5.3	0		5.2			5.2	
19 ..	5.3	5.5	-0.2	5.8	5.8	0	5.9	5.9	0	5.2	5.3	-0.1		5.2			5.2	
20 ..		5.5			5.8			5.9			5.3			5.2		5.4	5.2	+0.2
21 ..		5.5		5.7	5.9	-0.2	5.7	5.9	-0.2		5.2			5.2			5.3	
22 ..	5.5	5.5	0		5.9		6.0	5.9	+0.1	5.2	5.2	0		5.2			5.3	
23 ..		5.4		6.1	5.9	+0.2		5.9			5.2		5.1	5.1	0		5.3	
24 ..	5.6	5.5	+0.1		6.0			5.9		5.1	5.2	-0.1		5.1			5.3	
25 ..		5.5			6.0		6.0	5.9	+0.1		5.2			5.1			5.3	
26 ..	5.3	5.5	-0.2	6.0	6.1	-0.1		5.9		5.0	5.1	-0.1		5.1			5.4	
27 ..		5.5			6.1			5.9			5.1			5.1		5.1	5.4	-0.3
28 ..		5.5		6.1	6.1	0		5.9			5.1			5.1			5.4	
29 ..	5.5	5.5	0		6.2		5.8	5.9	-0.1	5.3	5.1	+0.2		5.1			5.4	
30 ..		5.5						5.9			5.1		5.0	5.1	-0.1		5.5	
31 ..	5.6	5.6	0					5.8						5.1				
Means ..	5.47	5.45	±0.09	5.79	5.80	±0.15	6.06	6.04	±0.09	5.43	5.43	±0.09	5.04	5.09	±0.17	5.17	5.22	±0.15

from observations of absolute Declination with Instrument No. 7.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
	5.5		6.4	6.3	+0.1		6.8			6.4			6.5			7.0	
	5.5			6.3			6.8			6.4			6.6			7.0	
	5.5			6.3			6.8		6.8	6.4	+0.4		6.6			7.1	
5.6	5.5	+0.1		6.3			6.8			6.4			6.6			7.1	
	5.6			6.4			6.8			6.4			6.6		7.0	7.1	-0.1
	5.6			6.4		6.6	6.8	-0.2		6.3			6.6			7.1	
	5.6			6.4			6.8			6.3		6.7	6.6	+0.1		7.1	
	5.6		6.5	6.4	+0.1		6.8			6.3			6.6			7.2	
	5.7			6.5			6.9			6.3			6.6			7.2	
	5.7			6.5			6.8		6.1	6.3	-0.2		6.6			7.2	
5.7	5.7	0		6.5			6.8			6.4			6.7			7.3	
	5.8			6.5		7.2	6.8	+0.4		6.4			6.7		7.5	7.3	+0.2
	5.8			6.5			6.8			6.4			6.7			7.3	
	5.8			6.6			6.7			6.4		6.8	6.7	+0.1		7.4	
	5.9		6.5	6.6	-0.1		6.7			6.4			6.7			7.4	
	5.9			6.6			6.7			6.3			6.8			7.4	
5.9	5.9	0		6.6			6.7		6.2	6.3	-0.1		6.8			7.5	
	6.0			6.6		6.8	6.7	+0.1		6.3			6.8		7.2	7.6	-0.4
	6.0			6.6			6.7			6.3			6.8			7.6	
	6.0			6.6			6.7			6.3		6.6	6.8	-0.2		7.6	
	6.0		6.6	6.6	0		6.7			6.3			6.8			7.7	
	6.1			6.6			6.7			6.3			6.8			7.7	
	6.1			6.6			6.7		6.4	6.4	0		6.8			7.7	
6.0	6.1	-0.1		6.6			6.6			6.4			6.9			7.7	
	6.2			6.6		6.2	6.6	-0.4		6.4			6.9		7.9	7.8	+0.1
	6.2			6.7			6.6			6.4			6.9			7.8	
	6.2			6.7			6.5			6.4		6.9	6.9	0		7.8	
	6.2		6.8	6.7	+0.1		6.5			6.5			7.0			7.8	
	6.2			6.7			6.5			6.5			7.0			7.8	
	6.3			6.8					6.4	6.5	-0.1					7.9	
5.80	5.87	± 0.05	6.56	6.54	± 0.08	6.70	6.72	± 0.27	6.38	6.37	± 0.16	6.75	6.74	± 0.10	7.40	7.44	± 0.20

TABLE Vc.—*Base line values of the Declination Magnetograph derived*

1913.

1913.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1 ..		8.0			8.8			9.0			8.4		7.6	7.6	0		7.0	
2 ..		8.0			8.8			9.0			8.4			7.6			7.0	
3 ..	8.2	8.1	+0.1		8.8			9.0		8.3	8.4	-0.1		7.6			7.0	
4 ..		8.1			8.8			9.0			8.3			7.6			7.0	
5 ..		8.2			8.8			9.0			8.3			7.5		6.7	7.0	-0.3
6 ..		8.2		8.9	8.8	+0.1		9.0			8.3			7.5			7.0	
7 ..		8.2			8.8		9.1	9.0	+0.1		8.2			7.5			7.0	
8 ..		8.3			8.8			9.0			8.2		7.4	7.4	0		7.0	
9 ..	8.1	8.3	-0.2		8.9			9.0			8.2			7.4			7.0	
10 ..		8.3			8.9			8.9		8.2	8.2	0		7.3			7.0	
11 ..		8.4			8.9			8.9			8.1			7.3			7.0	
12 ..		8.4			8.9			8.9			8.1			7.3			7.0	
13 ..		8.4		8.5	8.9	+0.4	9.0	8.9	+0.1		8.1			7.3		7.3	7.0	+0.3
14 ..		8.5			8.9			8.9			8.1			7.2			7.0	
15 ..		8.5			8.9			8.9			8.0		7.3	7.2	+0.1		7.0	
16 ..	8.7	8.5	+0.2		8.9			8.9			8.0			7.2			7.0	
17 ..		8.5			8.9			8.9		7.9	8.0	-0.1		7.2			7.0	
18 ..		8.6			8.9			8.8			8.0			7.1			7.1	
19 ..		8.6			8.9			8.8			7.9			7.1		6.9	7.1	-0.2
20 ..		8.6		9.1	8.9	+0.2	8.8	8.8	0		7.9			7.1			7.1	
21 ..		8.7			8.9			8.7			7.9			7.1			7.2	
22 ..		8.7			8.9			8.7			7.9		6.9	7.0	-0.1		7.2	
23 ..	8.7	8.7	0		8.9			8.7			7.8			7.0			7.3	
24 ..		8.8			8.9			8.7		8.0	7.8	+0.2		7.0			7.3	
25 ..		8.8			8.9			8.6			7.8			7.0			7.3	
26 ..		8.8			8.9			8.6			7.8			7.0		7.1	7.3	-0.2
27 ..		8.8		8.9	8.9	0	8.6	8.6	0		7.7			7.0			7.4	
28 ..		8.8			9.0			8.5			7.7			7.0			7.4	
29 ..		8.8						8.5			7.7		7.0	7.0	0		7.4	
30 ..	8.9	8.8	+0.1					8.5			7.7			7.0			7.5	
31 ..		8.8						8.5						7.0				
Means ..	8.52	8.49	± 0.12	8.85	8.87	± 0.17	8.87	8.81	± 0.05	8.10	8.03	± 0.10	7.24	7.23	± 0.04	7.00	7.12	± 0.25

from observations of absolute Declination with Instrument No. 7.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
	7.5			8.6			8.6			9.6			9.5			9.9	
	7.5			8.6			8.7		9.7	9.5	+0.2		9.5			10.0	
7.8	7.6	+0.2		8.6			8.7			9.5			9.6			10.0	
	7.6			8.7			8.7			9.5			9.6		10.4	10.0	+0.4
	7.6			8.6		8.8	8.7	+0.1		9.5			9.6			10.0	
	7.7			8.6			8.7			9.4		9.8	9.6	+0.2		10.0	
	7.7			8.6			8.8			9.4			9.6			10.1	
	7.8		8.8	8.6	+0.2		8.8			9.4			9.7			10.1	
	7.8			8.6			8.8			9.4			9.7			10.1	
7.9	7.9	0		8.6			8.8		9.1	9.4	-0.3		9.7			10.1	
	8.0			8.6		8.7	8.8	-0.1		9.3			9.7		10.1	10.1	0
	8.0			8.6			8.8			9.3			9.7			10.2	
	8.1			8.6			8.8			9.3		9.5	9.6	-0.1		10.2	
	8.1		8.6	8.6	0	*	*8.8			9.3			9.6			10.2	
	8.1			8.6			9.4			9.3			9.6			10.3	
	8.1			8.6			9.4		9.3	9.3	0		9.6			10.3	
7.9	8.2	-0.3		8.6			9.4			9.3			9.6			10.3	
	8.2			8.6		9.5	9.4	+0.1		9.3			9.6		10.2	10.3	-0.1
	8.2			8.6			9.4			9.3			9.7			10.3	
	8.3			8.6			9.4			9.3		9.6	9.7	-0.1		10.3	
	8.3		8.3	8.6	-0.3		9.3			9.4			9.7			10.3	
	8.3			8.6			9.3			9.4			9.7			10.3	
	8.4			8.6			9.3		9.1	9.4	-0.3		9.8			10.3	
8.6	8.4	+0.2		8.6			9.3			9.4			9.8			10.3	
	8.4			8.6		9.3	9.3	0		9.4			9.8			10.3	
	8.4			8.6			*9.2			9.5			9.8		10.3	10.3	0
	8.5			8.6			9.6			9.5		9.5	9.8	-0.3		10.4	
	8.5		8.7	8.6	+0.1		9.6			9.5			9.9			10.4	
	8.5			8.6			9.6			9.5			9.9			10.4	
	8.5			8.6			9.6			9.5			9.9			10.4	
8.7	8.6	+0.1		8.6					9.8	9.5	+0.3					10.4	
8.18	8.09	±0.16	8.60	8.60	±0.15			±0.07	9.40	9.41	±0.22	9.60	9.69	±0.17	10.25	10.21	±0.12

* A shift in the base line of 0'.6 occurred between the 14th and the 15th September and of 0'.4 between the 26th and the 27th September.

TABLE Vd.—Base line values of the Declination Magnetograph derived

1914.

1914.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1 ..		10.5			10.9			11.6			11.8			11.3			11.0	
2 ..	10.5	10.5	0		11.0			11.6		12.0	11.8	+0.2		11.3			11.0	
3 ..		10.5			11.0			11.6			11.8			11.3			11.1	
4 ..		10.5			11.0			11.6			11.8			11.3		11.0	11.1	-0.1
5 ..		10.6		11.2	11.1	+0.1	11.7	11.6	+0.1		11.8			11.2			11.1	
6 ..		10.6			11.1			11.6			11.9			11.2			11.1	
7 ..		10.6			11.1			11.6			11.9		10.7	11.1	-0.4		11.2	
8 ..		10.6			11.2			11.6			11.9			11.1			11.2	
9 ..	10.6	10.6	0		11.2			11.6		11.9	11.9	0		11.1			11.2	
10 ..		10.6			11.2			11.6			11.9			11.0			11.3	
11 ..		10.6			11.3			11.6			11.9			11.0		11.3	11.3	0
12 ..		10.6		11.4	11.3	+0.1		11.6			11.9			10.9			11.3	
13 ..		10.6			11.3		11.4	11.6	-0.2		11.9			10.9		*	4.7	
14 ..		10.6			11.4			11.6			11.9		10.9	10.9	0		4.8	
15 ..		10.6			11.4			11.6			11.9			10.8			4.8	
16 ..	10.9	10.6	+0.3		11.4			11.6		11.7	11.8	-0.1		10.8			4.8	
17 ..		10.6			11.5			11.6			11.8			10.8			4.9	
18 ..		10.6			11.5			11.6			11.8			10.8		5.1	4.9	+0.2
19 ..		10.6		11.5	11.5	0	11.6	11.7	-0.1		11.8			10.8			4.9	
20 ..		10.7			11.5			11.7			11.8			10.8			4.9	
21 ..		10.7			11.5			11.7			11.8		10.9	10.8	+0.1		4.9	
22 ..	10.6	10.7	-0.1		11.5			11.7			11.7			10.8			5.0	
23 ..		10.7			11.6			11.7		12.0	11.6	+0.4		10.8			5.0	
24 ..		10.8			11.6			11.7			11.6			10.8			5.0	
25 ..		10.8			11.6			11.8			11.5			10.9		5.0	5.0	0
26 ..		10.8			11.6		11.8	11.8	0		11.5			10.9			5.0	
27 ..		10.8		11.6	11.6	0		11.8			11.5			10.9			5.0	
28 ..		10.9			11.6			11.8			11.4		10.7	10.9	-0.2		5.0	
29 ..	10.6	10.9	-0.3					11.8			11.4			10.9			5.1	
30 ..		10.9						11.8		11.7	11.4	+0.3		11.0			5.1	
31 ..		10.9						11.8						11.0				
Means ..	10.64	10.66	± 0.14	11.42	11.34	± 0.05	11.62	11.66	± 0.10	11.86	11.75	± 0.20	10.80	10.97	± 0.17	11.15	11.16	± 0.07
																5.05	4.93	

* Adjustment of the zero mirror of the Declination Magnetograph was made on the 13th June.

from observations of absolute Declination with Instrument No. 7.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
	5.1			5.4			6.1		7.0	6.9	+0.1		7.5			7.3	
5.0	5.1	-0.1		5.4			6.1			6.9			7.5			7.3	
	5.1			5.4		6.3	6.1	+0.2		7.0			7.5		7.0	7.3	-0.3
	5.1			5.5			6.2			7.0			7.5			7.3	
	5.1			5.5			6.2			7.0		7.5	7.5	0		7.3	
	5.1		5.5	5.5	0		6.2			7.1			7.5			7.3	
	5.1			5.5			6.2			7.1			7.5			7.3	
	5.1			5.5			6.2		7.3	7.1	+0.2		7.5			7.3	
5.1	5.1	0.		5.6			6.3			7.1			7.5			7.3	
	5.1			5.6		6.3	6.3	0		7.2			7.5		7.2	7.3	-0.1
	5.1			5.6			6.3			7.2			7.5			7.3	
	5.1			5.6			6.4			7.2		7.6	7.5	+0.1		7.3	
	5.2			5.6			6.4			7.3			7.5			7.3	
	5.2		5.4	5.6	-0.2		6.4			7.3			7.5			7.3	
	5.2			5.6			6.4		7.3	7.3	0		7.5			7.3	
5.3	5.2	+0.1		5.7			6.5			7.3			7.5			7.4	
	5.2			5.7		6.4	6.5	-0.1		7.3			7.5		7.4	7.4	0
	5.3			5.7			6.5			7.4			7.5			7.4	
	5.3			5.7			6.5			7.4		7.4	7.5	-0.1		7.4	
	5.3		5.9	5.8	+0.1		6.6			7.4			7.5			7.5	
	5.3			5.8			6.6			7.4			7.5			7.5	
	5.3			5.8			6.6		7.4	7.4	0		7.4			7.5	
	5.3			5.8			6.6			7.4			7.4			7.6	
5.3	5.4	-0.1		5.9		6.6	6.7	-0.1		7.4			7.4		7.5	7.6	-0.1
	5.4			5.9			6.7			7.4			7.4			7.6	
	5.4			5.9			6.8			7.5		7.6	7.4	+0.2		7.7	
	5.4		5.8	6.0	-0.2		6.8			7.5			7.4			7.7	
	5.4			6.0			6.8			7.5			7.3			7.7	
	5.4			6.0			6.8		7.6	7.5	+0.1		7.3			7.8	
5.5	5.4	+0.1		6.0			6.9			7.5			7.3			7.8	
	5.4			6.1						7.5					7.8	7.9	-0.1
5.24	5.23	± 0.03	5.65	5.70	± 0.12	6.40	6.44	± 0.10	7.32	7.27	± 0.08	7.52	7.46	± 0.10	7.38	7.45	± 0.12

TABLE Ve—Base line values of the Declination Magnetograph derived

1915.

1915.	January.			February.			March.			April.			May.			June.		
Date.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
1 ..		7.9			8.6			9.4		9.4	9.5	-0.1		9.0			8.9	
2 ..		7.9			8.7			9.4			9.5			9.0			8.9	
3 ..		8.0			8.7			9.4			9.5			9.0		9.0	8.9	+0.1
4 ..		8.0		8.3	8.8	-0.5	9.3	9.4	-0.1		9.5			9.0			8.9	
5 ..		8.0			8.8			9.4			9.5			9.0			8.9	
6 ..		8.1			8.8			9.5			9.5		8.7	9.0	-0.3		8.9	
7 ..	8.1	8.1	0		8.8			9.5			9.5			8.9			8.9	
8 ..		8.1			8.8			9.5		9.6	9.5	+0.1		8.9			8.9	
9 ..		8.1			8.9			9.5			9.5			8.9			8.9	
10 ..		8.2			8.9			9.5			9.5			8.9		9.1	8.9	+0.2
11 ..		8.2		9.1	8.9	+0.2	9.7	9.5	+0.2		9.5			8.9			8.9	
12 ..		8.2			8.9			9.5			9.5			8.9			8.9	
13 ..		8.2			8.9			9.5			9.5		9.0	8.9	+0.1		8.9	
14 ..		8.3			9.0			9.5			9.5			8.9			8.8	
15 ..	8.5	8.3	+0.2		9.0			9.5		9.4	9.4	0		8.8			8.8	
16 ..		8.3			9.0			9.5			9.4			8.8			8.8	
17 ..		8.4			9.1			9.6			9.4			8.8		8.8	8.8	0
18 ..		8.4		9.1	9.1	0	9.7	9.6	+0.1		9.4			8.9			8.8	
19 ..		8.4			9.1			9.6			9.3			8.9			8.8	
20 ..		8.4			9.2			9.6			9.3		9.0	8.9	+0.1		8.8	
21 ..	8.2	8.4	-0.2		9.2			9.6			9.3			8.9			8.7	
22 ..		8.4			9.2			9.6		9.6	9.2	+0.4		8.9			8.7	
23 ..		8.4			9.3			9.6			9.2			8.9			8.7	
24 ..		8.4			9.3			9.6			9.2			8.9		8.5	8.7	-0.2
25 ..		8.4		9.3	9.3	0		9.6			9.1			8.9			8.7	
26 ..		8.5			9.3		9.5	9.6	-0.1		9.1			8.9			8.6	
27 ..		8.5			9.3			9.6			9.1		8.7	8.9	-0.2		8.6	
28 ..	8.7	8.6	+0.1		9.3			9.6			9.1			8.9			8.6	
29 ..		8.5						9.6		8.9	9.1	-0.2		9.0			8.6	
30 ..		8.6						9.5			9.1			9.0			8.6	
31 ..		8.6						9.5						9.0				
Means.	8.37	8.28	± 0.12	8.95	9.01	± 0.17	9.55	9.53	± 0.12	9.38	9.36	± 0.16	8.85	8.92	± 0.17	8.85	8.79	± 0.12

from observations of absolute Declination with Instrument No. 7.

July.			August.			September.			October.			November.			December.		
Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.	Observed.	Calculated.	Observed less calculated.
1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
8.7	8.7	0		9.3			9.9			10.1			3.1			3.1	
	8.7			9.3			9.9			10.1			3.1		2.9	3.1	-0.2
	8.7			9.3		9.9	9.9	0		10.1			3.1			3.1	
	8.7			9.4			10.0			10.1		3.5	3.1	+0.4		3.1	
	8.7		9.5	9.4	+0.1		10.0			10.1			3.2			3.1	
	8.7			9.4			10.0			10.1			3.2			3.2	
	8.7			9.4			10.0		10.2	10.1	+0.1		3.2			3.2	
8.5	8.7	-0.2		9.5			10.0			10.1			3.2			3.2	
	8.7			9.5			10.0			10.1			3.2		3.5	3.2	+0.3
	8.8			9.5		10.1	10.0	+0.1		10.1			3.2			3.3	
	8.8			9.6			10.0			10.1		3.2	3.2	0		3.3	
	8.8		9.7	9.6	+0.1		10.0			10.2			3.2			3.3	
	8.8			9.6			10.0			10.2			3.2			3.3	
	8.8			9.7			10.0			10.2			3.2			3.4	
9.1	8.8	+0.3		9.7			10.0		10.1	10.2	-0.1		3.2			3.4	
	8.9			9.7		10.0	10.1	-0.1		10.2			3.1		3.4	3.4	0
	8.9			9.7			10.1			10.2			3.1			3.4	
	8.9			9.7			10.1			10.3		3.3	3.1	+0.2		3.5	
	8.9		9.6	9.7	-0.1		10.1			10.3			3.1			3.5	
	9.0			9.8			10.1		10.1	10.3			3.1			3.5	
9.0	9.0	0		9.8			10.1			10.4	-0.3		3.0			3.5	
	9.1			9.8		10.1	10.1	0		10.5			3.1		3.5	3.5	0
	9.1			9.8			10.1			10.5			3.1			3.5	
	9.1			9.8			10.1		*	2.8		2.8	3.1	-0.3		3.5	
	9.2		9.9	9.8	+0.1		10.1			2.8			3.1			3.5	
	9.2			9.9			10.1			2.9			3.1			3.5	
	9.2			9.9			10.1		3.0	2.9	+0.1		3.1			3.6	
9.0	9.2	-0.2		9.9			10.2			3.0			3.1			3.6	
	9.2			9.9		10.2	10.1	+0.1		3.0			3.1		3.6	3.6	0
	9.2			9.9						3.0						3.6	
8.86	8.91	± 0.14	9.67	9.65	± 0.10	10.06	10.04	± 0.06	10.13	10.21	± 0.15	3.20	3.13	± 0.22	3.38	3.37	± 0.10
									3.00	2.91							

* Adjustment of the zero mirror of the Declination Magnetograph was made on the 25th October.

TABLE V_f—Base line values of the Declination Magnetograph derived from

1911.					1912.				
Date.	Observed.	Calculated.	Difference.	Excesses of the differences in column 4 over the mean difference for the year.	Date.	Observed.	Calculated.	Difference.	Excesses of the differences in column 4 over the mean difference for the year.
1	2	3	4	5	1	2	3	4	5
Jan. 5	5.3	4.5	-0.8	0	Aug. 19	5.5	5.2	-0.3	+0.5
" 12	5.4	4.6	-0.8	0	" 22	5.9	5.2	-0.7	+0.1
" 19	4.9	4.7	-0.2	+0.6	" 24	6.1	5.2	-0.9	-0.1
" 26	5.6	4.7	-0.9	-0.1	" 26	5.8	5.2	-0.6	+0.2
Feb. 2	5.5	4.8	-0.7	+0.1	" 31	5.9	5.1	-0.8	0
" 9	5.9	4.7	-1.2	-0.4	Sept. 2	5.2	5.0	-0.2	+0.6
" 16	5.5	4.6	-0.9	-0.1	" 5	6.4	5.1	-1.3	-0.5
" 23	5.5	4.5	-1.0	-0.2	" 7	6.4	5.1	-1.3	-0.5
Mar. 2	5.6	4.4	-1.2	-0.4	" 9	6.5	5.1	-1.4	-0.6
" 9	6.1	4.4	-1.7	-0.9	" 14	5.9	5.2	-0.7	+0.1
" 17	6.0	4.6	-1.4	-0.6	" 16	5.8	5.1	-0.7	+0.1
" 31	5.3	4.8	-0.5	+0.3	" 19	5.7	5.1	-0.6	+0.2
Apr. 6	5.2	4.8	-0.4	+0.4	" 21	5.9	5.1	-0.8	0
" 13	5.1	4.8	-0.3	+0.5	" 23	6.5	5.1	-1.4	-0.6
" 20	5.0	4.7	-0.3	+0.5	" 26	6.7	5.2	-1.5	-0.7
" 27	4.9	4.7	-0.2	+0.6	" 28	6.1	5.2	-0.9	-0.1
May 4	4.6	4.7	+0.1	+0.9	" 30	5.9	5.1	-0.8	0
" 11	4.6	4.7	+0.1	+0.9	Oct. 3	5.9	5.0	-0.9	-0.1
" 18	4.8	4.7	-0.1	+0.7	" 5	6.5	4.9	-1.6	-0.8
" 23	5.5	4.5	-1.0	-0.2	" 7	5.7	4.9	-0.8	0
" 25	5.1	4.5	-0.6	+0.2	" 10	6.3	4.9	-1.4	-0.6
" 27	5.1	4.3	-0.8	0	" 12	5.9	4.9	-1.0	-0.2
" 30	5.1	4.3	-0.8	0	" 14	6.1	4.9	-1.2	-0.4
June 1	5.3	4.4	-0.9	-0.1	" 17	6.0	4.9	-1.1	-0.3
" 6	4.6	4.4	-0.2	+0.6	" 19	5.9	4.9	-1.0	-0.2
" 8	4.6	4.4	-0.2	+0.6	" 26	6.1	5.0	-1.1	-0.3
" 10	4.6	4.3	-0.3	+0.5	" 28	5.5	4.9	-0.6	+0.2
" 15	4.9	4.3	-0.6	+0.2	" 31	6.2	4.8	-1.4	-0.6
" 17	4.7	4.4	-0.3	+0.5	Nov. 2	6.3	4.7	-1.6	-0.8
" 20	5.8	4.5	-1.3	-0.5	" 4	5.7	4.6	-1.1	-0.3
" 24	4.2	4.6	+0.4	+1.2	" 7	6.4	4.8	-1.6	-0.8
" 27	4.5	4.7	+0.2	+1.0	" 9	5.7	4.8	-0.9	-0.1
" 29	5.2	4.6	-0.6	+0.2	" 11	6.1	4.8	-1.3	-0.5
July 1	4.6	4.5	-0.1	+0.7	" 14	6.1	4.8	-1.3	-0.5
" 4	4.9	4.8	-0.1	+0.7	" 16	6.1	4.7	-1.4	-0.6
" 6	5.0	4.7	-0.3	+0.5	" 18	6.2	4.6	-1.6	-0.8
" 8	5.0	4.8	-0.2	+0.6	" 21	6.1	4.7	-1.4	-0.6
" 11	5.4	4.9	-0.5	+0.3	" 23	5.8	4.8	-1.0	-0.2
" 13	5.6	4.8	-0.8	0	" 25	5.9	4.8	-1.1	-0.3
" 15	5.2	4.9	-0.3	+0.5	" 28	6.1	4.9	-1.2	-0.4
" 18	5.7	5.0	-0.7	+0.1	" 30	5.5	4.8	-0.7	+0.1
" 20	5.0	4.9	-0.1	+0.7	Dec. 2	5.7	4.8	-0.9	-0.1
" 22	5.0	4.9	-0.1	+0.7	" 5	5.7	4.8	-0.9	-0.1
" 25	5.4	4.9	-0.5	+0.3	" 9	6.3	5.0	-1.3	-0.5
" 27	5.0	4.7	-0.3	+0.5	" 14	6.6	5.1	-1.5	-0.7
" 29	4.9	4.9	0	+0.8	" 16	6.4	5.2	-1.2	-0.4
Aug. 1	5.7	5.0	-0.7	+0.1	" 19	5.7	5.2	-0.5	+0.3
" 3	5.3	5.2	-0.1	+0.7	" 21	6.6	5.2	-1.4	-0.6
" 5	5.1	5.3	+0.2	+1.0	" 23	6.8	5.2	-1.6	-0.8
" 8	5.4	5.5	+0.1	+0.9	" 26	6.3	5.2	-1.1	-0.3
" 10	5.6	5.5	-0.1	+0.7	" 28	6.8	5.2	-1.6	-0.8
" 12	5.8	5.5	-0.3	+0.5	" 30	6.3	5.3	-1.0	-0.2
" 15	5.8	5.4	-0.4	+0.4					
Means ..					Means ..	5.63	4.86	-0.77	+0.42

Base line values are derived by converting the corresponding tabulated ordinates in Table II_b into arc and subtracting the converted ordinates from the observed. The calculated values in column 3 are the same as those derived from Instrument No. 7 and given in column 2, Tables Va to Ve, and the differences in column 4 would represent for that year the difference due to (1), the excesses over this mean of the values of the differences for each observation which are given in column 5 would represent A shift in the base line of 0' 6 and of 0' 4 occurred on the 15th and the 27th September 1913. Adjustment of the zero mirror of the Declination Magnetograph was made

observations of absolute Declination with Instrument No. 3.

1913.							1914.					1915.				
Difference.	Excesses of the differ- ences in column 4 over the mean differ- ence for the year.	Date.	Observed.	Calculated.	Difference.	Excesses of the differ- ences in column 4 over the mean differ- ences for the year.	Date.	Observed.	Calculated.	Difference.	Excesses of the differ- ences in column 4 over the mean differ- ence for the year.	Date.	Observed.	Calculated.	Difference.	Excesses of the differ- ences in column 4 over the mean differ- ences for the year.
4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
-1.3	-0.3	Jan. 3	8.6	8.1	-0.5	-0.3	Jan. 2	10.6	10.5	-0.1	+0.1	Jan. 7	7.9	8.1	+0.2	+0.2
-0.9	+0.1	" 9	8.6	8.3	-0.3	-0.1	" 6	10.6	10.6	0	+0.2	" 15	8.2	8.3	+0.1	+0.1
-1.2	-0.2	" 16	8.7	8.5	-0.2	0	" 16	10.9	10.6	-0.3	-0.1	" 21	8.5	8.4	-0.1	-0.1
-0.9	+0.1	" 23	8.9	8.7	-0.2	0	" 22	10.8	10.7	-0.1	+0.1	" 28	8.3	8.6	+0.3	+0.3
-0.9	+0.1	" 30	9.0	8.8	-0.2	0	" 29	10.6	10.9	+0.3	+0.5	Feb. 4	8.6	8.8	+0.2	+0.2
-1.0	0	Feb. 6	9.1	8.8	-0.3	-0.1	Feb. 5	11.0	11.1	+0.1	+0.3	" 11	8.9	8.9	0	0
-1.5	-0.5	" 13	9.1	8.9	-0.2	0	" 12	11.4	11.3	-0.1	+0.1	" 18	8.8	9.1	+0.3	+0.3
-0.6	+0.4	" 20	9.7	8.9	-0.8	-0.6	" 19	11.3	11.5	+0.2	+0.4	" 25	9.3	9.3	0	0
-1.0	0	" 27	9.4	8.9	-0.5	-0.3	" 27	11.4	11.6	+0.2	+0.4	Mar. 4	9.8	9.4	-0.4	-0.4
		Mar. 7	9.6	9.0	-0.6	-0.4	Mar. 5	11.1	11.6	+0.5	+0.7	" 11	9.5	9.5	0	0
-0.5	+0.5	" 13	9.0	8.9	-0.1	+0.1	" 13	11.5	11.6	+0.1	+0.3	" 18	9.7	9.6	-0.1	-0.1
-0.3	+0.7	" 20	8.6	8.8	+0.2	+0.4	" 19	12.1	11.7	-0.4	-0.2	" 26	9.2	9.6	+0.4	+0.4
-0.8	+0.2	" 27	8.5	8.6	+0.1	+0.3	" 26	11.9	11.8	-0.1	+0.1	Apr. 1	8.8	9.5	+0.7	+0.7
-1.0	0	Apr. 3	9.0	8.4	-0.6	-0.4	Apr. 2	12.1	11.8	-0.3	-0.1	" 8	9.0	9.5	+0.5	+0.5
		" 10	8.7	8.2	-0.5	-0.3	" 9	12.0	11.9	-0.1	+0.1	" 15	8.7	9.4	+0.7	+0.7
		" 17	8.4	8.0	-0.4	-0.2	" 16	11.8	11.8	0	+0.2	" 22	8.9	9.2	+0.3	+0.3
-1.3	-0.3	" 24	8.4	7.8	-0.6	-0.4	" 23	12.1	11.6	-0.5	-0.3	" 29	9.0	9.1	+0.1	+0.1
-0.8	+0.2	May 1	8.2	7.6	-0.6	-0.4	" 30	11.8	11.4	-0.4	-0.2	May 6	9.0	9.0	0	0
-0.9	+0.1	" 8	8.1	7.4	-0.7	-0.5	May 7	11.4	11.1	-0.3	-0.1	" 13	9.2	8.9	-0.3	-0.3
-1.0	0	" 15	7.5	7.2	-0.3	-0.1	" 14	11.6	10.9	-0.7	-0.5	" 20	9.4	8.9	-0.5	-0.5
		" 22	7.3	7.0	-0.3	-0.1	" 21	11.4	10.8	-0.6	-0.4	" 27	9.1	8.9	-0.2	-0.2
		" 29	7.5	7.0	-0.5	-0.3	" 28	11.1	10.9	-0.2	0	June 3	9.3	8.9	-0.4	-0.4
-0.8	+0.2	June 5	7.2	7.0	-0.2	0	June 4	11.5	11.1	-0.4	-0.2	" 10	8.8	8.9	+0.1	+0.1
-0.9	+0.1	" 13	7.4	7.0	-0.4	-0.2	" 11	11.9	11.3	-0.6	-0.4	" 17	8.5	8.8	+0.3	+0.3
-0.6	+0.4	" 19	7.9	7.1	-0.8	-0.6	" 18	5.7	4.9	-0.8	-0.6	" 24	8.5	8.7	+0.2	+0.2
-0.3	+0.7	" 26	7.5	7.3	-0.2	0	" 25	5.7	5.0	-0.7	-0.5	July 1	8.4	8.7	+0.3	+0.3
-0.3	+0.7	July 3	8.3	7.6	-0.7	-0.5	July 2	5.6	5.1	-0.5	-0.3	" 8	8.6	8.7	+0.1	+0.1
		" 10	8.0	7.9	-0.1	+0.1	" 9	5.7	5.1	-0.6	-0.4	" 15	9.3	8.8	-0.5	-0.5
-0.1	+0.9	" 17	8.0	8.2	+0.2	+0.4	" 16	6.0	5.2	-0.8	-0.6	" 22	9.1	9.0	-0.1	-0.1
-0.8	+0.2	" 24	8.9	8.4	-0.5	-0.3	" 24	6.0	5.4	-0.6	-0.4	" 29	9.3	9.2	-0.1	-0.1
-0.4	+0.6	" 31	8.9	8.6	-0.3	-0.1	" 30	6.1	5.4	-0.7	-0.5	Aug. 5	9.3	9.4	+0.1	+0.1
-0.1	+0.9	Aug. 8	9.0	8.6	-0.4	-0.2	Aug. 6	6.1	5.5	-0.6	-0.4	" 12	9.5	9.6	+0.1	+0.1
		" 14	8.8	8.6	-0.2	0	" 14	6.1	5.6	-0.5	-0.3	" 19	9.9	9.7	-0.2	-0.2
-0.8	+0.2	" 21	8.4	8.6	+0.2	+0.4	" 20	6.4	5.8	-0.6	-0.4	" 26	9.9	9.8	-0.1	-0.1
-0.6	+0.4	" 28	8.9	8.6	-0.3	-0.1	" 27	6.5	6.0	-0.5	-0.3	Sept. 3	9.7	9.9	+0.2	+0.2
-0.8	+0.2	Sept. 5	9.0	8.7	-0.3	-0.1	Sept. 3	6.8	6.1	-0.7	-0.5	" 10	10.1	10.0	-0.1	-0.1
-0.5	+0.5	" 11	8.9	8.8	-0.1	+0.1	" 10	6.3	6.3	0	+0.2	" 16	9.7	10.1	+0.4	+0.4
-0.4	+0.6	" 18	8.8	9.4	+0.6	+0.8	" 17	6.7	6.5	-0.2	0	" 23	10.2	10.1	-0.1	-0.1
		" 25	8.8	9.3	+0.5	+0.7	" 24	7.0	6.7	-0.3	-0.1	" 30	9.9	10.1	+0.2	+0.2
		Oct. 2	9.5	9.5	0	+0.2	Oct. 1	7.4	6.9	-0.5	-0.3	Oct. 7	10.2	10.1	-0.1	-0.1
-0.6	+0.4	" 10	9.8	9.4	-0.4	-0.2	" 8	7.4	7.1	-0.3	-0.1	" 15	9.9	10.2	+0.3	+0.3
-0.8	+0.2	" 16	8.9	9.3	+0.4	+0.6	" 15	7.4	7.3	-0.1	+0.1	" 21	10.1	10.4	+0.3	+0.3
-0.5	+0.5	" 23	9.1	9.4	+0.3	+0.5	" 22	7.3	7.4	+0.1	+0.3	" 28	3.0	2.9	-0.1	-0.1
-0.9	+0.1	" 31	10.1	9.5	-0.6	-0.4	" 29	7.6	7.5	-0.1	+0.1	Nov. 4	3.4	3.1	-0.3	-0.3
		Nov. 6	10.2	9.6	-0.6	-0.4	Nov. 5	7.5	7.5	0	+0.2	" 11	3.2	3.2	0	0
		" 13	9.7	9.6	-0.1	+0.1	" 12	7.6	7.5	-0.1	+0.1	" 18	2.9	3.1	+0.2	+0.2
-0.4	+0.6	" 20	10.0	9.7	-0.3	-0.1	" 19	7.8	7.5	-0.3	-0.1	" 25	3.0	3.1	+0.1	+0.1
-0.8	+0.2	" 27	9.6	9.8	+0.2	+0.4	" 26	7.9	7.4	-0.5	-0.3	Dec. 2	2.8	3.1	+0.3	+0.3
-0.3	+0.7	Dec. 4	10.2	10.0	-0.2	0	Dec. 3	7.3	7.3	0	+0.2	" 9	3.3	3.2	-0.1	-0.1
-0.5	+0.5	" 11	10.2	10.1	-0.1	+0.1	" 10	7.3	7.3	0	+0.2	" 16	3.4	3.4	0	0
		" 18	10.3	10.3	0	+0.2	" 17	7.2	7.4	+0.2	+0.4	" 23	3.7	3.5	-0.2	-0.2
		" 26	10.2	10.3	+0.1	+0.3	" 24	7.6	7.6	0	+0.2	" 30	4.0	3.6	-0.4	-0.4
							" 31	7.6	7.9	+0.3	+0.5					
-0.97	+0.29	Means Jan. 3 to Sept. 11.	8.51	8.18	-0.24	+0.26	Means Jan. 2 to June 11.	11.41	11.25	-0.25	+0.28	Means Jan. 7 to Oct. 21.	9.19	9.26	+0.05	+0.22
		Oct. 2 to Dec. 26.	9.83	9.73	-	-	June 18 to Dec. 31.	6.81	6.49	-	-	Oct. 28 to Dec. 30	3.27	3.22	-	-

absolute Eastely Declination (1 c.m. = 10'·28). The values so obtained of the base line of the Declination Magnetograph denote *westerly* declination, therefore represent (1) the instrumental and the site differences and (2) the probable errors of the absolute determinations. If the annual means in column 4 be taken to the errors due to (2) (*vide* Introduction).

on the 13th June 1914 and on the 25th October 1915.

TABLE VIa—Daily Means of Horizontal Force.
1911.

36000γ+

1911.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	854	834	839	854	855	847	857	861	867	873	874	866
2	850	834	852	850	854	859	855	871	869	859	871	866
3	841	839	840	853	855	868	858	866	867	859	855	868
4	836	851	854	851	861	869	860	864	872	866	856	872
5	844	846	844	859	862	851	860	862	867	865	851	872
6	846	844	844	863	855	851	871	866	870	864	861	865
7	848	847	849	861	809	858	856	869	871	857	867	857
8	848	845	840	850	834	865	854	876	869	866	870	866
9	840	844	847	*	850	870	855	882	867	853	862	873
10	845	844	855	829	858	856	865	877	861	842	861	877
11	842	845	861	838	859	846	861	877	859	835	866	790
12	849	857	858	843	859	850	860	882	856	853	866	833
13	840	848	871	850	866	852	869	874	854	861	843	848
14	848	838	853	852	854	852	868	867	865	858	844	854
15	855	847	858	861	825	860	873	870	868	861	851	864
16	844	846	856	846	835	859	879	862	848	860	858	866
17	854	849	857	828	839	858	874	869	857	840	857	863
18	854	845	859	835	848	867	863	869	864	845	867	862
19	847	848	865	839	858	871	857	868	872	847	873	867
20	853	851	816	847	852	871	864	865	834	852	865	871
21	856	823	826	845	850	868	866	866	835	857	866	870
22	849	822	834	843	856	862	859	879	844	862	871	872
23	856	827	837	843	868	862	867	845	853	869	876	872
24	839	830	841	841	863	864	873	839	857	868	877	879
25	828	837	838	853	863	867	867	851	860	864	886	873
26	834	833	839	858	860	869	870	855	865	864	876	858
27	837	839	831	868	856	877	885	849	862	876	872	861
28	837	832	836	860	861	874	858	856	872	871	870	860
29	842		841	860	872	866	852	859	873	877	869	868
30	836		848	848	858	875	856	860	872	873	872	874
31	836		850		843		859	860		879		862
Monthly Mean	844.8	840.9	846.4	849.2	852.8	862.1	863.6	865.0	861.7	860.2	865.1	862.9

In the derivation of the daily means of Horizontal Force, the calculated values of the base line of the Horizontal Force Magnetograph given in column 2, Tables IVa to IVc, have been used. These calculated values, reduced to an uniform temperature as referred to in the footnote to Table IVa are corrected to the mean temperature of the day, which thus gives the correct base line value for the day. The daily mean ordinate derived from twenty-four hourly tabulations of the H. F. Magnetograms, corrected for progressive change by $\frac{1}{24}$ the difference between the initial and the terminal hour (10h to 10h) are next converted into C.G.S. unit by means of the scale co-efficients for 1 c.m. of ordinate. And finally these converted ordinates added to the corrected base line values referred to above give the absolute values of the daily means of Horizontal Force.

* Owing to loss of H. F. curve this day is rejected.

TABLE VIb--Daily Means of Horizontal Force.

1912.

36000γ +

1912.	Month.												1913.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	867	874	872	884	880	871	878	887	880	887	871	885	1	887	876	883	871	877	877	876	888	887	886	883	882
2	871	874	880	882	873	873	881	886	885	886	868	866	2	886	882	885	874	886	885	878	888	887	886	883	882
3	876	870	884	874	872	869	891	867	888	877	877	877	3	856	883	880	889	881	884	881	894	874	893	880	879
4	878	872	876	884	880	872	866	870	871	878	877	876	4	864	886	870	886	877	884	881	891	878	895	879	879
5	873	880	880	871	863	872	863	882	872	882	875	881	5	874	880	872	883	863	874	885	888	882	872	882	884
6	876	881	876	855	866	881	870	882	870	881	871	878	6	879	881	875	891	862	881	889	885	880	850	877	875
7	884	876	873	863	870	888	871	858	877	884	866	867	7	882	875	876	889	861	883	888	884	873	859	877	877
8	879	872	862	869	865	886	874	866	883	880	874	868	8	885	880	886	891	868	888	886	887	862	861	873	878
9	878	874	864	882	873	867	872	870	874	878	886	872	9	883	878	884	845	866	888	891	881	858	872	876	884
10	873	867	856	865	879	878	880	874	871	876	856	871	10	883	878	884	845	866	888	891	881	858	872	876	884
11	865	869	869	872	875	871	880	869	876	868	857	875	11	885	876	887	847	870	889	884	877	864	867	885	882
12	852	866	869	880	860	874	883	871	869	872	869	877	12	883	874	889	860	878	892	882	879	861	877	887	884
13	858	865	877	881	856	874	884	880	871	871	883	885	13	889	878	891	858	878	892	882	872	871	880	888	887
14	861	870	889	884	860	871	888	875	877	854	836	878	14	884	858	871	862	883	898	875	877	884	884	887	885
15	864	869	881	844	863	876	881	877	877	856	864	878	15	882	856	887	862	877	888	878	872	886	886	886	886
16	873	878	878	858	868	885	874	881	869	864	862	881	16	878	859	865	866	875	888	883	876	876	883	888	888
17	877	877	882	866	874	885	875	866	861	863	869	883	17	884	862	859	865	877	882	880	880	880	880	886	886
18	870	871	884	862	874	882	881	866	855	872	871	884	18	874	867	871	867	888	889	882	876	891	882	892	892
19	879	877	885	868	874	882	886	861	858	876	874	883	19	871	868	869	874	878	889	881	880	883	866	889	880
20	879	874	887	872	877	888	876	868	863	884	873	883	20	870	871	874	877	879	886	872	888	882	870	886	883
21	878	878	877	876	876	886	876	865	867	880	878	887	21	874	875	874	880	883	888	876	886	884	882	886	883
22	867	888	867	871	883	887	875	868	871	885	862	883	22	876	878	872	878	889	885	879	894	888	886	888	885
23	865	870	872	875	887	885	878	864	873	877	872	867	23	879	879	880	875	896	886	880	885	866	890	893	887
24	866	875	879	878	892	876	879	863	843	883	872	887	24	881	883	878	879	890	892	881	880	884	890	888	889
25	868	873	883	877	881	876	885	868	864	881	880	870	25	882	871	883	877	882	892	878	891	886	887	888	882
26	872	862	881	883	880	876	876	871	870	880	880	872	26	882	875	883	881	885	889	883	894	891	890	887	875
27	878	871	879	876	877	876	868	877	869	878	875	876	27	883	871	888	879	888	887	883	880	889	889	877	883
28	870	871	884	879	878	875	877	873	874	875	876	882	28	886	877	881	867	885	892	897	878	881	898	879	883
29	867	872	880	885	878	873	883	871	877	883	881	880	29	882	877	872	867	883	876	885	878	888	893	877	887
30	872	872	877	886	881	875	873	876	878	878	881	879	30	870	882	869	870	889	875	887	886	884	889	880	887
31	872		885		889		879	877		879	883	883	31	870		868		887		887	887	880	880	888	888
Monthly Mean	871.2	873.0	877.1	873.2	874.5	876.8	877.5	868.8	871.1	874.3	871.2	877.3	Monthly Mean.	877.8	874.5	876.7	872.3	879.2	884.4	882.7	883.5	877.2	881.5	883.2	883.2

* Owing to loss of curve this day is rejected.

TABLE VIa—Daily Means of Horizontal Force.
1914.

36000γ +

TABLE VIe—Daily Means of Horizontal Force.
1915.

36000γ +

1914.		Month.												1915.		Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
1	894	887	874	873	885	864	886	875	874	856	858	885	1	852	884	885	877	875	883	870	869	875	856	802	877		
2	888	885	874	883	889	874	890	877	882	866	863	892	2	875	876	886	870	865	881	851	850	870	870	842	886		
3	886	885	873	881	888	875	893	869	884	865	867	897	3	884	884	893	877	873	887	861	863	877	876	856	874		
4	888	881	875	886	898	880	899	871	879	870	859	885	4	886	892	895	879	873	886	866	863	881	877	866	880		
5	876	880	875	895	900	879	858	882	875	872	865	884	5	866	873	892	891	876	886	885	869	874	879	870	883		
6	879	860	879	833	887	889	873	870	877	879	871	884	6	875	878	900	892	881	893	870	862	883	879	870	819		
7	878	874	873	855	878	894	881	875	883	879	870	889	7	874	887	876	893	887	902	872	876	881	884	833	837		
8	883	880	877	851	879	885	892	877	884	876	873	882	8	877	859	852	871	891	887	876	868	890	880	845	849		
9	882	891	880	867	881	884	886	885	873	876	878	877	9	880	853	857	870	891	883	871	868	892	885	851	865		
10	884	887	882	874	886	890	885	883	877	869	890	874	10	882	865	870	887	890	887	867	869	874	882	856	874		
11	890	885	881	871	895	888	886	888	878	870	849	881	11	887	880	870	888	881	893	858	868	872	864	854	862		
12	896	893	880	872	891	890	890	891	885	874	861	883	12	887	878	882	886	876	864	854	871	878	876	863	861		
13	900	885	881	879	894	890	890	893	885	876	869	881	13	878	877	885	890	887	858	869	881	872	883	873	871		
14	889	887	883	887	893	894	891	883	882	882	861	879	14	870	882	892	890	890	871	871	885	877	847	878	863		
15	889	879	874	884	881	893	892	880	890	879	897	887	15	878	883	893	883	886	882	875	884	877	789	874	850		
16	877	882	878	873	877	891	901	885	882	877	879	890	16	880	891	887	864	886	874	877	900	868	847	826	857		
17	883	887	889	873	880	894	900	886	878	875	881	876	17	889	886	887	878	867	723	882	875	841	859	827	864		
18	883	884	893	879	881	895	893	882	867	871	878	879	18	885	886	887	854	879	821	879	886	864	878	840	875		
19	885	887	893	877	876	895	889	880	872	881	881	882	19	889	862	868	862	877	830	886	877	866	849	847	873		
20	888	890	889	882	884	893	887	876	877	880	887	883	20	890	861	877	854	875	830	884	879	882	843	856	874		
21	893	888	883	885	887	892	894	877	881	876	889	884	21	894	869	859	865	876	831	891	883	879	853	855	880		
22	879	885	894	885	888	885	888	880	889	881	891	888	22	890	875	856	872	878	840	883	877	843	838	853	882		
23	883	889	896	881	881	892	888	883	876	880	888	891	23	888	869	861	867	881	854	880	878	836	813	859	874		
24	889	888	892	885	891	894	892	884	872	884	893	887	24	884	872	868	875	883	871	891	877	844	831	866	874		
25	886	890	882	888	894	878	877	883	873	887	897	885	25	870	873	868	872	878	859	886	876	852	811	872	872		
26	891	891	886	887	882	892	878	881	885	903	890	892	26	874	867	868	837	881	865	876	844	852	842	871	858		
27	892	889	883	896	883	880	886	883	841	893	873	886	27	868	872	875	876	864	862	863	856	850	861	869	866		
28	891	886	886	886	886	891	882	881	856	839	880	872	28	876	879	875	880	878	862	866	860	846	861	865	872		
29	890	892	882	885	890	885	880	885	839	850	884	876	29	880	887	887	886	877	859	876	856	844	868	868	874		
30	886	886	894	882	897	883	870	872	860	868	885	883	30	883	872	872	885	877	865	863	856	834	880	871	869		
31	889		890		890	870	870	868		879		884	31	881		876		885		875	862		870	873	873		
Monthly Mean.	886.9	884.8	883.3	877.8	887.3	886.7	885.0	879.8	874.7	874.4	875.9	883.8	Monthly Mean.	879.7	875.4	877.0	876.2	879.6	862.5	873.4	870.0	865.8	859.1	853.3	867.4		

TABLE VIIa—Daily means of Declination (Easterly).
1911.

0°+

1911.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	56.2	55.9	56.5	55.2	55.3	55.3	54.8	54.1	54.1	53.7	53.3	53.3
2	56.3	56.2	56.1	55.5	55.2	55.0	54.8	53.9	53.9	53.7	53.2	53.4
3	56.8	56.1	56.4	55.4	55.1	55.0	54.7	53.9	54.2	54.0	53.4	53.2
4	56.5	55.7	56.1	55.3	55.1	54.9	54.4	54.2	53.8	53.4	53.4	53.3
5	56.6	55.8	56.5	55.2	55.2	55.2	54.4	53.9	54.0	53.7	53.7	53.2
6	56.5	56.0	56.4	55.2	55.2	55.0	54.8	54.0	53.7	53.7	53.5	53.3
7	56.5	55.8	56.2	54.9	55.3	55.1	54.9	54.0	53.9	53.9	53.1	53.4
8	56.3	56.2	56.4	55.4	55.2	55.1	54.8	54.0	53.8	53.9	53.2	53.3
9	56.5	56.1	56.1	56.0	55.5	55.0	54.9	53.8	53.9	53.9	53.3	53.2
10	56.2	56.0	56.1	55.6	55.3	54.8	54.8	53.6	53.8	54.0	53.4	52.9
11	56.2	55.9	56.0	55.6	55.4	55.3	54.6	54.1	53.9	54.0	53.4	54.4
12	56.3	55.9	55.8	55.8	55.0	55.3	54.6	53.8	53.6	53.8	53.4	53.6
13	56.2	55.9	55.6	55.7	54.8	55.0	54.3	53.9	53.9	53.8	53.7	53.5
14	56.2	56.1	55.8	55.3	54.8	55.3	54.6	54.0	53.9	54.0	53.7	53.6
15	56.0	55.5	55.8	55.4	55.2	55.3	54.5	54.0	53.8	54.0	53.4	53.5
16	56.4	55.9	56.2	55.6	55.3	54.9	54.4	54.2	53.9	53.8	53.5	53.1
17	55.9	55.9	55.9	55.4	55.1	54.8	54.2	53.9	53.7	53.9	53.4	53.2
18	55.9	55.8	55.6	55.8	55.4	54.7	54.3	54.1	53.6	53.8	53.3	52.9
19	56.3	55.9	55.6	55.7	54.9	54.9	54.4	54.2	53.6	54.0	53.3	53.0
20	56.0	56.0	56.2	55.4	55.1	54.7	54.4	54.0	53.9	53.9	53.4	53.1
21	56.0	56.3	56.3	55.4	55.5	54.5	54.6	54.2	54.1	53.8	53.3	53.1
22	55.9	56.1	56.0	55.4	55.3	54.6	54.4	54.0	53.6	53.6	53.2	52.8
23	55.9	56.3	56.3	55.4	55.2	54.9	54.5	54.3	53.9	53.6	53.2	53.3
24	56.0	56.1	55.8	55.2	55.1	54.6	54.2	54.4	53.7	53.7	53.1	53.0
25	56.2	56.1	56.1	55.4	55.1	54.5	54.6	54.2	53.6	53.5	53.1	53.1
26	56.0	56.0	55.9	55.4	55.6	54.7	54.4	54.1	53.6	53.4	53.4	53.3
27	56.1	56.3	55.7	54.9	55.3	54.4	54.5	54.2	53.5	53.5	53.5	53.2
28	56.2	56.3	55.5	55.2	55.1	54.6	54.2	54.0	53.7	53.4	53.2	53.0
29	56.1		55.8	55.1	55.4	54.7	54.4	54.2	53.5	53.4	53.2	52.9
30	56.0		55.5	55.5	55.4	54.9	54.4	54.1	53.4	53.4	53.2	52.8
31	56.4		55.4		55.5		54.3	54.4		53.6		53.0
Monthly Mean	56.21	56.00	55.99	55.41	55.22	54.90	54.52	54.05	53.76	53.74	53.35	53.22

In the derivation of the daily means of declination, the calculated values of the base line of the Declination Magnetograph have been used. As referred to in the foot-note to Table Va these values are derived by taking overlapping means of values derived from four successive observations with Instrument No. 7 and reducing them to the proper epoch; values for intermediate days being derived by simple interpolation. The daily mean ordinate derived from twenty-four hourly tabulations of the Declination Magnetograms and corrected for progressive change by $\frac{1}{24}$ the difference between the initial and the terminal hour (10h to 10h) were next converted into arc by factor 10'.28 which is equal to 1 c.m. of ordinate on the photographic paper. And finally these converted ordinates added to the daily base line values referred to above gave the absolute values of the daily means of Declination.

TABLE VIIb—Daily means of Declination (Easterly).

1912.

0°+

1912.	Month.												1913.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	52.6	52.6	52.3	52.0	51.7	51.3	51.5	51.1	50.3	50.9	49.7	49.7	1	49.3	48.6	48.4	48.7	48.1	47.9	47.8	47.2	46.8	46.5	45.9	
2	52.7	52.6	51.9	51.7	51.8	51.3	51.3	51.2	50.9	50.6	49.9	49.9	2	49.2	49.0	48.5	48.6	48.0	48.0	47.5	46.9	46.8	46.5	46.1	
3	52.8	52.8	52.1	52.0	51.8	51.2	51.0	51.0	50.9	50.3	49.8	49.8	3	49.6	49.0	48.7	48.6	48.0	48.0	47.7	47.0	46.9	46.7	46.1	
4	52.8	52.8	52.3	52.0	51.9	51.4	51.2	51.2	51.2	50.2	49.6	49.7	4	49.6	48.7	48.6	48.7	48.7	48.2	47.4	46.9	46.6	46.4	46.5	
5	52.7	52.4	52.1	52.4	51.9	51.4	51.1	51.1	51.1	50.2	49.7	49.5	5	49.2	48.5	48.7	48.8	48.7	47.9	47.7	47.0	46.5	46.4	46.5	
6	52.8	52.6	52.3	52.3	51.9	50.9	51.2	51.7	50.1	50.0	49.9	49.5	6	49.3	48.7	48.7	48.8	48.4	47.9	47.2	47.1	46.6	46.4	46.7	
7	52.7	52.6	52.4	52.2	51.9	51.1	51.2	51.3	50.2	50.3	50.1	49.6	7	49.4	48.7	48.4	48.6	48.3	47.8	47.4	47.1	46.8	46.8	46.6	
8	52.8	52.8	52.3	52.2	52.3	51.0	51.3	51.1	50.4	50.5	50.0	49.5	8	49.0	48.5	48.6	48.5	48.2	47.9	47.3	47.3	46.8	46.9	46.5	
9	52.5	52.6	52.3	52.2	52.2	51.4	50.9	51.3	50.1	50.5	50.0	49.7	9	49.0	48.7	48.4	48.9	48.3	48.0	47.2	47.1	46.5	46.6	46.4	
10	53.1	52.5	52.4	52.0	51.5	51.2	50.9	50.9	50.6	50.3	50.5	49.5	10	49.1	48.8	48.7	48.8	48.1	48.0	47.1	47.0	46.9	46.2	46.2	
11	52.9	52.6	51.9	51.8	51.9	51.3	50.7	50.9	50.4	50.2	50.3	49.5	11	49.0	48.5	48.0	48.7	48.4	48.1	47.1	47.1	46.9	46.8	46.3	
12	52.9	52.7	52.1	52.2	52.2	51.0	50.6	51.0	50.6	49.9	50.1	49.6	12	49.1	48.9	48.2	48.9	48.2	47.9	47.1	47.4	46.9	46.6	46.4	
13	53.2	52.6	52.3	52.1	52.5	51.2	50.8	50.5	50.8	50.2	49.7	49.2	13	48.9	48.7	48.3	48.7	48.2	47.9	47.0	47.1	46.5	46.8	46.0	
14	52.5	52.1	52.1	52.4	52.0	51.1	50.6	50.5	50.6	50.2	50.1	49.4	14	49.1	49.2	48.4	48.4	48.1	47.5	47.3	47.3	46.7	46.6	46.1	
15	53.5	52.7	52.2	52.2	52.2	51.2	51.2	50.8	50.3	50.3	50.0	49.5	15	49.5	49.1	48.4	48.5	47.9	48.1	47.2	47.1	47.0	46.6	46.3	
16	53.2	52.5	52.0	52.4	51.9	51.0	51.1	50.6	50.8	50.3	50.0	49.4	16	49.2	49.2	48.6	48.6	48.1	47.9	46.8	46.8	46.7	46.6	46.3	
17	52.9	52.5	52.2	52.5	51.7	51.0	50.8	50.6	50.7	50.4	50.0	49.2	17	49.2	49.0	48.5	48.4	48.1	48.0	47.3	46.7	46.6	46.3	46.1	
18	52.8	52.7	52.2	52.4	51.7	50.7	50.8	50.8	50.6	50.2	50.0	49.9	18	49.1	49.3	48.4	48.4	48.1	48.0	47.0	46.9	46.4	46.5	46.1	
19	52.8	52.5	51.7	52.3	51.5	51.0	50.9	51.1	50.5	50.2	49.6	49.1	19	49.1	49.1	48.7	48.5	48.4	48.0	47.4	46.5	46.3	46.4	46.0	
20	52.8	52.6	51.8	52.0	51.6	51.0	51.2	50.7	50.5	50.0	49.4	49.0	20	48.8	49.1	48.5	48.3	48.1	47.7	47.3	46.7	46.8	46.4	46.0	
21	52.8	52.4	52.1	52.1	51.3	51.2	51.2	50.7	50.4	50.1	49.4	49.2	21	48.9	48.8	48.6	48.3	48.1	48.0	47.6	47.3	46.8	46.5	46.2	
22	53.0	52.2	52.3	52.2	51.3	50.8	50.6	50.6	50.3	50.1	49.5	49.2	22	49.1	48.8	48.5	48.2	48.1	47.6	47.4	46.7	45.8	46.3	46.0	
23	52.4	52.4	52.2	52.2	51.0	50.9	51.2	50.4	50.8	49.9	49.7	49.6	23	49.0	48.9	48.3	48.8	47.9	47.5	47.1	46.3	46.3	45.8	46.1	
24	52.9	52.4	52.2	52.1	51.1	51.0	50.7	50.4	50.3	49.8	49.8	49.5	24	49.0	48.4	48.7	48.3	47.8	47.1	46.4	46.2	46.4	46.1	45.8	
25	52.9	52.4	52.0	52.1	51.3	50.8	50.6	50.6	50.3	49.7	49.4	49.4	25	49.1	48.8	48.5	48.3	47.9	47.4	47.2	46.9	46.4	46.6	45.8	
26	52.7	52.5	52.1	51.6	51.5	51.1	50.7	50.3	50.3	50.0	49.4	49.6	26	49.1	48.7	48.4	48.2	47.8	47.4	47.1	46.8	46.8	46.4	46.0	
27	52.9	52.6	51.9	52.1	51.5	51.2	50.9	50.1	50.3	49.9	49.7	49.5	27	48.8	48.7	48.2	48.4	47.8	48.0	47.2	47.0	46.4	46.6	45.9	
28	52.9	52.3	52.1	52.1	51.1	51.1	51.0	50.2	50.2	49.9	49.7	49.5	28	49.3	48.5	48.3	48.5	47.9	48.0	47.2	47.0	46.4	46.6	46.1	
29	52.9	52.2	52.2	51.8	51.5	51.3	50.8	50.2	50.1	50.2	49.4	49.7	29	48.9	48.9	48.6	48.4	47.9	48.0	47.4	47.1	46.2	46.7	46.2	
30	52.7	52.2	52.2	51.8	51.5	51.1	50.8	50.1	50.5	50.0	49.5	49.6	30	49.4	48.4	48.6	48.2	47.8	48.0	47.3	46.8	46.5	46.1	45.7	
31	52.8	52.1	52.1	51.0	51.0	51.0	49.9	49.9	49.9	49.9	49.4	49.4	31	49.3	48.7	48.7	48.0	48.0	47.2	47.2	46.9	46.7	46.1	45.7	
Monthly Mean.	52.88	52.56	52.14	52.11	51.68	51.10	50.96	50.75	50.42	50.17	49.80	49.45	Monthly Mean.	49.15	48.82	48.48	48.54	48.11	47.84	47.30	46.98	46.55	46.38	46.27	46.07

* Owing to loss of D curve this day is rejected.

TABLE VIIId.—Daily means of Declination (Easterly). TABLE VIIe.—Daily means of Declination (Easterly).

1914.

0°+

1915.

0°+

1914.		Month.												1915.		Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
1	46.0	45.6	45.2	45.5	44.4	45.0	43.8	44.0	43.9	43.6	43.2	42.7	1	43.0	41.9	41.9	41.8	41.4	40.6	40.8	39.9	40.2	39.7	40.1	38.8		
2	45.8	45.4	45.4	45.2	44.4	45.0	44.0	44.0	43.6	43.5	43.2	42.8	2	42.6	42.2	41.8	41.9	41.4	40.9	40.8	40.4	40.3	39.4	39.6	38.8		
3	45.7	45.5	45.3	45.1	44.5	44.0	44.0	44.2	43.8	43.5	42.9	42.6	3	42.3	41.9	41.6	41.5	41.2	40.8	40.9	40.2	39.8	39.3	39.0	38.8		
4	45.8	45.7	45.5	45.1	44.5	44.6	43.8	44.3	43.9	43.5	43.1	42.9	4	42.4	41.6	41.6	41.5	41.5	40.5	40.6	40.6	39.9	39.2	39.3	39.1		
5	45.9	45.6	45.4	44.8	44.6	44.6	44.1	44.1	43.8	43.3	42.9	42.7	5	42.6	41.9	42.0	41.4	41.9	40.6	40.4	40.2	39.9	39.5	38.9	40.0		
6	45.9	45.9	45.5	45.3	44.9	44.3	44.3	44.0	43.3	43.3	42.6	42.7	6	42.4	41.9	41.8	41.4	41.7	40.4	40.6	40.2	39.9	39.7	40.1	40.0		
7	46.0	45.8	45.5	45.2	44.8	44.4	43.8	43.8	43.4	43.1	42.8	42.7	7	42.5	41.9	41.8	41.1	41.2	40.4	40.5	40.6	39.8	39.7	39.4	39.3		
8	46.0	45.8	45.4	45.3	44.9	44.5	44.0	43.6	43.3	43.3	42.8	42.8	8	42.9	42.1	42.1	41.7	40.9	40.6	40.4	40.5	39.7	39.4	39.5	39.5		
9	45.9	45.4	45.2	45.1	44.7	44.6	44.5	43.8	43.6	43.3	42.8	43.0	9	42.6	42.2	41.9	41.8	41.6	40.7	40.7	40.3	39.5	39.2	39.2	39.3		
10	45.8	45.5	45.3	45.1	44.7	44.1	44.5	43.8	43.3	43.2	42.4	43.0	10	42.5	42.0	41.9	41.4	41.2	40.6	40.7	40.7	39.6	39.5	39.2	39.2		
11	45.6	45.4	45.4	45.3	44.5	44.4	44.0	43.6	43.5	43.4	43.2	42.7	11	42.4	42.1	41.7	41.1	41.1	40.8	40.9	40.4	39.9	39.6	39.5	39.0		
12	45.6	45.3	45.2	45.3	44.9	44.2	44.0	43.5	43.4	42.9	42.8	42.7	12	42.4	41.9	41.8	41.3	41.1	40.9	40.3	40.3	39.7	39.2	39.4	39.0		
13	45.7	45.7	45.3	45.0	44.8	44.2	44.1	43.7	43.1	43.2	42.8	42.9	13	42.4	42.1	41.7	41.1	41.1	40.8	40.9	40.3	39.9	39.1	39.1	38.6		
14	45.9	45.7	45.1	45.0	44.9	44.4	44.3	43.9	43.2	43.0	42.3	42.9	14	42.8	41.8	41.3	41.0	41.2	40.7	40.5	40.3	40.0	40.0	39.1	38.7		
15	46.0	45.7	45.3	45.1	45.1	44.5	44.2	43.9	43.2	42.9	42.7	42.5	15	42.3	42.0	41.4	41.1	40.8	40.4	40.4	40.0	39.5	40.0	38.9	39.1		
16	45.9	45.6	45.2	44.8	45.0	44.3	43.9	43.8	43.2	43.2	42.6	42.3	16	42.6	42.1	41.5	41.5	41.3	40.4	40.5	40.0	39.4	39.7	39.7	38.9		
17	45.8	45.4	45.1	45.1	45.3	44.3	44.0	43.9	43.3	43.2	42.7	42.7	17	42.4	42.1	41.8	41.3	41.3	41.5	40.7	40.3	40.1	39.5	39.3	38.7		
18	45.9	45.6	45.3	45.1	45.1	44.2	43.9	43.8	43.4	42.9	42.8	42.6	18	42.1	41.7	41.8	41.6	41.1	41.1	40.6	40.0	39.9	39.4	39.5	38.4		
19	45.8	45.4	45.1	45.1	45.0	44.7	44.2	43.8	43.3	42.8	42.7	42.8	19	42.0	42.3	41.6	42.1	41.6	41.5	40.3	40.2	40.0	40.2	39.5	38.4		
20	45.6	45.3	45.4	45.1	44.9	44.3	44.4	43.8	43.4	42.8	42.7	42.8	20	42.2	42.1	41.6	41.8	41.0	41.5	40.3	40.3	39.9	39.5	39.3	38.5		
21	45.6	45.5	45.0	45.0	44.8	44.5	44.1	44.0	43.1	42.9	42.8	42.8	21	42.0	41.9	41.9	41.7	41.3	41.1	40.0	40.1	40.0	39.6	39.4	38.6		
22	45.9	45.4	45.3	45.0	44.8	44.6	44.2	43.9	43.2	42.9	42.5	42.6	22	42.1	41.7	41.8	41.5	40.7	41.0	40.3	40.2	40.1	39.6	39.6	38.6		
23	45.6	45.2	45.2	45.1	45.1	44.3	44.4	43.6	43.5	43.0	42.6	42.8	23	42.3	42.2	41.4	41.3	41.0	40.9	40.4	40.1	40.2	40.1	39.2	38.6		
24	45.5	45.2	45.0	44.9	45.0	43.9	44.2	43.7	43.3	43.5	42.5	42.5	24	41.7	41.6	41.7	41.2	40.9	40.8	40.0	40.3	40.1	40.1	39.1	38.4		
25	45.3	45.3	45.0	44.9	45.1	44.3	44.3	43.5	43.0	43.1	42.7	42.6	25	42.1	41.8	41.9	41.5	41.0	41.1	40.6	40.0	39.8	40.5	39.2	38.6		
26	45.5	45.2	44.9	45.4	44.9	44.3	44.1	43.5	43.2	42.6	42.7	42.4	26	42.1	42.1	41.8	41.9	40.7	41.0	40.4	40.4	39.9	39.9	39.2	38.8		
27	45.2	45.3	45.3	45.3	44.7	44.4	43.7	43.6	44.3	42.9	42.9	42.5	27	42.2	42.0	41.6	41.6	41.2	40.8	40.4	40.2	40.1	39.7	39.2	38.8		
28	45.6	45.1	45.6	45.1	44.8	44.3	44.2	43.2	43.3	43.3	42.8	42.6	28	42.0	42.0	41.6	41.6	41.0	40.5	39.7	40.2	40.1	39.5	39.4	38.4		
29	45.5	45.7	45.1	45.3	44.8	44.2	45.0	43.8	43.7	43.7	43.2	42.6	29	42.1	41.9	41.4	41.4	40.8	40.8	40.1	40.3	40.0	39.3	38.9	38.6		
30	45.7	45.1	45.1	45.3	44.4	44.3	44.3	43.7	43.5	42.8	42.8	42.2	30	41.9	41.6	41.6	41.5	41.0	40.6	40.3	40.4	40.4	39.1	39.1	38.2		
31	45.4	45.4	45.1	45.1	44.6	44.4	44.4	44.1	43.5	42.9	42.7	42.7	31	42.0	41.6	41.6	41.5	40.6	40.0	40.0	40.0	39.2	39.2	38.4	38.4		
Monthly Mean.	45.72	45.48	45.25	45.12	44.79	44.44	44.15	43.80	43.43	43.12	42.82	42.69	Monthly Mean.	42.32	41.96	41.70	41.48	41.14	40.82	40.49	40.25	39.92	39.60	39.35	38.82		

TABLE VIII.—Monthly means of the magnetic elements determined from the absolute observations of Horizontal Force, Declination and Inclination and reduced to the mean monthly tabulations of the magnetograms (derived from observations with Standard Instruments).

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Annual Means.
Horizontal Force (Instrument No. 7.)													
36000 γ +													
1911 ..	845.9	840.2	848.1	848.7	852.7	861.6	861.0	862.6	860.7	850.5	863.9	862.7	855.6
1912 ..	873.4	874.3	877.7	870.4	872.9	877.4	879.1	868.6	868.9	875.4	872.7	876.9	874.0
1913 ..	878.4	874.8	877.8	872.3	878.9	886.5	880.3	883.6	875.7	882.2	886.6	885.8	880.2
1914 ..	889.2	886.5	883.2	877.3	878.9	885.1	883.9	878.1	875.2	875.5	874.2	884.1	881.4
1915 ..	880.6	873.1	876.0	876.6	883.7	863.2	872.1	867.0	867.5	860.8	854.2	867.1	870.2
Easterly Declination (Instrument No. 7.)													
0° +													
1911 ..	56 15	56 2	55 57	55 27	55 10	54 55	54 33	54 1	53 49	53 45	53 22	53 16	54 43
1912 ..	52 52	52 32	52 8	52 8	51 42	51 9	51 1	50 44	50 27	50 10	49 47	49 31	51 11
1913 ..	49 47	48 50	48 29	48 29	47 47	47 13	47 10	46 30	46 38	46 38	45 42	45 42	47 33
1914 ..	45 47	45 24	45 16	45 1	44 59	44 23	44 10	43 51	43 28	43 5	42 47	42 46	44 15
1915 ..	42 13	42 0	41 40	41 28	41 15	40 46	40 34	40 13	39 55	39 40	39 18	38 50	40 39
Vertical Force (Inductor No. 41.)													
16000 γ +													
1911 ..	197.0	215.1	213.4	220.0	220.2	253.4	270.1	261.8	282.1	265.5	285.2	303.7	249.9
1912 ..	314.5	327.7	340.7	344.6	357.5	366.4	371.0	376.0	388.1	399.9	409.9	415.3	366.8
1913 ..	427.9	434.3	449.0	456.2	468.3	481.2	483.2	485.3	492.5	492.5	498.7	503.2	473.7
1914 ..	531.2	537.5	553.6	559.4	577.9	591.2	594.6	598.2	604.3	615.2	627.2	634.2	582.9
1915 ..	648.5	651.6	657.7	664.7	668.2	692.6	694.5	696.5	710.8	721.6	721.4	738.1	688.0
Inclination (Inductor No. 41.)													
1911 ..	23	43.8	23	45.4	23	45.5	23	45.5	23	45.5	23	45.5	23
1912 ..	52.0	53.0	53.9	54.5	55.4	55.1	56.2	57.0	57.9	58.6	59.5	59.7	56.1
1913 ..	24	0.7	24	1.3	24	3.1	24	3.8	24	5.5	24	5.5	24
1914 ..	8.3	8.9	10.3	11.0	12.0	12.3	12.6	13.1	14.6	15.3	16.1	16.5	12.6
1915 ..	17.7	18.2	18.6	19.1	19.1	21.0	21.6	21.9	23.0	24.1	24.3	25.1	21.1

Means in this table are derived from observations with the Observatory Standard Instruments which are Instrument No. 7 for Horizontal Force and Inclination and Inductor No. 41 by Schultze for Vertical Force and Inclination. These observations are printed in Tables 16, 116, and 111 for each year.

Vertical Force and Inclination which during the years 1906 to 1910 were derived from observations with the Dip Circle are from the year 1911 derived from observations with the Inductor. To maintain the continuity between the past record and the present a correction of about 22 γ (equivalent to 1.7° of dip) is indicated, the Inductor result giving higher values of V and I.

Means in this table are derived by the usual method which consists in correcting the mean monthly observed absolute values by the difference between the mean ordinate at the time of the absolute determinations and the mean monthly ordinate derived from twenty-four hourly tabulations. The small differences noted between these means and those given at the foot of Tables VI and VII are due to the difference in the process adopted for the derivation of the latter (vide foot-note, Tables VIa and VIIa).

TABLE VIIIa.—Monthly means of the magnetic elements determined from the absolute observations of Horizontal Force, Declination and Inclination and reduced to the mean monthly tabulations of the magnetograms (derived from supplementary observations with auxiliary instruments).

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Annual Means.
Horizontal Force (Instrument No. 3.)													
36000 γ +													
1911 ..	842.3	837.0	842.6	846.4	850.2	861.4	863.5	865.1	859.7	859.2	864.5	864.4	854.4
1912 ..	868.7	869.8	874.7	873.1	874.1	877.1	880.9	877.1	878.2	881.8	875.8	876.3	876.3
1913 ..	895.0	880.8	881.6	880.1	884.8	891.4	890.2	888.9	886.9	889.2	884.1	887.0	885.8
1914 ..	892.3	887.2	890.4	884.0	894.6	893.7	893.8	886.5	884.2	883.5	883.6	890.5	888.7
1915 ..	885.6	882.2	887.6	882.0	885.1	872.1	883.8	881.5	873.5	867.7	861.6	875.2	878.2
Easterly Declination (Instrument No. 3.)													
0° +													
1911 ..	55 33	55 1	54 48	55 7	54 51	54 32	54 14	53 41	52 49	52 40	52 5	52 3	53 57
1912 ..	51 36	51 21	51 0	51 5	50 41	50 27	50 1	50 11	49 3	49 31	49 5	48 57	50 20
1913 ..	48 51	48 21	48 24	47 56	47 38	47 27	46 59	46 48	46 43	46 31	46 4	46 0	47 18
1914 ..	45 42	45 30	45 17	44 44	44 21	43 45	43 30	43 13	43 10	42 58	42 37	42 45	43 58
1915 ..	42 23	42 3	41 41	41 57	40 54	40 51	40 28	40 17	40 3	39 43	39 21	38 46	40 42
Vertical Force (Dip Circle.)													
16000 γ +													
1911 ..	167.7	185.0	204.4	207.8	203.5	221.0	244.5	244.8	251.7	257.4	271.0	281.2	228.3
1912 ..	298.3	307.0	307.4	324.0	324.0	344.0	341.9	374.0	396.0	406.1	406.1	409.3	353.9
1913 ..	406.4	407.6	438.5	437.8	465.5	471.2	461.3	472.9	477.9	480.7	501.3	499.7	480.1
1914 ..	547.6	544.9	532.7	553.0									
Vertical Force (Inductor No. 108.)													
1914 ..	650.5	653.3	669.3	678.6	684.3	700.3	716.2	710.8	716.2	738.6	750.1	750.6	701.6
1915 ..	650.5	653.3	669.3	678.6	684.3	700.3	716.2	710.8	716.2	738.6	750.1	750.6	701.6
Inclination (Dip Circle.)													
1911 ..	23	41.5	23	44.3	23	44.1	23	45.1	23	46.0	23	48.0	23
1912 ..	50.7	51.4	51.3	52.8	53.9	54.2	53.9	56.8	58.5	58.6	59.2	59.3	55.0
1913 ..	59.0	59.2	59.2	1.5	24	3.6	24	3.2	24	4.6	24	6.1	24
1914 ..	24	9.6	24	9.5	8.6	10.4							3.1
Inclination (Inductor No. 108.)													
1914 ..	24	17.9	24	18.3	24	19.5	24	20.2	24	20.4	23.2	23.4	22.2
1915 ..	24	17.9	24	18.3	24	19.5	24	20.2	24	20.4	23.2	23.4	22.2

Means given in this table are derived in the same way as in Table VIII but from supplementary observations with auxiliary instruments which are Instrument No. 3 for Horizontal Force and Declination, Dip Circle No. 100 for Vertical Force and Inclination from January 1911 to May 1914, and Inductor No. 108 by Otto Toepfer for V and I from June 1914 to December 1915.

These supplementary observations are printed in Tables 16, 116 and 111 for each year from which it will be seen that results derived from the Dip Circle during the period June 1912 to May 1914 involve a large amount of the probable error of observations as during the period a single observation was taken every week giving only four observations from which the monthly mean can be derived.

For the differences between the results of the auxiliary and the standard instruments and their behaviour vide Introduction.

TABLE IXa.—Showing the magnetic character of each day during the year 1911.

1911.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	S	S	S	S	S	S	S	C	S	C	S	S
2	S	S	S	S	S	C	S	C	C	S	C	C
3	S	S	S	S	C	C	S	S	C	S	S	S
4	S	S	S	S	C	S	S	S	C	S	S	C
5	S	S	M	C	S	S	S	S	S	C	S	C
6	S	S	S	C	S	S	S	S	S	C	C	S
7	C	S	S	S	M	C	S	C	S	S	S	S
8	S	S	S	S	S	C	S	C	C	S	S	C
9	S	S	C	M	S	S	S	S	C	S	S	C
10	S	S	C	S	S	S	S	C	S	S	S	S
11	S	S	C	S	S	S	S	C	S	S	C	M
12	C	C	C	S	S	S	S	C	S	S	S	S
13	S	S	S	C	C	S	S	S	S	S	M	C
14	S	S	S	C	S	S	C	C	C	S	S	S
15	S	C	S	C	M	S	C	S	S	C	S	S
16	S	S	S	M	S	S	C	S	S	S	S	C
17	C	S	C	S	S	C	S	S	S	S	S	S
18	S	S	C	S	S	C	S	C	S	S	C	S
19	S	S	C	S	S	C	S	S	S	S	S	C
20	S	C	G	S	S	S	S	S	M	S	S	C
21	S	G	M	S	S	S	C	S	M	S	S	C
22	S	M	S	S	S	S	C	C	S	S	C	C
23	S	S	S	S	S	S	C	M	S	S	C	S
24	M	S	S	S	S	S	S	M	S	S	C	C
25	S	S	S	S	S	C	C	S	C	S	S	S
26	S	S	S	C	S	C	C	S	C	S	S	S
27	S	S	S	C	S	C	S	S	S	S	C	S
28	S	S	S	S	C	S	S	S	C	C	C	C
29	S		S	S	S	C	S	S	S	S	S	C
30	S		S	M	S	C	S	S	C	C	C	S
31	S		S		S		S	S		C		S
Total number of days in each class.												
Calm	3	3	7	7	4	12	8	10	10	7	10	14
Small	27	23	21	20	25	18	23	19	18	24	19	16
Moderate	1	1	2	3	2	0	0	2	2	0	1	1
Great	0	1	1	0	0	0	0	0	0	0	0	0
Very great	0	0	0	0	0	0	0	0	0	0	0	0
Sum	31	28	31	30	31	30	31	31	30	31	30	31
Selected Quiet days.												
	7	4	11	6	4	3	5	11	2	1	2	5
	12	12	12	13	10	8	14	12	8	6	11	9
	14	15	17	14	13	18	15	14	9	15	18	16
	17	18	18	15	23	19	16	18	28	28	23	20
	23	20	19	26	28	27	26	22	30	30	24	29
Mean	14.6	13.8	15.4	14.8	15.6	15.0	15.2	15.4	15.4	16.0	15.6	15.8

C=Calm, S=Small; M=Moderate; G=Great; V. G.=Very Great.

Disturbances are determined from the Horizontal Force traces.

Days are reckoned from local midnight to midnight.

M N 78—bb

TABLE IXc--Showing the magnetic character of each day during the year 1913.

C = Calm ; S = Small ; M = Moderate ; G = Great ; V. G. = Very Great. Disturbances are determined from Horizontal Force Traces. Days are reckoned from local midnight to local midnight.

TABLE IXd—Showing the magnetic character of each day during the year 1914.

TABLE IXe—Showing the magnetic character of each day during the year 1915.

1914.													1915.													Month.												
Month.													Month.													Month.												
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.													
1	C	S	C	S	S	M	C	S	S	S	S	S	1	S	S	S	S	S	C	S	S	S	S	M	C													
2	S	S	S	S	S	S	S	S	S	S	S	S	2	S	S	S	S	S	C	S	S	S	S	S	S													
3	S	S	S	S	S	S	S	S	S	S	S	S	3	S	S	S	S	S	C	S	S	S	S	S	S													
4	S	S	S	S	S	S	S	S	S	S	S	S	4	S	S	S	S	S	C	S	S	S	S	S	S													
5	S	S	S	S	S	S	S	S	S	S	S	S	5	S	S	S	S	S	C	S	S	S	S	S	S													
6	S	S	S	S	S	S	S	S	S	S	S	S	6	S	S	S	S	S	C	S	S	S	S	S	S													
7	S	S	S	S	S	S	S	S	S	S	S	S	7	S	S	S	S	S	C	S	S	S	S	S	S													
8	S	S	S	S	S	S	S	S	S	S	S	S	8	S	S	S	S	S	C	S	S	S	S	S	S													
9	S	S	S	S	S	S	S	S	S	S	S	S	9	S	S	S	S	S	C	S	S	S	S	S	S													
10	S	S	S	S	S	S	S	S	S	S	S	S	10	S	S	S	S	S	C	S	S	S	S	S	S													
11	S	S	S	S	S	S	S	S	S	S	S	S	11	S	S	S	S	S	C	S	S	S	S	S	S													
12	S	S	S	S	S	S	S	S	S	S	S	S	12	S	S	S	S	S	C	S	S	S	S	S	S													
13	S	S	S	S	S	S	S	S	S	S	S	S	13	S	S	S	S	S	C	S	S	S	S	S	S													
14	S	S	S	S	S	S	S	S	S	S	S	S	14	S	S	S	S	S	C	S	S	S	S	S	S													
15	S	S	S	S	S	S	S	S	S	S	S	S	15	S	S	S	S	S	C	S	S	S	S	S	S													
16	S	S	S	S	S	S	S	S	S	S	S	S	16	S	S	S	S	S	C	S	S	S	S	S	S													
17	S	S	S	S	S	S	S	S	S	S	S	S	17	S	S	S	S	S	C	S	S	S	S	S	S													
18	S	S	S	S	S	S	S	S	S	S	S	S	18	S	S	S	S	S	C	S	S	S	S	S	S													
19	S	S	S	S	S	S	S	S	S	S	S	S	19	S	S	S	S	S	C	S	S	S	S	S	S													
20	S	S	S	S	S	S	S	S	S	S	S	S	20	S	S	S	S	S	C	S	S	S	S	S	S													
21	S	S	S	S	S	S	S	S	S	S	S	S	21	S	S	S	S	S	C	S	S	S	S	S	S													
22	S	S	S	S	S	S	S	S	S	S	S	S	22	S	S	S	S	S	C	S	S	S	S	S	S													
23	S	S	S	S	S	S	S	S	S	S	S	S	23	S	S	S	S	S	C	S	S	S	S	S	S													
24	S	S	S	S	S	S	S	S	S	S	S	S	24	S	S	S	S	S	C	S	S	S	S	S	S													
25	S	S	S	S	S	S	S	S	S	S	S	S	25	S	S	S	S	S	C	S	S	S	S	S	S													
26	S	S	S	S	S	S	S	S	S	S	S	S	26	S	S	S	S	S	C	S	S	S	S	S	S													
27	S	S	S	S	S	S	S	S	S	S	S	S	27	S	S	S	S	S	C	S	S	S	S	S	S													
28	S	S	S	S	S	S	S	S	S	S	S	S	28	S	S	S	S	S	C	S	S	S	S	S	S													
29	S	S	S	S	S	S	S	S	S	S	S	S	29	S	S	S	S	S	C	S	S	S	S	S	S													
30	S	S	S	S	S	S	S	S	S	S	S	S	30	S	S	S	S	S	C	S	S	S	S	S	S													
31	S	S	S	S	S	S	S	S	S	S	S	S	31	S	S	S	S	S	C	S	S	S	S	S	S													
Total number of days in each class.													Total number of days in each class.																									
Calm	13	12	11	13	19	13	11	8	7	10	12	12	13	11	11	11	9	10	15	15	6	12	9	8	14													
Small	18	16	20	16	12	16	18	23	22	20	17	19	18	17	20	20	19	21	13	16	25	17	17	18	16													
Moderate	0	0	0	1	0	-1	2	0	1	1	1	0	0	0	0	0	2	0	1	0	0	1	5	3	1													
Great	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0													
Very Great	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0													
Sum	31	28	31	30	31	30	31	31	30	31	30	31	31	28	31	31	30	31	30	31	31	30	31	30	31													
Selected Quiet days.													Selected Quiet days.																									
1	1	1	8	4	4	5	8	5	2	5	6	3	3	3	3	4	5	7	3	4	5	8	2	4	1													
10	10	11	9	12	10	11	12	10	8	12	9	13	11	7	13	10	10	9	7	13	14	14	6	9	5													
19	19	12	13	14	14	14	15	14	17	15	13	15	16	14	14	13	11	11	15	16	15	13	14	18														
20	20	20	22	20	20	18	19	22	22	24	22	21	19	16	15	24	24	24	24	20	16	18	28	24	22													
27	27	27	29	26	30	24	20	27	26	25	25	26	31	28	29	25	29	29	28	24	24	20	29	25	31													
Mean	15.4	14.2	16.2	15.2	15.6	14.4	14.8	15.6	15.0	16.2	15.0	15.6	16.0	13.6	15.0	15.4	16.0	16.0	15.4	15.4	14.8	15.0	15.6	15.2	15.4													

C=Calm; S=Small; M=Moderate; G=Great; V. G.=Very Great. Disturbances are determined from the Horizontal Force traces. Days are reckoned from local midnight to midnight.

TABLE IXf.—Showing the magnetic character of each day and the difference of the daily mean of Horizontal Force from that of the preceding day (continuation of Table 381 in "Colaba Magnetic Data," 1846—1905).

Unity = 1γ.

1911.

1911.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	Ca +11	S - 2	S + 7	Ca + 4	C + 7	S + 4	S -18	C + 2	C + 7	C + 1	C - 5	Ca - 6
2	S - 4	Sa 0	Ca +13	Ca - 4	Ca - 1	Ca +12	S - 2	C +10	C + 2	Ca -14	C - 3	C 0
3	S - 9	Ca + 5	Sa -12	Ca + 3	C + 1	C + 9	Ca + 3	Ca - 5	C - 2	Ca 0	Ca -16	C + 2
4	S - 5	Ca +12	S +14	Ca - 2	C + 6	Sa + 1	Ca + 2	S - 2	C + 5	Ca + 7	Ca + 1	C + 4
5	S + 8	Sa - 5	Sa -10	C + 8	Ca + 1	S -18	C 0	Ca - 2	Ca - 5	C - 1	Ca - 5	C 0
6	S + 2	S - 2	S 0	Ca + 4	Ca - 7	S 0	Ca +11	Ca + 4	C + 3	C - 1	C +10	S - 7
7	Ca + 2	S + 3	Ca + 5	Ca - 2	M -46	C + 7	S -15	C + 3	C + 1	Ca - 7	C + 6	C - 8
8	S 0	S - 2	S - 9	M -11	Ca +25	C + 7	S - 2	Ca + 7	C - 2	C - 1	S + 3	C + 9
9	S - 8	Ca - 1	C + 7	Sa *	Ca +16	S + 5	Ca + 1	Ca + 6	Ca - 2	Ca - 3	S - 8	C + 7
10	S + 5	S 0	C + 8	S *	Ca + 8	S -14	S +10	C - 5	Ca - 6	S -11	Ca - 1	S + 4
11	Ca - 3	Ca + 1	C + 6	C + 9	Ca + 1	S -10	Ca - 4	C 0	S - 2	Ca - 7	Ca + 5	M -87
12	C + 7	Ca +12	C - 3	Ca + 5	C 0	Ca + 4	Ca - 1	Ca + 5	Ca - 3	C +18	S 0	C +43
13	S - 9	S - 9	Ca +13	C + 7	C + 7	S + 2	C + 9	Ca - 8	Ca - 2	Ca + 8	Sa -23	C +15
14	Ca + 8	Sa -10	Ca -18	C + 2	Sa -12	Ca 0	C - 1	C - 7	C +11	C - 3	Sa + 1	Ca + 6
15	Ca + 7	Ca + 9	Ca + 5	Ca + 9	S -29	Ca + 8	C + 5	C + 3	Ca + 3	C + 3	S + 7	C +10
16	S -11	S - 1	Ca - 2	Sa -15	Ca +10	Ca - 1	C + 6	Ca - 8	S -20	Ca - 1	Ca + 7	C + 2
17	Ca +10	S + 3	C + 1	S -18	Ca + 4	C - 1	S - 5	Ca + 7	Ca + 9	S -20	Ca - 1	S - 3
18	S 0	Ca - 4	C + 2	S + 7	Ca + 9	C + 9	S -11	C 0	C + 7	S + 5	C +10	C - 1
19	Ca - 7	Ca + 3	S + 6	Ca + 4	Ca +10	C + 4	S - 6	S - 1	S + 8	Ca + 2	Ca + 6	C + 5
20	Ca + 6	Ca + 3	Ma -49	Ca + 8	S - 6	Ca 0	S + 7	Ca - 3	Sa -38	S + 5	Ca - 8	C + 4
21	C + 3	Ma -28	Sa +10	S - 2	S - 2	S - 3	Ca + 2	C + 1	Sa + 1	Ca + 5	Ca + 1	Ca - 1
22	Ca - 7	M - 1	S + 8	S - 2	Ca + 6	Ca - 6	C - 7	C +13	S + 9	Ca + 5	C + 5	C + 2
23	S + 7	Sa + 5	Sa + 3	Ca 0	Ca +12	Ca 0	C + 8	Sa -34	Ca + 9	C + 7	Ca + 5	C 0
24	M -17	S + 3	S + 4	S - 2	Ca - 5	C + 2	S + 6	S - 6	C + 4	Ca - 1	C + 1	C + 7
25	Sa -11	S + 7	Sa - 3	Ca +12	Ca 0	C + 3	C - 6	S +12	C + 3	S - 4	Ca + 9	Ca - 6
26	S + 6	S - 4	Sa + 1	C + 5	C - 3	C + 2	C + 3	S + 4	Ca + 5	C 0	C -10	S -15
27	Ca + 3	S + 6	Sa - 8	Ca +10	Ca - 4	C + 8	S +15	Ca - 6	C - 3	Ca +12	C - 4	Ca + 3
28	S 0	Sa - 7	S + 5	S - 8	C + 5	Ca - 3	Sa -27	Ca + 7	Ca +10	C - 5	C - 2	C - 1
29	Ca + 5		S + 5	Ca 0	Ca +11	C - 8	S - 6	C + 3	C + 1	Ca + 6	C - 1	C + 8
30	S - 6		Ca + 7	Sa -12	Sa -14	Ca + 9	S + 4	C + 1	C - 1	C - 4	C + 3	Ca + 6
31	Sa 0		Ca + 2		S -15		C + 3	Ca 0		C + 6		Ca -12
Sum without regard to sign.	187	148	246	175	283	160	206	175	184	173	167	284
Total number of days in each class.												
C	2	0	6	5	7	11	10	12	14	12	12	19
Ca	11	9	8	14	17	10	7	13	10	14	12	7
S	15	12	9	7	4	8	13	5	4	5	4	4
Sa	2	5	7	3	2	1	1	1	2		2	
M	1	1		1	1							1
Ma		1	1									
G												
V.G.												
Sum	31	28	31	30	31	30	31	31	30	31	30	31

C = Calm; S = Small; M = Moderate; G = Great; V.G. = Very Great.

The character of the disturbances is determined from the Horizontal Force Traces.

The suffix α denotes intermediate conditions of activity.

Days are reckoned from 10 a.m. to 10 a.m. of the following day.

* Owing to loss of curve on the 9th April these differences are not available.

TABLE IXg.—Showing the magnetic character of each day and the difference of the daily mean of Horizontal Force from that of the preceding day. (Continuation of Table 381 in "Colaba magnetic data," 1846—1905).

Unity=1γ.

1912.

1912.		Month.											
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1		Ca + 5	C + 2	C 0	C - 1	C - 6	S - 18	C + 3	Ca *	C + 3	Sa - 41	Ca - 8	S + 4
2		C + 4	Ca 0	C + 8	C - 2	Ca - 7	S + 2	C + 3	Ca *	C + 5	C + 33	Ca - 3	S - 19
3		C + 5	Ca - 4	C + 4	C - 8	Ca - 1	Ca - 4	S + 10	C - 2	S + 3	Ca + 7	C + 9	S + 11
4		C + 2	C + 2	C - 8	C + 10	S + 8	C + 3	Sa - 25	C + 3	Ca - 17	C + 1	C 0	C - 1
5		Ca - 5	C + 8	S + 4	S - 13	M - 17	C 0	Sa - 3	S + 2	S + 1	C + 4	S - 2	Ca + 5
6		C + 3	C + 1	Ca - 4	Ca - 16	S + 3	C + 9	S + 7	Sa - 40	Ca - 2	C - 1	Ca - 4	S - 3
7		Ca + 8	C - 5	Ca - 3	Ca + 8	S + 4	S + 7	Ca + 1	S + 26	C + 7	Ca + 3	Ca - 5	Sa - 11
8		C - 5	C - 4	S - 11	C + 6	S - 5	S - 22	C + 3	C + 8	S + 6	C - 4	Ca + 8	Ca + 1
9		Ca - 1	C + 2	S + 2	Ca + 13	C + 8	S + 1	C - 2	C + 4	S - 9	C - 2	S + 12	Ca + 4
10		C - 5	Ca - 7	Ca - 8	S - 17	Ca + 6	S + 5	C + 6	Ca + 4	Ca - 3	Ca - 2	Sa - 30	C - 1
11		Ca - 8	Ca + 2	C + 16	Ca + 10	S + 3	Ca - 1	C + 2	C - 5	Ca + 5	Sa - 8	S + 1	Ca + 4
12		S - 13	Ca - 3	Ca - 3	C + 5	S - 22	C + 3	C + 3	C + 2	Ca - 7	S + 4	C + 12	C + 2
13		S + 6	Ca - 1	C + 8	C - 9	Sa - 4	C 0	C + 1	C + 9	C + 2	S - 1	S + 14	S + 8
14		C + 3	C + 5	S + 12	S + 13	S + 4	C - 3	Ca + 4	Ca - 5	C + 6	Sa - 17	M - 47	S - 7
15		C + 3	C - 1	C - 8	Sa - 40	Ca + 3	C + 5	C - 7	G + 2	C 0	S + 2	S + 28	C 0
16		C + 9	Ca + 9	C - 3	Sa + 14	C + 5	C + 9	Ca - 7	Ca + 4	C - 8	S + 8	S - 2	C + 3
17		Ca + 4	Ca - 1	C + 4	S + 8	C + 6	Ca 0	Ca + 1	S - 15	Sa - 8	Ca - 1	S + 7	Ca + 2
18		Ca - 7	C - 6	C + 2	Ca - 4	C 0	C - 3	C + 6	Sa 0	S - 6	C + 9	Ca + 2	Ca + 1
19		Ca + 9	C + 6	C + 1	Ca + 6	Ca 0	C 0	Ca + 5	S - 5	Ca + 3	C + 4	Ca + 3	C - 5
20		Ca 0	C - 3	C + 2	C + 4	C + 3	C + 6	Ca - 10	C + 7	C + 5	S + 8	C - 1	C + 4
21		C - 1	C + 4	Ca - 10	C + 4	C - 1	C - 2	C 0	S - 3	C + 4	Ca - 4	C + 5	C + 4
22		S - 11	Ca + 10	C - 10	C - 5	C + 7	C + 1	C - 1	S + 3	S + 4	Ca + 5	S - 16	Sa - 4
23		C - 2	Ca - 18	C + 5	C + 4	C + 4	Ca - 2	C + 3	S - 4	S + 2	Ca - 8	Ca + 10	Sa - 16
24		Ca + 1	Ca + 5	C + 7	C + 3	S + 5	C - 9	C + 1	Ca - 1	Sa - 30	Ca + 6	C 0	S + 5
25		C + 2	Ca - 2	C + 4	Ca - 1	C - 11	C 0	Ca + 6	Ca + 5	C + 21	Ca - 2	Ca + 8	Ca - 2
26		C + 4	S - 11	Ca - 2	Ca + 6	C - 1	C 0	Ca - 9	C + 3	Ca + 6	C - 1	S 0	C + 2
27		C + 6	C + 9	C - 2	C - 7	C - 3	Ca 0	C - 8	S + 6	C - 1	C - 2	Ca - 5	C + 4
28		Ca - 8	Ca 0	S + 5	C + 3	C + 1	Ca - 1	C + 9	S - 4	C + 5	Ca - 3	C + 1	C + 6
29		C - 3	C + 1	S - 4	C + 6	Ca 0	Ca - 2	C + 6	Ca - 2	C + 3	Ca + 8	C + 5	Ca - 2
30		C + 5		C - 3	Ca + 1	Ca + 3	C + 2	C - 10	C + 5	S + 1	G - 5	C 0	C - 1
31		C 0		C + 8		S + 8		S + 6	C + 1		C + 1		Ca + 4
Sum without regard to sign	..	148	132	171	247	159	120	168	180	183	205	248	146
Total number of days in each class.													
C		17	15	19	15	13	17	18	12	13	12	9	12
Ca		11	13	6	9	7	7	8	8	7	11	10	9
S		3	1	6	4	9	6	3	9	8	5	9	7
Sa		..	..	..	2	1	..	2	2	2	3	1	3
M		..	..	..	..	1	..	..	..	..	..	1	..
Ma		..	..	..	..	..	..	..	..	..	..	..	..
G		..	..	..	..	..	..	..	..	..	..	..	..
V.G.		..	..	..	..	..	..	..	..	..	..	..	..
Sum	..	31	29	31	30	31	30	31	31	30	31	30	31

C = Calm; S = Small; M = Moderate; G = Great; V G = Very Great.

The character of the disturbances is determined from the Horizontal Force Traces.

The suffix *a* denotes intermediate conditions of activity.

Days are reckoned from 10 a.m. to 10 a.m. of the following day.

* Owing to loss of curve on the 1st August these differences are not available.

TABLE IXh.—Showing the magnetic character of each day and the difference of the daily mean of Horizontal Force from that of the preceding day (continuation of Table 381 in "Colaba Magnetic Data," 1846—1905).

Unity = 1γ.

1913.

1913.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	C + 4	C + 6	C + 6	S + 3	Ca + 7	S - 10	Ca + 1	C + 1	Ca 0	C + 2	Ca + 3	C + 2
2	S - 1	C + 6	C + 2	C + 3	Ca + 9	S - 12	C + 2	Ca + 6	Ca - 13	C + 6	S - 20	Ca - 2
3	Sa - 30	C + 1	C - 5	Ca + 15	Ca - 5	S - 1	C + 3	C - 5	C 0	C + 1	S + 6	C - 1
4	S + 8	C + 3	C - 10	Ca - 3	Sa - 4	S + 7	C + 5	S + 2	C + 4	S + 2	C + 9	S - 7
5	S + 10	C - 6	C + 2	C - 3	S - 14	C + 3	C - 1	Ca - 3	C + 4	S - 23	C + 4	Ca - 8
6	Ca + 5	C + 1	Ca + 3	C + 8	S - 1	C + 7	C + 4	C - 3	S - 2	Sa - 22	S - 5	C + 11
7	C + 3	Ca - 6	Ca + 1	C - 2	S - 1	C + 2	Ca - 1	Ca - 1	S - 7	S + 9	S - 7	Ca + 13
8	S + 3	Ca + 5	S + 10	S + 2	Ca + 7	C + 5	C - 2	C + 3	Sa - 11	S + 2	Ca + 3	C - 10
9	S - 2	Ca - 2	Ca - 2	M - 46	C - 2	C 0	C + 5	S - 6	Sa - 4	S + 11	Ca + 3	Ca + 6
10	S - 18	C - 2	C + 3	S + 2	C + 4	C + 1	Ca - 7	Ca - 4	S + 6	S - 5	C + 9	C - 2
11	C + 7	Ca + 10	S 0	S + 11	C + 4	C - 2	C 0	S + 2	S - 3	Ca + 10	Ca + 2	C + 2
12	C + 11	S - 12	Ca + 2	S + 2	C + 4	C + 5	S + 3	Ca 0	S + 14	S + 7	Ca + 2	C + 4
13	Ca + 6	S + 4	S + 2	Ca - 2	C 0	Ca 0	S - 5	C - 7	S - 4	Ca - 4	C - 1	C - 1
14	Ca - 5	Sa - 20	Sa - 20	Ca + 4	C + 5	Ca + 6	Ca - 7	C + 5	Ca + 2	Ca + 8	C - 1	C - 2
15	Ca - 2	S - 2	S - 14	S 0	Ca - 6	C - 10	Ca + 3	Ca + 2	C - 1	Ca - 2	C + 1	C + 1
16	C - 4	S + 3	S + 8	S + 4	C - 2	Ca 0	C + 5	Ca - 3	C + 4	Ca - 3	C + 5	C + 2
17	Ca + 6	S + 3	S - 6	S - 1	C + 2	C - 6	C - 3	C + 4	S + 4	C - 3	C 0	C - 2
18	S - 10	Ca + 5	Ca + 12	C + 2	S + 11	C + 7	C + 2	Ca - 4	S + 11	S + 2	C 0	C + 6
19	S - 3	S + 1	C - 2	Ca + 7	Ca - 10	Ca 0	C - 1	C + 4	Ca - 8	Ca - 16	C - 4	S - 12
20	S - 1	S + 3	C + 5	C + 3	C + 1	C - 3	S - 9	Ca + 8	C - 1	S + 4	C - 3	C + 3
21	C + 4	Ca + 4	S 0	C + 3	C + 4	Ca + 2	C + 4	C - 2	Ca + 2	C + 12	C + 2	C + 3
22	Ca + 2	Ca + 3	C - 2	C - 2	C + 6	C - 3	C + 3	C + 8	S - 16	Ca + 4	Ca + 1	C - 1
23	C + 3	C + 1	S + 8	Ca - 3	C + 7	S + 1	C + 1	S - 9	S - 2	C + 4	C + 4	C + 2
24	Ca + 2	S + 4	Ca - 2	C + 4	C - 6	Ca + 6	Ca + 1	C - 5	Ca + 18	C 0	C - 5	C + 3
25	Ca + 1	Sa - 12	Ca + 5	C - 2	C - 8	Ca 0	S - 3	Ca + 11	Ca + 2	C - 3	C 0	S - 8
26	Ca 0	Sa + 4	C 0	C + 4	C + 3	Ca - 3	Ca + 5	Ca + 3	Ca + 5	C + 3	Ca - 1	S - 7
27	Ca + 1	Ca - 4	C + 5	S - 2	Ca + 3	C - 2	C 0	Ca - 14	C - 2	Ca + 9	Ca - 10	S + 8
28	S + 3	C + 6	C - 7	C - 12	Ca - 3	S + 5	C + 14	Ca - 2	C - 8	C - 1	S + 2	C + 2
29	Ca - 4		S - 9	C 0	Ca - 2	Ca - 16	C - 12	C 0	C + 7	C - 5	Ca - 2	C + 2
30	S - 12		S - 3	C + 3	C + 6	Ca - 1	C + 2	C + 8	Ca - 4	Ca - 4	C + 3	C 0
31	Ca 0		S - 1		C - 2		C 0	C + 1		Ca - 9		C + 1
Sum without regard to sign	171	139	157	158	149	126	114	136	169	196	118	134
Total number of days in each class.												
C	7	9	12	14	17	14	20	14	9	11	16	22
Ca	12	8	7	6	9	10	7	13	9	10	9	4
S	11	8	11	9	4	6	4	4	10	9	5	5
Sa	1	3	1		1				2	1		
M				1								
Ma												
G												
V. G.												
Sum	31	28	31	30	31	30	31	31	30	31	30	31

C = Calm; S = Small; M = Moderate; G = Great; V G = Very Great.
The character of the disturbances is determined from the Horizontal Force Traces.

The suffix *a* denotes intermediate conditions of activity.
Days are reckoned from 10 a.m. to 10 a.m. of the following day.

TABLE IXi.—Showing the magnetic character of each day and the difference of the daily mean of Horizontal Force from that of the preceding day (continuation of Table 381 in "Colaba Magnetic Data," 1846—1905).

Unity=1γ.

1914.

1914.		Month,											
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November	December.
1		C + 6	C - 2	S -12	S -17	C + 3	S -26	C + 3	S + 5	Ca + 6	S - 4	Sa -21	C 0
2		Ca - 6	Ca - 2	S 0	S +10	C + 4	S +10	C + 4	S + 2	Ca + 8	S +10	Ca + 5	C + 7
3		Ca - 2	S 0	C -1	Ca - 2	C - 1	Ca + 1	C + 3	Sa - 8	S + 2	S - 1	Sa + 4	Ca + 5
4		S + 2	Ca - 4	S + 2	C + 5	C +10	C + 5	S + 6	S + 2	S - 5	Ca + 5	Sa - 8	Ca -12
5		S -12	Ca - 1	C 0	Ca + 9	Ca + 2	C - 1	M -41	Ca +11	S - 4	Ca + 2	S + 6	Ca - 1
6		Ca + 3	S -20	Sa + 4	M -62	Ca -13	C +10	S +15	S -12	Ca + 2	S + 7	Ca + 6	Ca 0
7		S - 1	Ca +14	Ca - 6	S +22	C - 9	Ca + 5	Ca + 8	S + 5	C + 6	S -7	Ca - 1	S + 5
8		Ca + 5	C + 6	C + 4	S - 4	C + 1	S - 9	C +11	Ca + 2	Ca + 1	S + 4	C + 3	S - 7
9		C - 1	Ca +11	C + 3	Ca +16	C + 2	C - 1	Ca - 6	C + 8	S -11	S 0	C + 5	S - 5
10		C + 2	C - 4	Ca +2	Ca + 7	C + 5	C + 6	S - 1	C - 2	S + 4	Ca - 7	S +12	Ca - 3
11		Ca + 6	C - 2	Ca - 1	Ca - 3	Ca + 9	C - 2	C + 1	S + 5	Ca + 1	Ca + 1	Sa -41	C + 7
12		S + 6	C + 8	S - 1	C + 1	C - 4	C + 2	C + 4	Ca + 3	S - 2	Ca + 4	S +12	Ca + 2
13		S + 4	Ca - 8	C + 1	Ca + 7	C + 3	C 0	C 0	Ca + 2	C + 9	S + 2	Ca + 8	C - 2
14		Ca - 5	Ca + 2	Ca + 2	C + 8	C - 1	C + 4	C + 1	C -10	C - 3	C + 6	S - 8	C - 2
15		Ca - 6	Ca - 8	S - 9	Ca - 3	S -12	Ca - 1	Ca + 1	Ca - 3	Ca + 8	C - 3	S + 6	C + 8
16		Ca -12	C + 3	C + 4	S -12	Ca - 4	C - 2	Ca + 9	C + 5	S - 8	C - 2	S +12	S + 3
17		Ca + 6	Ca + 5	S +11	Ca + 1	S + 3	C + 3	C - 1	Ca + 1	Ca - 4	S - 2	S + 2	S -14
18		C 0	Ca - 3	Ca - 5	S + 6	C + 1	C + 1	Ca - 7	Ca - 4	Ca -11	Ca - 4	Ca - 3	Ca + 3
19		C + 2	C + 3	Ca + 9	C - 2	C - 5	S 0	C - 4	S - 2	Ca + 5	Ca +10	Ca + 3	S + 3
20		C + 3	C + 3	Ca - 4	C + 5	C + 8	S - 2	C - 2	S - 4	C + 5	Ca - 1	C + 6	C + 1
21		Ca + 5	C - 2	C + 4	C + 3	C + 3	C - 1	Ca + 7	C + 1	C + 4	Ca - 4	C + 2	C + 1
22		S -14	S - 3	C +1	C 0	C + 1	C - 7	Ca - 6	C + 3	S + 8	S + 5	C + 2	S + 4
23		C + 4	Ca + 4	Ca + 2	C - 4	C + 3	C + 7	S 0	S + 3	S -19	C - 1	C - 3	C + 3
24		C + 6	Ca - 1	S - 4	S + 4	C 0	C + 2	S + 4	S + 1	Ca + 2	C + 4	C + 5	S - 4
25		C - 3	C + 2	Ca -10	C + 3	S + 3	Sa -16	S -15	Ca - 1	Ca + 1	C + 3	C + 4	C - 2
26		C + 5	C + 1	Ca + 4	C - 1	S -12	S +14	S + 1	Ca - 2	Ca +12	S +16	Sa - 7	C + 7
27		C + 1	C - 2	C - 3	S + 9	C + 1	S -12	Ca + 8	C + 2	M -44	Sa -10	S -17	S - 6
28		Ca - 1	S - 3	C + 3	C -10	Ca + 8	S + 2	S - 5	S + 6	S +15	Sa -54	Ca + 7	Sa -14
29		C - 1		C + 6	C - 1	C - 1	S + 3	M -31	S -24	S -17	Sa +11	S + 4	C + 4
30		C - 4		C + 2	C - 3	C + 7	S - 2	Sa +20	S + 7	S +21	S +18	Ca + 1	S + 7
31		C + 3		C - 4		Sa - 7		S 0	S - 4		Ca +11		S + 1
Sum without regard to sign.		137	127	124	240	146	157	225	150	248	219	224	143
Total number of days in each class.													
C		14	12	13	13	21	16	11	7	5	6	8	12
Ca		11	12	10	8	5	3	8	9	12	10	8	7
S		6	4	7	8	4	10	9	14	12	12	9	11
Sa				1		1	1	1	1		3	5	1
M					1			2		1			
Ma													
G													
V. G.													
Sum		31	28	31	30	31	30	31	31	30	31	30	31

C=Calm S=Small; M=Moderate; G=Great; V G=Very Great.
The character of the disturbances is determined from the Horizontal Force traces.

The suffix *a* denotes intermediate conditions of activity.
Days are reckoned from 10 a.m. to 10 a.m. of the following day.

TABLE IXj.—Showing the magnetic character of each day and the difference of the daily mean of Horizontal Force from that of the preceding day (continuation of Table 381 in "Colaba Magnetic Data," 1846—1905).

Unity=1γ.

1915.

1915.		Month.											
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1		Sa -32	S +3	C +6	Ca +1	S -10	C -2	S +5	S -6	C +13	S +22	M -68	C +6
2		C +23	S -8	C +1	S -7	S -10	C -2	S -19	Sa -19	C -5	C +14	S +40	Ca +9
3		S +9	Ca +8	C +7	S +7	S +8	C +6	S +10	Ca +13	C +7	Ca +6	S +14	C -12
4		S +2	Ca +8	Ca +2	Ca +2	S 0	C -1	C +5	S 0	C +4	C +1	C +10	C +6
5		Sa -20	Ca -19	C -3	Ca +12	S +3	C 0	S +19	C +6	S -7	C +2	M +4	Ca +3
6		Ca +9	S +5	S +8	S 0	Ca +5	C +7	S -15	S -7	C +9	C 0	Ma -79	Ma -64
7		S -1	C +9	S -24	S +2	C +6	S +9	Ca +2	S -5	C -2	C +5	S +42	S +18
8		S +3	Sa -28	Sa -24	Sa -22	C +4	S -15	S +4	S +11	C +9	C -4	S +12	Ca +12
9		Ca +3	S -6	S +5	S +4	C 0	Ca -4	S -5	C +2	S +2	C +5	Ca +6	S +16
10		C +2	C +12	S +13	C +12	C -1	C +4	S -4	S -1	Ca -18	S -3	Sa +5	Ca +9
11		C +5	Ca +15	S 0	Ca +1	C -9	S +6	S -9	Ca -1	Ca -2	Ca -18	S -2	S -12
12		S 0	S -2	Ca +12	Ca -2	Ca -5	Sa -29	S -4	C +3	C +6	C +12	S +9	C -1
13		S -9	Ca -1	C +3	C +4	Ca +11	Sa -6	C +15	C +10	Ca -6	C +7	C +10	Ca +10
14		S -8	C +5	C +7	Ca 0	S +3	S +13	C +2	C +4	C +5	Sa -36	C +5	S -8
15		C +8	S +1	Ca +1	S -7	Ca -4	C +11	C +4	C -1	C 0	Sa -58	S -4	Sa -13
16		C +2	C +8	S -6	S -19	S 0	S -8	C +2	C +16	S -9	S +58	M -48	S +7
17		Ca +9	C -8	Ca -11	S +14	S -19	G -151	C +5	S -25	S -27	Ca +12	Sa +1	S +7
18		C -4	C +3	S +11	S -4	Ca +4	S +80	C +4	S +10	Ca +23	C +19	Sa +13	C +11
19		C +4	Sa -24	S -19	S -20	S +8	C +18	C -7	S -8	Ca +2	Sa -29	S +7	Ca -2
20		S +1	S -1	Sa +9	S 0	S -4	C +9	C +5	Ca +2	C +16	Sa -6	S +9	C +1
21		C +4	Sa +8	Sa -18	S +11	S +1	Sa +15	C +7	S +4	S -3	S +10	S -1	C +6
22		S -4	Sa +6	Sa -3	Sa +7	S +2	Sa -5	S -8	Ca -6	Sa -36	S -15	S -2	C +2
23		C -2	Sa -6	S +5	S -5	C +3	Ca +14	C -3	S +1	Sa -7	M -25	Ca +6	S -8
24		S -4	Sa +3	S +7	Ca +8	Ca +2	S +17	C +11	C -1	S +8	Sa +18	C +7	S 0
25		Sa -14	S +1	S 0	S -3	Ca -5	S -12	Ca -5	Sa -1	S +8	Sa -20	S +6	S -2
26		S +4	Sa -6	S 0	M -35	S +3	S +6	Ca -10	S -32	S 0	Sa +31	S -1	S -14
27		S -6	Ca +5	Ca +7	Ca +39	S -17	Ca -3	S -13	S +12	S -2	S +19	S -2	S +8
28		S +8	C +7	Ca 0	C +4	C +14	S 0	C +3	S +4	S -4	Ca 0	S -4	Ca +6
29		Ca +4		S +12	Ca +6	C +8	S -3	S +10	Sa -4	S -2	Ca +7	C +3	C +2
30		S +3		S -15	S -1	S -9	C +6	Ca -13	S 0	S -10	S +12	C +3	Ca -5
31		C -2		Ca +4		S +8		Ca +12	Ca +6		S -10		C +4
Sum without regard to sign.		209	216	243	259	186	462	240	221	252	484	423	284
Total number of days in each class.													
C		10	7	6	3	8	11	13	8	11	10	6	10
Ca		4	6	7	9	7	3	5	5	5	5	2	8
S		14	8	14	15	16	11	13	15	12	8	15	11
Sa		3	7	4	2		4		3	2	7	3	1
M					1						1	3	
Ma												1	1
G							1						
V. G.													
Sum	..	31	28	31	30	31	30	31	31	30	31	30	31

C=Calm; S=Small; M=Moderate; G=Great; V G=Very Great.
The character of the disturbances is determined from the Horizontal Force traces.

The suffix *a* denotes intermediate conditions of activity.
Days are reckoned from 10 a.m. to 10 a.m. of the following day.

TABLE Xa—Diurnal ranges of Horizontal Force.

1911.

Unity=1γ.

1911.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	35	39	61	47	42	48	83	37	42	40	46	52
2	74	67	42	46	54	32	42	48	49	90	36	21
3	42	29	80	65	34	41	38	51	22	16	60	29
4	42	40	42	72	39	94	37	35	16	41	35	29
5	24	74	54	41	54	46	33	28	46	31	48	23
6	27	47	50	54	51	64	36	27	23	56	29	90
7	29	34	49	57	125	37	55	32	35	77	42	32
8	47	49	72	94	30	41	46	32	36	52	59	31
9	38	52	32	*	33	46	25	47	32	53	59	30
10	35	55	* 37	49	55	35	31	65	61	76	41	38
11	24	54	51	40	77	34	27	49	85	46	38	101
12	28	39	49	64	55	18	31	37	41	32	31	19
13	68	60	67	38	46	39	45	70	24	39	63	14
14	39	73	62	38	102	35	26	40	31	41	79	52
15	52	43	42	50	47	33	58	53	32	27	42	30
16	63	68	62	76	37	47	38	58	45	66	25	26
17	32	64	52	68	40	35	73	45	23	90	41	47
18	43	61	45	51	45	55	50	46	17	77	37	17
19	60	23	44	27	48	49	48	26	61	36	46	29
20	27	40	154	38	69	68	37	51	67	47	50	32
21	28	158	46	53	81	62	36	17	72	46	56	21
22	40	49	38	44	34	34	43	25	39	34	40	25
23	38	40	46	35	36	34	31	107	28	44	47	32
24	88	44	55	56	61	33	59	38	43	73	46	19
25	33	60	40	38	55	28	21	49	37	54	50	48
26	37	56	67	45	43	48	39	57	30	42	39	72
27	35	49	47	33	55	42	63	36	27	44	33	19
28	45	57	36	71	23	72	102	41	36	31	24	11
29	38		59	46	49	45	37	28	41	52	49	9
30	56		53	111	97	47	32	34	42	27	42	19
31	58		64		64		42	38		43		23
Monthly Mean	42.7	54.4	54.8	53.3	54.2	44.7	44.0	43.5	39.4	49.1	44.4	33.5

The diurnal ranges are derived from twenty-four hourly tabulations of the Horizontal Force Magnetograms during the day. The ranges are aperiodic, i.e., the maximum and the minimum values are taken at whatever hour of the day they have occurred. Days are reckoned from 10 a.m. to 10 a.m. of the following day.

* Owing to loss of curve this day is rejected.

M N 78—dd

TABLE Xb—Diurnal ranges of Horizontal Force.

1912.

Unity=1γ.

1912.		Month.												1913.		Month.											
Date.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1	..	21	18	28	50	29	48	32	*	33	90	67	17	1	21	32	43	42	29	65	29	34	48	36	51	41	
2	..	21	44	31	70	31	43	37	46	47	35	48	67	2	40	45	40	37	49	22	24	38	40	50	65	51	
3	..	26	32	58	47	51	34	58	28	42	41	37	31	3	89	25	45	56	57	31	33	43	19	49	62	44	
4	..	32	26	25	50	33	36	65	24	36	38	24	27	4	37	32	32	65	95	30	39	39	33	34	35	44	
5	..	46	21	55	87	131	26	52	37	48	39	63	38	5	37	43	28	52	37	28	23	36	21	53	36	41	
6	..	45	36	38	50	74	43	57	80	22	69	54	48	6	33	40	25	60	66	51	29	32	49	81	49	34	
7	..	53	31	53	44	52	24	32	28	24	34	51	89	7	37	36	49	63	27	55	46	28	48	43	45	43	
8	..	27	43	40	28	48	48	42	22	27	52	47	31	8	34	51	59	54	37	49	40	65	73	32	29	30	
9	..	50	29	34	52	56	37	38	29	41	42	53	34	9	43	42	54	117	32	52	41	77	49	29	31	35	
10	..	28	34	44	68	36	36	38	31	29	48	121	31	10	57	27	65	42	45	48	42	49	21	58	30	33	
11	..	27	42	14	31	41	43	38	24	33	65	49	41	11	28	36	49	52	42	45	41	29	23	31	26	29	
12	..	50	39	42	53	59	34	37	26	16	44	34	25	12	39	53	57	54	51	49	70	29	43	49	51	32	
13	..	29	44	39	35	65	43	55	37	25	42	42	32	13	38	36	48	30	29	38	51	29	45	52	57	43	
14	..	38	34	41	62	40	33	59	39	36	74	188	37	14	51	124	128	32	39	43	22	27	17	35	39	52	
15	..	21	24	50	76	32	33	47	30	43	46	30	17	15	55	21	59	31	33	40	36	27	14	44	44	37	
16	..	24	20	39	53	32	38	52	36	18	37	36	20	16	29	45	51	68	18	44	51	40	29	31	39	32	
17	..	71	39	44	64	37	39	46	36	73	31	32	27	17	35	35	43	59	38	39	38	22	38	16	32	23	
18	..	46	18	46	45	45	45	47	52	22	41	49	38	18	32	32	27	33	25	39	50	26	56	79	42	25	
19	..	43	34	45	47	37	37	32	42	27	36	37	24	19	54	49	28	49	24	45	47	37	47	53	43	71	
20	..	39	34	49	41	30	58	51	32	24	36	45	34	20	36	40	43	52	19	37	79	30	46	52	30	27	
21	..	23	31	58	41	26	37	30	41	50	50	34	31	21	27	43	54	52	36	43	37	30	41	17	27	15	
22	..	46	50	36	45	36	63	48	49	44	61	91	63	22	31	58	35	61	52	42	45	37	76	39	33	30	
23	..	15	60	41	36	42	37	31	44	66	29	34	53	23	36	51	76	41	56	31	33	49	37	39	38	24	
24	..	61	37	40	54	46	49	34	28	81	30	32	33	24	39	48	37	37	58	39	35	21	25	38	25	34	
25	..	47	44	47	40	42	47	53	28	47	35	52	21	25	56	97	49	38	45	39	67	35	49	31	39	34	
26	..	12	29	51	20	32	37	50	29	52	36	71	26	26	33	73	65	40	41	51	56	42	41	42	46	40	
27	..	29	30	46	39	29	57	36	57	28	54	31	26	27	65	19	41	68	48	37	39	43	43	45	63	37	
28	..	17	32	47	34	21	80	38	39	23	50	29	36	28	48	31	52	29	45	36	56	29	29	53	38	39	
29	..	14	42	71	46	26	52	56	32	45	38	25	38	29	24	31	50	27	37	30	39	24	26	50	35	25	
30	..	28	43	43	37	47	42	71	23	29	43	28	23	30	70	68	26	29	68	38	51	23	54	44	33	38	
31	..	35	35	50	43	40	42	52	46	46	43	28	34	31	17	30	50	50	30	50	50	35	46	46	26	26	
Monthly Mean.		34.3	34.4	43.4	48.2	43.4	42.6	45.6	36.5	37.7	45.3	51.1	33.6	Monthly Mean	40.9	45.1	48.6	49.0	42.2	41.2	43.2	35.5	39.2	43.2	40.6	35.1	

* Owing to loss of curve this day is rejected.

TABLE Xd.—Diurnal ranges of Horizontal Force.

1914.

Unity=1γ.

1914.	Month.												1915.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	36	29	40	75	50	48	28	40	37	37	100	35	1	105	47	40	65	75	75	52	52	75	56	69	138
2	40	46	26	35	50	53	40	48	26	39	54	42	2	31	52	65	75	55	44	44	43	46	44	51	29
3	29	67	35	52	40	31	36	69	27	47	69	57	3	50	45	43	69	63	33	33	68	42	60	64	62
4	24	31	36	42	39	41	76	40	43	41	94	61	4	60	57	64	67	77	47	47	36	45	49	34	21
5	40	32	29	63	59	41	135	45	41	32	45	50	5	78	42	54	70	64	33	33	56	60	87	56	24
6	21	61	50	190	73	49	35	58	38	40	33	28	6	41	50	45	70	55	47	47	101	58	66	43	180
7	34	37	32	44	41	53	51	61	33	42	40	39	7	46	19	81	44	44	59	42	47	45	63	50	36
8	32	30	46	30	49	44	51	49	46	39	41	51	8	68	84	93	111	52	70	70	54	64	52	66	46
9	35	34	63	49	36	36	67	38	51	48	43	25	9	26	49	38	39	62	44	44	75	24	55	43	43
10	16	37	41	49	19	33	32	41	61	86	39	32	10	36	26	25	54	49	37	37	44	48	64	79	85
11	34	38	42	59	50	42	38	65	41	49	126	38	11	28	35	60	71	43	43	67	46	49	42	66	64
12	75	49	43	46	44	34	38	51	71	42	25	47	12	56	48	45	61	45	51	98	64	57	40	51	75
13	55	70	51	44	32	25	49	55	44	60	31	21	13	33	38	39	49	63	51	63	89	51	67	102	74
14	35	35	67	53	42	43	42	45	37	41	59	29	14	44	48	50	73	54	38	38	71	50	139	47	64
15	49	45	73	59	59	50	41	37	48	62	41	35	15	29	53	60	82	75	44	66	37	57	115	76	69
16	44	23	31	56	45	42	40	36	72	35	44	64	16	35	48	58	82	75	73	48	47	67	36	102	42
17	37	31	56	28	55	36	42	43	32	70	51	40	17	42	68	71	42	56	374	49	66	75	96	62	80
18	29	29	54	32	34	41	44	52	25	54	47	27	18	26	36	92	54	31	62	66	44	41	71	83	25
19	26	43	62	39	24	49	34	63	16	33	41	41	19	33	109	75	51	48	47	73	66	28	155	35	43
20	27	28	43	50	24	76	39	52	51	40	44	29	20	44	47	77	48	47	61	61	66	53	96	36	18
21	24	34	45	49	35	58	51	55	37	35	38	30	21	29	40	101	58	63	62	53	52	89	47	42	35
22	26	36	27	53	33	43	64	42	27	53	27	43	22	37	48	43	73	54	64	64	44	110	84	55	32
23	30	42	50	64	37	62	34	48	61	31	25	21	23	29	62	55	70	64	68	46	34	50	105	43	55
24	28	51	54	30	44	46	34	52	25	44	36	66	24	75	62	49	36	60	77	72	44	33	36	46	38
25	27	37	39	41	48	113	48	26	29	35	38	30	25	57	49	49	36	69	97	70	82	32	32	49	41
26	27	41	41	56	56	63	34	39	32	51	50	40	26	38	58	51	142	38	70	49	47	55	64	51	74
27	32	45	39	85	41	39	42	40	118	79	48	38	27	44	19	41	64	62	44	39	59	37	76	46	46
28	46	76	38	67	56	26	46	50	42	99	38	57	28	28	40	35	62	36	59	40	43	62	61	40	29
29	38	46	46	46	37	60	160	68	58	57	34	26	29	45	54	54	72	40	52	57	102	42	51	41	40
30	29	48	48	25	50	30	85	39	35	36	42	27	30	46	63	63	59	64	61	66	45	69	65	15	26
31	53		59		106		37	25		46		39	31	50		51		64			42		49		17
Monthly Mean.	34.8	41.3	45.6	54.7	45.4	46.9	51.4	47.5	43.5	48.5	48.1	39.3	Monthly Mean.	44.8	49.2	57.2	65.1	56.8	67.8	58.6	53.4	58.4	68.1	63.7	43.9

TABLE Xe.—Diurnal ranges of Horizontal Force.

1915.

Unity=1γ.

TABLE XIa—*Diurnal ranges of Declination.*

1911.

Unity = 1 minute of arc.

1911.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	1.7	2.2	1.4	3.0	3.6	3.5	2.7	4.5	4.1	2.8	1.0	2.8
2	3.2	3.1	2.4	2.1	4.8	2.7	2.6	2.7	5.5	3.3	2.0	1.7
3	1.9	1.7	2.3	2.2	4.1	5.0	3.1	4.8	4.2	3.5	2.3	2.3
4	2.1	2.2	1.4	3.9	5.1	3.5	3.7	3.0	2.8	4.9	1.7	2.5
5	2.9	2.1	2.3	3.5	3.4	3.9	4.0	5.3	3.7	2.6	2.3	2.6
6	1.8	2.6	2.5	2.7	5.0	3.9	3.7	4.2	6.0	3.0	1.3	3.8
7	4.0	1.6	1.1	2.8	4.1	3.3	4.2	5.6	3.3	1.9	1.9	2.2
8	3.1	1.8	2.1	3.9	5.6	3.9	3.4	4.8	4.6	2.7	2.7	3.8
9	3.6	2.6	2.7	3.2	3.4	4.2	3.5	4.2	2.6	2.2	1.6	2.6
10	3.1	2.1	2.2	2.8	2.7	5.5	3.3	6.4	5.9	4.1	1.0	3.0
11	3.0	2.3	3.1	3.5	4.4	3.6	5.7	4.6	4.8	1.8	1.2	4.5
12	3.1	2.0	3.0	2.9	5.0	3.5	5.0	6.1	4.6	2.8	1.6	2.2
13	3.0	2.9	3.1	2.2	4.1	5.7	6.0	6.3	4.9	3.0	2.2	2.1
14	2.8	2.6	2.9	3.4	6.4	4.6	4.2	4.5	4.3	2.3	2.6	2.5
15	1.8	1.8	2.8	5.0	6.7	3.5	3.7	4.8	3.4	1.2	1.3	1.4
16	2.6	2.3	3.1	2.9	4.2	4.8	5.3	3.3	5.3	1.3	1.3	1.9
17	1.6	2.4	2.8	2.7	6.1	4.8	4.5	3.3	3.1	3.0	1.9	1.9
18	3.1	1.8	1.8	4.3	4.8	5.3	3.2	4.3	4.1	4.3	2.2	2.6
19	1.8	1.7	1.5	2.3	4.0	4.8	3.6	4.7	3.6	2.3	1.9	2.8
20	2.1	1.6	2.9	3.1	3.1	4.1	2.6	4.0	4.9	2.0	2.2	1.8
21	1.7	3.4	3.1	3.5	4.4	4.3	2.6	4.5	3.5	2.6	2.3	2.9
22	1.5	2.3	2.9	3.2	4.0	4.1	4.2	3.6	4.9	3.0	1.8	1.5
23	2.4	1.6	2.7	2.4	3.5	2.9	3.2	5.9	3.2	2.4	1.8	1.6
24	2.8	1.7	2.9	3.4	3.0	4.7	4.5	4.8	5.6	1.3	1.8	2.8
25	2.1	1.6	2.5	3.6	4.3	4.7	4.8	5.1	5.1	2.3	2.3	2.4
26	2.2	2.0	2.7	4.5	4.0	4.9	3.5	5.4	4.7	1.8	1.9	2.3
27	2.1	2.3	2.6	5.6	4.2	4.3	6.4	4.5	5.1	2.3	1.9	2.4
28	3.3	2.1	4.2	4.1	5.0	5.1	4.6	5.5	2.2	0.7	1.3	3.6
29	1.9		3.5	4.1	5.1	4.5	3.9	2.9	3.7	1.7	1.6	2.6
30	1.7		3.7	4.1	6.0	4.9	3.4	5.3	3.6	2.1	1.6	2.8
31	2.4		3.6		5.2		3.3	4.9		1.8		2.6
Monthly Mean	2.46	2.16	2.64	3.36	4.49	4.28	3.95	4.64	4.24	2.48	1.82	2.53

The diurnal ranges are derived from twenty-four hourly tabulations of the Declination Magnetograms during the day. The ranges are non-periodic, i.e., the maximum and the minimum values are taken at whatever hour of the day they have occurred. Days are reckoned from 10 a.m. to 10 a.m. of the following day.

TABLE XIc—Diurnal ranges of Declination.

1913.

Unity = 1 minute of arc.

1912.	Month.												1913.	Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	2.5	2.3	2.2	4.1	5.5	4.6	6.1	2.5	5.5	2.3	1.6	1.5	1	1.6	1.8	1.5	3.1	4.2	5.4	4.1	3.5	6.6	4.3	1.6	2.4
2	2.1	1.4	2.9	3.7	4.5	3.4	4.3	2.4	3.6	1.5	1.2	2.7	2	1.8	2.1	1.2	4.7	3.7	5.8	5.6	4.9	7.6	4.8	1.7	2.4
3	1.5	1.6	3.2	2.6	5.9	4.7	5.2	4.9	3.5	2.2	1.2	1.8	3	2.9	2.4	1.5	2.9	6.3	4.6	3.5	4.6	5.6	4.2	1.2	1.3
4	2.7	3.1	2.0	2.3	4.6	5.4	5.7	4.0	4.7	3.4	1.0	1.6	4	3.1	1.9	3.0	3.2	6.8	4.2	5.9	3.9	7.1	3.1	1.1	1.9
5	2.5	3.0	2.1	4.1	4.4	3.7	5.7	4.2	4.7	2.3	1.8	2.0	5	1.7	1.5	2.6	4.8	3.2	6.0	4.0	4.2	6.7	3.0	1.9	1.5
6	3.1	3.2	2.3	3.9	4.2	6.6	3.6	2.2	2.6	5.3	2.7	3.4	6	2.1	1.7	2.2	4.6	4.5	6.1	6.5	3.8	4.2	3.3	1.6	2.2
7	2.2	2.7	1.1	4.8	4.5	4.2	5.1	2.2	4.6	2.8	2.2	2.9	7	1.7	1.1	2.2	4.3	4.4	6.2	3.9	4.4	5.0	3.6	1.3	2.3
8	2.9	4.2	2.7	3.9	3.2	4.7	3.9	4.7	5.4	2.6	2.3	1.6	8	1.6	2.2	1.8	2.9	4.6	5.6	3.6	4.6	4.7	3.2	1.9	2.1
9	5.4	3.4	2.6	2.6	3.0	4.3	5.3	2.3	5.9	3.6	2.0	1.1	9	1.6	1.2	2.2	4.2	2.7	4.0	3.7	3.8	5.8	2.7	1.1	1.9
10	2.2	3.3	2.6	2.8	5.5	3.0	6.2	3.5	6.4	2.3	2.6	1.1	10	2.2	0.9	1.3	3.0	4.7	4.6	3.6	5.1	3.9	3.6	1.9	2.1
11	3.7	3.1	2.9	4.5	3.9	4.2	3.6	4.6	6.9	3.7	1.6	1.8	11	2.0	2.4	1.3	2.7	4.1	3.3	3.8	4.9	4.8	2.8	1.6	2.3
12	2.9	1.7	2.9	3.3	4.1	4.2	4.3	4.1	5.9	3.2	1.6	2.1	12	2.4	2.0	1.7	2.6	5.7	4.4	4.1	4.8	4.1	3.3	1.5	1.7
13	2.5	2.8	2.6	3.7	3.4	5.0	4.4	4.8	4.8	1.5	1.6	1.2	13	1.8	1.4	1.7	3.0	3.8	2.5	5.0	4.2	5.4	2.1	1.7	2.7
14	3.0	2.3	3.6	3.7	4.0	4.8	5.4	5.5	5.1	2.9	3.0	1.0	14	1.8	2.3	3.5	4.3	3.9	4.9	4.4	4.3	3.6	2.4	2.3	2.4
15	3.0	1.7	4.4	3.7	3.2	6.3	4.1	4.3	5.5	2.1	2.2	1.4	15	3.1	1.6	3.0	4.5	5.1	4.1	4.8	3.7	2.8	2.7	2.3	2.2
16	2.1	3.3	2.8	2.9	5.1	5.3	3.6	5.4	3.1	2.3	1.0	1.5	16	2.6	1.2	1.9	2.4	4.5	5.1	4.6	4.8	5.8	3.4	1.8	2.2
17	2.1	3.7	3.8	2.9	4.6	3.2	4.7	5.0	5.6	1.4	1.0	1.6	17	3.6	1.9	2.0	5.1	4.0	4.5	4.3	5.0	3.4	1.8	1.1	1.3
18	2.2	2.5	3.9	3.7	4.3	5.4	5.2	4.7	6.2	1.6	2.2	1.2	18	1.6	1.9	1.9	4.8	3.7	5.8	8.3	6.1	5.4	3.4	1.3	2.1
19	3.0	1.9	4.8	3.1	5.6	3.7	3.6	2.9	7.1	2.3	1.3	1.7	19	3.3	1.5	1.3	3.5	3.5	5.7	3.7	6.8	4.6	2.2	1.0	1.7
20	2.5	2.5	4.4	3.2	3.9	3.6	4.2	6.1	5.9	1.5	2.5	1.7	20	3.1	2.6	2.6	3.8	4.1	4.3	4.3	5.2	4.4	2.2	0.7	1.9
21	3.2	2.1	3.0	3.3	3.6	2.4	2.9	3.4	4.0	2.1	1.7	1.7	21	2.9	2.7	2.4	3.4	3.4	5.1	3.3	5.3	4.2	1.7	0.8	1.7
22	2.5	1.8	2.7	2.8	5.3	6.0	5.1	4.1	3.3	2.4	2.9	2.6	22	2.2	2.3	3.4	4.4	4.2	4.3	4.1	5.1	5.7	1.7	1.1	1.2
23	2.6	2.1	3.5	2.7	5.5	5.1	3.4	4.6	3.4	1.9	2.5	2.3	23	2.7	1.6	3.1	1.9	5.0	3.7	4.3	5.3	4.8	3.5	1.5	1.9
24	2.2	1.1	2.6	4.0	4.4	4.6	3.2	3.9	2.2	2.2	1.1	2.0	24	1.5	1.1	3.1	2.8	4.5	6.9	4.6	3.2	3.2	2.5	2.8	1.9
25	3.2	2.1	3.2	4.1	3.4	4.1	4.8	3.5	5.1	2.4	1.6	1.9	25	2.7	2.0	3.2	3.1	4.2	2.6	4.9	4.7	2.6	3.3	1.8	2.7
26	3.0	2.7	4.6	4.7	5.7	4.4	4.5	1.9	3.7	1.8	1.8	1.0	26	2.2	1.6	2.8	3.9	5.9	5.5	4.6	5.2	1.8	1.9	1.8	2.4
27	2.0	2.1	4.0	4.4	4.3	3.1	4.1	4.6	3.3	2.3	1.0	1.3	27	4.0	0.8	2.7	4.4	5.6	2.9	3.5	6.2	2.6	2.0	2.1	2.7
28	2.9	1.3	2.6	5.0	3.7	4.6	2.8	5.5	2.5	1.7	1.1	1.4	28	2.3	2.0	2.0	3.9	4.8	4.9	3.8	5.5	3.5	1.6	1.6	2.7
29	2.8	2.5	2.8	6.2	3.1	4.1	4.6	6.2	2.7	2.3	1.2	1.3	29	2.9	3.2	3.2	3.8	4.1	4.8	4.0	3.4	4.0	1.6	2.4	1.8
30	2.0	2.0	3.0	4.6	2.2	4.7	4.4	5.9	1.3	0.9	0.8	1.8	30	2.1	3.3	3.3	5.5	5.6	3.2	4.5	4.9	4.8	1.5	2.5	2.0
31	2.1		3.0	5.2	3.3		5.2	7.5				2.1	31	3.2		3.0	5.5	3.0	3.2	4.1	4.8	1.6	1.6	1.4	
Monthly Mean.	2.66	2.47	3.09	3.71	4.25	4.45	4.49	4.24	4.45	2.35	1.74	1.74	Monthly Mean.	2.40	1.77	2.34	3.72	4.40	4.63	4.27	4.72	4.62	2.74	1.65	2.00

* Owing to loss of curve this day is rejected.

TABLE XIc—Diurnal ranges of Declination.

1914.

Unity=1 minute of arc.

1914.		Month.												1915.		Month.											
Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Date.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
1	2.2	2.8	2.7	2.5	3.4	3.7	5.4	6.0	5.1	3.4	2.0	1.4	1	4.4	2.0	1.8	4.8	6.9	3.8	3.5	8.7	5.2	5.4	3.6	2.7		
2	1.7	2.3	1.7	2.2	3.4	3.7	4.1	5.2	6.6	5.8	2.4	2.3	2	2.2	4.2	2.8	5.3	5.3	3.1	4.7	4.6	6.1	3.0	3.1	2.8		
3	1.6	3.2	1.2	2.9	3.2	3.2	3.9	5.0	7.2	5.8	1.8	1.6	3	2.2	3.0	4.2	5.5	6.4	4.7	4.3	4.8	6.0	4.9	2.3	2.2		
4	2.5	2.3	3.1	3.4	4.5	3.9	5.3	5.6	7.6	4.2	2.4	3.8	4	2.6	3.6	3.9	3.5	4.5	4.9	3.5	5.8	7.2	2.9	4.4	2.3		
5	1.6	1.5	2.0	3.1	5.4	5.6	4.7	5.2	6.8	3.4	1.6	2.8	5	2.4	3.1	3.3	4.6	3.7	5.6	4.5	6.1	6.1	4.4	4.2	3.8		
6	1.1	3.2	2.0	4.1	4.9	4.5	4.0	4.6	5.8	3.3	2.3	1.3	6	2.3	2.3	4.5	3.7	3.0	4.6	4.1	7.8	7.2	2.1	3.5	3.8		
7	1.6	2.6	1.0	3.6	4.3	4.4	4.7	4.8	5.8	4.3	2.3	1.3	7	4.6	2.8	4.5	4.5	3.3	5.8	3.8	6.8	9.1	2.0	3.1	1.9		
8	1.5	1.9	1.1	4.7	3.5	3.6	6.6	5.9	7.8	3.1	1.7	1.7	8	3.2	3.1	2.9	5.9	5.6	6.1	5.4	8.8	5.1	3.6	3.4	1.3		
9	1.8	1.5	2.4	3.9	5.9	4.1	5.5	4.5	4.6	2.5	1.8	1.7	9	4.0	2.2	4.6	4.6	3.6	5.4	6.8	6.4	7.5	2.0	3.6	2.0		
10	1.9	2.4	3.4	4.3	4.3	4.1	5.2	4.5	5.6	3.3	2.5	2.1	10	2.9	3.1	4.4	4.2	3.3	4.7	5.6	6.1	6.4	2.5	3.0	2.0		
11	1.7	2.9	2.8	4.1	6.4	3.9	5.8	6.5	4.7	2.5	3.6	1.5	11	3.5	1.0	4.0	5.0	3.4	6.6	4.4	5.1	6.4	3.4	2.1	3.2		
12	2.0	2.4	3.4	3.8	2.3	4.5	4.6	7.2	6.0	4.6	1.4	2.5	12	4.2	1.8	5.0	4.9	4.1	6.1	7.3	5.9	6.5	3.4	2.5	2.1		
13	2.6	2.7	2.8	3.4	4.0	4.7	5.4	5.6	5.1	2.7	2.7	2.2	13	2.2	2.5	3.5	5.4	4.9	5.1	5.6	4.1	5.2	3.2	2.6	2.3		
14	3.3	3.1	2.2	3.4	3.5	3.2	6.1	7.3	3.9	2.6	2.1	2.3	14	1.3	4.5	3.3	5.1	3.8	4.7	7.2	6.0	4.3	3.6	1.9	2.3		
15	1.9	1.7	3.6	3.3	4.1	5.3	4.7	3.9	5.1	3.4	1.8	2.3	15	2.3	2.7	2.9	5.3	5.7	4.5	8.8	5.2	4.6	4.1	2.4	2.8		
16	2.5	2.4	2.9	4.2	5.4	5.0	5.0	5.5	4.7	2.6	1.1	2.6	16	2.3	2.8	3.2	5.2	4.7	4.9	7.2	4.7	4.3	3.0	3.7	2.0		
17	2.6	1.7	3.3	3.9	4.1	3.4	4.1	4.5	3.5	3.8	1.4	1.6	17	2.1	3.4	3.4	6.0	2.8	8.4	6.9	5.0	4.6	3.0	3.6	1.1		
18	2.8	1.8	1.5	5.6	4.3	5.7	4.4	5.1	3.5	3.8	1.2	1.6	18	1.5	3.4	3.2	5.4	4.0	6.5	6.5	5.4	5.0	1.9	4.3	2.0		
19	3.2	2.0	2.7	5.1	5.3	6.4	3.6	5.9	3.7	2.2	1.4	1.8	19	1.8	4.3	2.8	3.6	6.2	4.7	4.9	5.7	6.9	3.5	3.0	2.6		
20	2.4	2.1	2.9	3.8	3.5	6.2	3.7	5.1	6.6	3.2	1.4	1.8	20	2.3	3.0	2.1	3.8	3.6	5.7	7.5	4.2	6.1	3.1	3.4	1.8		
21	2.9	1.4	3.3	4.9	3.4	6.2	3.1	5.1	6.5	4.7	1.2	1.6	21	2.9	3.7	4.9	3.7	4.0	6.1	6.8	6.0	7.2	2.5	2.2	1.8		
22	2.0	1.4	3.3	3.4	3.4	2.0	4.4	6.3	6.1	4.0	1.1	1.6	22	3.3	3.4	2.3	4.7	5.4	4.4	5.1	4.7	5.4	3.2	2.4	1.9		
23	1.1	2.2	2.8	4.0	4.3	5.9	5.7	5.0	5.8	4.4	1.4	2.1	23	3.0	3.0	2.2	4.9	6.3	4.0	5.1	5.0	6.4	2.2	2.7	1.2		
24	2.3	1.9	3.3	3.6	4.6	6.0	5.5	6.7	3.4	2.8	1.1	2.5	24	2.6	4.1	2.0	5.0	4.6	7.4	6.0	4.0	5.4	4.4	2.7	1.9		
25	2.9	2.5	3.2	5.8	4.1	6.3	5.5	5.2	4.4	1.9	2.0	2.1	25	2.9	3.5	1.6	5.0	5.2	4.7	6.1	6.4	4.7	3.5	2.7	2.7		
26	4.3	1.7	4.8	2.6	4.6	4.7	4.4	6.4	4.0	2.3	2.1	1.9	26	2.4	1.2	3.6	4.9	4.1	4.0	6.9	7.7	6.9	1.9	2.7	3.2		
27	3.0	2.2	3.6	3.5	5.3	4.0	5.5	6.2	8.4	3.8	1.9	2.9	27	2.6	2.5	3.0	4.6	5.3	6.5	6.7	5.2	4.8	2.2	2.7	3.3		
28	2.7	3.1	4.6	3.4	6.4	4.2	4.4	6.4	5.0	3.1	2.4	3.5	28	1.8	2.3	2.2	5.5	5.4	5.3	8.2	6.9	5.0	2.3	2.4	2.5		
29	3.0	4.1	4.1	2.5	3.6	5.9	4.0	5.3	4.6	2.3	1.8	1.8	29	3.1	3.7	3.7	5.1	4.9	6.1	7.0	6.6	4.0	3.2	3.6	1.5		
30	2.4	6.7	3.6	2.8	6.7	3.0	3.7	5.1	4.3	1.1	1.9	2.7	30	3.4	4.5	4.5	7.0	3.3	3.3	5.6	4.9	4.1	2.4	1.4	4.0		
31	5.5		3.1		3.5	4.8	4.8	4.8		1.5		2.5	31	3.9	5.4	5.4		5.2		5.4	7.3		2.7		2.5		
Monthly Mean.	2.41	2.27	2.85	3.75	4.37	4.58	4.77	5.51	5.42	3.19	1.85	2.11	Monthly Mean.	2.78	2.95	3.37	4.89	4.60	5.24	5.85	5.62	5.77	3.08	2.93	2.29		

Horizontal Force Magnetograph.

TABLE XIIa.—Showing the mean diurnal inequality of Horizontal Force for each month of the year 1911, and for the whole year.

Unity=0.1γ

1911.		Month.												1912.		Month.												Year.	
Bombay Civil Time.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	
H.	m.	+158	+226	+235	+252	+240	+175	+181	+148	+107	+210	+205	+112	+187	H.	m.	+119	+102	+191	+249	+219	+213	+221	+126	+139	+212	+235	+162	+182
9	52	+190	+284	+275	+295	+250	+235	+226	+218	+166	+253	+242	+145	+230	10	52	+169	+166	+263	+289	+241	+257	+273	+179	+187	+262	+276	+177	+228
11	52	+181	+260	+269	+282	+250	+234	+230	+220	+180	+248	+201	+127	+222	11	52	+145	+215	+264	+261	+222	+231	+272	+180	+192	+259	+244	+148	+219
12	52	+113	+177	+196	+174	+195	+197	+193	+195	+168	+173	+130	+84	+166	12	52	+116	+181	+214	+197	+180	+180	+214	+172	+157	+168	+144	+88	+168
13	52	+55	+63	+98	+86	+104	+130	+125	+118	+97	+86	+60	+27	+87	13	52	+70	+114	+133	+98	+101	+107	+142	+114	+100	+70	+54	+37	+95
14	52	+26	+31	+12	+44	0	+31	+51	+52	+19	+5	+4	+19	+13	14	52	+20	+47	+35	+26	+26	+44	+58	+51	+38	0	+3	+19	+30
15	52	+24	+81	+65	+33	+69	+47	+17	+16	+18	+26	+50	+21	+39	15	52	+6	+7	+28	+13	+32	+24	+20	+11	+3	+35	+37	+8	+19
16	52	+69	+94	+93	+70	+108	+87	+62	+69	+36	+57	+92	+31	+72	16	52	+36	+28	+42	+47	+74	+70	+80	+61	+26	+57	+79	+41	+53
17	52	+94	+124	+108	+109	+125	+101	+88	+86	+45	+83	+100	+51	+93	17	52	+69	+40	+59	+72	+82	+97	+102	+67	+45	+80	+110	+57	+73
18	52	+86	+158	+138	+143	+142	+104	+109	+111	+67	+117	+108	+56	+112	18	52	+72	+53	+77	+93	+98	+101	+117	+76	+67	+106	+135	+71	+89
19	52	+98	+173	+122	+130	+135	+97	+101	+103	+72	+122	+111	+93	+113	19	52	+72	+69	+101	+106	+102	+99	+115	+77	+78	+132	+145	+81	+98
20	52	+81	+143	+116	+125	+143	+96	+103	+111	+89	+130	+111	+87	+111	20	52	+80	+82	+108	+108	+103	+97	+111	+82	+83	+137	+151	+89	+103
21	52	+87	+97	+93	+103	+106	+74	+89	+99	+74	+122	+103	+75	+93	21	52	+71	+90	+116	+113	+100	+89	+103	+71	+86	+126	+122	+99	+99
22	52	+50	+65	+71	+85	+71	+81	+88	+70	+53	+89	+83	+50	+73	22	52	+67	+81	+100	+111	+90	+80	+107	+55	+84	+90	+101	+86	+88
23	52	+65	+82	+84	+72	+62	+82	+71	+68	+49	+86	+57	+40	+68	23	52	+56	+67	+97	+93	+80	+82	+104	+53	+72	+97	+90	+78	+81
0	52	+71	+51	+63	+86	+69	+79	+65	+52	+40	+76	+46	+38	+61	0	52	+58	+55	+98	+81	+70	+80	+90	+48	+56	+82	+64	+66	+71
1	52	+60	+56	+66	+36	+58	+82	+59	+52	+23	+56	+40	+21	+51	1	52	+41	+49	+85	+87	+62	+76	+96	+46	+38	+44	+58	+49	+61
2	52	+45	+51	+62	+50	+53	+84	+61	+46	+26	+41	+34	+17	+47	2	52	+36	+45	+76	+96	+64	+80	+95	+38	+45	+56	+51	+47	+61
3	52	+52	+42	+57	+47	+41	+61	+59	+33	+17	+30	+44	+12	+41	3	52	+38	+51	+64	+74	+64	+82	+93	+33	+28	+51	+46	+35	+55
4	52	+24	+27	+49	+43	+38	+59	+60	+42	+13	+37	+43	+6	+37	4	52	+16	+46	+66	+60	+64	+70	+88	+31	+26	+41	+42	+27	+48
5	52	+2	+14	+33	+67	+45	+50	+42	+36	+15	+27	+27	+12	+29	5	52	+14	+39	+64	+67	+58	+54	+60	+39	+32	+29	+16	+13	+40
6	52	+19	+24	+21	+50	+6	+1	+28	+27	+52	+21	+6	+13	+12	6	52	+1	+39	+40	+54	+24	+16	+6	+40	+50	+5	+32	+29	+18
7	52	+56	+96	+52	+11	+66	+58	+6	+1	+62	+26	+67	+35	+34	7	52	+26	+21	+15	+11	+42	+39	+57	+29	+38	+53	+98	+68	+27
8	52	+114	+181	+152	+130	+159	+121	+89	+74	+19	+112	+136	+62	+112	8	52	+61	+32	+102	+141	+136	+125	+145	+33	+40	+140	+167	+117	+103
Range ..		288	437	413	438	393	339	339	331	269	383	353	238	343	Range ..		249	305	380	402	344	358	390	262	278	399	427	276	331
*Summed Range ..		1,820	2,580	2,550	2,503	2,535	2,366	2,203	2,047	1,507	2,233	2,100	1,234	2,103	*Summed Range ..		1,459	1,719	2,438	2,547	2,334	2,393	2,769	1,712	1,710	2,332	2,500	1,692	2,109

*Summed range means sum without regard to sign of the twenty-four ordinates of the diurnal inequality.

For the magnitude of the temperature and aperiodic corrections applicable to the diurnal inequalities, vide Tables XVI and XVII.

Horizontal Force Magnetograph.

TABLE XIIc.—Showing the mean diurnal inequality of Horizontal Force for each month of the year 1913 and for the whole year.

Unity=0.1γ

1913.	Month.												1914.	Month.												Year.	
	Bombay Civil Time.												Bombay Civil Time.	Bombay Civil Time.													
H. m.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		H. m.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
9 51	+153	+198	+231	+262	+214	+198	+183	+145	+127	+196	+210	+184	+192	9 51	+152	+154	+202	+255	+214	+234	+210	+181	+146	+161	+211	+183	+192
10 51	+187	+235	+266	+293	+252	+244	+240	+196	+194	+230	+233	+186	+231	10 51	+188	+211	+261	+303	+262	+275	+266	+239	+209	+227	+245	+202	+241
11 51	+202	+229	+269	+256	+240	+233	+252	+201	+217	+208	+196	+142	+220	11 51	+181	+235	+263	+293	+266	+259	+257	+253	+204	+262	+212	+176	+238
12 51	+141	+173	+201	+195	+188	+189	+227	+188	+187	+120	+123	+88	+168	12 51	+125	+189	+201	+248	+219	+202	+232	+209	+164	+199	+140	+126	+188
13 51	+64	+81	+112	+114	+103	+120	+164	+140	+114	+27	+49	+44	+94	13 51	+60	+114	+116	+154	+135	+129	+170	+145	+110	+95	+67	+53	+112
14 51	+25	+16	+50	+44	+32	+47	+83	+73	+35	+23	+2	+11	+33	14 51	+23	+55	+30	+67	+53	+44	+83	+71	+43	+8	+9	+6	+40
15 51	+20	+34	+2	+8	+20	+20	+5	+23	+15	+37	+32	+20	+13	15 51	+14	+2	+35	+9	+6	+35	+18	+14	+6	+62	+38	+24	+20
16 51	+59	+67	+34	+31	+56	+71	+71	+37	+57	+64	+57	+48	+54	16 51	+38	+29	+59	+51	+53	+95	+67	+83	+36	+90	+73	+49	+60
17 51	+72	+86	+65	+72	+74	+105	+107	+61	+64	+72	+81	+67	+77	17 51	+56	+51	+71	+88	+78	+104	+119	+118	+63	+104	+106	+62	+85
18 51	+100	+97	+96	+108	+87	+111	+117	+73	+77	+94	+83	+75	+93	18 51	+71	+73	+87	+110	+91	+109	+139	+119	+89	+117	+130	+64	+100
19 51	+95	+100	+114	+129	+102	+103	+115	+85	+85	+91	+84	+87	+99	19 51	+80	+105	+100	+115	+103	+120	+154	+109	+100	+107	+137	+69	+107
20 51	+90	+103	+125	+126	+111	+105	+117	+86	+81	+78	+102	+81	+100	20 51	+84	+107	+100	+149	+104	+119	+141	+108	+104	+110	+119	+84	+111
21 51	+86	+118	+116	+125	+103	+95	+117	+89	+69	+91	+107	+80	+100	21 51	+92	+113	+121	+145	+109	+110	+132	+98	+85	+99	+112	+94	+109
22 51	+84	+114	+118	+114	+93	+93	+101	+79	+65	+79	+92	+85	+93	22 51	+83	+98	+105	+155	+112	+99	+101	+101	+83	+84	+100	+84	+100
23 51	+75	+89	+97	+94	+90	+79	+89	+69	+51	+72	+88	+80	+81	23 51	+80	+83	+83	+134	+92	+94	+93	+82	+54	+81	+91	+102	+89
0 51	+70	+68	+98	+85	+80	+81	+81	+68	+53	+69	+83	+75	+76	0 51	+67	+85	+78	+112	+92	+77	+90	+73	+55	+49	+80	+88	+79
1 51	+50	+66	+84	+86	+71	+79	+80	+66	+48	+54	+75	+68	+69	1 51	+63	+67	+77	+105	+71	+85	+73	+75	+42	+52	+65	+67	+70
2 51	+53	+69	+79	+78	+77	+71	+73	+55	+38	+46	+62	+65	+64	2 51	+54	+63	+65	+84	+72	+83	+75	+66	+44	+28	+52	+61	+62
3 51	+48	+65	+69	+64	+75	+66	+71	+64	+35	+34	+55	+51	+58	3 51	+56	+61	+73	+78	+71	+84	+81	+65	+32	+22	+33	+53	+59
4 51	+33	+48	+73	+67	+67	+70	+71	+63	+33	+35	+50	+38	+54	4 51	+45	+56	+61	+70	+79	+78	+72	+51	+19	+18	+30	+45	+52
5 51	+15	+35	+60	+67	+57	+61	+64	+61	+30	+19	+34	+20	+44	5 51	+25	+39	+59	+54	+71	+65	+57	+46	+33	+14	+8	+21	+41
6 51	+12	+5	+49	+60	+38	+12	+22	+54	+60	+5	+25	+30	+19	6 51	+10	+31	+43	+42	+63	+12	+10	+27	+61	+8	+35	+23	+19
7 51	+56	+70	+14	+3	+35	+54	+36	+15	+54	+54	+96	+98	+37	7 51	+54	+13	+14	+27	+9	+63	+57	+18	+29	+17	+100	+75	+40
8 51	+105	+147	+113	+134	+132	+131	+108	+65	+37	+131	+161	+152	+118	8 51	+110	+81	+115	+136	+106	+159	+142	+118	+54	+91	+155	+127	+116
Range ..	302	353	411	422	363	355	369	290	302	324	340	273	331	Range ..	280	348	384	458	378	395	420	372	313	379	382	304	352
Summed Range ..	1,895	2,313	2,555	2,615	2,397	2,438	2,594	2,056	1,826	1,929	2,180	1,875	2,187	Summed Range ..	1,811	2,115	2,410	2,984	2,531	2,734	2,839	2,469	1,865	2,105	2,348	1,938	2,330

TABLE XIIId.—Showing the mean diurnal inequality of Horizontal Force for each month of the year 1914 and for the whole year.

Unity=0.1γ

1913.	Month.												1914.	Month.												Year.	
	Bombay Civil Time.													Bombay Civil Time.	Bombay Civil Time.												Year.
H. m.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	H. m.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
9 51	+153	+198	+231	+262	+214	+198	+183	+145	+127	+196	+210	+184	+192	9 51	+152	+154	+202	+255	+214	+234	+210	+181	+146	+161	+211	+183	+192
10 51	+187	+235	+286	+293	+252	+244	+240	+201	+194	+230	+233	+186	+231	10 51	+188	+211	+261	+303	+262	+275	+266	+239	+209	+227	+245	+202	+241
11 51	+202	+229	+269	+256	+240	+233	+252	+201	+217	+208	+196	+142	+220	11 51	+181	+235	+263	+293	+266	+259	+257	+253	+204	+262	+212	+176	+238
12 51	+141	+173	+201	+195	+188	+189	+227	+188	+187	+120	+123	+88	+168	12 51	+125	+189	+201	+248	+219	+202	+232	+209	+164	+199	+140	+126	+188
13 51	+64	+81	+112	+114	+103	+120	+164	+140	+114	+27	+49	+44	+94	13 51	+60	+114	+116	+154	+135	+129	+170	+145	+110	+95	+67	+53	+112
14 51	+25	+16	+50	+44	+32	+47	+83	+73	+35	+23	+2	+11	+33	14 51	+23	+55	+30	+67	+53	+44	+83	+71	+43	+8	+9	+6	+40
15 51	+20	+34	+2	+8	+20	+20	+5	+23	+15	+37	+32	+20	+13	15 51	+14	+2	+35	+9	+6	+35	+18	+14	+6	+62	+38	+24	+20
16 51	+59	+67	+34	+31	+56	+71	+71	+37	+57	+64	+57	+48	+54	16 51	+38	+29	+59	+51	+53	+95	+67	+83	+36	+90	+73	+49	+60
17 51	+72	+86	+65	+72	+74	+105	+107	+61	+64	+72	+81	+67	+77	17 51	+56	+51	+71	+88	+78	+104	+119	+118	+63	+104	+106	+62	+85
18 51	+100	+97	+96	+108	+87	+111	+117	+73	+77	+94	+83	+75	+93	18 51	+71	+73	+87	+110	+91	+109	+139	+119	+89	+117	+130	+64	+100
19 51	+95	+100	+114	+129	+102	+103	+115	+85	+85	+91	+84	+87	+99	19 51	+80	+105	+100	+115	+103	+120	+154	+109	+100	+107	+137	+69	+107
20 51	+90	+103	+125	+126	+111	+105	+117	+86	+81	+78	+102	+81	+100	20 51	+84	+107	+100	+149	+104	+119	+141	+108	+104	+110	+119	+84	+111
21 51	+86	+118	+116	+125	+103	+95	+117	+89	+69	+91	+107	+80	+100	21 51	+92	+113	+121	+145	+109	+110	+132	+98	+85	+99	+112	+94	+109
22 51	+84	+114	+118	+114	+93	+93	+101	+79	+65	+79	+92	+85	+93	22 51	+83	+98	+105	+155	+112	+99	+101	+101	+83	+84	+100	+84	+100
23 51	+75	+89	+97	+94	+90	+79	+89	+69	+51	+72	+88	+80	+81	23 51	+80	+83	+83	+134	+92	+94	+93	+82	+54	+81	+91	+102	+89
0 51	+70	+68	+98	+85	+80	+81	+81	+68	+53	+69	+83	+75	+76	0 51	+67	+85	+78	+112	+92	+77	+90	+73	+55	+49	+80	+88	+79
1 51	+50	+66	+84	+86	+71	+79	+80	+66	+48	+54	+75	+68	+69	1 51	+63	+67	+77	+105	+71	+85	+73	+75	+42	+52	+65	+67	+70
2 51	+53	+69	+79	+78	+77	+71	+73	+55	+38	+46	+62	+65	+64	2 51	+54	+63	+65	+84	+72	+83	+75	+66	+44	+28	+52	+61	+62
3 51	+48	+65	+69	+64	+75	+66	+71	+64	+35	+34	+55	+51	+58	3 51	+56	+61	+73	+78	+71	+84	+81	+65	+32	+22	+33	+53	+59
4 51	+33	+48	+73	+67	+67	+70	+71	+63	+33	+35	+50	+38	+54	4 51	+45	+56	+61	+70	+79	+78	+72	+51	+19	+18	+30	+45	+52
5 51	+15	+35	+60	+67	+57	+61	+64	+61	+30	+19	+34	+20	+44	5 51	+25	+39	+59	+54	+71	+65	+57	+46	+33	+14	+8	+21	+41
6 51	+12	+5	+49	+60	+38	+12	+22	+54	+60	+5	+25	+30	+19	6 51	+10	+31	+43	+42	+63	+12	+10	+27	+61	+8	+35	+23	+19
7 51	+56	+70	+14	+3	+35	+54	+36	+15	+54	+54	+96	+98	+37	7 51	+54	+13	+14	+27	+9	+63	+57	+18	+29	+17	+100	+75	+40
8 51	+105	+147	+113	+134	+132	+131	+108	+65	+37	+131	+161	+152	+118	8 51	+110	+81	+115	+136	+106	+159	+142	+118	+54	+91	+155	+127	+116
Range ..	302	353	411	422	363	355	369	290	302	324	340	273	331	Range ..	280	348	384	458	378	395	420	372	313	379	382	304	352
Summed Range ..	1,895	2,313	2,555	2,615	2,397	2,438	2,594	2,056	1,826	1,929	2,180	1,875	2,187	Summed Range ..	1,811	2,115	2,410	2,984	2,531	2,734	2,839	2,469	1,865	2,105	2,348	1,938	2,330

Horizontal Force Magnetograph.

TABLE XIIe.—Showing the mean diurnal inequality of Horizontal Force for each month of the year 1915, and for the whole year.
 TABLE XIIf.—Showing for the summer months (April to September), the winter months (January to March and October to December) and the whole year, the mean diurnal inequality of Horizontal Force during the period 1911-1915.

Unity=0.1γ

1915.	Month.												Years.	1911.		1912.		1913.		1914.		1915.						
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	April to September.	January to March and October to December.	April to September.	January to March and October to December.	April to September.	January to March and October to December.	April to September.	January to March and October to December.	April to September.	January to March and October to December.					
H. m.	+181	+179	+244	+311	+278	+301	+268	+212	+238	+269	+245	+159	+240	+184	+191	+187	+194	+170	+182	+188	+195	+192	+207	+177	+192	+268	+213	+240
9 51	+236	+241	+313	+378	+332	+337	+328	+287	+294	+346	+304	+219	+301	+232	+228	+230	+238	+219	+228	+236	+226	+231	+259	+222	+241	+326	+276	+301
10 51	+219	+266	+310	+357	+304	+349	+339	+290	+306	+353	+254	+209	+296	+229	+214	+222	+226	+212	+219	+233	+208	+220	+255	+221	+238	+324	+268	+296
11 51	+145	+222	+251	+294	+237	+310	+303	+247	+282	+262	+164	+142	+238	+187	+145	+166	+183	+152	+165	+196	+141	+168	+212	+163	+188	+279	+198	+238
12 51	+73	+152	+149	+187	+138	+179	+211	+162	+181	+139	+50	+82	+142	+110	+65	+87	+110	+80	+95	+126	+63	+94	+140	+84	+112	+176	+107	+142
13 51	+10	+49	+49	+94	+58	+20	+105	+60	+77	+21	+9	+49	+49	+33	+6	+13	+40	+20	+30	+52	+13	+33	+60	+19	+40	+69	+28	+49
14 51	+44	+20	+13	+12	+16	+106	+14	+1	+14	+36	+98	+2	+29	+33	+44	+39	+17	+20	+19	+3	+23	+13	+12	+28	+20	+23	+35	+29
15 51	+75	+64	+75	+49	+64	+166	+89	+69	+76	+86	+127	+58	+83	+72	+73	+72	+60	+47	+53	+54	+55	+54	+61	+56	+60	+85	+81	+83
16 51	+97	+84	+111	+108	+93	+194	+139	+91	+109	+125	+140	+98	+116	+92	+93	+93	+77	+66	+73	+80	+74	+77	+95	+75	+85	+122	+109	+116
17 51	+94	+101	+103	+131	+120	+176	+150	+116	+125	+148	+163	+110	+128	+113	+110	+112	+92	+86	+89	+95	+91	+93	+109	+90	+106	+136	+120	+128
18 51	+99	+109	+113	+136	+128	+175	+153	+125	+147	+165	+164	+117	+136	+106	+120	+113	+96	+100	+98	+103	+95	+99	+117	+98	+107	+144	+128	+136
19 51	+111	+129	+134	+150	+134	+180	+150	+121	+142	+183	+145	+111	+141	+111	+111	+111	+97	+108	+103	+104	+96	+106	+121	+101	+111	+146	+135	+141
20 51	+97	+103	+132	+156	+132	+172	+145	+127	+140	+187	+99	+91	+132	+91	+96	+93	+94	+104	+99	+100	+100	+100	+113	+105	+109	+145	+118	+132
21 51	+92	+116	+144	+162	+119	+123	+118	+117	+111	+118	+101	+83	+117	+75	+71	+73	+88	+87	+88	+91	+95	+93	+108	+92	+106	+125	+109	+117
22 51	+68	+106	+107	+147	+125	+107	+134	+101	+99	+103	+96	+80	+106	+67	+69	+68	+81	+81	+81	+79	+83	+81	+91	+87	+89	+119	+93	+106
23 51	+68	+99	+104	+116	+120	+91	+125	+75	+87	+99	+64	+64	+93	+65	+57	+61	+71	+70	+71	+75	+77	+76	+83	+74	+79	+102	+83	+93
0 51	+63	+69	+86	+115	+96	+90	+120	+74	+67	+87	+37	+60	+80	+52	+50	+51	+67	+54	+61	+72	+66	+69	+75	+65	+70	+94	+67	+80
1 51	+54	+60	+57	+117	+105	+85	+112	+83	+47	+52	+34	+40	+70	+53	+42	+47	+70	+52	+61	+65	+62	+64	+71	+54	+62	+91	+49	+70
2 51	+52	+65	+74	+105	+81	+62	+110	+87	+53	+55	+23	+24	+66	+43	+39	+41	+62	+47	+55	+62	+54	+58	+68	+50	+59	+83	+49	+66
3 51	+38	+38	+68	+96	+91	+55	+102	+78	+43	+51	+28	+26	+59	+42	+31	+37	+56	+40	+48	+62	+46	+54	+61	+42	+52	+77	+41	+59
4 51	+17	+32	+66	+85	+82	+35	+86	+60	+59	+37	+4	+15	+47	+42	+15	+29	+52	+29	+40	+57	+30	+44	+54	+28	+41	+68	+27	+47
5 51	+17	+23	+52	+83	+57	+26	+34	+53	+83	+36	+26	+5	+29	+27	+3	+12	+32	+4	+18	+41	+3	+19	+36	+2	+19	+47	+10	+29
6 51	+63	+11	+9	+18	+47	+103	+59	+10	+65	+25	+91	+37	+31	+13	+55	+34	+14	+40	+27	+10	+65	+37	+34	+45	+40	+23	+39	+31
7 51	+125	+94	+117	+143	+173	+195	+165	+112	+88	+150	+189	+78	+136	+99	+126	+112	+103	+103	+103	+101	+135	+118	+119	+113	+116	+146	+125	+136
8 51																												
Range ..	347	395	457	540	466	543	492	417	453	540	468	336	442	245	348	343	335	327	331	340	326	331	380	327	352	472	411	442
Summed Range ..	2,138	2,432	2,881	3,550	3,130	3,637	3,559	2,758	2,933	3,133	2,655	1,959	2,865	2,171	2,054	2,103	2,220	1,994	2,109	2,255	2,096	2,187	2,564	2,091	2,330	3,218	2,508	2,865

Declination Magnetograph.

TABLE XIIIa.—Showing the mean diurnal inequality of Declination for each month of the year 1911 and for the whole year.

Unity=0.01 minute of arc.

1911.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.
9 51	+ 27	- 17	+ 104	+ 20	- 5	- 14	0	- 16	+ 9	- 16	- 45	- 37	+ 1
10 51	- 25	- 17	+ 68	- 81	- 117	- 125	- 108	- 139	- 110	- 84	- 78	- 118	- 78
11 51	- 59	- 43	- 13	- 147	- 207	- 205	- 174	- 203	- 208	- 118	- 60	- 114	- 129
12 51	- 30	- 7	- 66	- 151	- 218	- 200	- 176	- 207	- 213	- 88	- 11	- 38	- 117
13 51	+ 8	+ 24	- 59	- 102	- 161	- 148	- 134	- 156	- 146	- 27	+ 38	+ 31	- 69
14 51	+ 28	+ 39	- 9	- 41	- 78	- 81	- 78	- 87	- 50	+ 40	+ 63	+ 69	- 15
15 51	+ 46	+ 42	+ 13	+ 20	- 12	- 25	- 30	- 22	+ 17	+ 52	+ 60	+ 85	+ 20
16 51	+ 58	+ 44	+ 15	+ 29	+ 17	- 3	- 5	+ 14	+ 31	+ 26	+ 41	+ 52	+ 27
17 51	+ 37	+ 37	+ 6	+ 15	+ 6	- 7	- 9	+ 5	+ 10	+ 6	+ 20	+ 41	+ 15
18 51	+ 32	+ 39	- 7	- 12	- 20	- 35	- 28	- 12	+ 3	- 1	+ 30	+ 29	+ 1
19 51	+ 28	+ 35	- 19	- 21	- 28	- 42	- 36	- 20	- 5	- 5	+ 21	+ 30	- 5
20 51	+ 24	+ 35	- 13	- 23	- 16	- 33	- 35	- 17	+ 2	+ 1	+ 17	+ 20	- 3
21 51	+ 20	+ 26	- 6	- 12	- 9	- 20	- 24	- 10	+ 6	+ 8	+ 15	+ 5	0
22 51	+ 23	+ 29	- 2	- 5	+ 9	+ 3	+ 2	+ 1	+ 13	+ 13	+ 16	+ 4	+ 9
23 51	+ 26	+ 32	+ 5	+ 8	+ 21	+ 21	+ 15	+ 7	+ 24	+ 20	+ 16	+ 4	+ 17
0 51	+ 23	+ 20	+ 3	+ 15	+ 31	+ 36	+ 32	+ 20	+ 28	+ 21	+ 13	- 4	+ 20
1 51	+ 17	+ 19	- 4	+ 16	+ 38	+ 47	+ 41	+ 25	+ 24	+ 22	+ 2	+ 10	+ 14
2 51	- 11	+ 1	+ 15	+ 25	+ 36	+ 51	+ 48	+ 34	+ 25	+ 8	- 11	- 21	+ 8
3 51	- 21	- 14	- 23	+ 23	+ 32	+ 58	+ 52	+ 36	+ 15	- 7	- 20	- 29	+ 8
4 51	- 52	- 39	- 34	+ 17	+ 40	+ 68	+ 59	+ 49	+ 13	- 15	- 32	- 36	+ 3
5 51	- 75	- 50	- 42	+ 34	+ 112	+ 143	+ 118	+ 112	+ 47	- 15	- 36	- 37	+ 26
6 51	- 82	- 87	- 23	+ 115	+ 190	+ 194	+ 179	+ 206	+ 148	+ 34	- 37	- 12	+ 69
7 51	- 57	- 93	+ 36	+ 151	+ 203	+ 190	+ 183	+ 230	+ 195	+ 78	- 14	+ 41	+ 95
8 51	+ 13	- 51	+ 91	+ 112	+ 125	+ 117	+ 113	+ 145	+ 128	+ 56	- 14	+ 49	+ 74
Range ..	140	137	170	302	421	399	359	437	408	196	141	203	224
*Summed Range ..	822	840	676	1,195	1,731	1,866	1,679	1,773	1,470	761	720	917	835

*Summed range means sum without regard to sign of the twenty-four ordinates of the diurnal inequality.
For the magnitude of the aperiodic corrections applicable to the diurnal inequalities, vide Table XIX.

Unity=0.01 minute of arc.

TABLE XIIIb.—Showing the mean diurnal inequality of Declination for each month of the year 1912 and for the whole year.

1912.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.
9 51	0	- 23	+ 134	+ 54	- 26	+ 21	+ 31	- 13	- 26	+ 12	- 38	- 26	+ 8
10 51	- 97	- 89	+ 51	- 61	- 140	- 106	- 104	- 127	- 146	- 53	- 78	- 19	- 81
11 51	- 125	- 137	- 58	- 156	- 206	- 192	- 188	- 181	- 227	- 111	- 61	- 8	- 137
12 51	- 65	- 125	- 122	- 176	- 217	- 206	- 201	- 201	- 217	- 97	+ 11	+ 11	- 134
13 51	+ 11	- 58	- 131	- 130	- 147	- 162	- 170	- 158	- 140	- 39	+ 42	+ 37	- 87
14 51	+ 72	+ 26	- 76	- 70	- 60	- 108	- 115	- 85	- 30	+ 17	+ 40	+ 31	- 30
15 51	+ 94	+ 71	- 13	- 9	+ 16	- 47	- 53	- 8	+ 47	+ 39	+ 27	+ 24	+ 15
16 51	+ 53	+ 70	+ 13	+ 23	+ 38	- 12	- 16	+ 33	+ 61	+ 21	+ 29	+ 30	+ 29
17 51	+ 29	+ 34	+ 8	+ 1	+ 15	- 2	- 10	+ 17	+ 27	+ 6	+ 32	+ 31	+ 16
18 51	+ 36	+ 30	- 2	- 25	- 27	- 26	- 29	- 10	- 2	- 3	+ 25	+ 26	- 1
19 51	+ 28	+ 20	- 9	- 31	- 34	- 35	- 33	- 23	- 10	+ 2	+ 20	+ 27	- 6
20 51	+ 15	+ 15	- 7	- 23	- 25	- 30	- 30	- 25	- 8	+ 5	+ 21	+ 23	- 6
21 51	+ 10	+ 12	- 1	- 6	- 8	- 13	- 14	- 14	+ 3	+ 9	+ 16	+ 20	+ 1
22 51	+ 6	+ 12	+ 1	+ 7	+ 9	+ 4	+ 7	- 3	+ 9	+ 15	+ 23	+ 19	+ 9
23 51	+ 4	+ 13	+ 7	+ 12	+ 22	+ 20	+ 24	+ 13	+ 13	+ 23	+ 24	+ 23	+ 16
0 51	+ 1	+ 13	+ 7	+ 19	+ 29	+ 33	+ 33	+ 19	+ 16	+ 24	+ 17	+ 20	+ 19
1 51	- 8	+ 13	+ 6	+ 22	+ 34	+ 39	+ 41	+ 27	+ 24	+ 14	+ 12	+ 10	+ 19
2 51	- 21	+ 9	- 2	+ 21	+ 33	+ 42	+ 46	+ 29	+ 32	+ 9	- 3	- 2	+ 16
3 51	- 24	+ 4	- 11	+ 12	+ 36	+ 41	+ 49	+ 35	+ 29	- 8	- 17	- 16	+ 11
4 51	- 35	+ 1	- 12	+ 14	+ 50	+ 52	+ 59	+ 50	+ 28	- 22	- 31	- 33	+ 10
5 51	- 38	+ 3	- 12	+ 47	+ 120	+ 116	+ 128	+ 106	+ 60	- 26	- 35	- 38	+ 36
6 51	- 19	+ 9	+ 10	+ 140	+ 183	+ 196	+ 195	+ 194	+ 163	+ 21	- 50	- 79	+ 80
7 51	+ 21	+ 33	+ 82	+ 179	+ 189	+ 218	+ 210	+ 205	+ 189	+ 80	- 22	- 76	+ 109
8 51	+ 54	+ 39	+ 138	+ 139	+ 111	+ 150	+ 143	+ 114	+ 98	+ 71	- 6	- 40	+ 84
Range ..	216	208	269	355	406	424	411	406	416	191	120	116	246
*Summed Range ..	863	859	913	1,377	1,775	1,871	1,929	1,690	1,605	727	680	669	960

Declination Magnetograph.

TABLE XIIIc.—Showing the mean diurnal inequality of Declination for each month of the year 1913 and for the whole year.

Unity=0.01 minute of arc.

1913.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.	1914.												Year.
H. m.	H. m.												
9 51	+ 69	+ 34	+ 67	+ 62	- 23	- 28	+ 27	- 34	- 5	- 2	- 27	- 32	+ 9
10 51	+ 1	+ 24	+ 19	- 46	- 151	- 136	- 84	- 150	- 135	- 98	- 58	- 32	- 70
11 51	- 48	- 9	- 69	- 145	- 211	- 211	- 178	- 217	- 235	- 144	- 48	- 31	- 129
12 51	- 34	+ 4	- 118	- 166	- 215	- 218	- 207	- 213	- 237	- 112	- 3	- 1	- 127
13 51	- 15	+ 20	- 78	- 128	- 146	- 160	- 168	- 159	- 154	- 51	+ 40	+ 52	- 79
14 51	+ 3	+ 21	- 8	- 69	- 58	- 91	- 104	- 82	- 46	+ 4	+ 37	+ 74	- 27
15 51	+ 32	+ 14	+ 23	- 4	+ 10	- 22	- 47	- 7	+ 39	+ 43	+ 25	+ 66	+ 15
16 51	+ 42	+ 9	+ 29	+ 19	+ 36	+ 14	- 10	+ 37	+ 62	+ 38	+ 13	+ 45	+ 29
17 51	+ 21	+ 1	0	- 5	+ 15	+ 8	+ 4	+ 27	+ 30	+ 8	+ 19	+ 35	+ 14
18 51	+ 28	+ 13	- 7	- 22	- 23	- 33	- 24	- 17	+ 3	+ 2	+ 16	+ 27	- 3
19 51	+ 24	+ 6	- 11	- 32	- 30	- 39	- 33	- 24	- 7	+ 3	+ 14	+ 25	- 9
20 51	+ 15	+ 4	- 4	- 15	- 26	- 29	- 27	- 24	- 8	+ 5	+ 20	+ 22	- 6
21 51	+ 9	+ 9	- 1	- 3	- 10	- 11	- 12	- 13	0	+ 12	+ 21	+ 17	+ 1
22 51	+ 9	+ 8	+ 5	+ 8	+ 7	+ 5	0	+ 2	+ 7	+ 19	+ 24	+ 22	+ 10
23 51	+ 8	+ 11	+ 9	+ 19	+ 17	+ 17	+ 15	+ 13	+ 14	+ 27	+ 27	+ 24	+ 17
0 51.	+ 5	+ 10	+ 12	+ 21	+ 29	+ 35	+ 28	+ 22	+ 26	+ 26	+ 22	+ 19	+ 21
1 51	- 7	+ 5	+ 9	+ 19	+ 33	+ 40	+ 36	+ 28	+ 25	+ 19	+ 13	+ 8	+ 19
2 51	- 12	+ 2	+ 2	+ 14	+ 36	+ 46	+ 41	+ 35	+ 23	+ 10	+ 1	- 1	+ 16
3 51	- 25	- 15	- 8	+ 2	+ 34	+ 51	+ 41	+ 40	+ 19	0	- 10	- 20	+ 9
4 51	- 43	- 32	- 17	- 1	+ 43	+ 72	+ 56	+ 53	+ 26	- 10	- 24	- 34	+ 7
5 51	- 57	- 43	- 15	+ 30	+ 116	+ 136	+ 123	+ 123	+ 69	- 9	- 37	- 50	+ 32
6 51	- 69	- 66	+ 6	+ 135	+ 195	+ 220	+ 188	+ 216	+ 168	+ 36	- 53	- 90	+ 74
7 51	- 16	- 40	+ 69	+ 179	+ 200	+ 216	+ 197	+ 223	+ 204	+ 90	- 24	- 86	+ 101
8 51	+ 70	+ 7	+ 90	+ 143	+ 117	+ 118	+ 136	+ 113	+ 117	+ 73	- 11	- 52	+ 77
Range ..	139	100	208	345	415	438	404	440	441	234	98	164	230
Summed Range ..	-662	407	676	1,287	1,781	1,956	1,786	1,872	1,659	841	587	865	901

Unity=0.01 minute of arc.

TABLE XIIIc.—Showing the mean diurnal inequality of Declination for each month of the year 1914 and for the whole year.

Unity=0.01 minute of arc.

1913.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.	1914.												Year.
H. m.	H. m.												
9 51	- 27	- 54	+ 86	+ 75	+ 24	+ 7	+ 22	- 19	- 29	+ 20	- 3	+ 42	+ 12
10 51	- 72	- 94	+ 26	- 46	- 106	- 113	- 108	- 163	- 191	- 80	- 48	+ 39	- 80
11 51	- 68	- 108	- 74	- 148	- 192	- 209	- 199	- 261	- 278	- 154	- 61	+ 27	- 144
12 51	- 8	- 59	- 128	- 180	- 212	- 228	- 226	- 270	- 261	- 131	- 19	+ 22	- 142
13 51	+ 57	+ 19	- 112	- 141	- 162	- 175	- 191	- 207	- 160	- 49	+ 21	+ 21	- 90
14 51	+ 87	+ 70	- 49	- 69	- 94	- 104	- 137	- 103	- 34	+ 41	+ 30	0	- 30
15 51	+ 91	+ 96	+ 9	- 11	- 30	- 35	- 61	- 5	+ 52	+ 74	+ 36	- 3	+ 18
16 51	+ 38	+ 66	+ 24	+ 11	- 4	- 4	- 15	+ 56	+ 59	+ 49	+ 34	+ 9	+ 28
17 51	+ 11	+ 14	+ 6	- 6	- 12	- 5	0	+ 48	+ 11	+ 9	+ 35	+ 9	+ 12
18 51	+ 19	+ 15	0	- 26	- 20	- 26	- 16	- 11	- 6	+ 1	+ 24	+ 15	- 3
19 51	+ 16	+ 12	- 8	- 32	- 31	- 29	- 22	- 21	- 13	- 6	+ 23	+ 15	- 8
20 51	+ 15	+ 14	- 6	- 12	- 23	- 24	- 20	- 21	- 5	- 1	+ 17	+ 17	- 4
21 51	+ 15	+ 7	- 1	+ 1	- 6	- 7	- 10	- 4	0	+ 1	+ 15	+ 20	+ 3
22 51	+ 15	+ 8	+ 6	+ 15	+ 13	+ 8	+ 2	+ 5	+ 9	+ 8	+ 20	+ 16	+ 10
23 51	+ 16	+ 11	+ 11	+ 25	+ 23	+ 28	+ 17	+ 12	+ 9	+ 10	+ 23	+ 26	+ 18
0 51.	+ 10	+ 15	+ 9	+ 26	+ 32	+ 38	+ 30	+ 15	+ 9	+ 3	+ 19	+ 17	+ 19
1 51	+ 3	+ 15	+ 7	+ 25	+ 30	+ 49	+ 38	+ 24	+ 16	0	+ 5	+ 7	+ 18
2 51	- 9	+ 12	+ 1	+ 16	+ 30	+ 51	+ 42	+ 32	+ 21	- 6	- 3	- 7	+ 15
3 51	- 14	+ 9	0	+ 14	+ 28	+ 47	+ 46	+ 36	+ 27	- 13	- 24	- 23	+ 11
4 51	- 28	- 3	- 5	+ 10	+ 34	+ 58	+ 59	+ 61	+ 44	- 13	- 36	- 41	+ 12
5 51	- 42	- 12	- 1	+ 21	+ 93	+ 118	+ 139	+ 145	+ 109	- 7	- 48	- 59	+ 38
6 51	- 56	- 10	+ 21	+ 112	+ 180	+ 194	+ 213	+ 240	+ 221	+ 44	- 57	- 99	+ 84
7 51	- 46	- 21	+ 81	+ 168	+ 211	+ 209	+ 227	+ 255	+ 252	+ 106	- 19	- 75	+ 112
8 51	- 15	- 30	+ 103	+ 152	+ 153	+ 146	+ 159	+ 152	+ 150	+ 106	+ 7	+ 2	+ 90
Range ..	163	204	231	348	423	437	453	525	530	260	97	141	256
Summed Range ..	778	774	774	1,342	1,750	1,912	1,999	2,166	1,966	932	627	611	1,001

Vertical Force Magnetograph.

TABLE XIVa.—Showing the mean diurnal inequality of Vertical Force for each month of the year 1911, and for the whole year.

Unity=0.1γ

1911.	Month.												1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.												Bombay Civil Time.	1912.	Month.</											
-------	--------	--	--	--	--	--	--	--	--	--	--	--	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	--------	--	--	--	--	--	--	--	--	--	--	--	--------------------	-------	----------	--	--	--	--	--	--	--	--	--	--	--

*Summed range means sum without regard to sign of the twenty-four ordinates of the diurnal inequality.

For the magnitude of the temperature and aperiodic corrections applicable to the diurnal inequalities, vide Tables XVII and XX.

Vertical Force Magnetograph.

TABLE XIVc.—Showing the mean diurnal inequality of Vertical Force for each month of the year 1913 and for the whole year.

Unity=0.1γ

1913.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.
H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.
9 51	-44	3	35	-155	-205	-133	-116	-168	-192	-146	-41	6	-103
10 51	-114	27	74	-185	-203	-149	-159	-180	-234	-168	-48	1	-128
11 51	-101	40	106	-162	-160	-142	-153	-141	-183	-109	7	1	-109
12 51	-46	15	63	-72	-83	-74	-90	-77	-76	-26	45	33	-45
13 51	-8	8	4	7	0	6	31	12	21	28	42	55	6
14 51	22	15	38	44	53	38	28	36	69	46	21	38	35
15 51	41	11	24	56	68	63	51	61	78	41	14	17	42
16 51	36	10	2	38	45	46	46	49	35	8	12	4	26
17 51	22	1	5	9	13	12	19	6	3	0	16	8	8
18 51	28	7	4	6	5	10	7	2	5	8	13	6	5
19 51	23	6	4	10	13	13	6	7	14	15	11	3	10
20 51	21	8	14	30	24	18	14	16	27	20	6	1	17
21 51	18	9	16	37	38	26	26	29	36	23	2	0	22
22 51	16	13	23	43	46	32	31	36	40	28	4	1	26
23 51	13	14	21	45	46	33	31	37	43	27	0	5	25
0 51	7	8	20	39	45	35	33	38	43	24	6	8	23
1 51	2	5	14	36	43	31	31	36	43	23	11	15	20
2 51	0	2	8	32	40	29	28	38	41	17	14	20	17
3 51	4	7	4	27	38	28	27	37	39	19	14	22	14
4 51	7	7	5	36	53	45	39	49	47	24	13	23	21
5 51	7	5	13	74	103	92	83	100	90	39	17	22	45
6 51	2	4	44	95	86	74	76	100	110	70	11	52	49
7 51	46	29	44	12	2	9	34	12	14	32	4	18	18
8 51	45	44	2	80	-105	-94	-54	-104	-108	-41	17	11	-42
Range ..	160	84	150	280	308	241	242	280	344	238	93	107	177
Summed Range ..	673	298	587	1,332	1,517	1,225	1,212	1,371	1,591	982	389	370	856

1914.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.	Year.
H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.	H. m.
9 51	-51	92	-46	-137	-194	-123	-137	-212	-256	-159	-57	49	-118
10 51	-57	98	-105	-184	-216	-159	-175	-227	-256	-182	-79	1	-145
11 51	6	48	-141	-170	-184	-150	-163	-192	-188	-142	-53	25	-122
12 51	51	34	99	93	113	87	113	93	72	37	3	42	-55
13 51	74	85	26	14	37	13	41	15	25	42	18	37	5
14 51	69	81	26	41	17	31	18	54	90	68	15	33	40
15 51	43	56	34	47	51	57	57	90	94	38	17	1	49
16 51	6	6	14	32	45	38	53	80	41	8	9	18	27
17 51	6	13	11	5	24	17	28	21	6	10	12	19	9
18 51	15	11	9	6	5	4	1	7	21	2	8	20	4
19 51	9	9	10	14	12	12	14	9	21	8	12	17	12
20 51	7	12	19	33	26	21	22	22	35	18	13	13	20
21 51	2	7	23	36	42	30	29	29	37	21	13	7	23
22 51	1	12	30	43	50	34	38	36	46	30	14	7	28
23 51	4	11	30	45	48	36	39	38	48	29	10	5	26
0 51	8	8	24	42	45	34	41	37	45	23	3	5	24
1 51	16	4	19	35	42	31	38	37	51	23	0	10	21
2 51	20	2	17	33	40	26	34	37	50	23	1	15	19
3 51	19	0	17	30	40	20	33	41	51	23	4	18	18
4 51	22	7	20	29	52	32	44	58	65	29	0	18	23
5 51	22	6	27	57	104	81	98	115	112	43	4	16	50
6 51	25	2	53	95	107	84	85	115	124	94	18	25	60
7 51	13	29	44	37	46	28	24	30	8	67	28	34	25
8 51	9	53	0	-52	-53	-72	-73	-110	-147	-31	0	67	-44
Range ..	131	183	194	279	323	243	273	342	380	276	107	109	205
Summed Range ..	555	686	844	1,310	1,593	1,220	1,398	1,705	1,889	1,150	391	502	969

Unity=0.1γ

Vertical Force Magnetograph.

TABLE XIVf.—Showing the mean diurnal inequality of Vertical Force for the summer months (April to September), the winter months (January to March and October to December) and the whole year, the mean diurnal inequality of Vertical Force during the period 1911—1915.

Unity=0.1γ

1915.	Month.												Years.	1911.				1912.				1913.				1914.				1915.			
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Bombay Civil Time.	April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.	
Bombay Civil Time.																																	
H. m.																																	
9 51	- 95	-123	- 76	-179	-203	-178	-176	-201	-283	-149	- 95	- 77	-153	-159	- 64	-112	-157	- 61	-109	-161	- 44	-103	-176	- 59	-118	-203	-102	-153					
10 51	-136	-124	-146	-251	-197	-205	-202	-194	-286	-175	- 93	-116	-177	-181	- 82	-132	-186	- 88	-137	-185	- 72	-128	-203	- 87	-145	-222	-132	-177					
11 51	- 66	- 85	-163	-247	-147	-190	-157	-151	-247	-145	- 20	- 86	-142	-154	- 57	-105	-160	- 72	-116	-157	- 61	-108	-174	- 69	-122	-190	- 94	-142					
12 51	+10	+ 4	-127	-150	- 64	-124	- 93	- 83	-136	- 51	+ 49	- 21	- 65	- 79	- 2	- 41	- 88	- 21	- 55	- 79	- 12	- 45	- 95	- 15	- 53	-108	- 23	- 65					
13 51	+24	+67	- 34	- 21	+14	- 27	- 17	- 20	0	+ 21	+67	+ 8	- 7	- 8	- 29	+11	- 15	+19	+ 2	- 6	+19	+ 6	+16	+ 26	+ 5	-12	+25	+ 7					
14 51	+34	+85	+46	+65	+54	+36	+50	+34	+76	+44	+47	+31	+56	+37	+40	+38	+34	+36	+35	+45	+25	+35	+42	+38	+40	+52	+48	+50	+50	+56			
15 51	+28	+66	+49	+75	+63	+74	+90	+59	+87	+30	+16	+31	+56	+49	+31	+40	+56	+32	+44	+63	+21	+42	+66	+31	+49	+75	+37	+56					
16 51	- 1	+ 6	+ 9	+32	+34	+56	+84	+57	+43	- 21	-19	- 1	+23	+31	+ 9	+20	+38	+14	+26	+43	+ 8	+26	+48	+ 5	+27	+51	- 4	+23					
17 51	+ 4	- 8	-18	+ 2	- 7	+39	+55	+26	+ 7	- 24	+ 1	+ 9	+ 7	+ 7	+ 7	+ 5	+10	+ 8	+ 9	+ 9	+ 7	+ 8	+15	+ 4	+ 9	+20	- 6	+ 7					
18 51	+22	+ 8	- 4	- 7	-19	+ 7	- 2	- 7	+10	+ 1	+ 6	+21	+ 2	+ 4	+ 7	+ 9	+11	+ 8	+ 5	0	+10	+ 5	- 2	+10	+ 4	- 3	+ 9	+ 3					
19 51	+16	+11	+11	+15	+ 4	+13	+ 2	- 1	+31	+10	+ 5	+15	+11	+9	+ 9	+ 9	+11	+ 9	+10	+ 9	+10	+10	+14	+11	+12	+11	+11	+11					
20 51	+15	+13	+22	+38	+20	+34	+16	+18	+39	+18	+ 5	+11	+21	+22	+ 8	+15	+23	+ 9	+16	+21	+12	+17	+26	+14	+20	+27	+14	+21					
21 51	+16	+18	+29	+50	+37	+39	+30	+31	+53	+35	+15	+21	+31	+33	+10	+22	+34	+11	+23	+32	+11	+22	+34	+12	+23	+40	+22	+31					
22 51	+18	+22	+38	+60	+47	+46	+35	+41	+62	+45	+22	+24	+38	+41	+11	+26	+41	+13	+27	+38	+14	+26	+41	+15	+28	+48	+28	+38					
23 51	+15	+18	+40	+59	+49	+50	+36	+45	+68	+48	+15	+16	+38	+42	+10	+26	+42	+12	+27	+39	+12	+25	+42	+13	+28	+51	+25	+38					
0 51	+12	+15	+37	+61	+50	+43	+36	+47	+68	+43	+12	+ 7	+36	+42	+ 6	+24	+40	+ 8	+24	+39	+ 7	+23	+41	+ 7	+24	+51	+21	+36					
1 51	+ 6	+10	+31	+60	+48	+39	+32	+46	+66	+41	+ 4	+ 5	+32	+38	+ 3	+21	+38	+ 3	+21	+37	+ 3	+20	+39	+ 3	+21	+48	+16	+32					
2 51	+ 2	+10	+26	+55	+40	+37	+31	+46	+67	+36	- 1	+ 3	+29	+36	- 4	+16	+35	0	+17	+35	- 1	+17	+37	+ 1	+19	+46	+13	+29					
3 51	- 1	+ 4	+24	+54	+44	+35	+29	+47	+70	+33	- 2	+ 1	+28	+34	- 5	+14	+34	- 2	+16	+33	- 4	+14	+36	0	+18	+46	+10	+28					
4 51	- 2	+ 5	+29	+57	+62	+46	+44	+55	+74	+33	+ 2	+ 4	+34	+42	- 5	+18	+43	0	+21	+45	- 3	+21	+47	0	+23	+56	+12	+34					
5 51	- 1	+20	+39	+97	+105	+99	+109	+119	+144	+55	+12	+16	+68	+84	+ 1	+43	+87	+ 6	+46	+90	0	+45	+94	+ 5	+50	+112	+23	+68					
6 51	+ 4	+28	+73	+108	+89	+91	+84	+110	+145	+82	+21	+28	+72	+90	+13	+52	+94	+21	+57	+90	+ 7	+49	+102	+19	+60	+104	+41	+73					
7 51	+45	+ 5	+70	+36	- 5	+22	+ 1	+ 3	0	+38	- 4	+42	+21	+20	+23	+21	+21	+32	+27	+14	+23	+18	+29	+22	+25	+ 9	+33	+21					
8 51	+29	- 63	+ 3	- 67	-110	- 82	-108	-124	-167	- 53	-55	- 1	- 66	- 78	- 4	- 41	- 78	+ 3	- 37	- 91	+ 7	- 42	- 84	- 4	- 44	-110	- 23	- 66					
Range ..	181	209	236	359	308	304	311	320	431	267	162	158	250	271	122	184	280	124	194	275	97	177	305	125	205	334	180	250					
Summed Range ..	602	818	1,144	1,846	1,512	1,612	1,519	1,565	2,229	1,241	588	595	1,209	1,320	446	859	1,367	488	907	1,361	393	856	1,503	470	969	1,695	772	1,209					

TABLE XVa.—Showing the mean diurnal inequality of Inclination for each month of the year 1911 and for the whole year.

Unity=0.01 Minute of arc.

1911.	Month.												1912.	Month.												Year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Bombay Civil Time.														Bombay Civil Time.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

*Summed range means sum without regard to sign of the twenty-four ordinates of the diurnal inequality.

For the magnitude of the temperature and aperiodic corrections applicable to the diurnal inequalities, vide Tables XVI, XVII, XVIII and XX from which the corrections can be derived.

The diurnal inequality of Inclination is derived directly from the diurnal inequalities of H and V, by the use of the formula $\frac{d}{\sin I} = d \left(\frac{\cos^2 I}{\sin I} \right) - d \left(\frac{\sin 2I}{2 \sin I} \right)$, where I is the angle of the Dip, V and H are the absolute values of Vertical Force and Horizontal Force and d I, d V and d H are the ordinates of the diurnal inequality of I, V and H respectively. The factors for d V and d H are determined from the mean annual values of H and I for the years 1911 to 1915; 0.1y corresponds in arc to 0.00781, 0.00779, 0.00775 and 0.00774 for d V and to 0.00344, 0.00346, 0.00347, 0.00349 and 0.00350 for d H respectively for these years. It will be seen that the diurnal inequalities derived from these factors are sufficiently accurate for the requirements.

TABLE XVc.—Showing the mean diurnal inequality of Inclination for each month of the year 1913 and for the whole year.

Unity=0.01 Minute of arc.

1913.	Month.												1914	Month.												Year.
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
H. m.													H. m.													
9 51	- 87	- 71	-107	-211	-233	-172	-154	-181	-193	-181	-105	- 59	-146	- 93	-125	-106	-195	-225	-177	-179	-227	-249	-179	-118	- 26	-158
10 51	-154	-103	-156	-246	-245	-201	-207	-208	-249	-208	-118	- 64	-180	-110	-150	-172	-249	-258	-219	-229	-259	-271	-220	-147	- 71	-196
11 51	-148	-110	-175	-215	-207	-191	-206	-180	-217	-180	-73	- 50	-161	- 68	-119	-201	-234	-236	-206	-216	-237	-217	-201	-115	- 80	-177
12 51	- 85	- 72	-119	-124	-129	-123	-149	-125	-124	-125	- 8	- 5	- 94	- 4	- 40	-147	-159	-164	-137	-169	-145	-113	- 98	- 47	- 77	-108
13 51	- 28	- 34	- 36	- 45	- 36	- 47	- 81	- 58	- 24	- 58	16	28	- 28	36	26	60	65	76	55	91	63	19	0	- 9	- 47	- 35
14 51	8	-18	13	19	30	14	7	3	42	39	17	26	16	45	44	10	9	5	9	15	17	55	56	9	- 28	17
15 51	39	3	18	42	60	56	38	39	66	66	45	22	37	38	42	38	33	42	56	50	75	75	51	26	7	44
16 51	48	15	10	41	54	61	61	51	47	47	29	20	39	8	15	32	43	53	62	64	91	45	25	32	31	42
17 51	42	31	19	32	36	45	52	26	20	25	40	29	33	25	8	34	35	46	49	64	57	17	28	46	37	37
18 51	57	39	30	42	26	31	36	23	31	39	39	31	35	37	34	38	43	36	41	50	37	15	39	51	37	38
19 51	51	40	43	53	45	41	44	34	40	44	38	32	42	35	44	40	51	45	51	65	45	51	43	57	37	47
20 51	47	42	54	67	58	50	52	42	49	43	40	29	48	34	46	50	78	56	58	66	55	63	44	52	39	53
21 51	44	48	52	72	66	53	61	54	52	50	39	28	52	34	44	60	79	71	61	68	56	59	51	49	38	56
22 51	41	50	59	73	68	57	59	55	54	49	35	30	52	28	43	60	87	78	61	64	63	65	52	46	34	57
23 51	36	42	50	68	67	53	55	52	51	46	31	24	48	25	38	52	82	69	61	62	58	56	50	40	40	53
0 51	29	30	50	59	63	55	54	54	51	43	24	20	44	17	36	46	72	67	53	63	54	54	35	30	27	46
1 51	19	27	40	58	58	51	52	51	50	37	17	12	39	10	26	42	64	58	54	54	55	55	36	23	15	41
2 51	18	26	33	52	58	48	47	49	45	29	11	7	35	4	24	36	55	56	49	52	52	54	28	17	9	36
3 51	14	18	27	43	56	45	46	51	42	27	8	1	31	5	21	38	50	56	44	54	55	51	26	9	4	34
4 51	6	12	29	51	64	59	55	60	48	31	7	5	35	1	15	36	46	68	52	59	63	57	28	10	2	36
5 51	0	8	31	80	100	92	86	99	80	37	1	10	50	8	9	42	63	106	86	96	105	99	38	6	5	53
6 51	- 6	5	51	95	80	61	67	97	106	56	18	50	44	22	9	56	89	105	69	69	98	117	76	2	- 27	53
7 51	17	1	29	8	10	-12	14	14	30	6	30	48	1	-29	27	29	20	33	0	- 1	98	4	46	-13	0	6
8 51	1	17	37	-108	-128	-118	-79	-104	-97	-77	-69	-44	-73	-45	-69	-40	-87	-78	-111	-107	-126	-133	-56	-54	- 8	- 76
Range ..	211	160	234	341	345	293	293	307	355	267	158	96	232	155	196	261	338	364	305	325	364	388	296	204	120	253
Summed Range ..	1,025	862	1,268	1,904	1,977	1,736	1,782	1,711	1,808	1,380	835	672	1,363	751	1,054	1,465	1,988	2,087	1,821	2,007	2,110	1,994	1,506	1,008	726	1,499

TABLE XVd.—Showing the mean diurnal inequality of Inclination for each month of the year 1914 and for the whole year.

Unity=0.01 Minute of arc.

TABLE XVe.—Showing the mean diurnal inequality of Inclination for each month of the year 1915, and for the whole year.

TABLE XVf.—Showing for the Summer months (April to September), the winter months (January to March and October to December), and the whole year, the mean diurnal inequality of Inclination during the period 1911—1915.

Unity=0.01 Minute of arc.

Unity=0.01 Minute of arc.

1915.	Month.												Years. Bombay Civil Time.	1911.				1912.				1913.				1914.				1915.			
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.	April to September.	January to March and October to December.	Year.		
H. m.													H. m.																				
9 51	-137	-158	-144	-248	-254	-243	-230	-230	-302	-209	-160	-116	-203	-188	-116	-152	-190	-106	-148	-191	-102	-146	-209	-108	-158	-251	-154	-203					
10 51	-188	-180	-223	-326	-268	-277	-271	-250	-324	-256	-178	-167	-242	-221	-143	-182	-228	-144	-186	-226	-134	-180	-247	-145	-196	-286	-199	-242					
11 51	-128	-159	-235	-316	-220	-269	-241	-218	-298	-236	-104	-140	-214	-199	-118	-158	-203	-130	-166	-203	-119	-161	-224	-131	-177	-260	-167	-214					
12 51	-43	-75	-186	-219	-133	-204	-178	-150	-204	-131	-19	-66	-134	-126	-52	-89	-132	-69	-101	-129	-58	-94	-148	-69	-108	-181	-87	-134					
13 51	-7	-1	-78	-81	-37	-84	-87	-72	-63	-33	-35	-23	-44	-44	0	-22	-50	-12	-31	-48	-7	-28	-61	-9	-75	-71	-18	-44					
14 51	+23	+49	+19	+17	+22	+21	+2	+5	+32	+27	+39	+7	+22	+17	+34	+25	+12	+21	+17	+17	+15	+16	+12	+23	+17	+22	+27	+22					
15 51	+37	+58	+43	+54	+55	+94	+75	+46	+72	+36	+48	+25	+53	+50	+39	+45	+50	+32	+41	+50	+24	+37	+55	+34	+44	+66	+41	+52					
16 51	+25	+27	+33	+42	+48	+101	+96	+68	+60	+14	+29	+19	+47	+49	+32	+41	+56	+27	+39	+52	+25	+39	+60	+24	+42	+69	+24	+47					
17 51	+37	+23	+25	+40	+28	+98	+92	+52	+43	+25	+50	+41	+46	+37	+37	+37	+35	+30	+32	+35	+31	+39	+35	+37	+39	+37	+59	+33	+46				
18 51	+50	+41	+33	+51	+27	+67	+50	+36	+52	+53	+62	+54	+48	+42	+43	+43	+33	+36	+35	+31	+39	+35	+37	+39	+38	+47	+49	+48					
19 51	+47	+47	+49	+60	+48	+71	+56	+43	+75	+66	+61	+53	+56	+44	+48	+46	+42	+42	+42	+43	+41	+42	+51	+43	+47	+59	+54	+56					
20 51	+51	+55	+64	+81	+62	+89	+64	+56	+80	+78	+55	+48	+65	+55	+45	+50	+51	+44	+48	+53	+42	+48	+63	+44	+53	+72	+58	+63					
21 51	+46	+50	+68	+94	+75	+90	+74	+68	+90	+92	+47	+48	+70	+57	+41	+49	+59	+44	+52	+60	+43	+52	+66	+46	+56	+82	+58	+70					
22 51	+46	+58	+79	+103	+78	+79	+68	+73	+87	+76	+52	+48	+71	+58	+33	+45	+62	+41	+52	+61	+44	+52	+70	+44	+57	+81	+60	+71					
23 51	+36	+51	+98	+97	+82	+76	+75	+70	+88	+73	+46	+40	+67	+56	+32	+44	+60	+37	+49	+58	+38	+48	+65	+41	+53	+81	+52	+67					
0 51	+33	+47	+65	+88	+81	+65	+72	+62	+83	+68	+31	+27	+60	+55	+24	+40	+55	+30	+43	+56	+33	+44	+60	+32	+46	+75	+45	+60					
1 51	+27	+32	+54	+86	+71	+61	+67	+62	+74	+62	+16	+25	+53	+48	+19	+33	+53	+21	+37	+53	+25	+39	+57	+25	+41	+70	+36	+53					
2 51	+21	+29	+40	+84	+68	+59	+63	+65	+68	+46	+11	+16	+47	+46	+11	+25	+51	+17	+34	+50	+21	+35	+53	+20	+36	+68	+27	+47					
3 51	+17	+26	+45	+79	+62	+49	+60	+66	+73	+45	+6	+9	+45	+41	+10	+27	+48	+15	+32	+47	+16	+31	+52	+17	+34	+65	+25	+45					
4 51	+11	+17	+46	+78	+80	+55	+70	+70	+72	+44	+12	+12	+47	+47	+7	+27	+53	+13	+33	+56	+13	+35	+57	+15	+36	+71	+24	+47					
5 51	+5	+26	+53	+105	+110	+89	+114	+113	+132	+56	+8	+17	+69	+80	+6	+43	+86	+15	+50	+89	+11	+50	+92	+14	+53	+110	+27	+69					
6 51	-3	+30	+75	+113	+89	+61	+77	+104	+141	+84	+7	+20	+66	+80	+9	+44	+84	+18	+51	+84	+5	+44	+91	+16	+53	+97	+35	+66					
7 51	+13	0	+51	+34	-20	-19	-20	-1	+23	+20	-35	+20	+5	+11	-1	+5	+12	+11	+12	+7	-4	+1	+11	+1	+6	0	+11	+5					
8 51	-22	-82	-39	-102	-146	-131	-142	-135	-160	-93	-109	-28	-99	-95	-47	-71	-96	-33	-65	+106	-41	-73	-107	-45	-76	-136	-62	-99					
Range ..	239	238	314	439	378	378	385	363	465	348	240	221	313	301	191	232	314	188	238	315	178	232	339	191	253	396	258	313					
Summed Range ..	1,053	1,321	1,815	2,598	2,164	2,452	2,344	2,115	2,696	1,923	1,218	1,069	1,873	1,746	947	1,345	1,795	988	1,396	1,805	931	1,363	1,993	1,015	1,499	2,373	1,373	1,873					

TABLE XVI.—Showing the mean temperatures in the Horizontal Force Magnetograph enclosure and the excesses over the means for each of the five observation hours during the period 1911 to 1915.

Months.	H. m. 9 52	H. m. 13 52	H. m. 15 52	H. m. 21 52	H. m. 5 52	Monthly and Yearly means.	Months.	H. m. 9 52	H. m. 13 52	H. m. 15 52	H. m. 21 52	H. m. 5 52	Monthly and Yearly means.
1911.							1912.						
January ..	-.02	+.01	+.03	+.05	-.05	82.96	January ..	.00	+.01	+.03	+.04	-.07	84.93
February ..	-.04	-.02	+.02	+.07	-.04	81.97	February ..	+.01	.00	+.02	+.02	-.03	84.08
March ..	-.02	-.02	.00	+.03	+.02	83.51	March ..	-.01	-.02	.00	+.02	.00	84.85
April ..	-.02	-.02	-.01	+.03	+.03	85.81	April ..	-.04	-.02	.00	+.02	+.03	87.62
May ..	.00	-.03	-.01	+.02	.00	88.94	May ..	-.03	-.02	-.01	+.04	+.03	90.53
June ..	+.01	+.01	+.02	+.01	-.06	90.28	June ..	+.02	+.02	+.01	-.01	-.03	91.96
July ..	+.02	+.01	+.01	.00	-.05	88.79	July ..	+.05	+.03	+.02	-.02	-.09	88.79
August ..	+.02	+.01	+.02	+.01	-.07	86.58	August ..	+.01	+.01	+.02	+.01	-.04	86.49
September ..	-.01	-.02	-.01	.00	.00	86.87	September ..	-.02	-.02	-.01	+.03	+.03	87.43
October ..	-.01	-.01	.00	+.03	.00	89.03	October ..	-.03	-.01	.00	+.05	-.03	89.23
November ..	-.01	+.01	+.02	+.04	-.04	88.88	November ..	-.01	+.01	+.02	+.06	-.09	88.30
December ..	-.01	.00	+.02	+.04	-.07	87.63	December ..	-.03	+.01	+.03	+.07	-.09	85.56
April to Sep- tember ..	.00	-.01	.00	+.01	-.02	87.88	April to Sep- tember ..	.00	.00	.00	+.01	-.01	88.80
October to March ..	-.02	.00	+.01	+.04	-.03	85.66	October to March ..	-.01	.00	+.02	+.04	-.05	86.16
Year ..	-.01	-.01	+.01	+.03	-.03	86.77	Year ..	-.01	.00	+.01	+.03	-.03	87.48
1913.							1914.						
January ..	-.04	-.01	+.02	+.07	-.07	83.30	January ..	-.02	.00	+.03	+.08	-.07	83.97
February ..	-.04	-.02	+.02	+.06	-.02	82.87	February ..	.00	-.01	-.01	+.03	-.01	83.27
March ..	-.03	-.03	.00	+.04	.00	83.61	March ..	+.01	-.01	-.01	+.02	.00	83.66
April ..	-.03	-.03	-.02	+.04	+.05	86.20	April ..	+.01	-.03	-.03	+.02	+.03	85.22
May ..	-.02	-.03	-.03	+.02	+.04	89.95	May ..	.00	-.01	-.02	+.02	+.03	88.39
June ..	+.03	+.01	+.01	+.01	-.07	91.30	June ..	+.05	+.02	+.01	.00	-.06	89.85
July ..	+.04	+.02	+.02	+.01	-.08	88.31	July ..	+.05	+.02	+.02	.00	-.09	87.05
August ..	-.01	-.01	.00	+.01	-.01	86.81	August ..	+.02	+.01	+.01	-.01	-.03	85.29
September ..	-.01	-.02	-.01	+.01	+.01	87.90	September ..	+.02	-.01	-.01	-.01	-.02	86.13
October ..	-.01	-.01	.00	+.02	-.02	89.40	October ..	-.01	-.02	.00	+.07	-.02	88.01
November ..	-.01	.00	+.02	+.06	-.07	88.13	November ..	.00	-.01	+.01	+.07	-.08	88.48
December ..	.00	+.01	-.01	+.06	-.04	86.19	December ..	+.02	+.02	+.03	+.06	-.11	85.91
April to Sep- tember ..	.00	-.01	.00	+.02	-.01	88.41	April to Sep- tember ..	+.02	.00	.00	.00	-.02	86.99
October to March ..	-.02	-.01	+.01	+.05	-.04	85.58	October to March ..	.00	.00	+.01	+.05	-.05	85.55
Year ..	-.01	-.01	.00	+.03	-.02	87.00	Year ..	+.01	.00	.00	+.03	-.04	86.27
1915.							1915.						
January ..	.00	.00	+.02	+.06	-.07	83.05	July ..	+.04	+.02	+.02	-.02	-.06	88.17
February ..	+.01	.00	+.01	+.04	-.04	82.10	August ..	+.02	+.01	+.02	.00	-.04	86.24
March ..	-.01	-.03	-.02	+.02	+.04	83.10	September ..	+.01	-.01	-.01	+.01	+.01	86.93
April ..	-.02	-.03	-.01	+.01	+.05	86.78	October ..	+.02	-.01	-.01	+.01	-.02	87.50
May ..	+.01	-.01	-.01	.00	.00	89.53	November ..	.00	-.03	.00	+.05	-.03	87.72
June ..	+.05	+.02	+.01	+.04	-.04	91.30	December ..	+.02	+.01	+.03	+.06	-.10	85.56
							April to Sep- tember ..	+.02	.00	.00	-.01	-.01	88.16
							October to March ..	+.01	-.01	.00	+.04	-.04	84.84
							Year ..	+.01	.00	.00	+.02	-.02	86.50

TABLE XVII.—Showing the mean temperatures in the Vertical Force Magnetograph enclosure and the excesses over the means for each of the five observation hours during the period 1911 to 1915.

Months.	H. m. 9 50	H. m. 13 50	H. m. 15 50	H. m. 21 50	H. m. 5 50	Monthly and Yearly means.	Months.	H. m. 9 50	H. m. 13 50	H. m. 15 50	H. m. 21 50	H. m. 5 50	Monthly and Yearly means.
1911.							1912.						
January ..	-.03	.00	+.02	+.06	-.05	82.90	January ..	-.02	+.01	+.03	+.06	-.06	84.85
February ..	-.05	-.01	+.03	+.08	-.03	81.89	February ..	-.02	.00	+.02	+.04	-.04	84.01
March ..	-.03	-.02	.00	+.04	+.02	83.45	March ..	-.03	-.01	.00	+.04	.00	84.79
April ..	-.03	-.02	-.01	+.03	+.03	85.79	April ..	-.03	-.02	.00	+.01	+.03	87.61
May ..	.09	-.01	-.01	+.02	+.01	88.94	May ..	-.03	-.02	-.01	+.03	+.04	90.57
June ..	+.01	+.01	+.02	+.01	-.05	90.32	June ..	+.01	+.01	+.01	-.02	-.04	91.96
July ..	+.02	+.02	+.02	+.01	-.05	88.77	July ..	+.05	+.04	+.02	-.03	-.09	88.77
August ..	+.03	+.02	+.02	+.02	-.07	86.52	August ..	.00	.00	+.01	+.02	-.04	86.43
September ..	.00	-.02	-.01	+.01	.00	86.84	September ..	-.03	-.02	-.01	+.03	+.03	87.40
October ..	-.02	-.02	.00	+.04	-.01	89.04	October ..	-.03	.00	+.01	+.06	-.02	89.25
November ..	-.03	.00	+.01	+.05	-.04	88.89	November ..	-.02	+.01	+.03	+.07	-.08	88.29
December ..	-.03	+.01	+.02	+.06	-.07	87.59	December ..	-.03	.00	+.03	+.07	-.07	85.48
April to Sep- tember ..	.00	.00	.00	+.02	-.02	87.86	April to Sep- tember. ..	.00	.00	.00	+.01	-.01	88.79
October to March ..	-.03	-.01	+.01	+.05	-.03	85.63	October to March ..	-.02	.00	+.02	+.06	-.04	86.11
Year ..	-.01	.00	+.01	+.04	-.03	86.74	Year ..	-.01	.00	+.01	+.03	-.03	87.45
1913.							1914.						
January ..	-.04	-.01	+.02	+.08	-.07	83.20	January ..	-.04	+.01	+.02	+.09	-.06	83.86
February ..	-.05	-.01	+.02	+.06	-.01	82.77	February ..	-.02	-.02	-.01	+.04	-.01	83.17
March ..	-.04	-.02	.00	+.04	+.01	83.54	March ..	-.01	-.01	.00	+.03	+.01	83.56
April ..	-.06	-.03	-.01	+.03	+.05	86.18	April ..	.00	-.02	-.02	+.02	+.03	85.14
May ..	-.02	-.02	-.02	+.02	+.05	89.99	May ..	-.02	-.01	-.01	+.02	+.03	88.39
June ..	+.04	+.01	+.01	+.01	-.07	91.35	June ..	+.03	+.02	+.01	.00	-.07	89.87
July ..	+.04	+.03	+.02	.00	-.07	88.30	July ..	+.04	+.03	+.03	.00	-.09	86.98
August ..	.00	.00	.00	+.01	+.01	86.75	August ..	+.01	+.01	+.01	+.01	-.03	85.21
September ..	-.01	-.01	-.01	+.01	+.01	87.87	September ..	+.01	.00	.00	.00	-.01	86.05
October ..	-.01	-.01	+.01	+.03	-.01	89.39	October ..	-.02	-.01	-.01	+.08	-.02	87.99
November ..	-.02	.00	+.02	+.07	-.07	88.09	November ..	-.01	.00	+.01	+.08	-.08	88.46
December ..	-.02	.00	+.01	+.06	-.07	86.11	December ..	.00	+.01	+.03	+.07	-.12	85.83
April to Sep- tember ..	.00	.00	.00	+.01	.00	88.41	April to Sep- tember ..	+.01	.00	.00	+.01	-.02	86.94
October to March ..	-.03	-.01	+.01	+.06	-.04	85.52	October to March ..	-.02	.00	+.01	+.06	-.05	85.48
Year ..	-.02	-.01	+.01	+.03	-.02	86.96	Year ..	.00	.00	.00	+.04	-.03	86.21
1915.							1915.						
January ..	-.01	.00	+.02	+.07	-.07	82.95	July ..	+.03	+.02	+.03	-.02	-.06	88.09
February ..	+.01	.00	.00	+.04	-.04	82.10	August ..	+.02	+.01	+.02	.00	-.04	86.12
March ..	-.02	-.03	-.02	+.03	+.04	83.01	September ..	.00	.00	-.01	.00	.00	86.86
April ..	-.03	-.03	-.02	+.02	+.05	86.75	October ..	+.02	.00	-.01	+.01	-.01	87.46
May ..	.00	-.01	-.01	.00	.00	89.56	November ..	-.01	-.02	.00	+.06	-.04	87.68
June ..	+.05	+.03	+.01	-.04	-.06	91.33	December ..	+.01	+.01	+.02	+.06	-.10	85.54
April to Sep- tember ..							April to Sep- tember ..	+.01	.00	.00	-.01	-.02	88.12
October to March ..							October to March ..	.00	-.01	.00	+.04	-.04	84.79
Year ..							Year ..	+.01	.00	.00	+.02	-.03	86.45

TABLE XVIII.—*Showing the progressive change per day of the Horizontal Force Magnetograph as derived by different processes.*

Unity=0.1γ=0.000001 C. G. S.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	April to September.	October to March.	Year.
(1) Derived from the monthly means of the tabulated ordinates.															
1911 ..	-1	-2	-4	-5	-4	-1	0	-1	-4	-3	-1	+1	-2	-2	-2
1912 ..	+2	-1	-5	-6	-4	0	0	-2	-3	-2	+1	+2	-2	0	-1
1913 ..	0	-2	-4	-6	-3	+1	+2	-3	-5	-1	+2	+2	-2	0	-1
1914 ..	+1	-1	-4	-4	-3	-1	+1	-2	-4	-2	+2	+3	-2	0	-1
1915 ..	+1	-1	-4	-5	-7	-1	+4	-1	-4	-4	+2	+5	-2	0	-1
(2) Derived from the differences in the daily means of the first and the last day of each month.															
1911 ..	-6	-4	-1	-3	-12	+9	0	-1	-2	-3	-2	-2	-2	-3	-3
1912 ..	-4	-2	0	-6	-3	+1	-4	0	-6	+11	+4	0	-3	+1	-1
1913 ..	-5	-1	-9	-7	-4	+1	+7	-4	-5	-3	+2	+3	-2	-2	-2
1914 ..	-2	0	+2	-2	-4	+8	-2	-3	-7	+3	+9	+4	-2	+3	0
1915 ..	-10	-1	-8	-4	-1	-6	+5	-3	-17	+3	+22	+3	-4	+1	-1
(3) Derived from a single tabulated reading at 10 hour of the first day of each month.															
1911 ..	-7	+4	-2	-3	-12	+14	-9	+1	-3	0	-7	-5	-2	-3	-3
1912 ..	+5	-1	+5	-11	-4	-6	+8	-8	-5	+7	-5	+1	-4	+2	-1
1913 ..	-3	+8	-11	-6	+2	-6	+7	-2	-10	+3	+3	+1	-2	0	-1
1914 ..	-6	-4	+5	-4	-22	+13	-2	-2	-8	+8	+3	+1	-4	+1	-1
1915 ..	-3	+2	-2	-3	-7	-3	+7	-7	0	-15	+11	+1	-2	-1	-2
(4) Derived from a single tabulated reading at 0 hour of the first day of each month.															
1911 ..	0	+1	-10	-6	-7	+13	-5	+1	-1	-2	-4	-5	-1	-3	-2
1912 ..	+8	-2	-1	-5	-3	-5	+2	0	-5	-1	+3	+1	-3	+1	-1
1913 ..	-2	-2	-12	-2	-1	-2	+6	-2	-4	-8	+3	+6	-1	-2	-2
1914 ..	-3	-2	0	-6	-6	+2	+1	-2	-4	-1	+6	+6	-2	+1	-1
1915 ..	-2	+1	-9	-3	-7	-3	+5	-3	-11	+11	0	+5	-4	+1	-1



TABLE XIX.—*Showing the progressive change per day of the Declination Magnetograph as derived by different processes.*

Unity=0.01 Minute of arc.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	April to September.	October to March.	Year.
(1) Derived from the monthly means of the tabulated ordinates.															
1911 ..	0	0	-1	-1	-1	-1	0	-1	-1	-1	0	0	-1	0	-1
1912 ..	0	0	-1	-2	-2	0	+2	0	-1	-1	0	+2	0	0	0
1913 ..	+1	0	-2	-3	-3	0	+1	0	-1	0	0	+1	-1	0	0
1914 ..	+1	+1	0	-2	-2	0	0	+1	+1	+1	0	0	0	0	0
1915 ..	+1	+1	0	-2	-2	-1	0	+1	0	0	0	0	-1	0	0
(2) Derived from the differences in the daily means of the first and the last day of each month.															
1911 ..	+1	0	-2	+1	0	-1	0	+1	-2	-1	0	+1	0	0	0
1912 ..	+1	0	-2	-3	-2	+1	+1	-2	0	-3	+1	+2	-1	0	0
1913 ..	0	0	-1	-5	-2	+2	+1	-1	-2	0	0	+1	-1	0	+1
1914 ..	0	0	0	-2	0	0	+3	+2	+1	0	-2	+2	+1	0	0
1915 ..	-1	+3	-1	-2	-3	-1	0	+2	+2	0	0	0	0	0	0
(3) Derived from a single tabulated reading at 10 hour of the first day of each month.															
1911 ..	0	-2	-1	-1	-5	+6	-2	+1	-1	-5	-2	0	0	-2	-1
1912 ..	+5	+4	-1	-10	-1	+7	-3	0	-1	-4	+6	+1	-1	+2	0
1913 ..	+2	-1	0	-5	-11	+10	0	-6	+4	-2	0	+5	-1	+1	0
1914 ..	-3	0	+8	-12	-2	+2	+5	0	-1	+2	-2	+7	-1	+2	0
1915 ..	-7	+7	+7	-12	-3	+1	-10	+12	-5	+2	+2	-3	-3	+1	-1
(4) Derived from a single tabulated reading at 0 hour of the first day of each month.															
1911 ..	+2	-3	+1	-2	-1	-3	0	+1	-2	-2	-1	0	-1	0	-1
1912 ..	+1	0	-2	-2	-3	+1	+4	-2	0	-3	0	+3	0	0	0
1913 ..	+2	-1	0	-4	-5	+3	+1	-1	-1	+1	-1	+1	-1	0	0
1914 ..	+1	+1	-1	0	-2	+1	+1	0	+1	+1	-1	+1	0	0	0
1915 ..	+1	+1	0	-2	-1	-4	+2	+2	+2	-1	-2	0	0	0	0

TABLE XX.—*Showing the progressive change per day of the Vertical Force Magnetograph as derived by different processes.*

Unity=0.1γ=0.000001 C. G. S.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	April to September.	October to March.	Year.
(1) Derived from the monthly means of the tabulated ordinates.															
1911 ..	+1	+8	+10	+8	+12	+12	+8	+8	+8	+13	+7	+1	+9	+7	+8
1912 ..	0	0	+5	(+4)	(+5)	+10	+4	+2	+15	+14	+2	-3	+7	+3	+5
1913 ..	0	+7	+8	+8	+7	-7	-7	+4	+10	+12	+5	-4	+2	+5	+4
1914 ..	-1	-2	+1	+9	(+10)	(+5)	(+1)	+1	+17	+18	-5	-12	+7	0	+3
1915 ..	-4	0	+7	+14	+8	-11	-14	+3	+15	+15	+3	-6	+2	+2	+2
(2) Derived from the differences in the daily means of the first and the last day of each month.															
1911 ..	+17	-27	+5	+13	+16	+20	-11	+3	0	+14	-15	+21	+7	+2	+5
1912 ..	-13	+3	+9	+14	+8	+7	+13	+5	+8	+27	+7	-10	+9	+4	+6
1913 ..	-2	+29	-9	+5	+13	-18	-8	+11	+6	+25	-4	-3	+1	+6	+4
1914 ..	+6	0	-3	-4	+35	-30	+1	+16	+5	+19	0	-17	+4	+1	+2
1915 ..	+1	0	+9	-12	+12	-15	-14	+2	+22	+15	0	-16	-1	+1	0
(3) Derived from a single tabulated reading at 10 hour of the first day of each month.															
1911 ..	+24	-22	+13	+15	+13	+23	-11	+17	+12	+15	-5	+22	+11	+8	+10
1912 ..	-9	+5	+9	+2	+10	+7	+11	-1	+11	+30	+10	-11	+7	+6	+6
1913 ..	-3	+28	-12	+3	+13	+17	-3	+8	+22	+32	-12	-2	+4	+5	+5
1914 ..	-4	0	+5	-12	+43	-38	-4	+17	+12	+21	0	-22	+3	0	+1
1915 ..	-4	-2	+12	+9	+14	-7	-23	0	+19	+29	+1	-16	+2	+3	+3
(4) Derived from a single tabulated reading at 0 hour of the first day of each month.															
1911 ..	+16	-17	+19	+13	+17	+16	-10	+17	+3	+11	+12	+17	+9	+10	+9
1912 ..	-11	+6	+10	+11	+8	+7	+11	+3	+7	+25	+5	-11	+8	+4	+6
1913 ..	-1	+25	-7	+5	+15	-18	-6	+12	+6	+20	-12	-3	+2	+4	+3
1914 ..	+4	-1	-2	0	+35	-25	-2	+13	+9	+20	-3	-19	+5	0	+2
1915 ..	-1	-6	+9	-9	+40	-13	-16	+2	+23	+14	+1	-12	+4	+1	+3

Owing to adjustments of the V. F. Magnetograph values in brackets had to be interpolated.

APPENDIX A.

ABSOLUTE VALUES AND THE DIURNAL INEQUALITIES OF HORIZONTAL FORCE, DECLINATION AND VERTICAL FORCE, AS DERIVED FROM QUIET DAYS FOR THE YEARS 1911 TO 1915.

The usual process for obtaining the absolute values and diurnal inequalities from all (unrestricted) days of the year has been continued and the results have already been given in this volume in the magnetic data. The following tables which contain similar results completed to 1915 on the other hand have been derived from quiet days, on lines adopted in the "Colaba Magnetic Data (1846 to 1905)" Part II, Chapter XI.

Tables I, II and III give the mean monthly absolute values of H, D and V, derived (1) from *all* days, (2) from different sets of quiet days, and (3) their differences. It will be seen from the results that the conclusions drawn in the "Colaba Magnetic Data" continue all more or less to be confirmed by the present data. At Alibag as at Colaba quiet conditions usually connote high values of Horizontal Force, and low values of Vertical Force and Easterly Declination. In Vertical Force results however the differences between the all-day and quiet day results are greater than noted in the previous discussion and somewhat irregular. This is due to the different methods of use of the Vertical Force Magnetograph adopted in the two results. In the Colaba instrument which gave the former result, the magnet was never disturbed from its position of rest, while in the Alibag Magnetograph giving the latter result, the magnet is daily raised on its Ys and put back in position. The latter procedure, it will be seen, while conducing to better conditions for securing variations, is fatal to the correct registration of absolute values of force due to the failure of the balance to regain after the operation, its original position of rest resulting in the displacement of the base line. This and other considerations, revealed in investigations, have resulted in altering the usual method of observation at Alibag. While retaining the routine of absolute observations twice in the week of H and D which were found sufficient in number to ensure accurate daily values of these two elements, for the element V *daily* observations with the Inductor were found essential and have been introduced since. This allows the values of the base line and thence the absolute values of V to be determined from day to day much more reliably. It will be seen that the International Quiet days show on the whole quieter conditions than those of locally selected days as connoted by the higher differences from all (unrestricted) days in case of the former.

Tables IV to X give the results of the diurnal inequalities of H, D and V derived severally (1) from quiet days selected by the International Commission of Terrestrial Magnetism, and (2) from quiet days selected locally. The series given previously derived from days selected by the Astronomer Royal has been discontinued as no such selection is now made. Diurnal inequalities determined from the Astronomer Royal's days thus extend the series which is already published in the Colaba Magnetic Data, Part II, Chapter XI, from 1894—1905, up to 1910 only. All diurnal inequalities published in the present volume have been given uncorrected for the aperiodic change; however the values of the elements for the initial and the terminal hours have been given to allow of the corrections to be determined and applied, if wanted. It must be noted that for quiet days selected locally, the diurnal inequalities are derived from 0^h to 24^h Bombay Civil Mean Time. For quiet days selected by the International Commission, however, the days are reckoned from 5^h to 5^h of local time corresponding to the Greenwich civil day 0^h to 24^h so as to have the inequalities at this observatory strictly simultaneous with those of different observatories all over the world.

TABLE I.—*Absolute values of Horizontal Force derived from all days, and from quiet days (1) selected by the International Commission of Terrestrial Magnetism, and (2) selected locally and the differences between the values derived from all days and from these two sets of quiet days.*

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
<i>Absolute values : All days.</i>													
36000γ +													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	844.8	840.9	846.4	849.2	852.8	862.1	863.6	865.0	861.7	860.2	865.1	862.9	856.2
1912	871.2	873.0	877.1	873.2	874.5	876.8	877.5	868.8	871.1	874.3	871.2	877.3	873.8
1913	877.8	874.5	876.7	872.3	870.2	864.4	862.7	863.5	877.2	881.5	883.2	883.2	879.7
1914	886.9	884.8	883.3	877.8	887.3	886.7	885.0	879.8	874.7	874.4	875.9	883.8	881.7
1915	879.7	875.4	877.0	876.2	879.6	862.5	873.4	870.0	865.8	859.1	858.3	867.4	869.9
<i>Absolute values : Quiet days selected by the International Commission of Terrestrial Magnetism.</i>													
36000γ +													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	850.1	848.3	858.0	854.8	859.1	864.6	870.8	871.2	864.6	865.4	872.5	870.6	862.5
1912	870.5	876.4	880.9	875.6	879.3	876.5	879.6	870.4	874.9	874.2	875.9	881.0	876.5
1913	881.5	880.7	885.4	881.4	885.2	887.2	886.5	884.8	893.8	893.0	886.5	885.2	885.9
1914	885.8	887.4	887.1	882.4	883.5	890.9	892.1	882.7	881.3	884.4	886.3	880.2	885.8
1915	882.7	883.8	888.5	885.6	884.0	870.2	877.6	878.5	874.8	873.8	866.3	878.2	878.7
<i>Absolute values : Quiet days selected locally.</i>													
36000γ +													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	848.1	847.8	858.1	855.3	859.7	866.4	868.5	873.0	869.2	866.2	870.2	868.6	862.6
1912	876.8	872.0	880.8	880.5	877.8	879.5	879.7	871.3	877.9	876.6	872.4	880.1	877.1
1913	880.3	878.1	883.7	881.8	881.9	886.9	882.9	885.6	878.8	889.5	886.7	882.2	883.2
1914	887.7	887.6	883.5	881.8	889.1	888.8	888.5	881.2	881.2	878.9	880.2	886.4	884.6
1915	883.9	881.8	889.2	879.9	885.3	877.7	872.4	881.1	874.9	869.0	863.3	876.0	877.9
<i>Differences : Quiet days selected by the International Commission of Terrestrial Magnetism less all days.</i>													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	+5.3	+7.4	+11.6	+5.6	+6.3	+2.5	+7.2	+6.2	+2.9	+5.2	+7.4	+7.7	+6.3
1912	-0.7	+3.4	+3.8	+2.4	+4.8	+2.7	+2.1	+1.6	+3.8	-0.1	+4.7	+3.7	+2.7
1913	+3.7	+6.2	+8.7	+9.1	+6.0	+2.8	+3.8	+1.3	+16.6	+11.5	+3.3	+2.0	+6.2
1914	-1.1	+2.6	+3.8	+4.6	-3.8	+4.2	+7.1	+2.9	+6.6	+10.0	+10.4	+2.4	+4.1
1915	+3.0	+8.4	+11.5	+9.4	+4.4	+7.7	+4.2	+8.5	+9.0	+14.7	+13.0	+10.8	+8.7
<i>Differences : Quiet days selected locally less all days.</i>													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	+3.3	+6.9	+11.7	+6.1	+6.9	+4.3	+4.9	+6.0	+7.5	+6.0	+5.1	+5.7	+6.4
1912	+5.6	-1.0	+3.8	+7.3	+3.3	+2.7	+2.2	+2.5	+6.8	+2.3	+1.2	+2.8	+3.3
1913	+2.5	+3.6	+7.0	+9.5	+2.7	+2.5	+0.2	+2.1	+1.6	+8.0	+3.5	-1.0	+3.5
1914	+0.8	+2.8	+0.2	+4.0	+2.8	+2.1	+3.5	+1.4	+6.5	+4.5	+4.3	+2.8	+2.9
1915	+4.2	+6.4	+12.2	+3.7	+5.7	+15.2	-1.0	+11.1	+9.1	+9.9	+10.0	+8.6	+7.9

TABLE II.—*Absolute values of Declination derived from all days and from quiet days (1) selected by the International Commission of Terrestrial Magnetism and (2) selected locally and the differences between the values derived from all days and from these two sets of quiet days.*

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
<i>Absolute values : All days.</i>													
0°E+													
1911	56 13	56 0	55 59	55 25	55 13	54 54	54 31	54 3	53 46	53 44	53 21	53 13	54 42
1912	52 53	52 34	52 8	52 7	51 41	51 6	50 58	50 45	50 25	50 10	49 48	49 27	51 10
1913	49 9	48 49	48 29	48 32	48 7	47 50	47 18	46 59	46 33	46 35	46 16	46 4	47 33
1914	45 43	45 29	45 15	45 7	44 47	44 26	44 9	43 48	43 26	43 7	42 49	42 41	44 14
1915	42 19	41 58	41 42	41 29	41 8	40 49	40 29	40 15	39 55	39 36	39 21	38 49	40 39
<i>Absolute values : Quiet days selected by the International Commission of Terrestrial Magnetism.</i>													
0°E+													
1911	56 11	55 52	55 50	55 23	55 11	54 43	54 34	53 58	53 51	53 45	53 13	53 10	54 39
1912	53 3	52 34	52 8	52 3	51 23	51 4	50 52	50 53	50 34	50 16	49 38	49 22	51 9
1913	49 12	48 44	48 28	48 23	48 5	47 58	47 13	46 58	46 34	46 22	46 12	46 9	47 31
1914	45 40	45 29	45 15	45 16	44 52	44 17	44 0	43 48	43 17	43 7	42 41	42 41	44 12
1915	42 10	42 0	41 34	41 16	41 4	40 49	40 25	40 16	39 53	39 29	39 17	38 46	40 35
<i>Absolute values : Quiet days selected locally.</i>													
0°E+													
1911	56 13	55 52	55 50	55 25	55 10	54 46	54 31	54 2	53 47	53 44	53 16	53 10	54 39
1912	52 57	52 36	52 4	51 50	51 37	51 5	50 59	50 43	50 25	50 14	49 49	49 25	51 9
1913	49 10	48 38	48 31	48 31	48 7	47 53	47 23	46 55	46 38	46 28	46 14	46 5	47 33
1914	45 41	45 23	45 19	45 15	44 43	44 15	44 10	43 52	43 19	43 10	42 41	42 40	44 12
1915	42 13	41 57	41 31	41 22	41 14	40 32	40 31	40 9	39 56	39 33	39 15	38 44	40 35
<i>Differences : Quiet days selected by the International Commission of Terrestrial Magnetism less all days.</i>													
1911	-2	-8	-3	-2	-2	-11	+3	-5	+5	+1	-8	-3	-3
1912	+10	0	0	-4	-18	-2	-6	+8	+9	+6	-10	-5	-1
1913	+3	-5	-1	-9	-2	+8	-5	-1	+1	-13	-4	+5	-2
1914	-3	0	0	+9	+5	-9	-9	0	-9	0	-8	0	-2
1915	-9	+2	-8	-13	-4	0	-4	+1	-2	-7	-4	-3	-4
<i>Differences : Quiet days selected locally less all days.</i>													
1911	0	-8	-9	0	-3	-8	0	-1	+1	0	-5	-3	-3
1912	+4	+2	-4	-8	-4	-1	+1	-2	0	+4	+1	-2	-1
1913	+1	-11	+2	-1	0	+3	+5	-4	+5	-7	-2	+1	-1
1914	-2	-6	+4	+8	-4	-11	+1	+4	-7	+3	-8	-1	-2
1915	-6	-1	-11	-7	+6	-17	+2	-6	+1	-3	-6	-5	-4

TABLE III.—*Absolute values of Vertical Force derived from all days and from quiet days (1) selected by the International Commission of Terrestrial Magnetism, and (2) selected locally and the differences between the values derived from all days and from these two sets, of quiet days.*

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
<i>Absolute Values : All days.</i>													
16000γ +													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	197.0	215.1	218.4	220.0	226.2	253.4	270.1	261.8	282.1	265.5	285.2	303.7	240.9
1912	314.5	327.7	340.7	344.6	357.5	356.4	371.0	376.0	388.1	399.9	400.9	415.3	366.8
1913	427.9	434.3	440.0	456.2	468.3	481.2	483.2	485.3	489.2	492.5	493.7	523.2	473.7
1914	531.2	537.5	553.6	559.4	577.9	581.2	584.6	588.2	604.3	615.2	627.2	634.2	582.9
1915	648.5	651.5	657.7	664.7	668.2	682.6	694.5	695.5	710.8	721.0	721.4	738.1	688.0
<i>Absolute values : Quiet days selected by the International Commission of Terrestrial Magnetism.</i>													
16000γ +													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	187.3	214.6	202.3	223.5	228.1	254.3	268.7	270.7	281.6	258.7	279.9	290.7	247.4
1912	316.5	325.4	336.5	338.7	351.6	356.7	367.7	377.3	391.6	402.8	410.6	414.4	365.8
1913	438.6	439.9	449.9	458.9	471.3	471.4	484.8	486.8	495.0	495.2	495.9	522.0	475.4
1914	531.7	536.2	557.6	565.3	573.1	577.5	582.9	592.5	610.8	618.7	630.0	639.1	584.6
1915	647.5	650.6	662.1	682.0	684.7	684.5	693.1	699.2	707.9	718.0	725.6	737.0	687.7
<i>Absolute values : Quiet days selected locally.</i>													
16000γ +													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	190.4	218.6	206.3	223.2	229.4	254.3	265.4	262.6	279.8	267.6	277.5	308.1	248.6
1912	311.2	325.5	335.6	347.1	342.3	354.7	368.2	374.8	392.4	399.7	406.2	418.9	364.8
1913	434.2	439.3	450.2	455.0	466.6	473.3	484.0	483.1	490.5	491.3	495.4	518.0	473.4
1914	530.7	538.6	554.8	560.0	574.9	583.1	586.7	589.8	611.8	614.4	624.5	637.2	584.4
1915	647.7	646.5	660.6	680.0	686.9	689.2	695.1	700.8	701.9	718.6	731.3	737.7	687.8
<i>Differences : Quiet days selected by the International Commission of Terrestrial Magnetism less all days.</i>													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	-9.7	-0.5	-16.1	+3.5	+1.9	+0.9	-1.4	+8.9	-0.5	-6.8	-5.3	-4.0	-2.4
1912	+2.0	-2.3	-4.2	-5.9	-5.9	+0.3	-3.3	+1.3	+3.5	+2.9	+0.7	-0.9	-1.0
1913	+5.7	+5.6	+0.9	+2.7	+3.0	-9.8	+1.6	+1.5	+5.8	+2.7	+2.2	-1.2	+1.7
1914	+0.5	-1.3	+4.0	+5.9	-4.8	-3.7	-1.7	+4.3	+6.5	+3.5	+2.8	+4.9	+1.7
1915	-1.0	-0.9	+4.4	-2.7	-3.5	+1.9	-1.4	+2.7	-2.9	-3.6	+4.2	-1.1	-0.3
<i>Differences : Quiet days selected locally less all days.</i>													
	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ	γ
1911	-6.6	+3.5	-12.1	+3.2	+3.2	+0.9	-4.7	+0.8	-2.3	+2.1	-7.7	+4.4	-1.3
1912	-3.3	-2.2	-5.1	+2.5	-15.2	-1.7	-2.8	-1.2	+4.3	-0.2	-3.7	+4.6	-2.0
1913	+6.3	+5.0	+1.2	-1.2	-1.7	-7.9	+0.8	-2.2	+1.3	-1.2	+1.7	-5.2	-0.3
1914	-0.5	+1.1	+1.2	+0.6	-3.0	+1.9	+2.1	+1.6	+7.5	-0.8	-2.7	+3.0	+1.5
1915	-0.8	-5.0	+2.9	+1.3	-1.3	-2.4	+0.6	+4.3	-8.9	-3.0	+9.9	-0.4	-0.2

TABLE IVa.—Showing for the quiet days selected by the International Commission of Terrestrial Magnetism, the mean diurnal inequality of Horizontal Force for each month of the year, and for the whole year 1911.

Unity = 0.1γ = 0.000001 c. g. s.

1911.	Month.												1912.	Month.													
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
H. m.													H. m.														
4 52	- 44	- 78	- 93	- 118	- 115	- 102	- 121	- 76	- 63	- 60	- 80	- 54	- 84	4 52	- 45	- 49	- 77	- 89	- 103	- 100	- 107	- 75	- 60	- 101	- 69	- 59	- 78
5 52	- 32	- 56	- 75	- 115	- 124	- 104	- 86	- 85	- 60	- 55	- 58	- 31	- 73	5 52	- 41	- 37	- 71	- 89	- 67	- 98	- 85	- 85	- 60	- 83	- 60	- 48	- 69
6 52	- 28	- 5	- 29	- 79	- 49	- 49	- 61	- 40	- 98	- 57	- 12	- 21	- 44	6 52	- 37	- 32	- 45	- 73	- 34	- 57	- 28	- 78	- 55	- 52	- 21	- 4	- 43
7 52	- 24	- 86	- 60	0	- 48	- 22	- 16	- 1	- 105	- 28	- 69	- 27	- 12	7 52	- 33	- 13	- 8	- 11	- 34	- 15	- 36	- 47	- 44	- 16	- 22	- 54	- 3
8 52	- 3	- 166	- 163	- 141	- 164	- 88	- 99	- 90	- 19	- 40	- 179	- 75	- 99	8 52	- 10	- 35	- 100	- 94	- 129	- 110	- 115	- 11	- 36	- 116	- 80	- 115	- 78
9 52	- 57	- 223	- 255	- 260	- 228	- 184	- 211	- 174	- 87	- 156	- 269	- 135	- 187	9 52	- 65	- 94	- 187	- 197	- 181	- 202	- 182	- 96	- 138	- 197	- 145	- 184	- 150
10 52	- 123	- 225	- 295	- 293	- 267	- 267	- 271	- 229	- 164	- 203	- 300	- 160	- 233	10 52	- 130	- 147	- 280	- 237	- 210	- 257	- 233	- 167	- 189	- 247	- 188	- 197	- 207
11 52	- 152	- 213	- 307	- 258	- 249	- 265	- 277	- 269	- 206	- 190	- 267	- 133	- 232	11 52	- 132	- 189	- 279	- 218	- 204	- 235	- 258	- 192	- 191	- 241	- 165	- 160	- 205
12 52	- 122	- 159	- 229	- 193	- 200	- 234	- 216	- 262	- 212	- 166	- 158	- 62	- 184	12 52	- 78	- 162	- 231	- 172	- 160	- 185	- 235	- 175	- 176	- 165	- 109	- 111	- 163
13 52	- 84	- 74	- 118	- 112	- 99	- 165	- 147	- 186	- 157	- 106	- 78	- 5	- 110	13 52	- 31	- 89	- 138	- 109	- 106	- 137	- 185	- 108	- 135	- 80	- 51	- 61	- 102
14 52	- 54	- 15	- 33	- 41	- 11	- 66	- 65	- 83	- 75	- 28	0	- 21	- 37	14 52	- 1	- 34	- 42	- 51	- 49	- 68	- 105	- 55	- 65	- 34	- 35	- 16	- 46
15 52	- 3	- 23	- 3	- 21	- 46	- 28	- 10	- 14	- 3	- 15	- 60	- 47	- 21	15 52	- 15	- 6	- 29	- 17	- 9	- 1	- 18	- 10	- 13	- 10	- 0	- 26	- 0
16 52	- 62	- 55	- 23	- 63	- 57	- 76	- 65	- 79	- 32	- 42	- 81	- 56	- 58	16 52	- 21	- 23	- 53	- 18	- 32	- 40	- 69	- 38	- 26	- 28	- 19	- 44	- 34
17 52	- 77	- 91	- 70	- 81	- 82	- 97	- 90	- 99	- 44	- 52	- 94	- 46	- 77	17 52	- 21	- 33	- 67	- 52	- 74	- 80	- 105	- 62	- 42	- 63	- 35	- 58	- 58
18 52	- 60	- 116	- 112	- 109	- 100	- 93	- 106	- 99	- 56	- 63	- 113	- 48	- 90	18 52	- 31	- 38	- 87	- 76	- 92	- 90	- 102	- 66	- 73	- 91	- 54	- 66	- 72
19 52	- 78	- 107	- 129	- 117	- 98	- 98	- 99	- 111	- 75	- 65	- 104	- 37	- 93	19 52	- 26	- 50	- 91	- 91	- 94	- 94	- 97	- 67	- 80	- 101	- 69	- 68	- 77
20 52	- 65	- 112	- 139	- 114	- 99	- 100	- 96	- 108	- 65	- 72	- 118	- 33	- 93	20 52	- 34	- 67	- 99	- 82	- 100	- 91	- 93	- 65	- 84	- 106	- 81	- 81	- 82
21 52	- 62	- 121	- 145	- 108	- 90	- 96	- 96	- 97	- 64	- 89	- 119	- 39	- 94	21 52	- 31	- 80	- 95	- 81	- 92	- 90	- 93	- 54	- 78	- 101	- 72	- 90	- 80
22 52	- 55	- 91	- 133	- 105	- 77	- 84	- 93	- 94	- 56	- 78	- 106	- 24	- 83	22 52	- 23	- 76	- 105	- 76	- 78	- 82	- 94	- 46	- 74	- 89	- 68	- 85	- 75
23 52	- 50	- 87	- 113	- 89	- 80	- 90	- 92	- 82	- 38	- 74	- 81	- 22	- 75	23 52	- 18	- 59	- 91	- 77	- 73	- 78	- 98	- 48	- 59	- 83	- 62	- 70	- 68
0 52	- 12	- 81	- 113	- 82	- 91	- 87	- 80	- 68	- 44	- 64	- 83	- 28	- 69	0 52	- 14	- 52	- 93	- 80	- 66	- 82	- 98	- 44	- 57	- 73	- 63	- 61	- 65
1 52	- 8	- 77	- 105	- 80	- 77	- 81	- 68	- 69	- 38	- 55	- 79	- 28	- 61	1 52	- 15	- 47	- 94	- 75	- 57	- 84	- 99	- 40	- 59	- 63	- 58	- 49	- 62
2 52	- 4	- 32	- 97	- 56	- 66	- 67	- 61	- 84	- 37	- 33	- 76	- 29	- 53	2 52	- 20	- 40	- 89	- 73	- 63	- 77	- 98	- 24	- 48	- 53	- 46	- 50	- 57
3 52	- 18	- 55	- 89	- 31	- 54	- 64	- 70	- 85	- 27	- 10	- 63	- 33	- 47	3 52	- 22	- 48	- 82	- 62	- 71	- 79	- 102	- 7	- 49	- 48	- 44	- 45	- 55
4 52	- 14	- 24	- 93	- 26	- 42	- 46	- 77	- 77	- 25	- 3	- 57	- 26	- 40	4 52	- 4	- 49	- 73	- 59	- 69	- 78	- 98	- 3	- 49	- 47	- 24	- 40	- 49
Range ..	230	346	452	411	391	371	398	380	317	292	419	216	327	Range ..	177	269	385	328	313	357	365	277	275	353	269	287	289

TABLE IVc.—Showing for the quiet days selected by the International Commission of Terrestrial Magnetism, the mean diurnal inequality of Horizontal Force for each month of the year; and for the whole year 1913.

Unity = 0.1γ = 0.000001 c. g. s.

1913.	Month.												1914.	
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	Bombay Civil Time.
H. m.														H. m.
4 51	- 66	- 73	-117	-102	-100	-113	-112	- 71	- 69	- 74	- 97	- 61	- 88	4 51
5 51	- 52	- 64	-109	- 98	- 91	-104	-109	- 73	- 66	- 60	- 79	- 51	- 90	5 51
6 51	- 4	- 26	- 64	- 69	- 45	- 56	- 76	- 67	- 76	- 30	- 5	- 5	- 44	6 51
7 51	+ 54	+ 45	+ 21	+ 15	+ 47	+ 23	+ 9	- 41	- 55	+ 15	+ 82	+ 68	+ 24	7 51
8 51	+113	+125	+139	+182	+135	+149	+ 91	+ 23	+ 47	+155	+170	+132	+122	8 51
9 51	+166	+184	+263	+316	+211	+258	+197	+118	+142	+278	+225	+193	+213	9 51
10 51	+188	+224	+335	+350	+262	+318	+268	+164	+199	+309	+250	+214	+257	10 51
11 51	+179	+216	+341	+314	+259	+309	+293	+191	+213	+255	+214	+181	+247	11 51
12 51	+123	+155	+278	+227	+224	+286	+271	+189	+167	+153	+142	+123	+195	12 51
13 51	+ 53	+ 82	+140	+137	+148	+207	+218	+142	+ 89	+ 27	+ 73	+ 69	+115	13 51
14 51	+ 22	+ 33	+ 43	+ 47	+ 66	+108	+ 71	+ 70	- 4	- 6	+ 13	+ 11	+ 39	14 51
15 51	- 8	- 24	- 15	- 9	- 11	+ 4	+ 18	+ 14	- 49	- 30	- 43	- 39	- 16	15 51
16 51	- 32	- 45	- 57	- 61	- 78	- 85	- 69	- 32	- 55	- 42	- 72	- 69	- 58	16 51
17 51	- 49	- 52	- 90	- 97	- 110	- 141	- 111	- 65	- 66	- 57	- 75	- 79	- 83	17 51
18 51	- 77	- 63	- 113	- 131	- 96	- 142	- 109	- 74	- 69	- 86	- 85	- 71	- 93	18 51
19 51	- 76	- 72	- 124	- 132	- 102	- 140	- 107	- 70	- 78	- 90	- 91	- 68	- 96	19 51
20 51	- 75	- 78	- 125	- 129	- 114	- 131	- 102	- 69	- 71	- 99	- 98	- 73	- 97	20 51
21 51	- 78	- 79	- 115	- 124	- 106	- 126	- 114	- 56	- 68	- 107	- 101	- 74	- 96	21 51
22 51	- 80	- 82	- 106	- 116	- 100	- 126	- 110	- 57	- 59	- 99	- 93	- 63	- 91	22 51
23 51	- 81	- 83	- 109	- 111	- 87	- 116	- 96	- 51	- 45	- 93	- 82	- 66	- 85	23 51
0 51	- 67	- 85	- 114	- 121	- 90	- 112	- 95	- 60	- 22	- 86	- 77	- 63	- 83	0 51
1 51	- 63	- 78	- 110	- 116	- 82	- 100	- 102	- 61	- 15	- 89	- 68	- 71	- 80	1 51
2 51	- 54	- 71	- 98	- 91	- 83	- 101	- 84	- 46	- 8	- 76	- 69	- 68	- 71	2 51
3 51	- 49	- 80	- 102	- 88	- 73	- 86	- 94	- 37	- 10	- 66	- 58	- 70	- 68	3 51
4 51	- 38	- 73	- 105	- 91	- 68	- 74	- 99	- 25	- 11	- 66	- 57	- 52	- 63	4 51
Range ..	269	309	466	482	376	460	407	265	291	416	351	293	354	Range ..

TABLE IVd.—Showing for the quiet days selected by the International Commission of Terrestrial Magnetism, the mean diurnal inequality of Horizontal Force for each month of the year, and for the whole year 1914.

Unity = 0.γ = 0.000001 c. g. s.

1914.	Month.												Year.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
L. m.														
51	- 52	- 47	- 67	- 80	- 73	- 109	- 110	- 78	- 70	- 93	- 70	- 83	- 78	- 83
51	- 31	- 50	- 69	- 63	- 63	- 84	- 94	- 57	- 80	- 84	- 49	- 61	- 65	- 61
51	+ 8	- 29	- 78	- 23	- 50	- 56	- 51	- 22	- 85	- 80	+ 7	+ 1	- 38	+ 1
51	+ 75	+ 13	- 27	+ 27	+ 8	+ 20	+ 28	- 1	- 55	- 23	+ 73	+ 60	+ 16	+ 16
51	+ 120	+ 86	+ 61	+ 152	+ 109	+ 108	+ 133	+ 97	+ 4	+ 55	+ 139	+ 122	+ 99	+ 99
51	+ 161	+ 163	+ 157	+ 275	+ 169	+ 210	+ 236	+ 169	+ 87	+ 126	+ 173	+ 190	+ 176	+ 176
51	+ 172	+ 230	+ 244	+ 291	+ 194	+ 254	+ 274	+ 245	+ 149	+ 229	+ 227	+ 195	+ 225	+ 225
51	+ 141	+ 229	+ 242	+ 272	+ 168	+ 254	+ 259	+ 235	+ 183	+ 284	+ 204	+ 157	+ 219	+ 219
51	+ 83	+ 170	+ 180	+ 234	+ 125	+ 213	+ 225	+ 220	+ 81	+ 240	+ 143	+ 95	+ 167	+ 167
51	+ 26	+ 91	+ 118	+ 157	+ 70	+ 139	+ 165	+ 192	+ 136	+ 140	+ 78	+ 21	+ 111	+ 111
51	- 1	+ 44	+ 47	+ 66	+ 1	+ 47	+ 99	+ 127	+ 81	+ 38	+ 19	- 42	+ 44	+ 44
51	- 25	- 22	- 11	+ 5	- 31	- 12	+ 22	+ 33	+ 14	- 17	- 33	- 58	- 11	- 11
51	- 56	- 67	- 38	- 54	- 47	- 71	- 67	- 68	- 22	- 60	- 54	- 57	- 55	- 55
51	- 76	- 74	- 54	- 90	- 50	- 92	- 116	- 107	- 36	- 67	- 58	- 45	- 72	- 72
51	- 70	- 74	- 74	- 127	- 58	- 96	- 131	- 131	- 45	- 105	- 80	- 51	- 87	- 87
51	- 66	- 86	- 78	- 138	- 61	- 94	- 119	- 135	- 38	- 117	- 89	- 60	- 90	- 90
51	- 69	- 93	- 80	- 150	- 59	- 90	- 114	- 102	- 46	- 104	- 87	- 71	- 89	- 89
51	- 68	- 92	- 74	- 154	- 49	- 96	- 110	- 98	- 58	- 83	- 99	- 72	- 88	- 88
51	- 58	- 82	- 72	- 128	- 50	- 85	- 93	- 83	- 47	- 56	- 92	- 70	- 76	- 76
51	- 55	- 65	- 69	- 110	- 46	- 72	- 78	- 90	- 37	- 62	- 98	- 65	- 71	- 71
51	- 56	- 75	- 77	- 93	- 52	- 65	- 84	- 91	- 40	- 47	- 88	- 48	- 68	- 68
51	- 49	- 55	- 70	- 98	- 43	- 73	- 85	- 102	- 31	- 49	- 79	- 27	- 63	- 63
51	- 34	- 55	- 56	- 93	- 54	- 81	- 93	- 84	- 38	- 50	- 64	- 32	- 61	- 61
51	- 35	- 59	- 63	- 87	- 65	- 81	- 99	- 81	- 31	- 45	- 45	- 29	- 60	- 60
51	- 15	- 57	- 38	- 67	- 52	- 75	- 100	- 62	- 27	- 22	- 34	- 14	- 47	- 47
Range ..	248	323	324	445	267	363	405	380	268	401	326	278	315	315

TABLE IVf.—Showing for the quiet days selected by the International Commission of Terrestrial Magnetism, the mean diurnal inequality of Horizontal Force for summer months (April to September), winter months (October to March), and the whole year for each of the years 1911 to 1915.

$$\text{Unity} = 0.1\gamma = 0.000001 \text{ c. g. s.}$$

1916.		Month.												1911.		1912.		1913.		1914.		1915.						
Bombay Civil Time.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	April to September.	October to March.	Year.	April to September.	October to March.	Year.	April to September.	October to March.	Year.	April to September.	October to March.			
H. m.																												
4 51	- 78	- 94	- 134	- 144	- 149	- 108	- 167	- 146	- 134	- 172	- 82	- 87	- 125	5	- 99	- 68	- 84	- 89	- 67	- 78	- 94	- 81	- 88	- 87	- 141	- 108	- 125	
5 51	- 51	- 80	- 136	- 136	- 129	- 96	- 141	- 122	- 140	- 147	- 67	- 62	- 109	6	- 96	- 51	- 73	- 81	- 57	- 69	- 90	- 69	- 90	- 73	- 127	- 90	- 109	
6 51	0	- 65	- 87	- 100	- 94	- 51	- 71	- 78	- 151	- 122	- 47	- 51	- 76	7	- 63	- 25	- 44	- 54	- 32	- 43	- 65	- 22	- 44	- 48	- 91	- 62	- 76	
7 51	+ 58	+ 3	+ 13	- 31	+ 20	+ 25	+ 20	+ 10	- 97	- 54	+ 13	- 16	- 3	8	- 8	+ 32	+ 12	- 3	+ 9	+ 3	0	+ 47	+ 24	+ 4	+ 9	+ 3	- 3	
8 51	+ 131	+ 109	+ 155	+ 103	+ 164	+ 109	+ 120	+ 125	+ 67	+ 147	+ 96	+ 56	+ 115	9	+ 94	+ 104	+ 99	+ 82	+ 73	+ 78	+ 104	+ 139	+ 122	+ 100	+ 97	+ 99	+ 115	
9 51	+ 197	+ 190	+ 261	+ 317	+ 256	+ 208	+ 234	+ 243	+ 225	+ 293	+ 157	+ 132	+ 226	10	+ 191	+ 182	+ 187	+ 166	+ 145	+ 156	+ 207	+ 218	+ 213	+ 191	+ 162	+ 176	+ 247	
10 51	+ 256	+ 248	+ 310	+ 403	+ 293	+ 178	+ 306	+ 315	+ 308	+ 363	+ 227	+ 193	+ 283	11	+ 248	+ 218	+ 233	+ 215	+ 198	+ 207	+ 260	+ 253	+ 257	+ 234	+ 216	+ 225	+ 283	
11 51	+ 220	+ 278	+ 330	+ 403	+ 285	+ 321	+ 325	+ 334	+ 356	+ 357	+ 223	+ 206	+ 302	12	+ 254	+ 210	+ 232	+ 216	+ 191	+ 205	+ 263	+ 231	+ 247	+ 228	+ 209	+ 219	+ 302	
12 51	+ 143	+ 237	+ 282	+ 315	+ 245	+ 306	+ 273	+ 280	+ 319	+ 281	+ 161	+ 142	+ 249	13	+ 219	+ 149	+ 184	+ 184	+ 143	+ 163	+ 227	+ 162	+ 195	+ 183	+ 152	+ 167	+ 249	
13 51	+ 55	+ 173	+ 271	+ 196	+ 149	+ 216	+ 211	+ 190	+ 182	+ 160	+ 81	+ 56	+ 162	14	+ 144	+ 76	+ 110	+ 130	+ 75	+ 102	+ 157	+ 74	+ 115	+ 143	+ 79	+ 111	+ 133	
14 51	+ 7	+ 81	+ 107	+ 103	+ 64	+ 103	+ 113	+ 89	+ 181	+ 72	+ 47	+ 8	+ 81	15	+ 57	+ 18	+ 37	+ 65	+ 27	+ 46	+ 60	+ 19	+ 39	+ 70	+ 17	+ 44	+ 109	
15 51	- 42	- 16	+ 24	+ 48	- 5	- 16	- 4	+ 26	- 29	- 8	- 3	- 15	- 3	16	- 19	- 23	- 21	+ 11	- 11	0	- 5	- 26	- 16	+ 5	- 28	- 11	- 3	
16 51	- 72	- 72	- 49	- 17	- 46	- 106	- 86	- 41	- 87	- 57	- 23	- 43	- 58	17	- 62	- 53	- 58	- 37	- 31	- 34	- 63	- 53	- 58	- 55	- 64	- 53	- 58	
17 51	- 80	- 79	- 93	- 66	- 75	- 128	- 126	- 78	- 81	- 87	- 31	- 52	- 81	18	- 82	- 72	- 77	- 69	- 46	- 58	- 98	- 67	- 83	- 82	- 62	- 72	- 92	
18 51	- 63	- 78	- 105	- 121	- 89	- 125	- 121	- 103	- 87	- 104	- 51	- 58	- 92	19	- 94	- 85	- 90	- 83	- 61	- 72	- 103	- 82	- 93	- 98	- 76	- 87	- 92	
19 51	- 71	- 85	- 128	- 132	- 123	- 115	- 112	- 123	- 91	- 125	- 85	- 59	- 104	20	- 100	- 87	- 93	- 86	- 67	- 77	- 105	- 87	- 96	- 97	- 83	- 90	- 104	
20 51	- 83	- 115	- 142	- 138	- 123	- 107	- 114	- 124	- 113	- 138	- 88	- 65	- 112	21	- 97	- 90	- 93	- 88	- 78	- 82	- 103	- 91	- 97	- 93	- 84	- 89	- 112	
21 51	- 91	- 107	- 159	- 162	- 117	- 97	- 121	- 135	- 97	- 130	- 102	- 58	- 115	22	- 92	- 96	- 94	- 81	- 78	- 80	- 99	- 92	- 96	- 94	- 81	- 88	- 115	
22 51	- 85	- 106	- 72	- 168	- 114	- 92	- 116	- 128	- 89	- 115	- 70	- 56	- 101	23	- 85	- 81	- 83	- 75	- 74	- 75	- 95	- 87	- 91	- 81	- 72	- 76	- 101	
23 51	- 83	- 102	- 150	- 145	- 97	- 88	- 123	- 105	- 87	- 110	- 92	- 48	- 101	0	- 78	- 71	- 75	- 72	- 64	- 68	- 84	- 86	- 85	- 72	- 69	- 71	- 101	
0 51	- 78	- 88	- 144	- 168	- 100	- 75	- 113	- 106	- 83	- 103	- 81	- 51	- 98	1	- 75	- 63	- 69	- 71	- 59	- 65	- 83	- 83	- 82	- 71	- 65	- 68	- 91	
1 51	- 82	- 95	- 131	- 137	- 87	- 87	- 90	- 111	- 88	- 88	- 69	- 45	- 92	2	- 65	- 56	- 61	- 69	- 54	- 62	- 79	- 80	- 80	- 72	- 55	- 63	- 85	
2 51	- 69	- 86	- 124	- 142	- 78	- 90	- 81	- 121	- 74	- 82	- 62	- 30	- 87	3	- 62	- 45	- 53	- 64	- 50	- 57	- 69	- 73	- 71	- 74	- 48	- 61	- 87	
3 51	- 56	- 72	- 99	- 138	- 75	- 91	- 67	- 105	- 61	- 76	- 61	- 30	- 78	4	- 55	- 38	- 47	- 62	- 48	- 55	- 65	- 71	- 68	- 74	- 46	- 60	- 78	
4 51	- 52	- 59	- 115	- 129	- 88	- 93	- 35	- 105	- 67	- 80	- 55	- 30	- 76	5	- 49	- 31	- 40	- 58	- 39	- 49	- 61	- 65	- 63	- 64	- 30	- 47	- 76	
Range ..	341	393	479	571	442	449	492	480	507	535	329	293	427	Range ..	354	314	327	305	276	289	368	345	354	332	300	315	375	427

TABLE Va.—Showing for the quiet days locally selected the mean diurnal inequality of Horizontal Force for each month of the year, and for the whole year 1911.

Unity = 0.1γ = 0.000001 C. G. S.

1911.	Month.												1912.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.													Bombay Civil Time.													Year.
H. m.													H. m.													
23 52	- 88	-116	-113	- 89	- 89	-135	-108	- 94	- 94	- 81	-112	- 50	- 97	- 84	- 81	-113	-127	- 85	- 90	-121	- 80	- 74	-107	-129	-103	- 99
0 52	- 90	- 89	-112	-125	- 83	-122	- 99	- 91	- 93	- 87	-119	- 68	- 98	- 83	- 87	-119	-130	- 84	- 88	-108	- 61	- 70	-117	-121	- 90	- 96
1 52	- 80	-103	-115	-120	- 95	-122	- 97	- 85	- 94	- 65	- 97	- 70	- 95	- 77	- 65	-122	-126	- 88	- 97	-104	- 64	- 64	-103	-101	- 85	- 91
2 52	- 62	- 90	- 99	-116	- 87	-117	- 78	- 92	- 83	- 82	-108	- 58	- 85	- 78	- 82	-108	-121	- 82	- 95	-103	- 65	- 60	- 98	-100	- 81	- 89
3 52	- 66	- 86	- 90	-103	- 77	-116	- 95	- 94	- 65	- 72	- 90	- 54	- 81	- 80	- 72	-100	-117	- 88	- 94	-103	- 75	- 65	- 95	- 88	- 59	- 86
4 52	- 53	- 67	- 90	-100	- 83	-113	- 94	- 88	- 72	- 63	- 87	- 47	- 77	- 70	- 58	- 94	-106	- 84	-103	- 97	- 66	- 63	- 74	- 71	- 53	- 78
5 52	- 42	- 66	- 74	- 97	- 78	-116	- 81	- 93	- 63	- 37	- 74	- 27	- 71	- 61	- 51	- 82	-112	- 81	- 92	- 75	- 75	- 71	- 63	- 69	- 38	- 72
6 52	- 15	- 11	- 32	- 55	- 34	- 56	- 44	- 58	- 67	- 40	- 9	- 14	- 36	- 31	- 45	- 52	- 90	- 47	- 56	- 11	- 74	- 67	- 21	- 25	- 1	- 43
7 52	+ 7	+ 81	- 41	+ 27	+ 48	+ 43	+ 11	+ 9	- 55	0	+ 94	+ 35	+ 22	+ 15	- 9	+ 10	- 4	+ 22	- 9	+ 58	- 42	- 50	+ 53	+ 29	+ 56	+ 11
8 52	+ 60	+156	+157	+169	+132	+142	+127	+ 84	+ 23	+ 70	+190	+ 73	+115	+ 89	+ 42	+127	+158	+123	+ 60	+153	+ 32	+ 46	+151	+112	+113	+100
9 52	+106	+237	+247	+295	+104	+235	+226	+178	+128	+128	+255	+119	+198	+172	+ 94	+219	+291	+202	+156	+219	+110	+155	+233	+182	+171	+184
10 52	+151	+261	+290	+325	+235	+327	+266	+246	+202	+207	+290	+169	+247	+201	+146	+299	+335	+248	+233	+260	+177	+201	+274	+222	+184	+232
11 52	+158	+253	+293	+284	+221	+320	+248	+260	+251	+218	+247	+147	+242	+181	+183	+292	+306	+247	+248	+255	+201	+197	+263	+208	+142	+227
12 52	+ 99	+187	+231	+213	+178	+259	+194	+239	+257	+178	+173	+ 93	+192	+119	+158	+247	+239	+207	+224	+203	+182	+173	+172	+128	+ 82	+178
13 52	+ 89	+106	+129	+124	+ 97	+165	+125	+153	+192	+100	+ 87	+ 37	+117	+ 70	+104	+150	+130	+125	+160	+129	+115	+112	+ 76	+ 59	+ 27	+105
14 52	+ 69	+ 48	+ 41	+ 54	+ 22	+ 60	+ 48	+ 79	+ 99	+ 99	+ 48	+ 14	+ 1	+ 17	+ 61	+ 60	+ 46	+ 40	+100	+ 67	+ 65	+ 58	+ 19	+ 29	+ 21	+ 49
15 52	+ 26	-11	+ 4	- 4	- 41	- 34	- 9	- 7	+ 32	0	- 51	- 19	- 9	- 11	+ 27	- 15	+ 6	- 18	+ 26	+ 2	+ 13	+ 28	- 5	- 10	+ 4	+ 4
16 52	- 8	- 55	- 23	- 49	- 63	- 84	- 45	- 72	- 27	- 42	- 80	- 20	- 47	- 32	+ 5	- 47	- 25	- 51	- 38	- 61	- 27	- 2	- 31	- 16	- 20	- 30
17 52	- 26	-104	- 59	- 76	- 64	-101	- 65	- 92	- 46	- 64	- 89	- 30	- 68	- 43	- 17	- 72	- 50	- 74	- 89	- 93	- 55	- 28	- 58	- 21	- 30	- 52
18 52	- 39	-101	- 95	-112	- 67	- 96	- 92	- 85	- 59	- 87	-101	- 40	- 81	- 38	- 23	- 90	- 82	- 78	- 87	-105	- 52	- 55	- 73	- 35	- 35	- 63
19 52	- 68	-101	-108	-120	- 64	- 95	- 88	- 89	- 70	- 101	- 90	- 47	- 87	- 38	- 52	- 95	- 92	- 84	- 88	- 95	- 55	- 58	- 91	- 50	- 41	- 70
20 52	- 54	-118	-118	-110	- 80	- 99	- 90	- 85	- 92	-108	-103	- 48	- 92	- 49	- 69	-104	-100	- 93	- 80	- 92	- 50	- 80	-108	- 61	- 55	- 78
21 52	- 61	-120	-120	-107	- 74	- 93	- 94	- 78	-112	- 97	-102	- 47	- 92	- 55	- 79	-101	-115	- 94	- 62	- 94	- 42	- 80	-102	- 55	- 72	- 79
22 52	- 28	-106	-110	- 99	- 70	- 83	- 86	- 63	- 99	- 75	- 81	- 44	- 79	- 51	- 55	-105	-125	- 85	- 59	- 94	- 34	- 81	- 93	- 55	- 65	- 75
23 52	- 53	- 92	- 93	- 96	- 49	- 76	- 73	- 41	- 87	- 67	- 65	- 34	- 69	- 41	- 29	- 90	-110	- 85	- 44	- 98	- 39	- 61	- 89	- 59	- 61	- 67
Range ..	248	381	413	450	330	462	374	354	369	326	409	239	345	285	270	421	465	342	351	381	281	275	392	351	287	331

TABLE Vc.—Showing for the quiet days locally selected the means diurnal inequality of Horizontal Force for each month of the year, and for the whole year 1913.

Unity = 0.1γ = 0.000001 C. G. S.

TABLE Vd.—Showing for the quiet days locally selected the mean diurnal inequality of Horizontal Force for each month of the year, and for the whole year 1914.

Unity = 0.1γ = 0.000001 C. G. S.

1913.	Month.												1914.		Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Bombay Civil Time.	H. m.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.																											
H. m.																											
23 51	-86	-79	-92	-147	-132	-126	-91	-94	-70	-89	-106	-114	-102	23 51	-98	-89	-90	-150	-93	-73	-80	-69	-85	-82	-132	-119	-97
0 51	-75	-75	-105	-139	-133	-117	-92	-95	-59	-84	-99	-93	-97	0 51	-93	-92	-94	-151	-88	-63	-91	-79	-79	-49	-92	-106	-90
1 51	-72	-80	-92	-126	-119	-129	-91	-103	-46	-85	-99	-80	-93	1 51	-86	-82	-77	-131	-79	-78	-80	-88	-75	-50	-72	-94	-83
2 51	-78	-76	-84	-122	-122	-130	-98	-82	-40	-76	-93	-74	-90	2 51	-77	-76	-84	-118	-81	-80	-86	-77	-79	-49	-72	-89	-81
3 51	-69	-73	-88	-108	-119	-126	-79	-91	-35	-67	-85	-56	-83	3 51	-68	-73	-89	-105	-82	-85	-98	-79	-87	-60	-77	-82	-82
4 51	-62	-57	-91	-104	-114	-114	-85	-77	-38	-62	-86	-49	-78	4 51	-47	-70	-74	-85	-83	-88	-91	-68	-85	-55	-78	-73	-75
5 51	-56	-42	-83	-100	-95	-112	-88	-88	-48	-49	-66	-36	-72	5 51	-30	-67	-79	-88	-84	-77	-77	-49	-79	-53	-52	-54	-66
6 51	0	-17	-42	-66	-54	-62	-46	-88	-64	-42	-13	-1	-41	6 51	-8	-33	-56	-41	-57	-25	-16	-37	-79	-61	-19	-7	-35
7 51	+72	+40	+12	0	+29	+28	+17	-52	-52	-8	+66	+61	+18	7 51	+32	+13	+30	+16	+1	+58	+62	-10	-23	-23	+27	+63	+20
8 51	+150	+97	+103	+165	+254	+169	+89	+36	+70	+125	+165	+133	+130	8 51	+84	+89	+140	+140	+110	+59	+156	+90	+50	+35	+86	+133	+98
9 51	+196	+159	+223	+303	+256	+275	+171	+140	+147	+242	+230	+177	+210	9 51	+125	+184	+220	+260	+189	+208	+226	+151	+147	+102	+146	+200	+180
10 51	+212	+206	+282	+347	+317	+329	+250	+214	+169	+280	+250	+186	+253	10 51	+175	+245	+266	+324	+230	+263	+249	+251	+212	+211	+208	+209	+237
11 51	+202	+188	+299	+312	+317	+319	+277	+241	+177	+239	+211	+135	+243	11 51	+157	+252	+285	+321	+224	+261	+247	+262	+191	+264	+211	+179	+237
12 51	+140	+140	+252	+235	+262	+278	+248	+241	+143	+138	+126	+100	+192	12 51	+125	+188	+218	+265	+189	+204	+211	+258	+159	+220	+184	+134	+196
13 51	+52	+68	+147	+148	+248	+199	+177	+186	+75	+54	+37	+47	+120	13 51	+76	+106	+121	+184	+127	+105	+158	+216	+116	+117	+113	+62	+125
14 51	+6	+25	+51	+77	+63	+84	+82	+125	+10	+6	-35	-1	+41	14 51	+50	+39	+47	+103	+48	+46	+93	+96	+52	+3	+55	-9	+52
15 51	-19	-5	+6	+27	-21	-10	+3	+63	-23	-36	-55	-34	-9	15 51	+26	-17	-14	+22	-7	-35	+10	-18	-16	-32	-4	-26	-10
16 51	-39	-25	-59	-30	-100	-79	-74	+14	-33	-38	-61	-41	-47	16 51	-15	-49	-72	-40	-46	-80	-62	-97	-37	-45	-37	-35	-51
17 51	-40	-33	-100	-77	-122	-121	-98	-37	-58	-68	-55	-47	-71	17 51	-40	-74	-91	-86	-66	-97	-124	-110	-38	-49	-52	-32	-72
18 51	-72	-44	-105	-116	-119	-120	-93	-75	-59	-98	-53	-38	-83	18 51	-59	-80	-83	-125	-71	-97	-130	-118	-41	-82	-64	-38	-82
19 51	-163	-60	-109	-124	-131	-116	-108	-99	-58	-97	-52	-47	-97	19 51	-71	-92	-89	-107	-78	-98	-127	-120	-32	-86	-73	-49	-85
20 51	-67	-80	-111	-131	-131	-108	-92	-104	-52	-3	-57	-53	-82	20 51	-62	-94	-103	-141	-79	-91	-129	-102	-44	-67	-62	-62	-86
21 51	-67	-90	-103	-127	-123	-110	-89	-103	-43	-99	-54	-54	-88	21 51	-60	-81	-112	-145	-73	-72	-120	-101	-39	-64	-90	-76	-86
22 51	-73	-87	-106	-115	-114	-111	-91	-86	-36	-91	-52	-51	-84	22 51	-54	-68	-114	-140	-64	-70	-101	-91	-38	-47	-78	-66	-78
23 51	-71	-73	-93	-108	-111	-101	-85	-58	-16	-76	-2	-53	-71	23 51	-59	-56	-97	-113	-53	-71	-86	-85	-25	-83	-80	-62	-72
Range ..	375	296	410	494	450	449	380	345	247	379	356	300	355	Range ..	273	346	399	475	323	361	379	382	299	350	343	328	334

TABLE Ve.—Showing for the quiet days locally selected the mean diurnal inequality of Horizontal Force for each month of the year, and for the whole year 1915.

Unity = 0.1γ = 0.000001 c. g. s.

1915.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.													
H. m.													
23 51	-102	-133	-135	-155	-121	-169	-194	-138	-187	-124	-146	-85	-141
0 51	-89	-111	-141	-151	-133	-150	-186	-155	-169	-135	-139	-82	-137
1 51	-92	-107	-134	-152	-120	-164	-170	-153	-161	-137	-129	-76	-133
2 51	-82	-97	-132	-154	-118	-160	-180	-152	-168	-129	-113	-18	-124
3 51	-62	-95	-107	-144	-103	-157	-168	-141	-162	-136	-105	-75	-121
4 51	-71	-82	-131	-129	-107	-156	-165	-140	-123	-118	-106	-66	-116
5 51	-40	-71	-111	-133	-113	-131	-135	-119	-126	-129	-80	-52	-103
6 51	-15	-68	-82	-120	-92	-63	-66	-70	-120	-141	-52	-36	-77
7 51	+61	-19	-4	-59	+27	+30	+43	+23	-73	-62	+28	-9	-1
8 51	+139	+60	+117	+87	+135	+169	+146	+153	+108	+103	+139	+53	+122
9 51	+198	+145	+272	+249	+268	+281	+281	+287	+274	+256	+264	+113	+241
10 51	+247	+218	+367	+327	+320	+344	+362	+352	+357	+344	+323	+180	+312
11 51	+219	+254	+354	+340	+339	+334	+379	+356	+378	+356	+310	+185	+317
12 51	+162	+225	+260	+327	+297	+299	+339	+296	+335	+287	+216	+130	+264
13 51	+66	+156	+178	+235	+202	+211	+272	+200	+236	+180	+113	+60	+176
14 51	+16	+81	+90	+141	+99	+102	+149	+95	+139	+115	+43	+10	+90
15 51	-27	+1	+19	+68	0	+14	+20	+30	+22	+24	-25	-14	+11
16 51	-65	-46	-37	+22	-72	-84	-65	-47	-56	-40	-58	-35	-49
17 51	-85	-47	-66	-42	-115	-135	-115	-89	-71	-59	-68	-37	-77
18 51	-69	-39	-80	-114	-119	-120	-122	-110	-103	-66	-63	-27	-86
19 51	-68	-55	-102	-111	-128	-115	-118	-125	-114	-84	-102	-35	-96
20 51	-70	-82	-122	-121	-133	-115	-119	-120	-113	-111	-101	-37	-104
21 51	-78	-70	-142	-116	-132	-102	-117	-124	-98	-106	-83	-34	-100
22 51	-92	-69	-138	-110	-130	-96	-108	-120	-78	-95	-86	-34	-96
23 51	-88	-51	-110	-113	-126	-77	-103	-106	-57	-92	-103	-30	-88
Range ..	349	387	509	495	472	513	573	511	565	497	469	270	458

TABLE Vf.—Showing for the quiet days locally selected the mean diurnal inequality of Horizontal Force for the summer months (April to September), winter months (October to March) and the whole year for each of the years 1911 to 1915.

Unity = 0.1γ = 0.000001 c. g. s.

1911.	1912.	1913.	1914.	1915.
Bombay Civil Time.				
H. m.				
0	-101	-93	-97	-97
1	-102	-93	-98	-98
2	-102	-88	-95	-95
3	-95	-75	-85	-85
4	-92	-71	-81	-81
5	-92	-63	-77	-77
6	-88	-53	-71	-71
7	-52	-20	-36	-36
8	+14	+29	+22	+22
9	+113	+118	+115	+115
10	+209	+187	+198	+184
11	+267	+228	+247	+232
12	+264	+219	+242	+227
13	+223	+160	+192	+205
14	+143	+91	+117	+128
15	+60	+37	+49	+63
16	-10	-8	-9	-9
17	-57	-38	-47	-34
18	-74	-62	-68	-65
19	-85	-77	-81	-76
20	-88	-86	-87	-79
21	-93	-91	-92	-82
22	-93	-91	-92	-81
23	-83	-74	-79	-80
24	-70	-67	-69	-73
Range ..	369	321	345	338

1911.	1912.	1913.	1914.	1915.
Bombay Civil Time.				
H. m.				
0	-101	-93	-97	-97
1	-102	-93	-98	-98
2	-102	-88	-95	-95
3	-95	-75	-85	-85
4	-92	-71	-81	-81
5	-92	-63	-77	-77
6	-88	-53	-71	-71
7	-52	-20	-36	-36
8	+14	+29	+22	+22
9	+113	+118	+115	+115
10	+209	+187	+198	+184
11	+267	+228	+247	+232
12	+264	+219	+242	+227
13	+223	+160	+192	+205
14	+143	+91	+117	+128
15	+60	+37	+49	+63
16	-10	-8	-9	-9
17	-57	-38	-47	-34
18	-74	-62	-68	-65
19	-85	-77	-81	-76
20	-88	-86	-87	-79
21	-93	-91	-92	-82
22	-93	-91	-92	-81
23	-83	-74	-79	-80
24	-70	-67	-69	-73
Range ..	369	321	345	338

1911.	1912.	1913.	1914.	1915.
Bombay Civil Time.				
H. m.				
0	-101	-93	-97	-97
1	-102	-93	-98	-98
2	-102	-88	-95	-95
3	-95	-75	-85	-85
4	-92	-71	-81	-81
5	-92	-63	-77	-77
6	-88	-53	-71	-71
7	-52	-20	-36	-36
8	+14	+29	+22	+22
9	+113	+118	+115	+115
10	+209	+187	+198	+184
11	+267	+228	+247	+232
12	+264	+219	+242	+227
13	+223	+160	+192	+205
14	+143	+91	+117	+128
15	+60	+37	+49	+63
16	-10	-8	-9	-9
17	-57	-38	-47	-34
18	-74	-62	-68	-65
19	-85	-77	-81	-76
20	-88	-86	-87	-79
21	-93	-91	-92	-82
22	-93	-91	-92	-81
23	-83	-74	-79	-80
24	-70	-67	-69	-73
Range ..	369	321	345	338

1911.	1912.	1913.	1914.	1915.
Bombay Civil Time.				
H. m.				
0	-101	-93	-97	-97
1	-102	-93	-98	-98
2	-102	-88	-95	-95
3	-95	-75	-85	-85
4	-92	-71	-81	-81
5	-92	-63	-77	-77
6	-88	-53	-71	-71
7	-52	-20	-36	-36
8	+14	+29	+22	+22
9	+113	+118	+115	+115
10	+209	+187	+198	+184
11	+267	+228	+247	+232
12	+264	+219	+242	+227
13	+223	+160	+192	+205
14	+143	+91	+117	+128
15	+60	+37	+49	+63
16	-10	-8	-9	-9
17	-57	-38	-47	-34
18	-74	-62	-68	-65
19	-85	-77	-81	-76
20	-88	-86	-87	-79
21	-93	-91	-92	-82
22	-93	-91	-92	-81
23	-83	-74	-79	-80
24	-70	-67	-69	-73
Range ..	369	321	345	338

1911.	1912.	1913.	1914.	1915.
Bombay Civil Time.				
H. m.				
0	-101	-93	-97	-97
1	-102	-93	-98	-98
2	-102	-88	-95	-95
3	-95	-75	-85	-85
4	-92	-71	-81	-81
5	-92	-63	-77	-77
6	-88	-53	-71	-71
7	-52	-20	-36	-36
8	+14	+29	+22	+22
9	+113	+118	+115	+115
10	+209	+187	+198	+184
11	+267	+228	+247	+232
12	+264	+219	+242	+227
13	+223	+160	+192	+205
14	+143	+91	+117	+128
15	+60	+37	+49	+63
16	-10	-8	-9	-9
17	-57	-38	-47	-34
18	-74	-62	-68	-65
19	-85	-77	-81	-76
20	-88	-86	-87	-79
21	-93	-91	-92	-82
22	-93	-91	-92	-81
23	-83	-74	-79	-80
24	-70	-67	-69	-73
Range ..	369	321	345	338

1911.	1912.	1913.	1914.	1915.
Bombay Civil Time.				
H. m.				
0	-101	-93	-97	-97
1	-102	-93	-98	-98
2	-102	-88	-95	-95
3	-95	-75	-85	-85
4	-92	-71	-81	-81
5	-92	-63	-77	-77
6	-88	-53	-71	-71
7	-52	-20	-36	-36
8	+14	+29	+22	+22
9	+113	+118	+115	+115
10	+209	+187	+198	+184
11	+267	+228	+247	+232
12	+264	+219	+242	+227
13	+223	+160	+192	+205
14	+143	+91	+117	+128
15	+60	+37	+49	+63
16	-10	-8	-9	-9
17	-57	-38	-47	-34
18	-74	-62	-68	-65
19	-85	-77	-81	-76
20	-88	-86	-87	-79
21	-93	-91	-92	-82
22	-93	-91	-92	-81
23	-83	-74	-79	-80
24	-70	-67	-69	-73
Range ..	369	321	345	338

1915.	Month.												1911.		1912.		1913.		1914.		1915.								
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	Bombay Civil Time.	April to September.	October to March.	Year.	April to September.	October to March.	Year.	April to September.	October to March.	Year.						
Bombay Civil Time.																													
H. m.														H. m.															
23 51	-102	-133	-135	-155	-121	-169	-194	-138	-187	-124	-146	-85	-141	0	-101	-93	-97	-96	-103	-98	-110	-94	-102	-92	-102	-97	-161	-121	-141
0 51	-89	-111	-141	-151	-133	-150	-186	-155	-169	-135	-139	-82	-137	1	-102	-93	-98	-90	-103	-96	-106	-88	-97	-92	-88	-90	-157	-116	-137
1 51	-92	-107	-134	-152	-120	-164	-170	-153	-161	-137	-129	-76	-133	2	-102	-88	-95	-90	-92	-91	-102	-85	-93	-88	-77	-83	-153	-112	-133
2 51	-82	-97	-132	-154	-118	-160	-180	-152	-158	-129	-113	-18	-124	3	-95	-75	-85	-88	-91	-89	-99	-80	-90	-87	-74	-81	-154	-95	-124
3 51	-62	-95	-107	-144	-103	-157	-168	-141	-162	-136	-105	-75	-121	4	-92	-71	-81	-90	-82	-86	-93	-73	-83	-89	-75	-82	-146	-96	-121
4 51	-71	-82	-131	-129	-107	-156	-165	-140	-123	-118	-106	-66	-116	5	-92	-63	-77	-86	-70	-78	-89	-68	-78	-83	-66	-75	-137	-96	-116
5 51	-40	-71	-111	-133	-113	-131	-135	-119	-126	-129	-80	-52	-103	6	-88	-53	-71	-84	-60	-72	-88	-55	-72	-76	-56	-66	-126	-80	-103
6 51	-15	-68	-82	-120	-92	-63	-66	-70	-120	-141	-52	-36	-77	7	-52	-20	-36	-57	-29	-43	-63	-19	-41	-42	-28	-35	-88	-66	-77
7 51	+61	-19	-4	-59	+27	+30	+43	+23	-73	-62	+28	-9	-1	8	+14	+29	+22	-4	+26	+11	-5	+40	+18	+17	+24	+20	-2	-1	-1
8 51	+139	+60	+117	+87	+185	+169	+146	+153	+108	+103	+139	+53	+122	9	+113	+118	+115	+95	+98	+100	+130	+129	+130	+101	+94	+98	+141	+102	+122
9 51	+198	+145	+272	+249	+268	+281	+281	+287	+274	+256	+264	+113	+241	10	+209	+187	+198	+189	+179	+184	+215	+204	+210	+197	+163	+180	+273	+207	+241
10 51	+247	+218	+367	+327	+320	+344	+362	+352	+357	+344	+323	+180	+312	11	+267	+228	+247	+242	+221	+232	+271	+236	+253	+255	+219	+237	+344	+280	+312
11 51	+219	+254	+354	+340	+339	+334	+379	+356	+378	+356	+310	+185	+317	12	+264	+219	+242	+242	+212	+227	+274	+212	+243	+251	+225	+237	+354	+279	+317
12 51	+162	+225	+260	+327	+297	+298	+339	+296	+335	+287	+216	+130	+264	13	+223	+160	+192	+205	+151	+178	+234	+149	+192	+214	+178	+196	+315	+213	+264
13 51	+66	+156	+178	+235	+202	+211	+272	+200	+236	+180	+113	+60	+176	14	+143	+91	+117	+128	+81	+105	+172	+67	+120	+151	+99	+125	+226	+135	+176
14 51	+16	+81	+90	+141	+99	+102	+149	+95	+139	+115	+43	+10	+90	15	+60	+37	+49	+63	+34	+49	+73	+9	+41	+73	+31	+52	+121	+59	+90
15 51	-27	+1	+19	+68	0	+14	+20	+30	+22	+24	-25	-14	+11	16	-10	-8	-9	+9	-2	+4	+6	-24	-9	-7	-11	-10	-26	-3	+11
16 51	-65	-46	-37	+22	-72	-84	-65	-47	-56	-40	-58	-35	-49	17	-57	-38	-47	-34	-26	-30	-50	-44	-47	-60	-42	-51	-50	-47	-49
17 51	-85	-47	-66	-42	-115	-135	-115	-89	-71	-59	-68	-37	-77	18	-74	-62	-68	-65	-40	-52	-85	-57	-71	-87	-56	-72	-94	-60	-77
18 51	-69	-39	-80	-114	-119	-120	-122	-110	-103	-66	-63	-27	-86	19	-85	-77	-81	-76	-49	-63	-97	-68	-83	-97	-68	-82	-115	-57	-86
19 51	-68	-55	-102	-111	-128	-115	-118	-125	-114	-84	-102	-35	-96	20	-88	-86	-87	-79	-61	-70	-105	-88	-97	-94	-77	-85	-118	-74	-96
20 51	-70	-82	-122	-121	-133	-115	-119	-120	-113	-111	-101	-37	-104	21	-93	-91	-92	-82	-74	-78	-103	-62	-82	-98	-75	-86	-120	-87	-104
21 51	-78	-70	-142	-116	-132	-102	-117	-124	-98	-106	-83	-34	-100	22	-93	-91	-92	-81	-77	-79	-99	-78	-88	-92	-80	-86	-115	-86	-100
22 51	-92	-69	-138	-110	-130	-96	-108	-120	-78	-95	-86	-34	-96	23	-83	-74	-79	-80	-71	-75	-92	-77	-84	-84	-71	-78	-107	-96	-96
23 51	-88	-51	-110	-113	-126	-77	-103	-106	-57	-92	-103	-30	-88	24	-70	-67	-69	-73	-61	-67	-80	-61	-71	-72	-73	-72	-97	-79	-88
Range ..	349	387	509	495	472	513	573	511	565	497	469	270	458	Range ..	309	321	345	338	324	331	384	330	355	352	327	334	515	401	458

TABLE VIa.—Showing for the quiet days selected by the International Commission of Terrestrial Magnetism, the mean diurnal inequality of Declination for each month of the year, and for the whole year 1911.

Unity = 0.01 minute of arc.

1911.	Month.												1912.	Month.														
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Year.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Bombay Civil Time.														H. m.														
H. m.																												
4 51	34	26	52	7	60	82	56	46	16	16	8	31	8	4 51	35	6	13	11	69	41	64	34	14	8	13	33	11	
5 51	50	36	71	29	116	161	110	111	45	15	6	28	30	5 51	38	0	17	33	150	101	146	110	27	12	19	35	37	
6 51	52	75	58	102	196	191	215	221	158	40	14	11	76	6 51	22	15	9	127	201	195	223	192	28	34	76	81		
7 51	25	73	42	156	196	163	245	243	229	116	13	43	111	7 51	32	59	97	180	189	224	229	200	189	3	76	117		
8 51	25	45	132	115	110	87	154	159	192	100	5	41	90	8 51	110	64	157	156	77	168	143	113	163	49	25	35	99	
9 51	40	24	168	28	20	61	33	4	69	35	60	22	16	9 51	90	23	167	86	76	46	14	4	61	1	24	29		
10 51	7	10	139	68	143	178	110	110	73	38	101	90	67	10 51	32	114	69	22	216	63	116	103	48	58	76	67		
11 51	54	43	39	140	209	266	197	201	207	82	83	77	127	11 51	104	155	64	151	264	197	191	153	98	38	4	132		
12 51	41	2	39	146	191	257	213	229	247	81	25	8	122	12 51	58	134	146	217	257	233	215	198	201	77	16	33	141	
13 51	0	24	42	101	121	170	183	177	193	48	25	51	80	13 51	12	63	123	189	158	193	171	160	147	21	32	51	96	
14 51	28	44	23	27	42	75	119	102	95	8	45	63	25	14 51	23	17	54	107	47	132	110	89	63	24	13	39	40	
15 51	50	64	4	35	38	23	47	27	7	30	49	56	18	15 51	60	78	5	22	44	53	54	8	5	40	33	11	7	
16 51	58	50	4	47	33	4	2	29	35	12	42	23	28	16 51	47	75	26	25	74	4	5	37	37	20	19	26	31	
17 51	44	17	7	30	9	26	7	14	29	6	32	9	17	17 51	24	41	17	21	53	11	7	40	14	6	26	29	23	
18 51	35	24	8	2	28	4	33	27	6	20	21	11	2	18 51	24	33	3	5	9	14	33	4	17	1	8	23	0	
19 51	30	20	23	19	45	12	41	28	1	19	14	7	10	19 51	15	25	15	13	21	23	27	21	28	0	13	24	6	
20 51	24	36	27	17	31	2	30	23	3	11	11	6	7	20 51	1	13	21	10	14	24	34	16	23	2	14	22	8	
21 51	16	24	25	16	21	13	15	16	1	8	13	6	3	21 51	7	13	20	4	4	1	15	16	10	4	12	16	2	
22 51	6	22	27	10	1	19	13	2	1	2	13	2	4	22 51	7	12	14	9	15	4	3	8	4	9	20	19	5	
23 51	5	25	24	3	11	48	25	5	8	8	14	7	11	23 51	7	8	7	13	27	22	21	7	4	9	20	21	11	
0 51	5	13	22	3	21	53	37	20	12	10	11	1	12	0 51	10	10	9	25	32	30	29	14	14	10	17	16	15	
1 51	14	8	28	1	27	62	40	23	11	3	3	6	11	1 51	19	8	9	27	36	33	36	16	21	9	8	5	14	
2 51	29	9	31	2	24	67	41	35	9	1	0	16	7	2 51	26	5	14	20	46	35	36	11	24	1	2	5	11	
3 51	42	17	39	2	20	73	42	36	2	16	17	23	1	3 51	29	1	17	10	47	35	44	12	14	12	15	23	5	
4 51	54	28	44	0	30	84	52	44	2	27	16	29	1	4 51	48	4	16	4	82	48	66	23	5	16	27	33	7	
Range ..	112	139	239	302	405	457	458	472	476	198	150	153	238	Range ..	214	233	313	397	465	457	444	398	390	178	108	127	258	

TABLE VIc.—Showing for the quiet days selected by the International Commission of Terrestrial Magnetism, the mean diurnal inequality of Declination for each month of the year, and for the whole year 1913.

Unity = 0.01 minute of arc.

1913.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.													
H. m.													
4 51	- 34	- 24	- 19	+ 19	+ 39	+ 49	+ 53	+ 59	+ 41	+ 4	+ 9	- 27	+ 14
5 51	- 52	- 39	- 22	+ 39	+ 127	+ 130	+ 116	+ 133	+ 83	+ 11	- 12	- 38	+ 40
6 51	- 71	- 61	- 28	+ 139	+ 197	+ 212	+ 171	+ 203	+ 187	+ 63	- 51	- 65	+ 75
7 51	- 5	- 43	+ 46	+ 175	+ 199	+ 217	+ 179	+ 179	+ 221	+ 141	- 43	- 65	+ 100
8 51	+ 68	+ 10	+ 81	+ 148	+ 117	+ 127	+ 131	+ 72	+ 134	+ 32	- 41	- 44	+ 74
9 51	+ 52	+ 37	+ 67	+ 146	- 42	+ 3	+ 1	- 54	+ 14	- 34	- 86	- 43	+ 5
10 51	+ 14	+ 19	+ 9	- 75	- 155	- 121	- 39	- 145	- 116	- 149	- 118	- 42	- 76
11 51	- 15	- 19	- 63	- 159	- 197	- 189	- 144	- 189	- 229	- 203	- 91	- 40	- 128
12 51	- 7	- 4	- 89	- 175	- 211	- 214	- 215	- 171	- 218	- 163	- 31	+ 2	- 125
13 51	- 10	+ 15	- 38	- 131	- 145	- 155	- 195	- 125	- 156	- 93	+ 33	+ 63	- 78
14 51	- 20	+ 26	+ 27	- 45	- 52	- 101	- 105	- 60	- 65	- 10	+ 38	+ 87	- 23
15 51	+ 2	+ 20	+ 46	+ 16	+ 33	- 37	- 35	+ 17	+ 14	+ 58	+ 34	+ 67	+ 19
16 51	+ 28	+ 23	+ 37	+ 30	+ 62	+ 4	+ 28	+ 65	+ 32	+ 50	+ 22	+ 36	+ 35
17 51	+ 17	+ 4	+ 12	- 3	+ 40	+ 3	+ 16	+ 34	+ 41	+ 16	+ 27	+ 24	+ 19
18 51	+ 15	+ 4	- 8	- 28	- 16	- 32	- 29	- 19	- 9	+ 15	+ 26	+ 20	- 5
19 51	+ 14	- 2	- 11	- 40	- 24	- 38	- 36	- 29	- 22	+ 14	+ 29	+ 15	- 11
20 51	+ 7	- 2	- 10	- 28	- 22	- 29	- 30	- 25	- 18	+ 17	+ 33	+ 10	- 8
21 51	+ 5	- 3	- 9	- 8	- 12	- 7	- 10	- 20	- 8	+ 23	+ 35	+ 11	- 0
22 51	+ 7	+ 5	- 3	- 1	+ 1	+ 1	+ 6	- 11	+ 5	+ 28	+ 43	+ 10	+ 8
23 51	+ 10	+ 11	+ 4	+ 14	+ 8	+ 15	+ 7	+ 1	+ 15	+ 32	+ 48	+ 9	+ 14
0 51	+ 5	+ 15	+ 3	+ 23	+ 15	+ 31	+ 26	+ 14	+ 18	+ 33	+ 41	+ 10	+ 19
1 51	+ 1	+ 12	+ 0	+ 27	+ 19	+ 35	+ 40	+ 24	+ 20	+ 27	+ 34	+ 11	+ 21
2 51	- 12	+ 3	- 13	+ 27	+ 16	+ 37	+ 42	+ 27	+ 22	+ 23	+ 28	+ 4	+ 17
3 51	- 24	- 9	- 17	+ 9	+ 19	+ 45	+ 34	+ 29	+ 17	+ 15	+ 8	- 15	+ 9
4 51	- 46	- 24	- 21	+ 4	+ 30	+ 64	+ 51	+ 48	+ 15	+ 8	+ 4	- 29	+ 9
Range ..	139	98	170	350	410	431	394	392	450	344	166	152	228

TABLE VIc.—Showing for the quiet days selected by the International Commission of Terrestrial Magnetism, the mean diurnal inequality of Declination for each month of the year, and for the whole year 1914.

Unity = 0.01 minute of arc.

1914.	Month.												Year.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Bombay Civil Time.													
H. m.													
4 51	- 21	- 16	- 29	- 14	+ 31	+ 40	+ 56	+ 52	+ 56	- 3	- 26	- 32	+ 8
5 51	- 36	- 31	- 20	- 2	+ 108	+ 84	+ 127	+ 135	+ 112	+ 6	- 33	- 43	+ 34
6 51	- 53	- 32	+ 30	+ 82	+ 201	+ 179	+ 191	+ 226	+ 223	+ 52	- 54	- 84	+ 80
7 51	- 37	- 16	+ 108	+ 156	+ 231	+ 223	+ 195	+ 251	+ 257	+ 132	- 30	- 67	+ 117
8 51	- 32	- 9	+ 178	+ 174	+ 149	+ 167	+ 151	+ 155	+ 154	+ 159	- 3	- 17	+ 102
9 51	- 54	- 40	+ 198	+ 117	- 4	+ 32	+ 38	- 17	- 23	+ 75	+ 19	+ 44	+ 32
10 51	- 70	- 97	+ 142	+ 30	- 128	- 84	- 90	- 167	- 158	- 63	- 33	+ 51	- 56
11 51	- 40	- 108	- 32	- 76	- 216	- 212	- 208	- 245	- 250	- 162	- 61	+ 42	- 136
12 51	+ 22	- 54	- 142	- 108	- 230	- 233	- 203	- 253	- 242	- 134	- 24	+ 27	- 131
13 51	+ 98	+ 33	- 125	- 109	- 166	- 178	- 176	- 186	- 168	- 51	+ 8	+ 25	- 83
14 51	+ 120	+ 97	- 52	- 47	- 69	- 99	- 154	- 89	- 71	+ 35	+ 22	+ 4	- 25
15 51	+ 85	+ 134	- 2	+ 14	+ 2	- 35	- 72	+ 10	+ 12	+ 73	+ 19	+ 12	+ 21
16 51	+ 10	+ 74	+ 1	+ 22	+ 33	+ 1	- 5	+ 81	+ 39	+ 51	+ 86	+ 11	+ 29
17 51	- 13	+ 1	- 14	- 5	+ 21	- 3	+ 17	+ 62	+ 11	+ 9	+ 31	+ 13	+ 12
18 51	+ 8	+ 10	- 19	- 25	- 11	- 28	- 11	- 5	- 13	- 2	+ 22	+ 20	- 4
19 51	+ 10	+ 5	- 34	- 37	- 23	- 25	- 19	- 13	- 13	- 15	+ 36	+ 15	- 9
20 51	+ 9	+ 3	- 37	- 136	- 17	- 22	- 14	- 22	- 10	- 16	+ 24	+ 16	- 18
21 51	+ 10	+ 1	- 35	- 22	- 7	- 6	- 5	- 14	+ 3	- 16	+ 15	+ 9	- 6
22 51	+ 10	+ 3	- 26	- 9	+ 3	+ 8	+ 7	+ 13	+ 9	- 19	+ 22	+ 9	- 0
23 51	+ 9	+ 8	- 16	- 16	+ 3	+ 15	+ 23	+ 16	+ 4	- 19	+ 24	+ 6	+ 6
0 51	0	+ 15	- 15	- 5	+ 19	+ 34	+ 36	+ 3	+ 9	- 23	+ 24	+ 1	+ 8
1 51	- 4	+ 11	- 16	+ 3	+ 19	+ 40	+ 39	+ 6	+ 11	- 24	+ 8	- 9	+ 7
2 51	- 12	+ 14	- 20	+ 6	+ 17	+ 45	+ 40	+ 20	+ 15	- 19	- 6	- 19	+ 7
3 51	- 17	+ 6	- 26	- 4	+ 25	+ 41	+ 41	+ 22	+ 25	- 23	- 24	- 25	+ 3
4 51	- 26	- 4	- 32	- 14	+ 31	+ 43	+ 54	+ 47	+ 42	- 26	- 34	- 42	+ 3
Range ..	190	242	341	310	461	456	398	504	507	321	97	135	248

TABLE VIe.—Showing for the quiet days selected by the International Commission of Terrestrial Magnetism, the mean diurnal inequality of Declination for each month of the year, and for the whole year 1915.

Unity = 0.01 minute of arc.

1915.	Month.												1911.				1912.				1913.				1914.				1915.			
Bombay Civil Time.	Year.												Bombay Civil Time.	April to September.		October to March.		Year.	April to September.		October to March.		Year.	April to September.		October to March.		Year.	April to September.		October to March.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Year.	April to September.	October to March.	Year.		April to September.	October to March.	Year.	April to September.		October to March.	Year.	April to September.	October to March.		Year.	April to September.	October to March.	
H. m.	- 22	- 13	+ 11	+ 4	+ 70	+ 60	+ 79	+ 64	+ 62	+ 8	- 2	- 36	+ 24	H. m.	+ 44	- 28	+ 8	+ 39	- 16	+ 11	+ 43	- 15	+ 14	+ 35	- 21	+ 8	+ 56	- 9	+ 24			
4 51	- 39	- 12	+ 25	+ 49	+ 170	+ 118	+ 178	+ 143	+ 141	+ 13	+ 5	- 42	+ 63	5	+ 95	- 34	+ 30	+ 94	- 20	+ 37	+ 105	- 25	+ 40	+ 94	- 26	+ 34	+ 134	- 8	+ 63			
5 51	- 67	+ 10	+ 56	+ 159	+ 218	+ 218	+ 274	+ 258	+ 299	+ 74	+ 29	- 30	+ 125	6	+ 181	- 28	+ 76	+ 176	- 13	+ 81	+ 185	- 35	+ 75	+ 184	- 23	+ 80	+ 238	+ 12	+ 125			
6 51	- 37	+ 49	+ 105	+ 241	+ 203	+ 254	+ 249	+ 266	+ 311	+ 116	+ 82	+ 37	+ 156	7	+ 204	+ 19	+ 111	+ 202	- 31	+ 117	+ 195	- 5	+ 100	+ 219	- 15	+ 117	+ 254	+ 59	+ 156			
7 51	- 24	+ 41	+ 104	+ 217	+ 127	+ 185	+ 137	+ 168	+ 169	+ 77	+ 71	+ 78	+ 116	8	+ 136	+ 43	+ 90	+ 137	+ 62	+ 99	+ 121	+ 26	+ 74	+ 158	+ 46	+ 102	+ 167	+ 66	+ 116			
8 51	+ 28	- 29	+ 50	+ 108	- 41	+ 44	- 36	+ 9	- 36	- 6	- 11	+ 72	+ 13	9	+ 9	+ 23	+ 16	+ 22	+ 35	+ 29	+ 11	- 1	+ 5	+ 24	+ 40	+ 32	+ 8	+ 17	+ 13			
9 51	+ 32	- 99	- 45	- 49	- 161	- 80	- 184	- 131	- 173	- 74	- 106	- 17	- 96	10	- 114	- 18	- 67	- 95	- 39	- 67	- 108	- 44	- 76	- 96	- 12	- 56	- 130	- 62	- 96			
10 51	- 48	- 142	- 118	- 213	- 234	- 170	- 260	- 205	- 291	- 137	- 137	- 70	- 169	11	- 203	- 50	- 127	- 186	- 77	- 132	- 184	- 72	- 128	- 200	- 60	- 130	- 229	- 109	- 169			
11 51	- 16	- 95	- 176	- 284	- 214	- 214	- 270	- 284	- 323	- 124	- 95	- 23	- 171	12	- 214	- 30	- 122	- 220	- 61	- 141	- 201	- 49	- 125	- 211	- 51	- 131	- 253	- 88	- 171			
12 51	+ 7	+ 7	- 150	- 190	- 159	- 190	- 228	- 164	- 230	- 46	- 33	+ 13	- 114	13	- 157	+ 2	- 80	- 170	- 23	- 96	- 151	- 5	- 78	- 164	- 2	- 83	- 193	- 34	- 114			
13 51	+ 36	+ 86	- 46	- 90	- 53	- 136	- 153	- 75	- 75	+ 36	+ 1	+ 15	- 38	14	- 77	+ 27	- 25	- 91	+ 10	- 40	- 71	+ 25	- 23	- 88	+ 38	- 25	- 97	+ 21	- 38			
14 51	+ 45	+ 117	+ 29	+ 5	+ 24	- 70	- 63	- 9	+ 44	+ 69	+ 33	+ 42	+ 22	15	- 5	+ 41	+ 18	- 12	+ 27	+ 7	+ 1	+ 38	+ 19	- 11	+ 53	+ 21	- 11	+ 56	+ 22			
15 51	+ 1	+ 62	+ 48	+ 43	+ 43	- 12	+ 8	+ 25	+ 91	+ 44	+ 13	+ 25	+ 33	16	- 23	+ 30	+ 28	+ 27	+ 35	+ 31	+ 37	+ 33	+ 35	+ 28	+ 30	+ 29	+ 33	+ 32	+ 33			
16 51	- 23	- 7	+ 14	+ 21	+ 27	- 10	+ 34	+ 34	+ 20	- 21	- 4	+ 21	+ 9	17	+ 17	+ 17	+ 17	+ 22	+ 24	+ 23	+ 22	+ 17	+ 19	+ 17	+ 4	+ 12	+ 21	- 3	+ 9			
17 51	+ 3	+ 9	- 6	- 6	- 20	- 14	+ 6	+ 29	- 25	- 15	+ 20	+ 20	- 5	18	- 15	+ 10	- 2	- 14	+ 14	0	- 22	+ 12	- 5	- 15	+ 6	- 4	+ 15	+ 5	- 5			
18 51	+ 10	+ 10	- 3	- 30	- 15	- 28	- 9	- 47	- 23	- 14	+ 15	+ 14	- 10	19	- 24	+ 5	- 10	- 22	+ 10	- 6	- 31	+ 10	- 11	- 22	+ 3	- 9	- 25	+ 5	- 10			
19 51	+ 11	+ 7	+ 3	- 27	- 15	- 23	- 7	- 51	- 19	- 24	+ 5	+ 5	- 11	20	- 18	+ 4	- 7	- 20	+ 5	- 8	- 25	+ 9	- 8	- 37	0	- 18	- 24	+ 1	- 11			
20 51	+ 20	- 3	- 2	- 14	- 7	- 8	+ 2	- 36	- 14	- 12	+ 4	- 2	- 6	21	- 9	+ 2	- 3	- 8	+ 3	- 2	- 11	+ 10	0	- 8	- 3	- 6	- 13	+ 1	- 6			
21 51	+ 16	+ 2	+ 20	+ 1	+ 2	+ 3	+ 12	- 26	- 10	+ 1	+ 16	- 5	+ 3	22	- 9	+ 3	+ 4	+ 3	+ 6	+ 5	0	+ 15	+ 8	+ 1	0	0	- 3	+ 8	+ 3			
22 51	+ 23	+ 5	+ 23	+ 10	+ 13	+ 10	+ 28	- 9	- 6	+ 10	+ 23	+ 1	+ 11	23	+ 16	+ 6	+ 11	+ 16	+ 7	+ 11	+ 10	+ 19	+ 14	+ 8	+ 2	+ 6	+ 8	+ 14	+ 11			
23 51	+ 21	+ 5	+ 22	+ 12	+ 17	+ 13	+ 45	+ 3	+ 3	+ 15	+ 31	- 9	+ 15	24	+ 23	+ 1	+ 12	+ 24	+ 6	+ 15	+ 21	+ 18	+ 19	+ 16	0	+ 8	+ 15	+ 14	+ 15			
0 51	+ 24	+ 4	+ 19	+ 10	+ 17	+ 14	+ 50	+ 11	+ 19	+ 15	+ 23	- 17	+ 12	2	+ 27	- 6	+ 11	+ 28	0	+ 14	+ 27	+ 14	+ 21	+ 20	- 6	+ 7	+ 14	+ 11	+ 13			
1 51	+ 13	- 1	+ 9	+ 5	+ 10	+ 17	+ 57	+ 20	+ 23	+ 5	+ 15	- 30	+ 12	3	+ 29	- 14	+ 7	+ 29	- 7	+ 11	+ 28	+ 5	+ 17	+ 24	- 10	+ 7	+ 22	+ 2	+ 12			
2 51	+ 1	- 7	+ 7	- 1	+ 7	+ 11	+ 56	+ 33	+ 37	- 3	+ 7	- 42	+ 9	4	+ 28	- 26	+ 1	+ 27	- 16	+ 5	+ 25	- 7	+ 9	+ 25	- 18	+ 3	+ 24	- 6	+ 9			
3 51	+ 1	- 16	+ 13	- 5	+ 29	+ 39	+ 70	+ 44	+ 63	- 11	- 1	- 58	+ 12	5	+ 35	- 33	+ 1	+ 38	- 24	+ 7	+ 35	- 18	+ 9	+ 34	- 27	+ 3	+ 40	- 15	+ 12			
4 51	- 17	- 16	+ 13	- 5	+ 29	+ 39	+ 70	+ 44	+ 63	- 11	- 1	- 58	+ 12	Range ..	418	93	238	422	139	258	396	110	228	430	113	248	507	175	327			

TABLE VIIa.—Showing for the quiet days locally selected, the mean diurnal inequality of Declination for each month of the year and for the whole year 1911.
Unity = 0.01 minute of arc.

1911.	Month.											1912.	Month.											Year.			
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.		December.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.		November.	December.	
Bombay Civil Time.																										Year.	
H. m.																											
23 51	+ 24	+ 30	— 13	+ 2	+ 13	+ 37	+ 17	+ 5	+ 16	+ 19	+ 13	— 1	+ 13	23 51	— 2	+ 13	+ 14	+ 14	+ 14	+ 11	+ 16	+ 20	+ 12	+ 26	+ 26	+ 16	
0 51	+ 9	+ 12	— 13	+ 8	+ 25	+ 46	+ 42	+ 14	+ 22	+ 19	+ 19	— 1	+ 17	0 51	— 3	+ 15	+ 12	+ 13	+ 16	+ 24	+ 25	+ 22	+ 11	+ 22	+ 26	+ 18	
1 51	+ 3	+ 22	— 23	+ 7	+ 35	+ 52	+ 44	+ 21	+ 27	+ 16	+ 7	0	+ 18	1 51	— 14	+ 11	+ 9	+ 24	+ 31	+ 21	+ 38	+ 29	+ 11	+ 13	+ 16	+ 18	
2 51	+ 10	6	— 27	+ 6	+ 30	+ 57	+ 41	+ 34	+ 25	— 1	— 2	— 13	+ 12	2 51	— 23	+ 12	+ 1	+ 28	+ 26	+ 25	+ 41	+ 33	— 5	0	+ 5	+ 14	
3 51	— 27	0	— 38	— 1	+ 30	+ 58	+ 40	+ 41	+ 25	— 8	— 15	— 27	+ 6	3 51	— 23	+ 1	— 5	+ 20	+ 27	+ 31	+ 41	+ 30	— 12	— 9	— 12	+ 10	
4 51	— 46	— 17	— 45	+ 1	+ 44	+ 67	+ 44	+ 47	+ 21	— 16	— 17	— 31	+ 4	4 51	— 34	— 2	— 5	+ 12	+ 40	+ 49	+ 49	+ 29	— 27	— 15	— 24	+ 10	
5 51	— 69	— 29	— 65	+ 19	+ 125	+ 153	+ 106	+ 109	+ 49	— 19	— 13	— 21	+ 29	5 51	— 40	+ 6	+ 1	+ 132	+ 123	+ 132	+ 127	+ 54	— 28	— 15	— 34	+ 42	
6 51	— 62	— 71	— 61	+ 89	+ 182	+ 183	+ 204	+ 203	+ 140	+ 31	— 20	— 4	+ 68	6 51	— 33	+ 24	+ 16	+ 134	+ 198	+ 198	+ 211	+ 143	+ 20	— 32	— 77	+ 84	
7 51	— 41	— 75	+ 27	+ 139	+ 178	+ 155	+ 226	+ 230	+ 186	+ 83	— 1	+ 51	+ 96	7 51	+ 10	+ 60	+ 82	+ 181	+ 225	+ 214	+ 205	+ 175	+ 97	— 3	— 86	+ 115	
8 51	+ 10	— 47	+ 120	+ 120	+ 116	+ 96	+ 132	+ 147	+ 140	+ 72	— 16	+ 78	+ 81	8 51	+ 45	+ 64	+ 133	+ 132	+ 161	+ 135	+ 115	+ 89	+ 101	— 12	— 59	+ 89	
9 51	+ 41	— 21	+ 159	+ 29	+ 7	— 36	+ 7	+ 12	+ 27	— 1	— 58	— 33	+ 11	9 51	+ 17	— 1	+ 131	+ 38	+ 6	+ 46	+ 19	— 26	+ 23	— 17	— 45	+ 15	
10 51	+ 25	— 14	+ 136	— 71	— 109	— 172	— 119	— 106	— 75	— 64	— 107	— 128	— 67	10 51	— 58	— 69	+ 65	— 63	— 57	— 102	— 121	— 112	— 57	— 52	— 33	— 67	
11 51	— 31	— 37	+ 40	— 142	— 185	— 245	— 180	— 191	— 187	— 87	— 82	— 120	— 121	11 51	— 91	— 136	— 48	— 150	— 231	— 173	— 168	— 189	— 136	— 40	+ 8	— 131	
12 51	— 35	— 16	— 39	— 147	— 220	— 217	— 192	— 219	— 189	— 65	— 31	— 47	— 118	12 51	— 34	— 128	— 141	— 185	— 248	— 204	— 168	— 220	— 212	— 108	+ 19	+ 38	— 133
13 51	— 9	+ 2	— 40	— 89	— 149	— 145	— 151	— 181	— 130	— 20	+ 19	+ 24	— 72	13 51	+ 34	— 73	— 145	— 147	— 172	— 178	— 153	— 169	— 148	— 27	+ 28	+ 40	— 92
14 51	+ 15	+ 28	— 12	— 19	— 68	— 60	— 94	— 100	— 68	+ 27	+ 44	+ 71	— 20	14 51	+ 85	+ 14	— 88	— 90	— 71	— 134	— 99	— 99	— 36	+ 33	+ 14	+ 24	— 37
15 51	+ 27	+ 53	+ 6	+ 38	+ 11	— 11	— 44	— 17	— 17	+ 38	+ 65	+ 81	+ 19	15 51	+ 94	+ 72	— 15	+ 32	+ 15	— 58	— 28	— 26	+ 44	+ 58	+ 11	+ 1	+ 11
16 51	+ 27	+ 46	— 1	+ 49	+ 39	+ 10	— 8	+ 33	0	+ 20	+ 43	+ 49	+ 26	16 51	+ 41	+ 63	+ 17	+ 21	+ 56	— 8	+ 14	+ 24	+ 65	+ 34	+ 17	+ 23	+ 31
17 51	+ 26	+ 33	+ 2	+ 29	+ 10	+ 11	— 14	+ 25	+ 3	— 2	+ 35	+ 29	+ 16	17 51	+ 4	+ 26	+ 13	+ 16	+ 36	— 4	+ 5	+ 32	+ 37	+ 5	+ 16	+ 32	+ 18
18 51	+ 33	+ 30	— 11	— 5	— 34	— 11	— 32	— 12	— 3	— 12	+ 38	+ 24	0	18 51	+ 13	+ 20	+ 1	— 9	— 19	— 14	— 33	— 6	+ 3	— 4	+ 7	+ 31	— 1
19 51	+ 35	+ 21	— 24	— 19	— 33	— 20	— 41	— 24	— 17	— 13	+ 26	+ 15	— 8	19 51	+ 15	+ 14	— 10	— 20	— 30	— 29	— 37	— 24	— 10	— 4	+ 1	+ 31	— 9
20 51	+ 13	+ 25	— 29	— 17	— 25	— 17	— 30	— 29	— 7	— 6	+ 24	+ 8	— 7	20 51	+ 4	+ 4	— 15	— 21	— 30	— 32	— 40	— 22	— 11	— 2	0	+ 25	— 12
21 51	+ 14	+ 13	— 25	— 16	— 15	— 4	— 12	— 25	— 1	— 2	+ 22	+ 2	— 4	21 51	+ 3	+ 4	— 12	— 6	— 9	— 22	— 29	— 20	— 1	+ 4	0	+ 23	— 5
22 51	+ 20	+ 15	— 25	— 12	+ 3	+ 13	+ 15	— 15	+ 12	+ 7	+ 15	+ 1	+ 4	22 51	+ 2	+ 4	— 9	+ 8	+ 5	— 7	— 7	— 7	+ 9	+ 8	+ 11	+ 25	+ 4
23 51	+ 24	+ 20	— 20	— 5	+ 10	+ 27	+ 20	— 9	+ 24	+ 5	+ 17	+ 3	+ 10	23 51	— 3	0	— 3	+ 20	+ 14	+ 13	+ 11	+ 13	+ 13	+ 12	+ 15	+ 26	+ 11
Range ..	110	128	224	286	402	428	412	449	375	170	172	209	217	Range ..	185	208	278	366	466	429	382	431	388	237	80	126	248

TABLE VIIc.—Showing for the quiet days locally selected, the mean diurnal inequality of Declination for each month of the year and for the whole year 1913.

Unity = 0.01 minute of arc.

1913.	Month.												Year.
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
H. m.													
23 51	-	+ 22	+ 4	+ 11	+ 31	+ 15	- 1	+ 20	+ 28	+ 27	+ 27	+ 25	
0 51	-	+ 23	+ 5	+ 11	+ 40	+ 21	+ 11	+ 29	+ 31	+ 26	+ 22	+ 13	
1 51	-	+ 19	- 3	+ 17	+ 37	+ 32	+ 19	+ 36	+ 35	+ 21	+ 19	+ 4	
2 51	-	+ 7	- 11	+ 16	+ 36	+ 33	+ 17	+ 39	+ 33	+ 12	+ 9	- 6	
3 51	- 24	- 8	- 20	+ 6	+ 34	+ 41	+ 26	+ 46	+ 30	- 1	- 3	- 25	
4 51	- 38	- 24	- 26	- 3	+ 44	+ 54	+ 38	+ 53	+ 45	- 10	- 16	- 30	
5 51	- 61	- 33	- 35	+ 13	+ 130	+ 143	+ 100	+ 111	+ 107	- 10	- 31	- 41	
6 51	- 81	- 44	- 30	+ 120	+ 188	+ 230	+ 169	+ 199	+ 219	+ 56	- 37	- 72	
7 51	- 7	- 27	+ 47	+ 179	+ 175	+ 231	+ 178	+ 218	+ 228	+ 138	- 3	- 54	
8 51	+ 85	+ 6	+ 89	+ 169	+ 82	+ 134	+ 131	+ 91	+ 74	+ 96	+ 9	- 27	
9 51	+ 74	+ 31	+ 64	+ 91	- 65	- 4	+ 21	- 49	- 80	+ 3	- 29	- 6	
10 51	+ 30	+ 5	+ 31	- 26	- 164	- 147	- 73	- 144	- 172	- 112	- 76	- 2	
11 51	- 5	- 22	- 39	- 135	- 209	- 223	- 156	- 216	- 260	- 155	- 66	- 12	
12 51	+ 1	- 5	- 74	- 161	- 218	- 234	- 189	- 205	- 227	- 143	- 12	- 14	
13 51	- 6	+ 17	- 26	- 138	- 156	- 162	- 154	- 147	- 143	- 93	+ 41	+ 29	
14 51	- 13	+ 9	+ 27	- 63	- 58	- 103	- 73	- 62	- 56	- 15	+ 34	+ 61	
15 51	+ 13	- 7	+ 42	- 2	+ 24	- 13	+ 2	- 11	+ 29	+ 53	+ 19	+ 54	
16 51	+ 23	- 3	+ 31	+ 27	+ 54	+ 23	+ 41	+ 23	+ 59	+ 49	+ 2	+ 38	
17 51	+ 8	+ 2	+ 10	- 2	+ 37	+ 8	+ 32	+ 19	+ 47	+ 12	+ 16	+ 31	
18 51	+ 12	+ 5	- 14	- 27	- 9	- 36	- 23	- 13	- 4	+ 6	+ 17	+ 22	
19 51	+ 10	+ 7	- 17	- 42	- 10	- 38	- 35	- 20	- 16	+ 4	+ 17	+ 17	
20 51	0	+ 4	- 24	- 33	- 9	- 26	- 33	- 13	- 12	+ 7	+ 17	+ 6	
21 51	- 1	+ 8	- 22	- 20	- 3	- 4	- 27	- 9	- 4	+ 9	+ 16	+ 4	
22 51	+ 2	+ 13	- 16	- 10	+ 5	+ 13	- 11	+ 10	+ 7	+ 15	+ 17	+ 3	
23 51	+ 5	+ 14	- 6	+ 1	+ 16	+ 25	- 1	+ 24	+ 13	+ 21	+ 20	+ 3	
Range ..	166	75	163	340	406	465	367	434	488	293	117	133	

TABLE VIIe.—Showing for the quiet days locally selected, the mean diurnal inequality of Declination for each month of the year and for the whole year 1915.

Unity = 0.01 minute of arc.

1915.	Month.												1911.				1912.				1913.				1914.				1915.			
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	Bombay Civil Time.	April to September.	October to March.	Year.	April to September.	October to March.	Year.	April to September.	October to March.	Year.	April to September.	October to March.	Year.	April to September.	October to March.	Year.	April to September.	October to March.	
Bombay Civil Time.																																
H. m.																																
23 51	+ 26	+ 14	+ 17	+ 25	+ 17	+ 56	+ 31	+ 2	+ 20	+ 7	+ 49	+ 11	+ 23	0	+ 15	+ 12	+ 13	+ 16	+ 17	+ 17	+ 17	+ 17	+ 17	+ 17	+ 17	+ 17	+ 17	+ 17	+ 17	+ 17		
51	+ 20	+ 15	+ 13	+ 32	+ 27	+ 58	+ 44	+ 15	+ 17	+ 17	+ 54	0	+ 26	1	+ 26	+ 7	+ 17	+ 22	+ 14	+ 18	+ 24	+ 14	+ 19	+ 22	+ 12	+ 17	+ 16	+ 25	+ 21	+ 23		
1 51	+ 20	+ 6	+ 16	+ 26	+ 16	+ 65	+ 49	+ 26	+ 27	+ 23	+ 49	—	+ 27	2	+ 31	+ 4	+ 18	+ 29	+ 8	+ 18	+ 29	+ 8	+ 19	+ 25	+ 8	+ 16	+ 32	+ 20	+ 26	+ 26		
2 51	+ 10	—	+ 3	+ 26	+ 14	+ 60	+ 58	+ 35	+ 28	+ 24	+ 35	—	+ 23	3	+ 32	—	+ 12	+ 30	+ 2	+ 14	+ 29	0	+ 15	+ 25	+ 2	+ 14	+ 37	+ 19	+ 23	+ 23		
3 51	—	—	—	+ 23	+ 24	+ 58	+ 59	+ 44	+ 43	+ 15	+ 28	—	+ 22	4	+ 32	—	+ 6	+ 29	+ 10	+ 10	+ 30	—	+ 8	+ 26	+ 5	+ 10	+ 42	+ 3	+ 22	+ 22		
4 51	—	—	+ 8	+ 23	+ 38	+ 65	+ 69	+ 67	+ 57	+ 4	+ 11	—	+ 24	5	+ 37	—	+ 29	+ 4	+ 38	+ 18	+ 10	+ 38	—	+ 7	+ 38	—	+ 11	+ 13	+ 4	+ 24		
5 51	—	—	+ 13	+ 49	+ 137	+ 141	+ 180	+ 136	+ 118	+ 12	+ 4	—	+ 60	6	+ 93	—	+ 36	+ 29	+ 102	+ 18	+ 42	+ 101	—	+ 35	+ 33	+ 17	+ 41	+ 127	—	+ 60		
6 51	—	—	+ 60	+ 138	+ 205	+ 216	+ 295	+ 254	+ 260	+ 88	—	—	+ 122	7	+ 167	—	+ 31	+ 68	+ 181	+ 14	+ 84	+ 187	—	+ 35	+ 76	+ 185	+ 14	+ 86	+ 228	+ 16	+ 122	
7 51	—	—	+ 139	+ 212	+ 208	+ 210	+ 281	+ 259	+ 300	+ 128	—	—	+ 150	8	+ 185	+ 7	+ 96	+ 203	+ 27	+ 115	+ 201	+ 16	+ 108	+ 221	+ 19	+ 120	+ 245	+ 55	+ 150	+ 150		
8 51	+ 39	+ 3	+ 159	+ 200	+ 135	+ 143	+ 172	+ 147	+ 168	+ 89	—	—	+ 107	9	+ 125	+ 36	+ 81	+ 129	+ 49	+ 89	+ 113	+ 43	+ 78	+ 161	+ 35	+ 98	+ 161	+ 54	+ 107	+ 107		
9 51	+ 34	+ 40	+ 110	+ 117	—	—	—	—	—	—	—	—	+ 4	10	+ 8	+ 14	+ 11	+ 12	+ 18	+ 15	+ 11	+ 23	+ 6	+ 26	+ 9	+ 17	0	+ 7	+ 4	+ 4		
10 51	—	—	—	—	—	—	—	—	—	—	—	—	+ 103	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11 51	—	—	—	—	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 51	—	—	—	—	—	—	—	—	—	—	—	—	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13 51	—	—	—	—	—	—	—	—	—	—	—	—	—	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 51	+ 16	+ 85	—	—	—	—	—	—	—	—	—	—	—	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15 51	+ 36	+ 124	+ 6	—	—	—	—	—	—	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16 51	+ 8	+ 76	+ 10	+ 6	+ 42	+ 1	+ 29	+ 4	+ 46	+ 34	+ 41	+ 21	+ 26	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17 51	—	+ 6	—	+ 20	+ 26	+ 19	+ 46	+ 31	—	—	—	—	—	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18 51	+ 5	+ 19	—	+ 8	—	—	+ 16	—	—	—	—	—	—	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19 51	+ 14	+ 11	—	—	—	—	—	—	—	—	—	—	—	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20 51	+ 13	+ 6	—	—	—	—	—	—	—	—	—	—	—	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21 51	+ 20	—	+ 3	+ 1	—	—	—	—	—	—	—	—	—	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22 51	+ 20	+ 1	+ 24	+ 6	—	—	—	—	—	—	—	—	—	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23 51	+ 23	+ 4	+ 18	+ 58	+ 8	+ 42	+ 15	—	—	—	—	—	—	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Range ..	92	267	343	494	424	497	595	475	564	273	250	182	329	Range ..	382	98	217	409	123	248	408	93	234	452	138	270	504	181	329	329	329	

TABLE VIII.—Showing for the quiet days locally selected, the mean diurnal inequality of Declination for the summer months (April to September), winter months (October to March), and the whole year for each of the years 1911 to 1915.

Unity = 0.01 minute of arc.

$$\text{Unity} = 0.1\gamma = 0.000001 \text{ C. G. S.}$$
$$\text{Unity} = 0.1\gamma = 0.000001 \text{ c. g. s.}$$

The result for April 1912 is derived from 4 days only as one day—the 28th is rejected owing to the adjustment of the Vertical Form Magnetograph on that day.

TABLE VIIIc.—Showing for the quiet days selected by the International Commission of Terrestrial Magnetism, the mean diurnal inequality of Vertical Force for each month of the year, and for the whole year 1913.

Unity = 0.1γ = 0.000001 C. G. S.

1913.	Month.												1914.	Month.												Year.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.		December.
Bombay Civil Time.														H. m.													
H. m.																											
4 51	- 24	- 8	- 2	+ 24	+ 53	+ 59	+ 60	+ 12	+ 50	+ 28	+ 23	+ 20	+ 21	4 51	- 30	- 5	+ 24	+ 36	+ 41	+ 46	+ 27	+ 52	+ 71	+ 8	0	+ 31	+ 25
5 51	- 27	- 10	- 2	+ 52	+ 108	+ 117	+ 98	+ 64	+ 98	+ 46	+ 10	- 27	+ 44	5 51	- 32	- 10	+ 39	+ 68	+ 95	+ 93	+ 66	+ 102	+ 113	+ 21	+ 1	+ 30	+ 49
6 51	- 22	- 13	+ 35	+ 76	+ 78	+ 99	+ 91	+ 35	+ 121	+ 91	+ 3	- 48	+ 45	6 51	- 47	+ 1	+ 81	+ 107	+ 92	+ 109	+ 51	+ 99	+ 142	+ 84	+ 5	+ 17	+ 62
7 51	+ 25	+ 14	+ 52	- 6	- 5	+ 17	+ 53	- 41	+ 28	+ 37	- 6	- 49	+ 10	7 51	- 33	- 12	+ 74	+ 77	+ 10	+ 48	- 8	+ 20	+ 36	+ 81	+ 11	+ 64	+ 31
8 51	- 1	+ 24	+ 32	- 118	- 112	- 106	- 52	- 20	- 111	- 97	- 31	- 44	- 53	8 51	- 35	- 33	+ 37	+ 15	- 119	- 67	- 66	- 118	- 119	- 22	- 1	+ 87	- 37
9 51	- 92	+ 4	+ 14	- 196	- 226	- 179	- 119	- 155	- 194	- 161	- 81	- 43	- 121	9 51	- 19	- 105	- 8	- 61	- 225	- 160	- 146	- 197	- 203	- 154	- 24	+ 55	- 104
10 51	- 97	- 15	- 24	- 214	- 200	- 191	- 126	- 145	- 228	- 194	- 47	- 26	- 126	10 51	+ 2	- 109	- 101	- 130	- 205	- 176	- 178	- 204	- 231	- 207	- 84	+ 21	- 133
11 51	- 108	- 42	- 42	- 170	- 169	- 172	- 137	- 95	- 167	- 142	+ 15	- 5	- 103	11 51	+ 43	- 29	- 188	- 147	- 162	- 172	- 177	- 175	- 183	- 175	- 76	- 17	- 121
12 51	- 76	- 15	- 10	- 76	- 104	- 91	- 93	- 31	- 57	- 44	+ 89	+ 34	- 39	12 51	+ 94	+ 62	- 133	- 90	- 75	- 109	- 92	- 72	- 64	- 42	- 27	- 37	- 49
13 51	- 34	- 6	+ 36	- 6	+ 16	- 12	- 16	+ 31	+ 10	+ 30	+ 92	+ 58	+ 17	13 51	+ 108	+ 104	- 39	- 39	+ 9	- 31	- 51	+ 6	+ 14	+ 45	- 5	- 30	+ 8
14 51	- 4	- 10	+ 57	+ 64	+ 88	+ 33	+ 37	+ 67	+ 56	+ 61	+ 54	+ 31	+ 44	14 51	+ 75	+ 108	+ 27	+ 22	+ 49	+ 16	+ 22	+ 78	+ 80	+ 72	+ 11	- 12	+ 46
15 51	+ 32	- 4	+ 24	+ 76	+ 113	+ 69	+ 54	+ 85	+ 69	+ 67	+ 23	+ 6	+ 51	15 51	+ 17	+ 56	+ 28	+ 38	+ 64	+ 68	+ 76	+ 110	+ 86	+ 59	+ 16	- 5	+ 51
16 51	+ 40	+ 0	- 9	+ 51	+ 82	+ 55	+ 59	+ 54	+ 26	+ 22	+ 3	- 4	+ 32	16 51	- 36	- 12	+ 4	+ 20	+ 45	+ 43	+ 80	+ 84	+ 36	+ 4	+ 12	- 3	+ 23
17 51	+ 34	- 3	- 19	+ 18	+ 24	+ 23	+ 6	- 4	+ 8	+ 18	+ 18	+ 11	+ 11	17 51	0	- 23	+ 12	- 12	+ 21	+ 11	+ 41	+ 11	- 2	- 6	+ 9	+ 8	+ 6
18 51	+ 38	+ 2	- 25	+ 14	0	- 16	- 21	- 6	+ 8	+ 24	+ 10	+ 13	+ 3	18 51	+ 12	+ 10	+ 2	- 9	+ 16	+ 3	+ 9	- 25	- 7	+ 2	+ 7	+ 7	+ 2
19 51	+ 46	+ 4	- 21	+ 21	+ 18	+ 3	- 6	+ 1	+ 18	+ 30	+ 6	+ 11	+ 11	19 51	+ 4	+ 5	- 1	- 5	+ 22	+ 20	+ 26	+ 6	+ 8	+ 10	+ 17	+ 4	+ 10
20 51	+ 40	+ 7	- 12	+ 35	+ 29	+ 22	+ 7	+ 13	+ 27	+ 28	- 3	+ 12	+ 17	20 51	- 6	+ 12	+ 9	+ 12	+ 31	+ 22	+ 29	+ 15	+ 20	+ 15	+ 13	- 8	+ 14
21 51	+ 36	+ 6	- 7	+ 46	+ 36	+ 30	+ 16	+ 22	+ 33	+ 30	- 6	+ 12	+ 21	21 51	- 7	+ 10	+ 22	+ 18	+ 41	+ 33	+ 33	+ 24	+ 24	+ 21	+ 12	- 12	+ 18
22 51	+ 39	+ 18	+ 5	+ 56	+ 38	+ 36	+ 21	+ 26	+ 39	+ 29	- 7	+ 15	+ 26	22 51	- 9	+ 3	+ 28	+ 23	+ 49	+ 39	+ 44	+ 29	+ 30	+ 32	+ 21	- 16	+ 23
23 51	+ 39	+ 19	+ 1	+ 59	+ 36	+ 42	+ 16	+ 29	+ 41	+ 26	- 13	+ 12	+ 26	23 51	- 13	+ 6	+ 33	+ 25	+ 45	+ 37	+ 43	+ 32	+ 34	+ 34	+ 33	- 19	+ 24
0 51	+ 32	+ 13	- 4	+ 52	+ 34	+ 44	+ 21	+ 34	+ 38	+ 26	- 23	+ 12	+ 23	0 51	- 14	+ 1	+ 26	+ 21	+ 38	+ 40	+ 45	+ 45	+ 32	+ 31	+ 18	- 27	+ 21
1 51	+ 26	+ 12	- 9	+ 50	+ 28	+ 42	+ 21	+ 28	+ 35	+ 16	- 29	+ 9	+ 19	1 51	- 23	- 9	+ 17	+ 15	+ 40	+ 37	+ 46	+ 28	+ 34	+ 25	+ 15	- 33	+ 16
2 51	+ 24	+ 4	- 13	+ 45	+ 23	+ 38	+ 17	+ 32	+ 34	+ 9	- 35	+ 8	+ 15	2 51	- 23	- 8	+ 17	+ 10	+ 35	+ 33	+ 41	+ 20	+ 31	+ 25	- 6	- 34	+ 12
3 51	+ 23	+ 3	- 19	+ 35	+ 21	+ 44	+ 9	+ 33	+ 26	+ 15	- 40	+ 6	+ 13	3 51	- 21	- 19	+ 5	- 3	+ 38	+ 27	+ 39	+ 27	+ 34	+ 30	+ 11	- 45	+ 10
4 51	+ 22	+ 1	- 19	+ 44	+ 36	+ 53	+ 22	+ 52	+ 32	+ 21	- 34	+ 6	+ 20	4 51	- 19	- 20	+ 17	- 2	+ 50	+ 37	+ 49	+ 43	+ 47	+ 34	+ 21	- 41	+ 18
Range ..	154	66	99	290	339	308	235	240	349	285	173	107	177	Range ..	155	217	269	254	320	285	258	314	373	291	117	132	195

The result for June 1914 is derived from 4 days only as one day the 13th is rejected owing to the adjustment of the Vertical Force Magnetograph on that day.

TABLE IXa.—Showing for the quiet days selected locally, the mean diurnal inequality of Vertical Force for each month of the year and for the whole year 1911.

Unity = 0.1γ = 0.000001 c. g. s.

TABLE IXb.—Showing for the quiet days selected locally, the mean diurnal inequality of Vertical Force for each month of the year and for the whole year 1912.

Unity = 0.1γ = 0.000001 c. g. s.

1911.	Month.												1912.	Month.												Year.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.		December.
H. m.													H. m.														
23 50	+ 25	+ 43	+ 17	+ 46	+ 46	+ 56	+ 50	+ 38	+ 73	+ 32	+ 24	+ 16	+ 39	23 50	+ 1	+ 5	+ 24	+ 72	+ 56	+ 47	+ 48	+ 39	+ 50	+ 13	+ 14	+ 2	+ 31
0 50	+ 16	+ 33	+ 9	+ 41	+ 44	+ 56	+ 49	+ 36	+ 72	+ 33	+ 26	+ 15	+ 36	0 50	— 7	+ 11	+ 20	+ 64	+ 52	+ 41	+ 42	+ 37	+ 53	+ 12	+ 4	— 3	+ 27
1 50	+ 14	+ 28	+ 5	+ 35	+ 42	+ 53	+ 44	+ 39	+ 62	+ 31	+ 22	+ 11	+ 32	1 50	— 17	+ 14	+ 13	+ 57	+ 49	+ 42	+ 40	+ 38	+ 52	+ 18	+ 6	— 6	+ 25
2 50	+ 12	+ 18	—	+ 30	+ 37	+ 57	+ 38	+ 34	+ 56	+ 27	+ 19	+ 2	+ 27	2 50	— 22	+ 5	+ 11	+ 53	+ 50	+ 33	+ 38	+ 38	+ 50	+ 14	+ 4	— 12	+ 22
3 50	+ 11	+ 12	—	+ 33	+ 36	+ 56	+ 32	+ 26	+ 52	+ 21	+ 19	—	+ 24	3 50	— 18	+ 3	+ 11	+ 44	+ 56	+ 35	+ 44	+ 37	+ 44	+ 16	— 1	— 17	+ 21
4 50	+ 10	+ 9	—	+ 41	+ 52	+ 70	+ 42	+ 39	+ 55	+ 28	+ 21	+ 3	+ 30	4 50	— 21	+ 9	+ 12	+ 52	+ 73	+ 51	+ 60	+ 45	+ 49	+ 15	+ 6	— 14	+ 28
5 50	+ 13	— 4	+ 11	+ 63	+ 98	+ 112	+ 99	+ 94	+ 82	+ 33	+ 26	+ 24	+ 52	5 50	— 17	+ 16	+ 25	+ 80	+ 132	+ 105	+ 114	+ 106	+ 62	+ 28	+ 3	— 9	+ 54
6 50	+ 25	— 25	+ 15	+ 99	+ 60	+ 67	+ 101	+ 113	+ 128	+ 75	+ 24	+ 31	+ 58	6 50	— 4	+ 31	+ 44	+ 120	+ 121	+ 97	+ 104	+ 78	+ 112	+ 75	+ 19	— 35	+ 63
7 50	+ 54	— 17	+ 62	+ 35	— 5	+ 5	+ 6	+ 38	+ 42	+ 60	+ 12	+ 50	+ 29	7 50	+ 12	+ 31	+ 62	+ 55	+ 51	+ 55	+ 55	+ 1	+ 23	+ 65	+ 12	+ 38	
8 50	+ 48	+ 7	+ 75	— 41	— 77	— 88	— 88	— 65	— 59	— 23	— 21	— 16	— 28	8 50	— 1	— 14	+ 41	+ 22	— 54	— 59	— 47	— 116	— 83	— 14	+ 18	— 36	
9 50	— 16	+ 11	+ 29	— 131	— 140	— 178	— 149	— 148	— 146	— 95	— 76	— 155	— 99	9 50	— 77	— 122	— 31	— 102	— 149	— 125	— 150	— 181	— 124	— 92	+ 11	— 97	
10 50	— 78	— 17	+ 15	— 162	— 160	— 206	— 151	— 198	— 208	— 117	— 67	— 136	— 126	10 50	— 114	— 157	— 119	— 158	— 183	— 201	— 178	— 199	— 152	— 143	+ 25	+ 35	— 133
11 50	— 106	— 7	+ 72	— 138	— 171	— 153	— 123	— 188	— 203	— 88	— 7	— 40	— 108	11 50	— 48	— 118	— 177	— 174	— 157	— 169	— 134	— 127	— 164	— 119	+ 4	+ 30	— 113
12 50	— 52	+ 22	— 71	— 68	— 103	— 31	— 76	— 110	— 95	— 25	+ 51	+ 45	— 47	12 50	+ 56	— 43	— 154	— 120	— 100	— 106	— 98	— 93	— 37	+ 15	+ 22	— 63	
13 50	— 18	+ 25	— 17	— 7	— 23	— 5	— 33	— 7	— 18	+ 16	+ 48	+ 81	+ 3	13 50	+ 111	+ 22	— 57	— 63	— 33	— 43	— 43	— 5	— 22	+ 18	— 9	+ 4	— 10
14 50	— 5	+ 36	+ 10	+ 28	+ 41	+ 35	+ 5	+ 53	+ 15	+ 34	+ 30	+ 83	+ 30	14 50	+ 114	+ 71	+ 33	0	+ 27	+ 22	+ 11	+ 41	+ 45	+ 28	— 23	+ 30	+ 28
15 50	+ 10	+ 28	+ 2	+ 50	+ 71	+ 18	+ 18	+ 79	+ 22	+ 22	+ 6	+ 61	+ 32	15 50	+ 76	+ 68	+ 61	+ 22	+ 53	+ 56	+ 63	+ 69	+ 50	+ 14	— 27	+ 20	+ 40
16 50	+ 16	— 2	+ 5	+ 29	+ 44	+ 19	+ 26	+ 59	+ 4	— 14	+ 20	+ 5	+ 13	16 50	+ 7	+ 22	+ 48	+ 36	+ 34	+ 56	+ 51	+ 63	+ 11	— 16	— 4	+ 6	+ 26
17 50	+ 9	— 19	+ 7	+ 3	+ 1	+ 7	+ 10	+ 6	— 1	— 22	— 14	+ 6	— 1	17 50	+ 5	+ 5	+ 23	+ 1	— 11	+ 26	+ 10	+ 35	— 21	— 6	0	+ 9	+ 6
18 50	+ 15	— 29	— 17	— 7	— 6	+ 4	0	— 6	+ 2	— 15	— 8	+ 2	— 5	18 50	+ 15	+ 18	+ 14	— 8	— 33	+ 4	— 24	+ 2	— 25	0	+ 6	— 4	— 3
19 50	+ 11	— 23	— 14	+ 4	+ 14	+ 12	+ 7	+ 5	+ 5	— 10	— 20	— 3	— 2	19 50	+ 3	+ 21	+ 19	— 11	— 24	— 4	— 11	+ 7	— 12	+ 10	+ 4	+ 3	0
20 50	— 4	— 34	— 2	+ 6	+ 20	+ 24	+ 25	+ 15	+ 25	— 4	— 21	— 17	+ 3	20 50	— 6	+ 21	+ 24	+ 2	— 9	+ 6	— 1	+ 19	— 3	+ 25	— 4	+ 2	+ 6
21 50	0	— 41	+ 8	+ 14	+ 33	+ 30	+ 38	+ 26	+ 29	+ 1	— 20	— 21	+ 8	21 50	— 15	+ 27	+ 27	+ 11	+ 7	+ 16	+ 6	+ 24	+ 4	+ 32	— 4	+ 6	+ 11
22 50	— 1	— 42	+ 14	+ 19	+ 46	+ 34	+ 44	+ 32	+ 35	+ 5	— 23	— 23	+ 12	22 50	— 16	+ 30	+ 30	+ 13	+ 18	+ 19	+ 15	+ 31	+ 11	+ 36	+ 1	— 7	+ 15
23 50	— 5	— 36	+ 17	+ 23	+ 39	+ 33	+ 40	+ 36	+ 37	+ 8	— 25	— 29	+ 11	23 50	— 26	+ 33	+ 30	+ 14	+ 18	+ 22	+ 12	+ 33	+ 12	+ 36	— 1	— 11	+ 14
Range ..	160	85	147	261	269	318	252	311	336	192	127	238	185	Range	228	228	239	294	315	306	292	305	276	218	66	71	196

TABLE IXc.—Showing for the quiet days selected locally the mean diurnal inequality of Vertical Force for each month of the year, and for the whole year 1913.

Unity = 0.1γ 0.000001 c. g. s.

1913.	Month.												1914.	Month.												Year.	
Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	Bombay Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
H. m.														H. m.													
23 51	16	31	14	42	38	44	26	17	28	20	9	15	22	23 51	12	17	10	61	25	20	48	21	50	8	17	22	26
0 51	13	27	9	37	32	46	27	26	29	15	5	6	20	0 51	13	11	2	47	23	19	48	19	45	10	12	35	24
1 51	17	24	5	38	28	43	26	24	30	10	1	3	17	1 51	5	4	4	37	22	16	45	20	48	8	17	30	21
2 51	17	18	1	34	26	43	23	24	32	11	1	5	16	2 51	1	5	7	37	19	12	40	13	51	10	17	23	19
3 51	9	7	5	28	23	47	22	24	36	11	6	9	14	3 51	2	1	4	40	23	8	38	15	59	15	15	17	19
4 51	13	4	5	35	28	40	22	34	49	20	3	10	20	4 51	2	1	18	30	48	21	51	33	69	21	14	19	27
5 51	18	5	4	65	36	42	80	78	48	39	6	19	44	5 51	5	4	26	61	104	67	104	94	120	43	22	20	54
6 51	20	7	41	101	46	94	83	99	104	100	0	33	52	6 51	16	5	47	107	110	68	97	84	143	106	47	5	68
7 51	42	23	66	29	62	19	49	10	22	52	7	7	18	7 51	22	8	42	65	40	28	34	4	33	76	37	53	31
8 51	20	28	34	72	155	98	56	119	159	79	35	31	55	8 51	21	23	2	4	72	73	52	149	137	46	6	77	42
9 51	94	9	38	137	246	174	100	138	192	138	70	31	109	9 51	39	95	23	133	165	148	134	265	215	177	68	30	119
10 51	114	31	58	182	195	181	118	135	193	173	62	26	118	10 51	90	92	78	212	221	165	128	262	211	203	114	0	148
11 51	119	63	70	167	128	152	118	113	127	127	2	15	97	11 51	54	28	128	184	184	131	116	231	163	173	48	42	123
12 51	77	27	15	90	67	81	84	54	19	53	44	14	42	12 51	12	53	100	107	92	55	71	106	52	41	20	61	50
13 51	30	24	10	35	47	6	25	3	29	24	24	20	5	13 51	64	78	31	29	17	6	35	3	37	24	27	57	5
14 51	28	32	25	44	96	35	41	39	62	60	7	13	35	14 51	75	78	32	42	30	48	18	91	91	78	21	49	43
15 51	64	20	1	73	115	64	62	49	78	64	6	13	47	15 51	74	36	29	54	65	73	21	131	76	58	9	32	49
16 51	52	2	20	54	84	42	52	54	41	21	10	6	32	16 51	18	11	1	27	54	52	42	117	18	5	6	11	25
17 51	47	8	5	11	26	10	3	8	5	7	16	5	10	17 51	1	21	6	10	35	25	18	48	32	2	5	1	5
18 51	55	7	13	3	11	22	27	3	1	16	16	12	3	18 51	1	4	1	4	6	5	19	28	22	10	6	5	0
19 51	57	7	7	9	20	6	13	2	12	23	15	11	9	19 51	5	2	13	6	14	8	4	53	13	21	3	5	8
20 51	49	7	5	17	33	12	2	12	22	7	8	15	13	20 51	1	1	30	25	27	15	0	64	0	34	3	15	15
21 51	49	4	11	33	41	20	9	23	27	23	2	21	18	21 51	5	1	30	30	36	29	4	74	6	42	8	17	18
22 51	52	13	19	38	51	26	18	26	33	29	2	20	24	22 51	8	1	40	34	43	39	15	82	15	48	1	18	24
23 51	48	11	21	37	51	25	17	33	34	26	0	25	23	23 51	9	2	33	37	46	38	15	86	17	54	1	21	25
Range ..	183	94	136	283	361	302	201	237	297	273	114	64	170	Range.	165	173	175	319	331	238	238	396	358	309	161	138	214


TABLE IXe.—Showing for the quiet days selected locally, the mean diurnal inequality of Vertical Force for each month of the year and for the whole year 1915.

Unity = 0.1γ = 0.000001 c. g. s.

TABLE IXf.—Showing for the quiet days locally selected the mean diurnal inequality of Vertical Force, for the summer months (April to September), winter months (October to March), and for the whole year, for each of the years 1911 to 1915.

Unity = 0.1γ = 0.000001 c. g. s.

1915.	Month.												1911.		1912.		1913.		1914.		1915.									
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	Bombay Civil Time.	April to September.	October to March.	Year.	April to September.	October to March.	Year.	April to September.	October to March.	Year.	April to September.	October to March.					
H. m.														H. m.																
23 51	+ 13	+ 46	+ 19	+ 57	+ 40	+ 26	+ 41	+ 64	+ 56	+ 37	- 10	- 9	+ 32	0	+ 51	+ 26	+ 39	+ 52	+ 10	+ 31	+ 32	+ 12	+ 22	+ 37	+ 14	+ 21	+ 47	+ 16	+ 32	
0 51	+ 10	+ 44	+ 19	+ 54	+ 37	+ 12	+ 36	+ 70	+ 62	+ 33	- 14	- 15	+ 29	1	+ 50	+ 22	+ 36	+ 48	+ 6	+ 27	+ 33	+ 8	+ 20	+ 33	+ 14	+ 24	+ 45	+ 13	+ 29	
1 51	+ 5	+ 36	+ 20	+ 51	+ 35	+ 11	+ 33	+ 63	+ 56	+ 35	- 22	- 22	+ 25	2	+ 46	+ 18	+ 32	+ 46	+ 5	+ 25	+ 31	+ 3	+ 17	+ 31	+ 11	+ 21	+ 41	+ 9	+ 25	
2 51	+ 0	+ 32	+ 19	+ 49	+ 36	+ 12	+ 33	+ 66	+ 59	+ 29	- 27	- 27	+ 23	3	+ 41	+ 12	+ 27	+ 44	+ 0	+ 22	+ 30	+ 1	+ 16	+ 29	+ 10	+ 19	+ 42	+ 4	+ 23	
3 51	+ 5	+ 31	+ 25	+ 53	+ 45	+ 11	+ 33	+ 67	+ 58	+ 19	- 30	- 30	+ 23	4	+ 39	+ 9	+ 24	+ 43	- 1	+ 21	+ 30	+ 2	+ 14	+ 30	+ 8	+ 19	+ 42	+ 5	+ 23	
4 51	+ 5	+ 29	+ 33	+ 57	+ 64	+ 32	+ 40	+ 69	+ 67	+ 31	- 26	- 11	+ 32	5	+ 50	+ 11	+ 30	+ 55	+ 1	+ 28	+ 41	+ 1	+ 20	+ 42	+ 12	+ 27	+ 55	+ 10	+ 32	
5 51	+ 5	+ 42	+ 50	+ 87	+ 108	+ 71	+ 119	+ 111	+ 126	+ 62	- 17	- 7	+ 64	6	+ 91	+ 13	+ 52	+ 100	+ 8	+ 54	+ 88	+ 0	+ 44	+ 92	+ 17	+ 54	+ 104	+ 25	+ 64	
6 51	+ 2	+ 42	+ 79	+ 107	+ 68	+ 74	+ 94	+ 137	+ 125	+ 112	- 22	+ 29	+ 71	7	+ 95	+ 24	+ 59	+ 105	+ 22	+ 63	+ 88	+ 16	+ 52	+ 101	+ 31	+ 86	+ 101	+ 40	+ 71	
7 51	+ 40	+ 5	+ 71	+ 44	- 22	- 3	- 11	+ 42	- 15	+ 24	- 54	+ 52	+ 14	8	+ 20	+ 38	+ 29	+ 40	+ 37	+ 38	+ 4	+ 33	+ 18	+ 33	+ 30	+ 31	+ 6	+ 23	+ 14	
8 51	+ 44	- 44	- 19	- 62	- 109	- 124	- 191	- 61	- 189	- 84	- 87	+ 17	- 76	9	- 70	+ 13	- 28	- 63	+ 11	- 26	- 110	+ 0	- 55	- 81	- 3	- 42	- 123	- 29	- 76	
9 51	- 41	- 103	- 99	- 180	- 181	- 218	- 282	- 143	- 288	- 151	- 94	- 69	- 154	10	- 149	- 50	- 99	- 138	- 55	- 97	- 164	- 53	- 109	- 177	- 62	- 119	- 215	- 93	- 154	
10 51	- 84	- 140	- 185	- 261	- 160	- 244	- 242	- 125	- 278	- 170	- 70	- 115	- 173	11	- 181	- 72	- 126	+ 178	- 87	- 133	- 167	- 69	- 118	- 200	- 98	- 148	- 218	- 127	- 173	
11 51	- 44	- 104	- 192	- 251	- 136	- 193	- 126	- 107	- 221	- 143	- 5	- 74	- 133	12	- 163	- 53	- 108	- 154	- 71	- 113	- 134	- 60	- 97	- 168	- 79	- 123	- 172	- 94	- 133	
12 51	+ 18	- 5	- 127	- 146	- 57	- 104	- 73	- 49	- 112	- 38	+ 78	+ 6	- 51	13	- 89	- 5	- 47	- 101	- 24	- 63	- 66	- 19	- 42	- 80	- 19	- 50	- 90	- 11	- 51	
13 51	+ 4	+ 69	- 27	- 24	+ 6	+ 14	- 10	- 18	+ 16	+ 38	+ 110	+ 20	+ 16	14	- 15	+ 22	+ 3	- 35	+ 15	- 10	+ 2	+ 7	+ 5	- 7	+ 17	+ 5	- 4	+ 36	+ 16	
14 51	+ 12	+ 94	+ 55	+ 47	+ 62	+ 73	+ 66	- 11	+ 92	+ 56	+ 90	+ 29	+ 55	15	+ 29	+ 31	+ 30	+ 24	+ 32	+ 28	+ 53	+ 17	+ 35	+ 47	+ 39	+ 43	+ 55	+ 56	+ 55	
15 51	+ 11	+ 70	+ 49	+ 62	+ 69	+ 90	+ 115	- 9	+ 101	+ 38	+ 47	+ 33	+ 56	16	+ 43	+ 21	+ 32	+ 52	+ 29	+ 40	+ 73	+ 21	+ 47	+ 70	+ 29	+ 49	+ 71	+ 41	+ 56	
16 51	- 17	- 21	+ 10	+ 43	+ 35	+ 76	+ 113	+ 13	+ 53	- 28	- 12	+ 10	+ 23	17	+ 30	- 3	+ 13	+ 42	+ 10	+ 26	+ 54	+ 10	+ 32	+ 52	- 1	+ 25	+ 55	- 10	+ 23	
17 51	- 13	- 45	- 5	+ 35	- 9	+ 46	+ 66	- 9	+ 4	- 33	+ 7	+ 23	+ 6	18	+ 4	- 5	- 1	+ 7	+ 6	+ 6	+ 9	+ 11	+ 10	+ 14	- 4	+ 5	+ 22	- 11	+ 6	
18 51	+ 7	- 13	+ 12	+ 16	- 23	+ 29	+ 15	- 51	+ 25	+ 1	+ 18	+ 31	+ 6	19	- 2	- 9	- 5	- 14	+ 7	- 3	- 6	+ 11	+ 3	- 1	+ 1	+ 0	+ 2	+ 9	+ 6	
19 51	+ 10	- 12	+ 30	+ 19	+ 3	+ 50	+ 18	- 49	+ 38	+ 5	+ 15	+ 22	+ 12	20	+ 6	- 10	- 2	- 9	+ 9	+ 0	+ 3	+ 14	+ 9	+ 11	+ 5	+ 8	+ 13	+ 12	+ 12	
20 51	+ 6	- 21	+ 29	+ 42	+ 20	+ 66	+ 28	- 27	+ 47	+ 18	+ 15	+ 20	+ 20	21	+ 19	- 14	+ 3	+ 2	+ 10	+ 6	+ 16	+ 10	+ 13	+ 22	+ 8	+ 15	+ 29	+ 11	+ 20	
21 51	+ 8	- 12	+ 42	+ 51	+ 35	+ 75	+ 38	- 8	+ 55	+ 42	+ 39	+ 25	+ 32	22	+ 28	- 12	+ 8	+ 11	+ 10	+ 11	+ 25	+ 11	+ 18	+ 30	+ 7	+ 18	+ 41	+ 24	+ 32	
22 51	+ 6	+ 6	+ 58	+ 62	+ 35	+ 82	+ 43	+ 3	+ 64	+ 62	+ 44	+ 28	+ 41	23	+ 35	- 12	+ 12	+ 18	+ 12	+ 15	+ 32	+ 16	+ 24	+ 38	+ 10	+ 24	+ 48	+ 34	+ 41	
23 51	+ 3	+ 4	+ 62	+ 63	+ 34	+ 82	+ 47	+ 11	+ 70	+ 65	+ 45	+ 45	+ 23	24	+ 35	- 12	+ 11	+ 18	+ 10	+ 14	+ 33	+ 13	+ 23	+ 40	+ 10	+ 25	+ 51	+ 34	+ 42	
Range ..	128	234	271	308	289	334	401	280	414	282	204	167	244	Range ..	259	110	185	283	124	196	255	102	170	301	135	214	322	183	244	



Digitized with financial assistance from

Government of Maharashtra

on 01 February, 2020

